

INDEX

TO THE

BOTANICAL MAGAZINE



Ac

A NEW AND COMPLETE
INDEX
 TO THE
BOTANICAL MAGAZINE


FROM ITS COMMENCEMENT IN 1787 TO THE END OF 1904, INCLUDING
 THE FIRST, SECOND, AND THIRD SERIES.

TO WHICH IS PREFIXED

A HISTORY OF THE MAGAZINE

BY

W. BOTTING HEMSLEY, F.R.S., F.L.S.



~~~~~  
 Nature and Art to adorn the page combine,  
 And flowers exotic grace our northern clime.  
 ~~~~~

LONDON:
 LOVELL REEVE & CO. LTD.,
 PUBLISHERS TO THE HOME, COLONIAL AND INDIAN GOVERNMENTS,
 6, HENRIETTA STREET, COVENT GARDEN.
 1906.

Mo. Bot. Garden
 1906

THE HISTORY OF THE BOTANICAL MAGAZINE.

1787—1904.

NOTE.—The following History was contributed by Mr. W. Botting Hemsley to the *Gardeners' Chronicle*. Believing it would be of interest to subscribers of the *Botanical Magazine*, it is inserted here with some alterations and additions.

IN 1887, when the *Botanical Magazine* attained the hundredth year of its uninterrupted existence, the writer contributed to the *Gardeners' Chronicle* a series of articles on its history, preceded by a brief sketch of the rise of flower-gardening in England, and supplemented by notes on contemporary kindred literature, and on persons prominent as botanists and horticulturists. This was followed nine years later by gleanings from the wrappers of the Magazine during the periods 1809 to 1814, and 1827 to 1855. With the cordial assent of the proprietors of the *Gardeners' Chronicle*, the greater part is reproduced here, together with some additional facts, and the correction of errors in the original.

On the completion of the 112th volume the *Botanical Magazine* attained the hundredth year of its uninterrupted existence, having long outlived the numerous rivals and imitators which its successful career gave rise to from time to time. Indeed, it is doubtful whether it is not the only illustrated serial ever published that has enjoyed a century of unbroken vitality; and its history is the history of flower gardening in England, in the open and under glass, from its infancy to the achievements of the present day. A hundred years is but a short period, yet during the past century the cultivation of tropical and subtropical plants for the delights they afford the eye has developed from a few small beginnings by wealthy amateurs and botanic gardens to an almost incredible extent, both as to what has been accomplished and the number of persons engaged in producing a luxury which is essentially a luxury of the present age. From its commencement up to the present time varieties of garden origin, or florists' flowers, have, with a very few exceptions, been excluded from the

Botanical Magazine. Nevertheless, and in spite of its title, which was given at a period when scientific botany was still in its infancy, the *Botanical Magazine* contains the history of flower gardening in the various phases through which it has passed during the last century. Although the marvellous results of the gardener's skill are not represented therein, the wild parents from which he has obtained such results are so in most instances, and remain as silent witnesses of what may be effected by education, if it may be so termed, and freedom from the struggle for existence which plants are ever exposed to under natural conditions. Moreover, the serials which have been more especially devoted to the illustration of florists' flowers may be regarded as the legitimate offspring of the *Botanical Magazine*, in the double sense of the priority of the latter, and by reason of its being a refuge for the usually less showy progenitors of the florists' flowers themselves. This being so, a sketch of the history of the career of the *Botanical Magazine* and its collateral associations will doubtless interest many readers of the present day, for it is a part of their history as well as of their forefathers.

But before proceeding to that history itself it may be well to go back a little further, and glance at the condition of flower gardening in England previous to the founding of the *Botanical Magazine*, as we shall then be in a better position to appreciate the advances made in the art subsequently. It will be understood that in a sketch of this nature only the most noteworthy events, and a selection of the principal actors and books, can be passed in review; and it will be confined almost entirely to English illustrated works, though mention will be made of others which may be regarded as connecting links in the history of flower gardening.

FLOWER GARDENING IN ENGLAND ANTERIOR TO THE FOUNDATION OF THE "BOTANICAL MAGAZINE."

The earliest English printed book with figures of plants that I have seen, and probably the first produced, is the *Grete Herball* of 1526, "emprinted at London, in Southwarke, by me, Peter Treveris;" though it is stated by Pulteney, on the authority of Ames, that the first edition was printed in 1516. The oldest Banksian copy is, however, of the same date as that in the Kew library. This work, which is only mentioned on account of its historical interest, was translated from the French. There were

numerous Continental editions of a book similar in character under the title of *Ortus Sanitatis*, or "Garden of Health;" the oldest at Kew having been printed at Mainz, in 1485. It is a thick quarto, with numerous coarse woodcuts, which have been rudely coloured by hand.

The *Grete Herball* is a small quarto book, and the principal object of it, as of all the early works on plants, was to set forth the medicinal virtues of herbs, shrubs and trees. Although it is not filled with the gross astrological superstitions of some later works, the numerous virtues ascribed to almost every plant mentioned give an idea of the almost incredible ignorance of medicine in those days.

TURNER.

William Turner (about 1510 to 1568), who has been styled the Father of Botany in England, was the author of the first original English work on plants,¹ of which Mr. Daydon Jackson edited a *fac-simile* reprint in 1877. This is a little more than a catalogue of only about 170 species of plants, and the forerunner of his excellent *Herbal*, the foundation of English botanical literature.

But I must not dwell on this, as it belongs to a period perhaps wholly antecedent to the practice of flower gardening for ornamental purposes in England. Be that as it may, before the end of the sixteenth century several notable gardens existed in the vicinity of London, the most celebrated being that of the oft-cited John Gerard at Holborn.

Gerard published a catalogue of the plants cultivated in his garden in 1596, and an amended and extended one in 1599.² It is hardly necessary to state that a great majority of the plants were cultivated for their real or imaginary medicinal properties. Still the catalogue contains a considerable number of plants that would only have been cultivated for ornamental purposes. Most of the extra-European plants enumerated are American, and the only possibly South African plant is the Senecio (*Kleinia*) *Anteuphorbium*, which I suspect is really a native of the Red Sea region; but for an analysis of the contents of Gerard's catalogue the reader is referred to the *Gardeners' Chronicle*, n.s., ix., p. 365, March 23rd, 1878.

Flower gardening, it should be explained, was practised in France, the Netherlands, Germany and Italy, long

¹ *Libellus de Re Herbaria Novus*, 1538.

² Reprinted by Mr. Daydon Jackson in 1876.

before it was in England, and cultivated plants were gradually introduced into this country, partly by Englishmen who travelled on the Continent, and partly by refugees who fled from their own countries to escape persecution.

One of the great merits of Aiton's *Hortus Kewensis* is the immense amount of information of this kind it has handed down to us, much of which would otherwise have been lost. In very many instances, of course, no exact date can be given; all that is known is that such and such a plant was cultivated at a certain date, and sometimes the author does not cite the earliest date. Thus it is stated that the Damask Rose was cultivated in 1573, while in Johnson's *History of English Gardening* we are informed that Linacre, who died in 1524, introduced it from Italy. Again, it appears that the Auricula was cultivated in England as early as 1570,¹ having been brought over by artisans who were driven out of the Netherlands.

Didymus Mountaine.

Previous to the earliest of Gerard's publications appeared Didymus Mountaine's *Gardeners' Labyrinth*, the first part in 1571, and the second part, in which the author treats of "delectable floures," in 1577. There were several editions of this work, notably one by Dethycke in 1586. Among the "tender herbes and pleasant flowers" enumerated in this book are Marigold, Rose Campion, Flower of the Sun, Columbines, Pinks, Heartsease, Pæony, Red Lily, Lavender, Bachelor's Button, Gilliflowers and Carnations. Didymus Mountaine is supposed to be an assumed name of Thomas Hill, who published several works on gardening, between 1563 and 1606.

Tradescant.

John Tradescant, a Dutchman, who settled in this country, and was nominated gardener to Charles I. about the year 1629, having previously successively served in the same position under several noblemen and Queen Elizabeth, was famous for his natural history museum and garden in Lambeth. An interesting account of the garden, by Sir William Watson, will be found in the forty-sixth volume of the *Philosophical Transactions* of the Royal Society, and the museum formed the nucleus of the Ashmolean Museum at

¹ Shirley Hibberd, in the *Journal of the Royal Horticultural Society*, vii., p. 193.

Oxford. A son, of the same name, travelled in North America, and introduced a number of plants thence into English Gardens, including the common Spiderwort (*Tradescantia*).

PARKINSON.

In 1629 appeared the first edition of good old John Parkinson's *Paradisus in sole Paradisus Terrestris*, and in 1656 "the second impression, much corrected and enlarged." This genial and well-informed author was an "apothecary of London, and the King's Herbalist." The second or English title of his book is:—*A Choice Garden of all Sorts of Rarest Flowers, with their Native Place, Birth, Time of Flowering, Names and Vertue to each Plant Useful in Physic or Admired for Beauty*, and in it he figures and describes a great variety of Lilies, Fritillaries, Tulips, and Narcissus. The number of the last-named is large, and the figures so good that the lovers of these beautiful flowers can profitably use the work and obtain much interesting and useful information from it even now. Other leading kinds of flowers are Hyacinths, Crocuses, Irises, Cyclamens, Anemones, Ranunculuses, Auriculas, Primroses, Wallflowers, Stocks, Violets, Pansies, Columbines, Larkspurs, Poppies, Marigolds, Carnations, Pinks, Campanulas, Hollyhocks and Roses. Among the few more tender plants included are Balsams, Nasturtiums and Camellias, but Parkinson says of the last:—

"It doth not abide the extremities of our winters, either abroad or under covert, unlesse it meet with a stove or hot-house, such as are used in Germany, or such other like place; for neither house nor cellar will preserve it for want of heat."

From the foregoing passage it appears that heated plant-houses were unknown in England in Parkinson's time, though in use on the Continent. The only artificial means of raising tender plants he alludes to is a bed of dung, where he gives instructions in raising the Tobacco plant, "which was cherished in gardens, as well for the medicinal qualities, as for the beauty of the flowers." Of Nasturtiums he speaks in high praise; associated with Carnations or Gilliflowers "they make a delicate tussimussie, as they call it, or a nosegay, both for sight and scent." I cannot leave this enthusiastic old gardener without one quotation from his chapter on "The order and manner to plant and replant all sorts of outlandish flowers." It runs thus:—

"And I do wish all the gentlemen and gentlewomen,

whom it may concern for their own good, to be as careful whom they trust with the planting and replanting of their fine flowers, as they would be with so many jewels, for the roots of many of them being small and of great value may soon be conveyed away, and a clean tale fair told, that such a root is rotten, or perished in the ground, if none be seen where it should be, or a counterfeit one hath been put in the place thereof; and thus many have been deceived of their daintiest flowers, without true knowledge or remedy of the defect."

ESTABLISHMENT OF BOTANIC GARDENS.

Incidentally I may mention here that the Botanic Garden at Oxford was established in 1632 by Henry, Earl of Danby, who gave for this purpose five acres of ground, and built greenhouses and stoves, and a house for the gardener, and further endowed the garden. Chelsea garden was founded about the year 1673, and Cambridge in 1762. The Edinburgh garden was established about 1780, and it is recorded that James Sutherland so successfully cultivated it that he had 3000 species of plants growing in 1783. Kew was leased by the Prince of Wales, son of George II., about 1730, and the garden laid out by Sir W. Chambers; and George III. purchased it about the year 1789. In 1788 a greenhouse, 110 feet long, was built for Cape plants; and in 1792 the present greenhouse was erected for New Holland plants. The former was demolished within the writer's knowledge of Kew.

Pulteney informs us¹ that after the Revolution the Royal Gardens at Hampton Court were rich in fine plants, and that at St. James's was of no inconsiderable note, if we may guess by the many new plants Plunkenet received from it. The Duchess of Beaufort had a garden richly stored at Badminton; Dr. Henry Compton, Bishop of London, another at Fulham; and many private gentlemen vied with each other in these elegant and useful amusements. The gardens of Dr. Uvedale, of Enfield; of Mr. Du Bois, an East India merchant; of Mr. Courten, and others, afforded much assistance to the labours of Ray, Plukenet and Petiver.

I shall again refer to Ray, who did so much to elevate botanical science by introducing a system of classification of plants. Other noted English writers on botany of the seventeenth century were Plukenet, Petiver and Sloane,

¹ *Sketches of the Progress of Botany in England*, ii., p. 104.

whose collections of dried specimens of plants are preserved in the British Museum; an institution founded upon the collection of Sloane, who was also largely instrumental in establishing the Chelsea Botanic Garden. Plukenet was superintendent of the garden at Hampton Court during the latter part of his life, but all these writers were more active with dried specimens than living plants.

JOHN MARTYN.

My object being to give an idea of the state of flower gardening immediately before the *Botanical Magazine* came into existence, I must not dwell so long on this theme as I am tempted to. Therefore I make a leap of a century, and take a look at John Martyn's sumptuous *Historia Plantarum Rariorum*, dated 1728. As was the custom of the period this book is a folio, and a large folio, and it was issued in parts, from 1728 to 1732, when it was discontinued on account of its costliness, after the publication of fifty plates. It was designed to contain coloured figures of the natural size of such curious plants as had not been figured before, together with their descriptions and culture. The plates are mezzotinto, and were painted by Van Huysum, and engraved by Kirkall; most of the plants represented were cultivated in the Chelsea Botanic Gardens, and many of them were introduced by W. Houston, a surgeon in the Navy, from the West Indies and Mexico. They include several species of *Passiflora* and *Cassia*, and the genera *Turnera*, *Gronovia*, *Martynia*, *Milleria*, &c. Houston himself, who met with an untimely death in the West Indies, had engraved the flowers and fruits of several, and given them generic names (this was shortly before Linnæus proposed his famous binominal nomenclature), and Sir Joseph Banks, subsequently acquiring these engravings from Philip Miller, published them under the title of *Reliquiæ Houstonianæ*, with Houston's names and the Linnean names. I may mention, as it has often been overlooked, that Martyn gives the Linnean names of the plants in the *Historia*, on an un-paged leaf immediately after the preface. Three or four of them were, however, first named by Philip Miller. Besides the plants from the American region there are three or four *Pelargoniums*, including *P. inquinans*, the parent of the "scarlets"; a *Mesembryanthemum*, and an aloe from South Africa. Noteworthy too, among the figures is that of *Bletia verecunda* (*Helleborine americana*), which I believe was the first tropical Orchid cultivated in England, and the manner

in which it was introduced was very remarkable. A dried specimen was sent to Peter Collinson, (who had a fine garden of hardy plants at Mill Hill, Hendon), from Providence Island, Bahamas; but the tuber appearing to have life in it, he sent it to the garden of a gentleman named Wager, where it was placed in a hotbed, and grew and flowered the following summer.

BRADLEY.

Another book meriting notice here is Bradley's *Historia Plantarum Succulentarum*, originally published in decades between the years 1716 and 1727, and subsequently as a whole in 1734. Only five decades appeared. The copy at Kew is of the second edition, and partly coloured by an amateur hand. Among the genera represented are *Cereus*, *Mesembryanthemum*, *Agave*, *Echinocactus*, *Euphorbia*, *Aloe*, *Gasteria*, *Stapelia*, *Haworthia*, *Sedum*, *Cotyledon*, *Kleinia* and *Crassula*. Bradley claims to have himself introduced many of the plants figured from Amsterdam into English gardens.

In 1725 Dr. J. Douglas commemorated in a special pamphlet the colonization in Guernsey of the beautiful Japanese *Nerine sarniensis*, bulbs of which had been cast ashore from the wreck of a ship, and grew and established themselves "to the surprise of the inhabitants and the delight of the florists and botanists."

DILLENIUS.

About the same date (1732) that Martyn's expensive project came to an end there appeared that wonderful monument of talent and industry, Dillenius's *Hortus Elthamensis*, concerning which Linnæus says:—"Est opus botanicum quo absolutius mundum non vidit." It is a handsome folio of 437 pages and 324 uncoloured plates,¹ illustrating 417 different plants, a large portion of which, it is true, would be regarded by a gardener as botanical rather than ornamental. Nevertheless it is a noble record of the beginning of the present era in flower gardening, and an enduring monument to the botanical skill of its author and the zeal of his patron, Dr. James Sherard, in cultivating flowers. His

¹ On the authority of Sibthorp (Pulteney, *Historical and Biographical Sketches of the Progress of Botany in England*, ii., p. 182, in a footnote), it appears that Dillenius himself coloured some copies of this work, one of which he presented to the Bodleian Library.

garden at Eltham, in Kent, which furnished the materials for Dillenius's book, is characterized as by far the richest then extant. Sherard accumulated wealth in London by practising as an apothecary, and subsequently retired to his country seat, where he devoted the greater part of his time to the cultivation of plants obtained from all parts of the world, though the bulk of the extra-European species were from America and South Africa. What in those days was termed the dry stove presented the greatest novelty, for the gardeners of that period appear to have succeeded better with succulent plants than any other class in their flue-heated houses. Sherard had, for the period, an exceedingly rich collection, comprising the genera *Aloe*, *Haworthia*, *Gasteria*, *Cotyledon*, *Crassula*, *Mesembryanthemum*, *Opuntia*, *Pereskia*, *Phyllocactus*, *Euphorbia* and *Kleinia*. Of *Mesembryanthemum* alone fifty-four species are figured and described, and a clavis to the species is given, founded upon characters afforded by the leaves.

PHILIP MILLER.

Before introducing the founder of the *Botanical Magazine* himself, I should like to add a few words respecting that remarkable man, Philip Miller (the "Hortulanorum Princeps" of his day) and his publications, for they certainly mark an epoch in the history of gardening. Miller was born in 1691, and was the only man whom Pulteney knew who had seen the botanist Ray.¹ In 1722 he was appointed Curator of the Chelsea Botanic Garden, a post he held for the long period of forty-eight years, and died in 1771, the year after his retirement. He was a Fellow of the Royal Society, and enjoyed the friendship of some of the leading botanists of the day, though detractors of his merits were not wanting. His work, however, has rendered his name imperishable. Among his pupils were W. Aiton, author of

¹ Ray was purely a botanist; but I find the following interesting reference in Pulteney's *Sketches* (i., p. 197):—"Among the variety of notes in this catalogue (*Catalogus Plantarum circa Cantabrigiam nascentium*. Cantab., 1660) there is one possibly not of public notoriety. Mr. Ray informs us that the people of Norwich had long excelled in the culture and production of fine flowers; and that in those days the florists held their annual feasts, and crowned the best flowers with a premium, as at present." The passage referred to follows:—"Inter nos Anglos elegantium florum studio et cultura excellunt Norwicensis: qui, ut ab ipsis accepimus, quotannis Floralia celebrant, quibus de florum elegantia certatur, et victori florum sertum velut præmium porrigitur. Hinc gloriantur, Nordvicum suum, dicendum esse vel urbem in horto vel hortum in urbe situm." (*Op. cit.*, p. 97.)

the first edition of the *Hortus Kewensis*; W. Forsyth, his successor at Chelsea, and afterwards gardener to the King at Kensington; and his son Charles, the first Curator of the Cambridge Botanic Garden. Of his literary works, his *Gardeners' Dictionary* gained him a European reputation, and was translated into Dutch, French and German. Linnaeus said of this book, "Non erit Lexicon Hortulanorum, sed Etiam Botanicorum." The first edition was published in 1731, and there are ten English editions, and there are also French, German and Dutch editions.

THE FOUNDER OF THE "BOTANICAL MAGAZINE"

was William Curtis, born at Alton, Hampshire, in 1746, the son of a master tanner, and a member of the Society of Friends. At the age of fourteen he was apprenticed to his grandfather, an apothecary of the same town, and at the expiration of his apprenticeship he went to London, and entered the service of Mr. Talwyn, in Gracechurch Street, and later succeeded him in the apothecary's business; but his botanical pursuits interfered so much with his professional duties that he was not very successful. He early acquired a taste for botany in a singular manner. The house adjoining his father's at Alton was an inn, and an ostler, named James Lagg,¹ employed there, was versed in the study of Gerard and Parkinson's *Herbals*.² From him Curtis received his first lesson in botany, and soon after some books of a more scientific character came in his way, by means of which he laid the foundation of a profession that brought him fame and fortune.

After neglecting his medical practice to such an extent that it was worth little, he disposed of it, and devoted himself entirely to botany. In 1773 he was appointed Botanic Demonstrator to the Society of Apothecaries at Chelsea, the post having been given up in his favour, according to Dr. Thornton,³ by William Hudson, the author of the well-known *Flora Anglica*. But, on the authority of Field, Hudson resigned in the spring of 1771, and Mr. Stanesby Alchorne, who had been connected with the Society for some years, officiated as Honorary Demonstrator for nearly two years. During his term of office this gentleman seems to have

¹ Field, *Memoirs of the Botanic Garden at Chelsea*, p. 81.

² J. E. Smith, in *Rees' Cyclopædia*.

³ In a *Sketch of the Life and Writings of the late Mr. William Curtis*, p. 6. This biographical sketch is more sympathetic than it is exact in minor details.

liberally supported the garden, for he presented nearly fifty new trees, and materials for a rock garden. Field states that Alchorne “presented about forty tons of old stones brought from the tower of London, for the purpose of raising an artificial rock to cultivate those plants which delight in such a soil, to which was afterwards added a large quantity of flints and chalk, given by Mr. John Chandler, and also a quantity of lava from a volcano in Iceland, presented by Joseph Banks, Esq., which materials being considered fully adequate to the purpose, it was undertaken, and the erection finished in the course of the summer of 1773.”

Curtis held the office of Demonstrator of Botany at Chelsea for about five years, when his increasing literary and other avocations induced him to resign it. He had united the studies of botany and entomology—the latter especially in relation to agriculture, and he wrote various treatises on the subject, but I cannot pause to particularize them. Soon after his appointment to Chelsea he commenced as a public lecturer on botany and horticulture, his great aim being to give a practical turn to his teachings. For this purpose he established a botanic garden, first in the Grange Road, Bermondsey, then in Lambeth Marsh, and finally at Brompton, where he had a “more salubrious and commodious spot.” The last he continued to cultivate up to his death.¹ Full particulars of the scope and extent of Curtis’s garden are contained in Dr. Thornton’s memoir, from which I have already quoted. It was laid out in quarters: one being devoted to medical plants, another to poisonous plants, a third to culinary plants, and a fourth to British plants, and so on. A catalogue of the plants, about 6,000 in number, was provided for each subscriber. Seven editions of the catalogue were published between 1790 and 1799. Curtis’s *Lectures on Botany as delivered in the Botanic Garden at Lambeth*, handsomely illustrated, were published by his son-in-law, Samuel Curtis, in 1805, and a second edition in 1807.

Curtis’s literary and artistic activity was very great, but I must confine myself to those works bearing on the subject under consideration. In 1771 he commenced the *Flora*

¹ Thornton states that this was continued and improved by Mr. Salisbury after Curtis’s death. This was William Salisbury, the author of the *Hortus Paddingtonensis*, or a catalogue of plants cultivated in the garden of J. Symmonds, Esq., of Paddington House, 1797, and of several other botanical and horticultural books; but by no means so prominent a person as R. A. Salisbury, who will claim our attention further on.

Londinensis, a magnificently illustrated folio work, which almost ruined its author, and was never completed. Nevertheless, a second considerably extended edition was edited by the late Sir William Hooker, between the years 1817 and 1828. The *Flora Londinensis* was issued in parts, and continued until 1787, which brings us down to the leading subject of this sketch.

THE FIRST APPEARANCE OF THE "BOTANICAL MAGAZINE."

Though Curtis was unfortunate in his too ambitious *Flora Londinensis*, his project of an illustrated serial of octavo size and modest price was well conceived, and resulted in the most unqualified success. Indeed, it was the foundation of periodical illustrated botanical literature. I have not seen any prospectus, if such was issued, but the very full title-page and the preface to the first volume sufficiently explain the design and scope of the work. In the preface we are informed that the *Botanical Magazine* owed its commencement to the repeated solicitations of several ladies and gentlemen, subscribers to the author's *Botanic Garden*; and it is further stated that the work had succeeded greatly beyond the author's warmest expectations.

I propose now to pass the whole work in rapid review, touching upon the more remarkable events in flower gardening, and briefly noticing kindred publications in chronological order.

FIRST PERIOD: 1787—1800.

During this period Volumes I. to XIV. appeared, and it has been thus limited because the author died in July, 1799, at the comparatively early age of fifty-three, and while the magazine was still in its infancy. But this was not Curtis's only essay with a pictorial octavo, for in 1792 he began issuing diminished figures of his *Flora Londinensis*, and decades of coloured figures of medicinal plants. Of the first only thirty-six plates appeared; but it is asserted by Thornton to have given birth to Sowerby and Smith's *English Botany*, though Smith himself hints¹ that Curtis imitated *English Botany* as a last effort to keep the *Flora Londinensis* afloat. Considering the dates of publication, Thornton's statement is hardly correct. He also states that

¹ Rees' *Cyclopædia*.

Curtis's figures of medicinal plants formed the foundation of Woodville's *Medical Botany*, perhaps on better grounds.

At the commencement, each monthly number of the *Botanical Magazine* contained three coloured plates, and the price was 1s., and no change was made during the founder's lifetime. All through this period the volumes did not correspond to the years; that is to say, they ran from February of one year to January of the next, and the date of the title-page was usually, though not invariably, that of the year in which the volume was completed. Whether any portion of the first volume appeared in 1786 I have not been able to ascertain, but the first half a dozen plates bear that date. The Magazine became popular at once, and soon attained a monthly sale of 3,000, which was steadily maintained until Curtis's decease. William Curtis's name was retained on the title-page of the fourteenth volume; and it appears from a memorandum in the Kew copy, attributed to the late Professor Henslow, that his brother¹ conducted the Magazine from plate 450 until Dr. Sims became editor.

In the original account of this period it is suggested that Curtis himself may have executed the drawings² for many of the plates in the early volumes; but there is a statement by the editor after plate 1,232 (in the Kew copy), that, with the exception of sixty-seven drawn by Mr. Sowerby and eight by Mr. Sansum, the figures up to that date were all done by Sydenham Edwards, whether his name was appended to them or not. But what is most curious, twelve plates bearing the name of J. Sowerby were in reality drawn by Edwards. The numbers are given as well as of all those drawn by Sowerby, and No. 1 is included as his work.

In this connection it may be added that an outcome of the publication of this history was the purchase by Kew from the Curtis family of 1,635 of the original drawings of the first series (1787 to 1826), during which period plates 1 to 2,704 were issued. This leaves 1,069 to be accounted

¹ Thomas Curtis, one of three brothers of the botanist, according to Dr. A. Curtis.

² Dr. Albert Curtis, of Staines, a direct descendant of William Curtis, to whom I am indebted for all of the previously unpublished particulars of the family contained in this sketch, sends me the following note:—"I believe Curtis, the botanist, did draw some of the plants figured in the *Botanical Magazine*, but he felt the want of an artist to act under his direction. In some way he heard of Sydenham Edwards, the son, I believe, of a schoolmaster in Wales, who, as a lad, showed some talent for drawing, and had him sent up to London for the purpose of having him educated as an artist."

for; and it has not been ascertained what has become of the originals of the second series (1827-1844), plates 2,705 to 4131, leaving 1,427 more to be accounted for. On the Magazine becoming the property of Reeve Brothers, in 1845, the originals were left to the disposal of the successive editors, Sir William and Sir Joseph Hooker, through whom they have passed into the possession of Kew, and the set is nearly complete for the sixty years of the third series.

The great majority of the plants figured during this period are hardy European and Eastern North American; and the next in point of number are Cape plants belonging to the genera *Erica*, *Pelargonium*, *Mesembryanthemum*, *Gladiolus*, and a few others. Scarcely any very striking or noteworthy subjects appeared, and new species, such as *Diosma serratifolia*, plate 456, were exceedingly rare; in fact, there was some justification for Andrews' assertion, to which I shall have occasion to allude again, that the editor of the *Botanical Magazine* had failed to fulfil his promise to publish new garden plants. Masson, who was sent out from Kew in 1772, had already introduced a large number of Cape plants; and prominent among others who imported, directly or indirectly, numerous exotic plants were Sir Joseph Banks, Doctors Fothergill, Pitcairn and Lettson, and Captain William Bligh. The last-named commanded the ship *Bounty*, which was sent to the South Sea Islands to procure plants of the Bread-fruit tree for cultivation in the West Indies. How he and a few others were cast adrift by a mutinous crew, who had become so enamoured of the mode of life in those favoured islands that they did not hesitate taking this extreme measure to obtain their freedom, subsequently settling in Pitcairn Island (where some of their descendants still live), forms one of the most romantic episodes in the history of expeditions for the purpose of extending the cultivation of the vegetable products of distant countries. Bligh, however, subsequently succeeded with the ship *Providence* in carrying living plants to the West Indies, and eventually attained the rank of Rear-Admiral. The Marquis of Bute and Dr. Lettson were munificent patrons of horticulture and of the *Flora Londinensis*, in recognition of which Curtis dedicated to them the two volumes that appeared.

Returning to the *Botanical Magazine*, we find the first plant illustrated is *Iris persica*, followed by *Echinacea purpurea*,¹ *Eranthis hyemalis*, *Cyclamen Coum*, and many

¹ The modern name is substituted in this and many other instances.

other familiar plants which even in those days were well known to a few; and Curtis's great desire was to make them known to the many. The large circulation his magazine quickly attained must have been a gratifying proof that his efforts were fully appreciated: and there is no doubt that they bore excellent fruit. A few plates further on in the first volume are *Cereus flagelliformis*, *Tropæolum majus*, *Passiflora cœrulea*, and *Reseda odorata*, all of which maintain a prominent position in our gardens. In the second volume are a few more showy flowers, such as the Mexican *Sprekelia formosissima*, *Papaver orientale*, and the Brazilian *Passiflora alata*; the last, it is stated, was "cultivated in great perfection in the stove of our worthy friend, James Vere, Esq., of Kensington Gore; at the Physic Garden, Chelsea; and Mr. Malcolm's, at Kennington."

Plate 97 (vol. iii.) represents *Fuchsia magellanica* (*F. macrostema*), under the name of *F. coccinea*, a name which belongs to a Brazilian species, introduced about the same date. The two were both figured in different works under the same name, and confused with each other until 1868, when Sir Joseph Hooker figured the original *coccinea* in the magazine (pl. 5740). The hardy Chilean species was the only one that became common in gardens, and that under the false name of *F. coccinea*. Curtis regarded it as a stove plant, "bearing a high price in 1789, but easily propagated, hence likely soon to be within the means of every lover of flowers." *Acacia verticillata* (pl. 110), a native of South-eastern Australia, and one of the many species, with the leaves reduced to flattened petioles, deserves notice, because in raising it from seed the true nature of the flattened petioles was revealed in the gradual transition in the seedlings of pinnately divided leaves to the small organs by which they are replaced in the adult plant. Plate 116 is a representation of the North American *Calopogon pulchellus* (*Limodorum tuberosum*), and is the first Orchid figured in the *Botanical Magazine*.¹ It was accidentally introduced with *Dionæa Muscipula*, and cultivated by James Smith, in Curtis's own garden. To the magnificent and striking orange and blue *Strelitzia regina*, two

¹ The first tropical Orchid cultivated in England was *Bletia verecunda* (*Helleborine americana*), figured in Martyn's *Historia Plantarum*, pl. 48. It was sent from the West Indies by Houstoun (Aiton, *Hortus Kewensis*, ed. 1, iii. p. 302) before 1733, as a dried specimen; but the tubers grew on being placed in a tan bed. They were received by Collinson, and cultivated in the garden of Wager, a Lord of the Admiralty. (See *ante*, p. xi.)

plates (119 and 120) are devoted. This plant was introduced by Sir Joseph Banks, from the Cape of Good Hope in 1773, and was first figured and described in the first edition of Aiton's *Hortus Kewensis*. Passing to the fifth volume (1791), we note *Zinnia multiflora*, *Tagetes patula*, and *Epidendrum fragrans* (pl. 152) incorrectly named *E. cochleatum*. The last, being an epiphyte, was regarded as a great curiosity; and if not actually the first plant cultivated in England, it was one of the first two species; *E. fragrans* being the other. Aiton records both as having been introduced in 1786; the former by Mr. Alexander Anderson and the latter by Hinton East, Esq. Curtis states that instances of epiphytes flowering in England were very rare; indeed, so accomplished a gardener as Philip Miller considered it futile to attempt to grow these epiphytal Orchids, as appears from the following paragraph relating to *Epidendrum*, extracted from the eighth edition of his *Dictionary*, 1768:—"There are near thirty species of this genus, which grow naturally on trees in Africa and both Indies [as first constituted by Linnæus, *Epidendrum* comprised all the epiphytal Orchids then known], but as the plants cannot by any art yet known be cultivated in the ground, it would be to little purpose the enumerating of them here, though, could the plants be brought to thrive by culture, many of them produce very fine flowers of uncommon forms. I had three species of them sent me from America, which were stripped from the trees on which they grew. These I planted with care in pots, which were placed in a stove, where they came so far as to show their flowers, but the plants soon after perished."

Commodore Gardner presented roots of *Epidendrum fragrans* to the Apothecaries Company in 1789, and these were successfully treated by Mr. Fairbairn in their garden at Chelsea, producing flowers in February, 1790. "Mr. Fairbairn planted the roots in pots of earth composed of rotten wood and decayed leaves, plunging them into the tan bed of a pit of considerable size." The true *cochleatum* is figured in pl. 572, where Sims corrected the error; and *E. fragrans* was again figured (pl. 1669) in 1814. Brilliant among shrubs hardy only in the milder parts of these islands is *Sophora tetraptera* (pl. 167), one of the very few Leguminosæ belonging to the native flora of New Zealand, introduced thence by Sir Joseph Banks in 1772. It is the subject of the first plate of J. Miller's *Icones Plantarum*, in folio, alluded to above. Miller states that it ripened seeds in the open ground at Chelsea in 1779, as well as in

Dr. Pitcairn's garden at Islington. Curtis remarks "That a finer sight can scarcely be imagined than a tree of this sort, extending to a great breadth on a wall with a western aspect, in the Apothecaries garden at Chelsea, where it was planted by Mr. Forsyth about the year 1774, and which at this moment (April 28th, 1791) is thickly covered with large pendulous branches of yellow, I had almost said golden flowers, for they have a peculiar richness which it is impossible to represent in colouring. In winter it is carefully covered with mats, lest it should suffer from any extraordinarily severe weather." I have reproduced the foregoing particulars, in order to direct attention to this beautiful shrub, which is figured in the *Gardeners' Chronicle* (n.s., ix., p. 729). Other varieties are figured in the *Botanical Magazine*, plates 1442 and 3735, under the distinctive generic name *Edwardsia*, founded by Salisbury in honour of Sydenham Edwards.

The next plate (168) is the beautiful but evanescent Cape *Vieusseuxia glaucopis*, incorrectly figured under the name *Iris pavonia*; the true *V. (Iris) pavonia* is figured in plate 1247. *Ixora coccinea* (pl. 169), originally introduced in 1690, though it did not long survive, was successfully cultivated by Thorburn & Whitley, nurserymen at Brompton. The singular *Aitonia capensis* (pl. 173), one of Masson's earliest introductions, deserves mentioning on account of its commemorating one of the most eminent gardeners of that period. *Buddleia globosa* (pl. 174), a native of Chili, and so unique in its way, was introduced by Lee & Kennedy, of Hammersmith. The hardy *Kalmia latifolia* (pl. 175) and *Azalea nudiflora* (pl. 180) bring us to the end of the fifth volume. Specially noteworthy in the sixth volume is the handsome *Erica grandiflora* (pl. 189), one of Masson's very numerous introductions from South Africa, which was drawn "from a finely-blown plant in the choice collection of James Vere, Esq., of Kensington Gore." *E. cerinthoides* (pl. 220) is another from the same source. *Helianthus multiflorus* (pl. 227), regarded by Dr. A. Gray as a garden variety of *H. decapetalus*, reminds us more of the taste of the present day. Plate 240 is a representation of the charming *Pelargonium tricolor*, here first described. Passing on to plate 260, *Metrosideros citrina* (*Callistemon lanceolatus*), we have the forerunner of numerous brilliantly-flowered Australian shrubs, of which, according to Curtis, there were then many in this country, though he believed this was the first that had flowered in England. The drawing was made from a plant in Lord Cremorne's garden,

the root of which had been sent from Botany Bay. *Rosa semperflorens* (pl. 284), a variety of *R. indica*, foreshadows the rich and ever-increasing number of garden hybrid Roses, and was regarded by Curtis as one of the most desirable plants in point of ornament ever introduced into this country. It was obtained from India by Gilbert Slater, of Knots Green, near Leytonstone, a gentleman who did much to promote ornamental gardening. The showy West Indian *Portlandia grandiflora* (pl. 286) is the last we have marked for notice in the eighth volume.

We have now reached the year 1795, and Cape or South African plants still largely preponderate among the extra-European subjects illustrated. Foremost is the striking "everlasting" *Helipterum eximium* (pl. 300—*Gnaphalium*), familiar to many persons in a dried condition, and even in that state very beautiful; but I have never seen it cultivated. Messrs. Lee and Kennedy flowered it in great perfection, having raised the plants from seeds given them by Captain William Paterson, author of a narrative of four journeys into the country of the Hottentots and Caffraria. *Erica ampullacea*, *E. ventricosa*, and *E. Massoni* claim our attention in this and the tenth volume. The Chinese *Chrysanthemum* (pl. 327), although cultivated by Philip Miller as early as 1764, seems to have excited no particular interest, and certainly no enthusiasm, till about the date (1796) of Curtis's figure. Miller (*Dict.*, ed. 8) states he received his plant from Ninpu—probably Ningpo—but he has no special words of praise for it. Curtis appears to have been unaware that he was dealing with a plant previously cultivated in this country, for he says:—"We rejoice in the opportunity afforded us of presenting our readers with a coloured engraving of a plant recently introduced to this country, which, as an ornamental one, promises to become an acquisition highly valuable. This magnificent species of *Chrysanthemum* which we have hitherto seen only in the collection of Mr. Colvill, nurseryman, King's Road, Chelsea, began to flower with him in November, 1795."

This is followed by a figure of *Trifolium incarnatum*, which we are now accustomed to see covering acres of land. *Allamanda cathartica* (pl. 338), introduced by Baron Halse from Guiana, reminds one of the flower shows of long ago; and *Protea mellifera* (pl. 346) is the herald of numerous members of a family rich in singular forms and brilliant colours. It was raised from seed with a number of other equally curious things in the nursery of Mr. Barr, near Ball's Turnpike, Kingsland. *Calceolaria Fothergilli* (pl.

348), first named and figured by Aiton in the *Hortus Kewensis*, was introduced from its distant home in the Falklands in 1777 by Dr. Fothergill.

The figures in the remaining volumes (xi.—xiv.) of this period are mostly of hardy and Cape plants: the latter including many bulbous kinds belonging to the genera *Ixia*, *Antholyza*, *Gladiolus*, &c. Among the still rare Australian plants I may name *Platylobium formosum* (pl. 469) and *Pultenæa stipularis* (pl. 475); the latter genus dedicated to the historian of botany in England.

A few other figures in these volumes merit a word or two, notably those of *Achimenes coccinea* (pl. 374—*Cyrilla pulchella*) and *Cineraria cruenta* (pl. 406), the parent of the marvellous variety of *Cinerarias* of successive generations of florists. *Cymbidium aloifolium* (pl. 387—*Epidendrum*), flowered by Grimwood and Wykes, nurserymen of Kensington; and *Epidendrum cuspidatum* (pl. 463, as *E. ciliare*), are the only additional epiphytal Orchids.

I had almost forgotten to mention that the tenth volume contains an alphabetical index to that and the previous volumes; a classified index to hardy trees, shrubs, herbaceous perennials, biennials and annuals; an index to the greenhouse plants; an index to the stove plants, and an index arranged according to the Linnean system.

There was a re-issue of some of the earlier volumes with differently dated title-pages. Thus, vol. i., 1793; ii., 1796; iii., 1797; iv., 1795; v., 1796, and vi., 1793.

KINDRED ENGLISH LITERATURE FROM 1787 TO 1800.

This is considerable, and in no other country was there so much activity in flower gardening. In Austria alone, judging from the admirably illustrated works of the younger Jacquin, was there anything approaching it. The first edition of the *Hortus Kewensis*, edited by William Aiton, is dated 1782,¹ and, as already observed, it is a most valuable contribution to the history of the introduction of exotic plants in the gardens of England. In 1789 to 1791 appeared James Sowerby's *Flora Luxurians, or Florist's Delight*, a folio work, illustrated with coloured plates, which I have not seen, but which reached only

¹ I may mention that there is an earlier *Hortus Kewensis*, compiled by John Hill, M.D., an exceedingly fertile bookmaker of the eighteenth century. The first edition was published in 1768, and this was followed by a second in 1769, containing twenty coloured plates. Pritzel (*Thesaurus Literaturæ Botanice*) by a slip states that the first edition contains plates, and the second therefore "minime differt."

eighteen plates. This is the same artist who drew and engraved some of the plates in the early volumes of the *Botanical Magazine*. In 1792 was published the first edition of the *Florist's Directory* with plates, by James Maddock, a florist at Walworth. This edition is not in the Kew library, but an improved edition, by Samuel Curtis, in 1810, is interesting as giving an idea of what were in those days considered the best types of Anemone, Hyacinth, Ranunculus, Tulip, Auricula, Pink, Carnation, &c. Thomas Martyn's *Flora Rustica*, a work of four thin octavo volumes, containing coloured illustrations of "such plants as are either useful or injurious in husbandry," by F. P. Nodder, botanic painter to her Majesty, appeared periodically from 1792 to 1795. In 1794 Haworth issued the first of his writings on succulent plants, then very popular and commonly cultivated. The roses of the period were depicted by Miss Mary Lawrence in a folio volume containing ninety plates. Richard Anthony Salisbury, concerning whom I shall have more to say further on, had a fine garden at Chapel Allerton, in Yorkshire, where he cultivated a large collection of plants, a catalogue of which, somewhat on the plan of Aiton's *Hortus Kewensis*, he published in 1796, entitled *Prodromus stirpium in Horto ad Chapel Allerton vigentium*. The author's annotated copy was purchased by the writer for Kew at a sale of Burchell's books in 1866. The great blemish of this work is the substitution of new names for a large number of plants, on the ground that the old ones, from a variety of causes, were inappropriate.

Next comes Andrews's *Botanists' Repository*, a rival of the *Botanical Magazine*, issued in parts, at half-a-crown each, from 1797 to 1812; the whole containing 664 coloured quarto plates of very unequal execution. A second edition was published in 1816, and the colouring of this generally is execrable. The drawing is usually fairly good, though not equal to some of this artist's later work. Whether the first was better I am unable to decide at the time of writing. There is no pretence of giving any analysis of the flowers, but they themselves are often inexact and generally inadequate to be of any use botanically. The descriptive part is also unequal, and synonymy altogether excluded. Nevertheless the *Repository* was in one sense superior to the *Botanical Magazine* of that date, because the majority of the plants figured were of recent introduction. Andrews was apparently strongly supported by Lee and Kennedy, for he figured very many of their introductions from South Africa, Australia and elsewhere.

SECOND PERIOD: 1801—1826.

Dr. John Sims became editor of the *Botanical Magazine* soon after the death of William Curtis, though his name first appears on the title-page of vol. xv., 1801. He was a native of Canterbury, born in 1749; and the present editor of the *Gardeners' Chronicle* is a lateral descendant of the same family. I have found no published biography of Sims, and only know him through his botanical works; but Sir Henry Pitman, of the Royal College of Physicians, has kindly supplied a few particulars of his life. He passed the session of 1773-4 at Leyden, and then returned to Edinburgh, where he took the degree of Doctor of Medicine in 1774. Subsequently he settled in London, was admitted a licentiate of the College of Physicians in 1779, and soon became a prominent member of his profession. He retired from the editorship of the *Botanical Magazine* in 1826, and died at Dorking in 1831, aged eighty-two.

In a short preface to his first volume of the *Botanical Magazine*, Sims explains that little use had latterly been made of the materials left by Curtis, for several reasons, "principally from a desire to preserve them as entire as possible for the service of the proprietors, in case of emergency, and a wish to indulge our botanical readers with a representation and description of some of the novel and curious plants which are annually introduced, particularly from the Cape of Good Hope." Mention is also made of assistance received from John Bellenden-Gawler, who afterwards changed his name to John Bellenden-Ker. He specially studied the Irideæ, and contributed largely to the magazine during Sims's editorship; and finally, in 1827, published separately at Brussels a paper entitled *Genera Iridearum*. R. A. Salisbury and Dean Herbert also paid great attention to this and the allied natural orders Liliaceæ and Amaryllidaceæ, which, as well as Heaths, were then so extensively cultivated and assiduously studied, that one might justly designate this as the period of bulbous plants and Heaths. Thus, for instance, upwards of two-thirds of the figures in the sixteenth volume represent the former class of plants.

The volumes of the period now under consideration comprise xv. to liii. Volume xx. contains general indexes to the plants contained in the first twenty volumes of the *Botanical Magazine*, comprehending an alphabetical Latin index, an alphabetical English index, an enumeration of the plants figured in the order of publication, with corrections

and additional remarks ; and an arrangement of the plants according to the Linnean system. It is important to note the existence of these corrections and additions. A portrait of William Curtis was given with the nineteenth or twentieth volume, and repeated in the forty-first or forty-second—which, I cannot say, because two volumes are bound in one, and the portrait is placed at the head ; yet it is probable that in each case it was issued with the index volume. The first series of the magazine terminates with volume xlii. (1815), in which is an alphabetical index to the whole series, including many corrections and modifications.

Excluding the bulbous plants—and they are so numerous, and many of them so beautiful, that it is impossible to make a choice—there are few exceptionally noteworthy subjects in the early volumes of that period. The handsome *Sparmannia africana* (pl. 516) commemorates one of the botanists of Cook's second voyage. *Phlox ovata* (pl. 528) is one of the parents of the beautiful race of garden varieties of this genus. Pl. 532 represents the gorgeously brilliant, though very evanescent, *Tigridia Pavonia*, a Mexican plant, which had been known to Europeans for nearly 150 years through the description and figures in the works of Francisco Hernandez, but flowered for the first time in this country in the garden of Ellis Hodgson, at Everton, near Liverpool, in 1796.

Epidendrum cucullatum (*Brassavola*), pl. 543, flowered in the stove of Edward Woodford, of Vauxhall, adds one more to the small number of epiphytes up to that time successfully cultivated in this country. From the same garden came the singular *Massonia muricata* (pl. 559), introduced by the very successful collector of living plants whose name it bears. As already mentioned, two-thirds of the figures in the sixteenth volume are of bulbous plants. In the four succeeding volumes they constitute about a half, and after this date (1804) their numerical proportion is smaller. Again Mr. Woodford contributes a novelty in *Spathiphyllum cannæfolium* (pl. 603), which he had received from Mr. Alexander Anderson, superintendent of the Botanic Garden in the island of St. Vincent. Then he follows with *Epidendrum elongatum* (pl. 611). Whitley & Brames, nurserymen, of Brompton, contribute *Pterospermum acrifolium* (pl. 620), and Woodford the beautiful *Petrea volubilis* (pl. 628). How little was known of Rhododendrons at the beginning of the century may be gathered from the fact that the ordinary *R. ponticum* found a place in the same volume. Soon several species of *Amaryllis* appear ;

and the showy *Pyrus japonica*, introduced by Sir Joseph Banks in 1796, flowered in Woodford's garden in 1803.

The twentieth volume (1804) contains several Australian plants, including the beautiful *Bauera rubioides* and the *Banksia ericæfolia* (pl. 738). A very poor single variety of *Dahlia coccinea* (pl. 762) was imported from France and cultivated by Mr. Fraser, of Sloane Square. *Knowltonia vesicatoria* (pl. 775) reminds us of Sherard's successful gardener. In the same volume appears the first *Oncidium* (pl. 777) from Woodford's garden, and insectivorous plants are present in *Sarracenia flava* and *Dionæa Muscipula*. The first *Epacris* flowered by Colvill, of King's Road, Chelsea, appears at plate 844.

As it would obviously carry me too far if I examined each volume, even if I mentioned only two or three plants, I propose a leap of ten years, which brings us to the forty-third volume, and the year 1816. Meanwhile, I should mention, the magazine had become the property of Samuel Curtis, a florist of Walworth, and first cousin of William Curtis, whose only daughter he married. The name S. Curtis first appears on the plates in January, 1811. Sydenham Edwards continued to act as sole artist up to 1815, when, owing to some misunderstanding, he severed his connection with the *Botanical Magazine*, and founded the *Botanical Register*. This defection must have been a serious loss to the *Botanical Magazine*, independently of the competition of another rival publication; for it is no easy matter to fill the place of a good botanical artist. I have no actual evidence that the circulation diminished, though there is little doubt that it must have, with the numerous competitors in the field alluded to a little further on. However, it is clear from the quality of the drawing and the lack of novelty in the subjects illustrated in the volumes immediately following, that both editor and publisher had to work under great difficulties. Taking the first volume of the new series (xliii. of the whole work), which contains the matter of two volumes of the latter part of the first series, we find it scarcely equal in interest to the very earliest volumes. With very few exceptions the plants are only of botanical interest, yet they are not botanically figured, that is to say, no botanical details are given.

Passing to the forty-sixth volume, we find the plates in the latter part, beginning with 2079, signed "J. Curtis"—who, as Dr. Albert Curtis informs me, was no relation of the founder of the Magazine. His contributions to the

Botanical Magazine have all the appearance of very early efforts, and the subjects are mostly poor. With few exceptions, J. Curtis furnished the drawings for succeeding volumes, nearly to the end of the fifty-third, and had it not been for the literary and occasional artistic contributions of Dean Herbert, Dr. Greville and others, the magazine would have been a sorry affair indeed. Towards the end of this period various members of the Curtis family, including A. C. Curtis, a daughter of Samuel, and the mother of Dr. Albert Curtis, of Staines, contributed a few plates, and we find the names E. Duncombe, R. K. Greville and others. But what is a greater surprise, the names of Sydenham Edwards and James Sowerby, both of whom were now dead, reappear in the forty-ninth volume; see 2328 by Sowerby, and 2346 by Edwards. There are several plates from drawings made by Edwards early in the century; the last I have detected being *Daviesia acicularis* (2679), published in 1826. Plate 2683 (*Hesperis grandiflora*) was drawn by J. Sowerby, and the letterpress accompanying it, including generic and specific characters, consists of ten lines! The *Botanical Magazine* was evidently, then, exceedingly near extinction; but powerful aid was at hand, and, phoenix-like, it suddenly far outshone the glory of any period of its previous existence. Dean Herbert furnished drawings and letterpress for an entire part, which equals if it does not surpass anything that had been accomplished since the proprietor had lost the services of Sydenham Edwards. Then, on pl. 2689, we first meet with the initials W. J. H.—William Jackson Hooker! This event signalizes the beginning of a new and flourishing era in botany and horticulture, the history of which belongs to my next period.

Bare mention has been made of Sir Joseph Banks's introductions into our gardens. He and Solander, with Captain Cook, landed in Botany Bay, New South Wales, in 1770. George Caley, a botanical collector, was subsequently supported by Banks during a ten years' residence there. Menzies, who was attached to Vancouver's expedition, collected in Western Australia and other parts of the world some twenty years later. To them succeeded Robert Brown, "*Botanicorum facile Princeps*," who accompanied Flinders, leaving England in 1801, and returning in 1805 with immense collections of dried plants, almost wholly Australian. Through him, too, English gardens were greatly enriched with Australian plants, especially such as could be raised from seed; and, as we learn from the

second edition of Aiton's *Hortus Kewensis*, Peter Good succeeded in introducing many West Australian plants about the same date.

Nevertheless, what had been accomplished in this direction was merely a foretaste of what was to come, and was the incentive to further exertions. In 1814, when the political horizon looked clearer, Aiton and Banks induced the Government to sanction their proposal to send Allan Cunningham and James Bowie to the southern hemisphere as botanical collectors. After spending nearly two years in Brazil, Bowie proceeded to the Cape of Good Hope, and Cunningham to New South Wales, where he met with Charles Fraser, another labourer in the same field.

The result of the combined efforts of these and other contemporaneous and previous collectors was, as already pointed out, a deluge of bulbous and hard-wooded plants, the latter of the orders Ericaceæ, Epacrideæ, Proteaceæ, Leguminosæ, Myrtaceæ, Rutaceæ, and various others. The hard-wooded element survived the bulbous, and occupied a prominent place in most gardens of any pretension down to about the year 1860.

KINDRED ENGLISH LITERATURE FROM 1801 TO 1826.

I have shown that towards the end of this period the *Botanical Magazine* had ebbed its lowest since its foundation. That this was not due to a corresponding fall or stagnation in flower gardening will be apparent from what follows. The loss of Sydenham Edwards, the artist, coupled with the great age of Dr. Sims, the editor, would be sufficient to account for its decay ; but it also lacked the support of the leading horticultural establishments, and rival publications for a time took the lead.

Francis Bauer, an Austrian, and brother of Ferdinand Bauer, the artist of Sibthorp's magnificent *Flora Græca*, as well as of Flinder's *Voyage to Australia*, was appointed botanical painter to the King at Kew, towards the end of the last century ; and the work of these two artists has rarely been equalled, and perhaps never excelled. Francis alone was intimately connected with horticulture. His first work was *Delineations of Exotic Plants*, cultivated in the Royal Gardens, Kew. The date on the title-page of this book is 1796, but on the authority of Pritzel it was issued at intervals from 1791 to 1800, while Daydon Jackson gives the dates as 1793 to 1801.¹

¹ *Guide to the Literature of Botany.*

In 1804-5 appeared Sir J. E. Smith's *Exotic Botany*, the coloured figures by James Sowerby. It is on quite the same plan as the *Botanical Magazine*, and the quality of both plates and letterpress is superior to the Magazine of the same date; yet it only reached two volumes of sixty plates each. The plants figured form a very interesting selection, largely Australian, with an infusion of Scitamineæ, or monandrous plants, as they were commonly called. Most of the plants were in cultivation at the time, but figures of others specially worthy of introduction are given. Thus *Epacris longiflora* (pl. 39), concerning which Smith observes:—"No species of *Epacris* has yet been raised in England; but surely the annexed plate will excite cultivators to endeavour to obtain some of the seeds." Two years later the same species was figured in the *Botanical Magazine* (pl. 982), from a plant grown by Loddiges. Plate 41 is a representation of the Australian *Drosera peltata*, which the author says there was scarcely any hope of seeing cultivated, though he would not despair, for twenty years before there was as little hope of seeing a flourishing *Epidendrum* in the gardens of Europe, though at the time of writing many of the tribe had become familiar.

In 1805 the first part of the *Paradisus Londinensis* appeared, and it was continued until 1808, reaching 117 plates. William Hooker, a pupil of Francis Bauer, was the artist, and R. A. Salisbury wrote the descriptions. Hooker was a clever artist, and was subsequently engaged by the Horticultural Society, contributing the excellent plates which adorn the earlier volumes of the *Transactions* of the Society.¹ He resided at Kew, and there is an interesting memorial of him in the collection of drawings in the Herbarium. It is a large coloured drawing of a branch of a Peach tree, bearing both Peaches and Nectarines, from the garden of Mr. Gilpin, at East Sheen. The genuineness of the drawing is attested by the signatures of two witnesses, and the circumstance is alluded to by Salisbury in the first volume of the *Transactions of the Horticultural Society*.

The second edition of the *Hortus Kewensis*, consisting of five volumes, was published from 1810 to 1813. It was edited by William Aiton, and a large portion of the descriptive matter was contributed by Dryander and Robert Brown.

In 1812, while still connected with the *Botanical Magazine*,

¹ Johnson (*A History of English Gardening*, p. 284) attributes this artist's *Pomona Londinensis* to William Jackson Hooker.

Sydenham Edwards gave the world his *New Botanic Garden*—a quarto containing sixty coloured plates, each illustrating two plants; also issued as the *New Flora Britannica*. The same plates had previously been used to illustrate Macdonald's *Complete Dictionary of Practical Gardening*, 1807. This was followed in 1815 by the *Botanical Register*, in the foundation of which Edwards had the assistance of Ker, who had also been a valuable contributor to the Magazine; and for the remainder of this period the rival excelled the older publication. Edwards died in 1822, and was succeeded by M. Hart; and as early as 1823 (pl. 748), the initials J. L. (John Lindley) occur, though his name does not appear on the title-page till 1829. With the powerful support of Lindley, the success of the *Botanical Register* was assured, and it was continued by the same editor until 1847, when it ceased altogether. Lindley himself was a good draughtsman, and occasionally contributed drawings; but after 1831 Miss Drake, who illustrated so many of Lindley's works, was the chief artist. Here and there we find the name of Mrs. Withers, who was also an accomplished artist. Altogether 2702 plates appeared in the *Register*, though unfortunately they were separately numbered in every volume after 1837.

Loddiges, the renowned nurserymen of Hackney, started their *Botanical Cabinet* in 1818, and it extended to twenty volumes and 2000 plates. The figures are usually neat and often pretty; but the work has not the slightest claim to the title "botanical." The letterpress is exceedingly meagre, and largely impregnated with pious ejaculations and admonitions.

In 1819 our Samuel Curtis published a *Monograph of the Genus Camellia*. There are five very large folio plates, each containing several varieties, drawn by Clara Maria Pope. From this work we learn that Lee and Kennedy had flowered twenty-five varieties of *Camellia*. Bound up in the same volume (from the library of the late Sir William Hooker) are two coloured engravings of Dahlias, apparently by the same artist, but undated, and perhaps unpublished. About twenty varieties are represented, and I mention them because they are just what we have recently returned to, namely, single, and the so-called Cactus varieties. In the same volume, too, is a fine original painting of the gorgeous Australian *Doryanthes excelsa*, which flowered in 1826 at Woodhall, Lanark, the seat of F. Campbell, Esq.

Lindley's activity in horticultural literature began in 1820, with a monograph of the species of Rose (*Rosarum*

Monographia), containing nineteen coloured plates. This was followed in 1821 by the *Collectanea Botanica*, comprising forty-one coloured plates of an interesting selection of plants, chiefly noteworthy for the number of Orchids it contains; indeed, it merits the title of the herald of the Orchid era. *Primula sinensis*, an introduction of the Horticultural Society, is here first made known to the public.

Robert Sweet, many years manager for Colvill, the nurseryman, in the King's Road, Chelsea, was the author of several works connected with horticulture, commencing with *Hortus Suburbanus Londinensis*, 1818; an excellent catalogue, giving native countries, dates of introduction, references to figures, &c., of plants cultivated in the neighbourhood of London. His next work was the *Geraniaceæ* (1820—1830)—five volumes, containing 500 plates. Much might be said concerning this, but I must limit myself to the statement, that it is an enduring record of the early steps in raising garden varieties. The *Botanical Cultivator* passed through five editions from 1821 to 1831. In 1823 he started the first series of his *British Flower Garden*. This consists of three volumes, containing 300 coloured plates; and the second series (1831—1838), of four volumes and 412 plates; and there was a re-issue of the whole in 1838. I have only seen a copy of the re-issue, which is very badly coloured, except the last volume. Whether the original edition was better, I am unable to say. Sweet had now two serials running, to which, in 1825, he added a third—the *Cistineæ*, which consists of one volume of 112 coloured plates. All these works were principally fed from Colvill's extensive nurseries.

Prof. W. Jackson Hooker's (afterwards Sir William J. Hooker) first independent book was his *Tour in Iceland*, 1813. Ten years later he founded the serial, *Exotic Flora*, and continued it until he undertook the editorship of the *Botanical Magazine*, when he concentrated all his horticultural resources in the latter, and he was the artist as well as the botanist. Maund's *Botanic Garden* (1825—1842), a small quarto of nine volumes, and 312 coloured plates, deserves special mention for the admirable colouring of the reduced figures. Among the numerous excellent works of J. C. Loudon, the *Gardeners' Magazine* (1826—1843) is a mine of information.

An important event of this period was the foundation of the Horticultural Society of London, in 1805, followed by that of Edinburgh, in 1809. An immense impetus was thereby given to horticulture and horticultural literature.

Collectors were sent to various parts of the world, among them J. Don to West Africa; J. Forbes, to East Africa; J. Potts and J. Parks, to China and Brazil; J. MacRae, to the Sandwich Islands; and David Douglas, to North America. The garden at Chiswick was established, and Douglas's mission to North America was particularly successful.

THIRD PERIOD: 1827—1864.

SIR WILLIAM HOOKER.

We have now reached an exceedingly active period in English gardening generally, and in flower gardening particularly. Intimately connected with the latter was a simultaneous advance in systematic and geographical botany. Promoters and practitioners of the three cognate branches of knowledge were numerous; yet it is not unfair to the whole body of them to assert that the extraordinary developments of the time in this country were very largely due to the exertions of two remarkable men—I mean Sir William Hooker and Dr. Lindley.

Both of these men possessed unusual capacity for work, combined with administrative and organizing talents of no mean degree. When Sir William undertook the post of editor of the *Botanical Magazine*, Samuel Curtis was still the proprietor and nominal "Conductor" of it; and at that date there were in existence no fewer than ten English serial publications, illustrating in colours the cultivated plants of English gardens. Therefore it was no easy task to resuscitate one in such an advanced stage of decay as he found the Magazine, and it was only a person of great resources that could have accomplished it.

As already mentioned, Hooker at once discontinued his *Exotic Flora*, and threw his whole energies into the older periodical. Although his name appears on the title-page as the author of the descriptions only, he was actually the artist as well, acting in this double capacity for ten years; and it is not too much to say that he was unequalled as a botanical draughtsman. He had a clean, finished style, peculiarly his own; and he succeeded in obtaining the service of colourists of abilities rarely met with at the present day. A glance at the few plates he contributed to the end of the fifty-third volume will be sufficient to convince anybody of the accuracy

of this statement, though the great superiority of his work is more evident in subsequent volumes. Previously no adequate analysis of the flowers and fruits were given, but he introduced full and often very elaborate dissections.

In his first volume (the fifty-fourth of the whole work), he initiated the custom of dedicating the volumes to persons eminent in botany or horticulture. This volume is dedicated to Robert Barclay, Esq., of Bury Hill, Dorking; and as the words addressed to him by the dedicator throw some further light on the history of the Magazine, they may be reproduced here:—

“Upwards of forty years ago the first series of the *Botanical Magazine* was begun, under your auspices, by its lamented editor, Mr. William Curtis. At the expiration of so long a period it is with no ordinary satisfaction that I am enabled to inscribe your name at the head of the present series of the work, suggested by your zeal for the encouragement of Science, and renewed under your enlightened patronage.”

In addition to portraits of plants cultivated in this country, Hooker, through his widespread connections, was able to give figures of important economic and other interesting plants, such as the Butter-nut, double Coconut, Cochineal Fig, Clove, and Nutmeg, in the volume in question. These were figured from drawings supplied by Charles Telfair, of the Mauritius Botanic Garden, and the Rev. R. Guilding, of St. Vincent. Among Orchids in this volume are *Zygopetalum Mackaii* (pl. 2748), and *Oncidium pulchellum*¹ (pl. 2773), both described here for the first time. In 1833, the first volume of a new edition of the Magazine was issued “with amended characters of the species, the whole arranged according to the Natural orders,” by W. J. Hooker. “To which is added the most approved method of culture,” by Samuel Curtis, proprietor. This volume, the only one that appeared, contains 119 plates, representing plants belonging to the orders Ranunculaceæ to the Sarraceniaceæ.

Of special interest in the fifty-fifth volume are *Cycas circinalis*, the Baobab, and the Bread-fruit tree, with the history of its introduction into the British West Indies. In the same volume (pl. 2851) is the figure of *Cattleya*

¹ The first *Oncidium* in the Magazine is *O. bifolium* (pl. 1491), cultivated by Loddiges in 1812. “This was hung up in the cabin of the ship without earth, and continued to flower great part of the voyage home,” thereby teaching gardeners a lesson.

intermedia.¹ Among other notable plants introduced about this time were *Euphorbia splendens* (pl. 2902); *Renanthera coccinea* (pl. 2997); *Peristeria elata*, the Dove Flower or *el Spirito Santo* (pl. 3116); *Cephalotus follicularis*, the Australian Pitcher-plant (pl. 3118-9); *Bletia Shepherdii* (pl. 3319), named in honour of the brothers Shepherd, who gained so great a reputation for the Liverpool Botanic Garden; and, making a considerable leap, the lovely Australian *Rhodanthe Manglesii* (pl. 3483). This brings us down to 1836, the date of a notable event in pictorial botany.

W. H. FITCH.

As I must perforce pass over much that is interesting, I cannot do better, perhaps, than halt at the point where this famous botanical artist makes his first appearance, which, so far as the *Botanical Magazine* is concerned, took place in 1834. By this time Hooker's botanical labours were so multifarious that he found it necessary to obtain some assistance in drawing plants, and hearing of this then young artist, he sought him out, engaged him, and soon inducted him into botanical drawing. The earliest plate bearing the name of Fitch is 3353 (vol. lxi.), *Mimulus roseus*. But, as he himself informed me, all the uninitialled plates of that volume and the next were drawn by him. No fewer than eleven artists contributed to vol. lxii., including Francis Bauer: 3377, *Microtis parviflora*, and 3378, *M. media*. After that, Fitch was practically the sole artist down to the end of the 103rd volume (1877), and drew and lithographed about 2800 of the plates.

It is almost superfluous for me to add that this forms only a small portion of the work done by this accomplished botanical artist, whose name appears in every English illustrated botanical and horticultural work of importance published during the last half century.

In 1845 Dr. J. D. (now Sir Joseph) Hooker described (in Hooker's *London Journal of Botany*, iv., p. 640, pl. 23 and 24) the singular arboreous Composite, *Fitchia nutans*, a native of Tahiti and other islands of the Pacific Ocean; and in 1869 he dedicated the ninety-fifth volume of the *Magazine* "to the accomplished artist and lithographer of

¹ It is worthy of record here that Lindley founded the genus *Cattleya* in honour of W. Cattley, a gentleman who was the most successful of the earlier amateur cultivators of epiphytal Orchids. The original species was *C. labiata*, figured in the *Collectanea Botanica* (pl. 33) in 1821; and Lindley wrote concerning it as being "without exception the handsomest species of the order he had seen alive."

upwards of 2,500 of the plates already published in the Magazine.”

The same year that Fitch commenced drawing for the Magazine the honour of knighthood was conferred on the editor, the elder Hooker, in recognition of the great services he had rendered to botany.

In other respects the sixty-third volume of the *Botanical Magazine* is a noteworthy one. It contains evidence of the rapid extension of Orchid culture and an index to the previous nine volumes. Plate 3530 (*Ribes speciosum*) was drawn by William Curtis, a son of Samuel, who is still living with his sister in Jersey. The sixty-fourth volume is dedicated to James Bateman, Esq., of Knypersley Hall, Cheshire, author of the magnificent *Orchidaceæ of Mexico and Guatemala*, and an illustrated *Monograph of Odontoglossum*, and, after Cattley, one of the earliest private growers of Orchids on a large scale. His collection was greatly enriched by George Ure-Skinner, who sent his first consignment of Orchids from Guatemala in 1835.¹ Twenty of the figures in this volume are of Orchids, and the immediately succeeding volumes contain a larger proportion. The first *Odontoglossum* (*O. bictoniense*) that reached England alive, as I learn from Bateman's *Monograph*, is figured on plate 3812, where it bears the name *Zygopetalum africanum*, given owing to an error as to its origin. This was one of Skinner's numerous introductions.

The sixty-eighth volume of the Magazine is dedicated to Mrs. Lawrence, of Ealing Park, the mother of Sir Trevor Lawrence, and one of the most ardent horticulturists of her day. Meanwhile, in 1841, Sir William Hooker had been appointed Director of the Royal Gardens, Kew.

NORTH AMERICAN ANNUAL PLANTS.

To Thomas Drummond and David Douglas (both of whom lost their lives in the pursuit of Flora) belong, in a very large measure, the honour and fame of introducing into English gardens the lovely annuals of the Southern and more particularly of the South-western regions of North America. Going back to plate 3441 (1835) we see a beautiful representation of a very dark variety of the charmingly variable *Phlox Drummondii*. Quickly following on this, come *Gilia tricolor* (pl. 3463), *Coreopsis diversifolia* (pl. 3474), *Nemophila insignis* (pl. 3485), *Collinsia bicolor* (pl. 3488),

¹ Mr. Bateman estimated that at least 300 species new to gardens were introduced in 1837, chiefly from Mexico and Guatemala.

Leptosiphon androsaceus (pl. 3491), *Limnanthes Douglasii* (pl. 3554), and *Clarkia pulchella* (pl. 3592).

Agave americana var. *foliis variegatis* (pl. 3654) is well worth turning to, as the accompanying letterpress contains the history of the flowering of various plants in different parts of the United Kingdom, together with an account of the economic products of this and other species which are peculiar to America, and chiefly to the Mexican region.

I can hardly pass pl. 3781, a lovely Mexican *Bouvardia*, here named *splendens*, though it had years previously (pl. 1854) been figured from a miserable specimen under its proper name of *B. triphylla*. *Bouvardias* are evidently much better cultivated now than formerly.

WEST AUSTRALIAN PLANTS.

Previously to 1840 several collectors had visited West Australia, and a considerable number of West Australian plants had been figured in the Magazine from time to time; but it was at about this date that the singular and brilliantly coloured flowers of this region began literally to pour into this country, and chiefly from one source—from James Drummond, a brother of Thomas, to whom I have already alluded. In 1839, Dr. Lindley published in the form of an appendix to the *Botanical Register*, a sketch of the vegetation of the Swan River Colony, with coloured figures of eighteen characteristic plants. This sketch was based upon a collection of about 1000 species of dried plants communicated by James Drummond, who subsequently contributed a long series of extremely interesting letters on the flora of Western Australia, to Hooker's *Journal of Botany*, *London Journal of Botany*, and *Kew Journal of Botany*, during a period of fourteen years, from 1839 to 1853. There is something specially attractive in these unpretending letters, and from the time I first read them I have had a great longing to visit Australia. Drummond not only made very extensive collections of dried plants, but also was the means of introducing many ornamental species into English gardens. Among peculiar and striking West Australian plants figured in the Magazine of this period I may mention *Anigozanthus Manglesii*, Kangaroo Feet of the colonists, (pl. 3875); *Brachycome iberidifolia* (pl. 3876); *Calectasia cyanea*, perhaps the most highly coloured of the Rush family, (pl. 3834); *Helichrysum niveum* (pl. 3857); *Boronia crenulata* (pl. 3914); *Marianthus cœruleo-punctatus* (pl. 3893); *Pimelea spectabilis* (pl. 3950); *Podotheca gnaphalioides*

(pl. 3920); *Stylidium ciliatum* (pl. 3883); *S. recurvum* (pl. 3913); *Gastrolobium acutum* (pl. 4040), and three or four years later the very showy *Eucalyptus macrocarpa* (pl. 4333), a species likely soon to become extinct.

The seventieth volume terminates the second series of the Magazine, which was then (1845)¹ transferred from Samuel Curtis to Reeve Brothers, and is still held by the same firm; and the title-page of the first volume of the third series presents a view of the great Palm-house at Kew (though it was not then built), which has appeared ever since. Another important change was made in the same volume, plate 4174 and onward being lithographed instead of engraved on copper, Fitch acting as his own lithographer. Further there was issued with this and the next three volumes a new series of the *Companion to the Botanical Magazine*, consisting of miscellaneous information, commencing with a report on the "Present Condition and Future Prospects of the Royal Botanic Gardens, Kew," which is particularly interesting. Previously, in 1835-6, two separate volumes, bearing the same title, had been published. Volume lxxiv. contains indexes to volumes lxiv. to lxxiv. inclusive, in two sets. A noticeable feature in this and succeeding volumes is the inclusion of a much larger proportion of hothouse plants than heretofore; and in the seventy-fifth volume the descriptive and historical matter is supplemented by remarks on the cultivation of the plants, signed "J. S." This was John Smith, who entered the gardens in 1820, and retired from the curatorship in 1864 in consequence of failing sight. These notes were discontinued early in the seventy-eighth volume.

NOTABLE TRAVELLERS AND COLLECTORS.

Looking through the volume 1852, we meet with quite a new set of names of travellers, nurserymen, private growers and gardeners, who contributed to its pages. Thus, Wright, who collected in Texas and New Mexico, and afterwards in Cuba, and elsewhere; Dr. J. D. (now Sir Joseph) Hooker, who went to India in 1847; Thwaites, who was for many years Director of the Botanic Garden at Peradeniya, Ceylon; Ronald Gunn, who collected extensively in Tasmania; James Veitch, who was still at Exeter, as well as Lucombe and Pince, Fortune and Standish, names intimately con-

¹ It may be mentioned here that volumes 68, 69, and 70 are very rare, in consequence (as Mr. F. L. Soper, the present head of the firm, informs me) of the Curtis family having sold the stock as waste paper.

nected with the introduction and cultivation of Chinese and Japanese plants; William and Thomas Lobb, collectors for James Veitch; Dr. Wallich, of the Calcutta Gardens; Rollisson, Jackson and Hugh Low, famous nurserymen, and many other persons too numerous to mention!

Proceeding with a review of a few of the most noteworthy plants figured, we are first arrested by the sacred Lotus, *Nelumbium speciosum* (pl. 3916-7), though a very dingy representation of it appeared in the Magazine as long previously as 1806 (pl. 903), and it was introduced by Sir J. Banks as early as 1784. *Achimenes longiflora* (pl. 3980), *A. multiflora* (pl. 3993), and *A. grandiflora* (pl. 4012), *A. pedunculata* (pl. 4077), and *A. picta* (pl. 4126), and *Sinningia* (*Gloxinia*) *Youngiana* (pl. 4954), are a few of the favourite Gesneraceæ of years ago,¹ many of which were introduced by Hartweg.

The "Glory of the Table Mountain," *Disa grandiflora*, appears at 4073, and *Disa cornuta*, a blue and white flowered species, at 4091. I had almost overlooked the classical *Stephanotis floribunda* (pl. 4058), which Mrs. Lawrence, of Ealing Park, had the gratification of introducing to the stoves of this country, and in whose garden it flowered profusely as early as 1843. The strikingly handsome Asiatic genus *Æschynanthus*, is represented by four species, which appeared in rapid succession. The first was *Æ. Lobbianus* (pl. 4260), followed by *Æ. pulcher* (pl. 4624), *Æ. speciosus* (pl. 4320), and *Æ. longiflorus* (pl. 4328).

Returning to the beginning of the seventy-third volume, in which are the two plates last cited, we behold the *Victoria Water Lily*.

VICTORIA REGIA.

Horticultural triumphs have been great and unceasing during the present century, but none, probably, caused so great a sensation as the first flowering of the great Water Lily at Chatsworth, in 1849, under the care of Joseph Paxton and George Eyles. Persons who possess the *Gardeners' Chronicle* for that year will find full particulars of the circumstance, and of the greater successes of subsequent years at Chatsworth, Syon House and Kew. I cannot give the history of this noble plant here, though it seems specially appropriate to add a few words more respecting it. It appears to have been first observed by Haenke

¹ *Achimenes coccinea*, syn. *Cyrilla pulchella*, is figured in an early volume of the Magazine, pl. 374.

at the beginning of the present century, though this fact was not made known till some forty years later ; and it was not till 1837 that the botanical world was familiarized with it. Sir Robert Schomburgk discovered it in British Guiana early in the year named, and transmitted a description and drawings of it to the Geographical Society of London, suggesting the name *Nymphæa Victoria*. The drawings were placed in Dr. Lindley's hands, and he, detecting characters of sufficient importance to give the plant independent generic rank, proposed naming it *Victoria regia*, a proposal graciously accepted by her Majesty. Accordingly, in August, 1837, there appeared a coloured plate, of atlas folio size, together with full description, dedication, and history. This memoir was privately printed, and the entire issue consisted of only twenty-five copies, one of which is at Kew, from the library of Sir William Hooker.

HERBACEOUS CALCEOLARIAS.

I shall be excused, perhaps, for harking back to plate 3255 (*Calceolaria crenatiflora*) in order to say a word or two respecting the history of the singularly rich and variable race of hybrid herbaceous *Calceolarias*, the beginning of which dates back between fifty and sixty years. The principal parents were *C. corymbosa* (pl. 2418) and *C. arachnoidea* (pl. 2874), both natives of South America, as are all the numerous species, except two, peculiar to New Zealand. Looking at the figures of the parent species one could hardly imagine it possible that they could have given birth to such a brilliantly variable progeny ; but any doubt will be dispelled on reference to the figure of *C. Youngii* (*Botanical Register*, t. 1448), one of the earliest, if not the very first, of these hybrids. This appeared in 1831, and three years later *C. Knypersliensis* was figured in Sweet's *British Flower Garden* ; of this *C. crenatiflora* is recorded as one of the parents.

The seventy-fourth volume (1848) comes next, and it contains such a large proportion of handsome and curious plants, that it is difficult to make a selection for special notice. Foremost amongst standard stove plants are *Allamanda Schottii* and *A. Aubletii*, *Hoya imperialis* and *H. bella*. *Napoleona imperialis*, a remarkable anomalous tropical African tree, belonging to a tribe of *Myrtaceæ* characteristic of and almost peculiar to the flora of South America, is represented on plate 4387.

The next volume contains *Dendrobium Devonianum*

(pl. 4429), *Vanda tricolor*, one of the most majestic of Orchids, and *Sobralia macrantha* (pl. 4446), immediately followed by the beautiful Chilian *Lapageria rosea*, which was first sent to Kew in 1847 by R. Wheelwright, an American gentleman; and the following year successfully imported by Messrs. Veitch through their collector, Thomas Lobb. This year (1849), too, the most gorgeous of all the Leguminosæ, *Amherstia nobilis*, a native of Burma, flowered for the first time in this country, and found a place in the Magazine (pl. 4453). Mrs. Lawrence, of Ealing Park, had the good fortune to beat the Duke of Devonshire in the cultivation of this noble plant.

Passing over a volume, I note the singularly marked *Thibaudia macrantha* (pl. 4566) from the mountains of Moulmein, discovered and introduced by Thomas Lobb for Messrs. Veitch. The famous Dragon's-blood tree is the subject of plate 4571; and the figure is accompanied by a history of the remarkable example at Orotava, which has since perished. *Cantua buxifolia*, *Ixora javanica*, the beautiful West Australian *Acacia hispidissima*, *Allamanda neriifolia*, *Cathcartia villosa*, and the valuable hardy *Forsythia viridissima*, and *Berberis Darwinii* are some of the numerous noteworthy plants. The last-named shrub was another of the very many and very valuable plants introduced by William Lobb for Messrs. Veitch.

The remarkable *Puya chinensis* (pl. 4715) calls to mind the bold paintings of this and the equally handsome blue *Puya Whytei* in the "North Gallery" at Kew. *Bougainvillea spectabilis* (pl. 4810) deserves notice.

THE MAMMOTH TREE OF CALIFORNIA.

William Lobb, though not the actual discoverer of the *Sequoia gigantea* (*Wellingtonia*), was probably the first person having a technical knowledge of plants who encountered it, and it was he who introduced it into Europe, having sent seeds to Messrs. Veitch in 1853. In 1854 a figure, prepared from dried specimens, appeared in the Magazine (pl. 4777-8), and now there are trees in this country not less than 70 feet high. This tree caused a great sensation, and has been so extensively propagated, and so much written about, that few trees are more familiar.

HIMALAYAN RHODODENDRONS.

I have already alluded to Sir Joseph Hooker's missions

to India, and I would refer to his *Himalayan Journals* for the main results of his explorations; but, from a horticultural standpoint, the discovery and introduction into English gardens of the numerous and gorgeous Sikkim Rhododendrons was certainly one of his greatest achievements. Out of forty-three species he collected, thirty were considered new to botanists, and most of the others were yet unknown to horticulturists. It is true that several North Indian species had been previously discovered and introduced by Dr. Wallich and others. The first in the Magazine is a white variety of *R. arboreum* (pl. 3290), which flowered in 1831 in a conservatory in the garden of Robert Baxter, Esq., of Dee Hills, Chester. This was followed by *R. campanulatum* (pl. 3759), in 1840, flowered by Dickson, of Chester; and in 1848 there appeared a figure of the only South Indian species (or variety of *arboreum*), i.e., *nilagiricum*, if correctly so named, of which there is some doubt. In 1853 the magnificent *R. Dalhousiæ* was figured (pl. 4718) from a plant flowered by John Laing at Dysart House, Kirkcaldy, the Earl of Rosslyn's seat. This is one of the handsomest of the Indian Rhododendrons, and its flowers, like those of *R. Maddeni*, are highly fragrant. By inarching a shoot of a young seedling of *R. Dalhousiæ* on a vigorous plant of *R. ponticum*, Mr. Laing succeeded in obtaining flowers of the former in so short a period as three years from the time the seed was sown. *R. Maddeni* was figured from a plant cultivated at Kew in 1854. In 1856 *R. blandfordiæflorum*, *R. Camelliæflorum*, *R. Edgeworthii*, *R. campanulatum* var. *Wallichii*, *R. Falconeri*, and *R. Hookeri* were figured in the Magazine, besides two or three Malayan species. Every succeeding year, for some time after this, added to the number of Himalayan Rhododendrons flowering in Great Britain. The most noteworthy one that appeared in the Magazine in 1857 was the very beautiful and distinct *R. Thomsoni* (pl. 4997); one of the hardiest of the Indian species. The next volume contains portraits of *R. argenteum* and *R. Aucklandii*; and in 1859 there appeared, among others, the gorgeous *R. Nuttallii* (pl. 5146), whose delicate white and pink flowers are 6 inches across, and unequalled in size by those of any other species. Several handsome Malayan species have since been illustrated in the Magazine; and I may conclude this paragraph with the interesting fact in the distribution of plants that a true Rhododendron has recently been detected in the mountains of Queensland, Australia.

BEGONIAS.

Begonia Evansiana, a native of Eastern Asia, was figured in the Magazine as long ago as 1812 (pl. 1473), and the still highly valued *B. incarnata* (*B. insignis*), from Mexico, in 1829 (pl. 2900); *B. fuchsioides* is the subject of pl. 4281, and *B. cinnabarina* of pl. 4483; but the *Begonia* era did not actually begin until some years later. In 1852 the handsome-leaved *B. xanthina*, from India, was published (pl. 4683), and in 1859 *Begonia Rex* (pl. 5101), from the same country; the next plate representing *B. xanthina* var. *pictifolia*. These were the parents of a numerous family of varieties having large ornamental foliage. Passing many other species, *B. boliviensis* (pl. 5657) was, I believe, the first of the showy tuberous-rooted species from the Andes. This was quickly followed by *B. Veitchii* (pl. 5663), *B. Clarkei* (pl. 5675), and many others. What they have yielded in the hands of florists is not a matter of history, but still in evidence. Linnæus, who only established the genus from Plumier's drawings, did not know a single species, and Willdenow described only twenty-five in 1805. In 1864 De Candolle described upwards of 350, and subsequent discoveries have doubtless increased this number to quite 400; and more than sixty of these species have been depicted in the Magazine, while numerous florists' varieties have appeared in publications more especially devoted to such plants.

OUVIRANDRA.

Ouvirandra fenestralis, the Water Yam or Laceleaf (pl. 4894), is a most curious plant, and may well be regarded as one of the wonders of the vegetable kingdom. The intrepid traveller and accomplished botanist, Aubert du Petit-Thouars, discovered it, and published a description of it at the beginning of the present century, and in 1837 it was figured from dried specimens in Delessert's *Icones Selectæ Plantarum*; but it was not till 1855 that living plants of it were brought to this country by the late Rev. W. Ellis, whose admirable writings on Madagascar, its people, and products, constitute the basis of nearly all subsequent literature on the same subjects. He presented two plants to the Royal Gardens, Kew, where they flowered towards the end of the year, and the figure cited above appeared in January, 1856. A second species of *Ouvirandra* (*O. Berneriana*), from the same country, is repre-

sented on plate 5076. Apart from the skeleton-like leaves, *Ouvirandra* does not differ materially from the more familiar *Aponogeton*, with which Bentham and Hooker have united it. Several other species have been published since, though none possessing the interest of the one under consideration. Among other remarkable plants introduced by Mr. Ellis I may mention the *Angræcum sesquipedale*.

WELWITSCHIA MIRABILIS.

A few weeks after my arrival at Kew, in 1860, the botanical world was excited to the highest pitch, consequent on a letter, received by Sir William Hooker from Dr. Welwitsch, describing this extremely singular cone-bearing plant, then recently discovered by the latter near Cape Negro in Western Tropical Africa, and in the following year, some 500 miles further south, by Mr. Thomas Baines. In 1863 this strange plant was illustrated in the Magazine (plates 5368 and 5369) from material communicated by J. Monteiro and C. J. N. Anderson. Subsequently copious specimens were received at Kew from various sources, and several fruitless attempts to introduce living plants were made; or if the plants arrived with any vitality in them they failed to grow. In 1882 several seedlings were raised at Kew, and they served to reveal some important points in the life-history of the plant. Their growth is exceedingly slow, and their cultivation very difficult. *Welwitschia* is very fully described and elaborately illustrated in the twenty-fourth volume of the *Transactions of the Linnean Society*.

Sir William Hooker dedicated the ninetieth volume of the Magazine, the last he lived to complete, to Dr. Welwitsch, who survived him seven years.

MISCELLANEA.

I will now briefly indicate a few other noteworthy plants, chiefly of the last decade of the third period. *Coleus Blumei* (pl. 4754) is a native of Java, or is cultivated there, and Mr. Low, of Clapton, imported it from Belgium into this country, where it soon was followed by other varieties, such as *Verschaffeltii*, *Gibsoni*, and *Veitchii*: all somewhat sombre in coloration, and by no means suggesting the infinite and dazzling variety of a later date. *Kniphofia Uvaria* (pl. 4816), which is one of the hardiest of the South African Liliaceæ, would hardly be recognized as the

same as *Tritoma Uvaria* (pl. 758), but so it is; and although cultivated in English gardens as long ago as 1707, according to Gawler, it seems to have attracted no special attention until about thirty years ago. *Cymbidium giganteum* (pl. 4844) is an Asiatic type of Orchid in which green is associated with brighter colours in the large flowers. *Cœlogyne pandurata* (pl. 5804) is an equally grand plant. *Trichopilia coccinea* (pl. 4857) is an elegant, deep rosy Central American Orchid of wholly different character. *Chamædorea elegans* (pl. 4845) is one of the numerous graceful miniature Palms so numerous in Mexico and Central America. *Genetyllis tulipifera* (pl. 4858), now referred to the genus *Darwinia*, is one of Drummond's most beautiful introductions from West Australia, though not often seen now that hard-wooded plants are less in vogue. *Clanthus Dampieri* (pl. 5051), another brilliantly coloured Australian, interesting, too, as one of the few plants discovered by, and figured in, the narrative of the great explorer whose name it bears. Plate 5080 represents one of the earliest cultivated of the highly-coloured Pitcher-plants. It is there named *Nepenthes villosa*, but it proved different from that, and was subsequently named *N. Veitchii*.

THE HAND PLANT: CHEIROSTEMON.

The Hand-flower tree, *Cheirostemon* (or correctly *Cheiranthodendron*) *platanoides* (pl. 5135), a native of Mexico and Guatemala, where it is, or was, held in great veneration by the aboriginal inhabitants, is one of the most remarkable of the Malvales; especially so in the structure of the androecium or staminal column, which bears a striking resemblance to a hand or paw of five claws.

It is now close upon 300 years since Francisco Hernandez, a Spaniard, made known to Europeans the wondrous floral productions of Mexico; including this, some of the more famous Orchids, *Tigridia*, and a host of others.¹ As may be imagined, the writings of this author excited much curiosity, but it was long before this curiosity was satisfied. However, quite early in the last century the *Cheirostemon* was cultivated at Paris and Montpellier; and Lambert appears to have soon introduced it into this country, though it is not included in the second edition of Aiton's

¹ Described and figured in a Spanish work entitled: "Quatro Libros de la Naturaleza y Virtudes de las Plantas y Animales, que están recevidos en el uso de Medecina en la Nueva-España, publicado en Méjico por Ximenez el año 1615."

Hortus Kewensis. In 1859 it had long been cultivated at Kew, but it had never shown any disposition to flower. Charles Dorrien, of Ashdean, was more fortunate; and it was he who supplied the fine flowers from which the drawing for the Magazine was made. On the Continent flowers first appeared in 1850; but the tree very rarely flowers under cultivation, and the Magazine figure is the only good coloured one.

Grammatophyllum speciosum (pl. 5157) is a striking and gigantic Malayan Orchid, with stems 10 ft. high and flower-scapes 6 ft. high, bearing numerous yellow flowers spotted with brown, and 6 in. across. The beautiful and often richly-coloured *Caladiums* were heralded by *C. bicolor* var. *Neumannii* (pl. 5199), and *C. bicolor* var. *Chantinii* (pl. 5255). *Malortiea gracilis* (pl. 6291) is another of the numerous elegant dwarf Palms of Central America. At this date (1862), however, Palms had not yet become popular in England. Plate 5319 represents *Anthurium Scherzerianum* as it first flowered at Kew, in 1862, with spathes only an inch long, and furnishes a noteworthy instance of what has been subsequently effected by high culture. Grasses present great variety, yet I remember none so anomalous in aspect as the Brazilian *Anomochloa marantoidea* (pl. 5331), which more nearly resembles plants of the order, indicated by the specific name. *Lilium auratum* (pl. 5338) created probably a greater sensation in the gardening world than any other of the numerous introductions of the late John Gould Veitch, and in a great measure reinstated the genus in public favour, and led to the great results that have followed. *Berberidopsis coralina* (pl. 5343), a very beautiful Chilian shrub, has not, so far as I am aware, from some cause, fulfilled expectations to which it gave rise. *Calanthe Veitchii* × (pl. 5375), a hybrid between *Calanthe vestita* (pl. 4671) and *Limatodes rosea* (pl. 5312), claims our attention, not for its beauty alone, but also as being the first of Dominy's hybrid Orchids, of which a coloured plate has been published. His first hybrid, *Calanthe Dominii*, was described by Lindley in 1858. *Lewisia rediviva* (pl. 5395), a showy member of the *Portulaccaceæ*, and a native of North-West America, bears a very appropriate specific name. I well remember the history of the plant figured. It was collected by Dr. Lyell, who was attached to the Boundary Commission in British Columbia, and after having been immersed in boiling water, on account of its well-known tenacity of life, it was dried for a herbarium specimen. More than a year and a half

later, when Dr. Lyell brought his collections to Kew, the plant still showed symptoms of vitality, and was therefore transferred to the garden, where it speedily produced flowers.

Bowenia spectabilis (pl. 5398), a native of Eastern Australia, is a remarkable member of a curious family, which finds a counterpart in the equally singular South African *Stangeria paradoxa* (pl. 5121). *Adenium obesum* (pl. 5418), *Vitis Bainesii* (pl. 5472), and *Vitis macropus* (pl. 5479), are characteristic examples of the vegetation of the dry regions of Tropical Africa. *Helichrysum Mannii* (pl. 5431) is a handsome plant, which serves to record the excellent services to botany in Western Tropical Africa by Gustav Mann, who, with Sir John Kirk, is one of the few botanical explorers of Tropical Africa who have long survived their labours. Among the numerous "everlasting" flowers of Australia, *Waitzia corymbosa* (pl. 5443) is one of the prettiest and most variable, and may have a future in our gardens. It was raised by Mr. W. Thompson, of Ipswich, to whom we are indebted for an immense number of hardy plants, and such as can be cultivated in the open ground in summer. Of the splendid *Renanthera Lowii* (pl. 5475) it is said that no more remarkable plant is to be found in the vast and varied tribe to which it belongs. The great peculiarity of it is that it constantly produces two distinct kinds of flower, the lowest pair on the spike being quite differently coloured from all the rest. I shall bring this review to an end with *Veronica Hulkeana* (pl. 5484), a native of New Zealand, where the genus has reached a greater development than in any other part of its very wide area of distribution.

NOTABLE EVENTS IN GARDENING.

From 1827 to 1864 is a long and eventful period in flower gardening, and many interesting and important occurrences and changes cannot even claim a mention in this sketch; yet there are some things so inseparably connected with the subject that ought not to be passed over altogether. The late Mr. George Bentham was so exclusively a botanist during the twenty-five years that I knew him that I had almost forgotten his connection with the Horticultural Society. Bentham became Secretary to the Society in 1829, "at a period when by increasing wasteful expenditure it was reduced to a very low ebb"; and he held this post until 1840, when the Society had regained its former prosperous

condition. During this decade, Hartweg, Douglas and other collectors, had introduced an enormous number of plants under the Society's auspices, and Bentham was especially active in describing the novelties, both in the Society's publications and in an independent work entitled *Plantæ Hartwegianæ*. In 1832 the renowned Chiswick *fêtes* were instituted, at the first of which 1700 people were present. Flower-shows on so magnificent a scale had never been held, and they were rich beyond anything we see now in hard-wooded plants; while florists' varieties of *Pelargonium*, *Fuchsia*, *Rosa*, *Dahlia*, and of many other genera, were multiplied and improved from season to season.

In 1851 Paxton's wonderful conception of glass and iron rose in Hyde Park, and still exists, though unfortunately in dire straits, in a modified form at Sydenham, as a monument to the genius and skill of one of whom the craft are all justly proud.

In August, 1865, Sir William Hooker was attacked by a disease in the throat, following on a cold caught at Clapham Junction, to which he soon succumbed. He was in his eighty-first year, and previous to this attack he was apparently hale and vigorous, and looked like a man destined to live another ten years at least.

It is impossible to give, in a few words, an idea of the immense amount of work he accomplished himself, to say nothing of what he stimulated others to do. The rapid extension of the various departments at Kew; the botanical exploration of distant countries; the production of descriptive works of colonial floras; and the dissemination of knowledge bearing on systematic, geographical and economic botany generally, bear witness to his wonderful energy and activity.

While Sir William lay dead, his son, now Sir Joseph, was stricken down with rheumatic fever for the second or third time; but happily he recovered, and succeeded his father as Director of the Royal Gardens, Kew, and as Editor of the Magazine. He retired from the post of Director in 1885, and as Editor at the end of 1904.

KINDRED ENGLISH LITERATURE OF THE THIRD PERIOD, 1827—1864.

Many of the serial works enumerated in the literature of the period from 1801--1826, as there explained, were continued far into the present, or third period of the existence of the Magazine; and the most formidable rival of the latter

was undoubtedly the *Botanical Register*, which appeared regularly up to the end of 1847, and contained figures of a large number of Lindley's favourite family, the Orchidaceæ.

Robert Sweet added, in 1827, another to the already considerable list of his serial publications under the title of *Flora Australasia; or a Selection of Handsome or Curious Plants, Natives of New Holland and the South Sea Islands*. E. D. Smith, F.L.S., was the artist. The octavo plates are fairly good, and there is an attempt at dissections, but most of the plants represented had been previously figured. There are fifty-six plates dated 1827 and 1828. In 1828, Roscoe's handsome folio of 112 plates of *Monandrian Plants of the Order Scitamineæ* was published. Most of the plates were drawn from subjects cultivated in the Liverpool Botanic Garden, where, at that period, there must have been a fine collection of these highly ornamental plants. George Johnson's *History of Gardening* appeared in 1829, and, though imperfect in some details, is a most useful and interesting book, which no gardener should lose an opportunity of adding to his library. A very fine and rare illustrated folio work of this period is *A Selection of Hexandrian Plants belonging to the Natural Orders Amaryllidaceæ and Liliaceæ*. The drawings, fifty-one in number, were by Mrs. Edward Bury, and they were engraved and published by R. Havell, London. The drawing and colouring of these plates is alike admirable, and Pritzel describes the work as "opus splendidissimum," &c.; but he is wrong in his statement that the plates were drawn from plants grown in the Edinburgh garden. Mrs. Bury acknowledges her obligations to the Shepherds of Liverpool, also to W. Roscoe and W. Harrison of the same place; and it is clear that the Liverpool gardens were the principal source on which the artist depended. The work was issued in fascicles from 1831—1834, price ten guineas each. In 1831 the *Horticultural Register and General Magazine* was launched, under the joint editorship of Joseph Paxton and Joseph Harrison. There were no coloured plates in the first volume (1831—1832), and very few in the second (1833), which was edited by Paxton alone. The same year Harrison started his *Floricultural Cabinet and Florists' Magazine*, and he boasts in the preface of a "circulation of nearly 50,000 copies, during the nine months of our literary existence." Harrison was gardener to Lord Wharncliffe, at Wortley Hall, and his venture seems to have been a decided success, and was continued down to 1859, and subsequently under the title of the *Gardeners' Weekly Magazine* and

Floricultural Cabinet. It contains much that is of interest to the florist. James Main, A.L.S., succeeded Paxton in the editorship of the *Floricultural Register* after the third volume; whether this work ceased with the sixth volume, the latest in the Kew library, I am unable to say. In 1836, Robert Marnock, curator of the Botanical and Horticultural Gardens, Sheffield, and subsequently more famous as a landscape gardener, appeared before the public in the capacity of editor of *The Floricultural Cabinet and Miscellany of Gardening*, of which there are four volumes at Kew, ending in 1840, when the editor had removed to Hackney. This, in conjunction with Harrison's, contains figures, and a great deal concerning the history, of florists' flowers. Paxton, having freed himself from the *Horticultural Register*, commenced the publication of his *Magazine of Botany and Register of Flowering Plants* in 1834, and continued it till 1849. It consists of sixteen volumes octavo, and contains 768 coloured plates, with occasional woodcuts, and a valuable series of articles on practical operations in gardening by the leading gardeners of the day. From a horticultural standpoint the plates are mostly good, though the colouring is sometimes poor. F. W. Smith was the principal artist for the first three or four volumes, and then S. Holden succeeded, and continued to the end, evidently improving with experience. The same Frederick W. Smith was artist, and apparently editor, of the *Florists' Magazine: a Register of the Newest and most Beautiful Varieties of Florists' Flowers*. This is a folio of one volume, containing seventy-two coloured plates, and was published in 1836. I had forgotten to mention Loudon's colossal *Encyclopædia of Plants*, with woodcut figures of nearly 10,000 species, which appeared in 1829. Dr. Lindley contributed the botanical descriptions, and J. D. C. Sowerby the drawings, which were engraved by R. Branston. There were several supplements, a second edition in 1841, and a third in 1866, "barely differing from the second." In 1837 was published Dean Herbert's *Amaryllidaceæ*, an octavo with forty-eight plates, of which there was a coloured and an uncoloured edition. This book is dedicated to Leopold, King of the Belgians, and contains an interesting dissertation on hybrid plants. Knowles and Westcott's *Floral Cabinet and Magazine of Exotic Botany*, consisting of three quarto volumes, containing 137 coloured plates, was published from 1837 to 1840. The avowed object of this work was "to furnish the public with more artistic and more finished representations of plants than were to be found in the numerous periodicals of the day."

The drawings, which are mostly very good, and certainly superior to many published at that period, were executed by different artists, including Mrs. Withers, F. Cameron, R. Mills, W. and A. Green, Miss Clowes, and others; but many of the plates bear no artist's name. If the drawing is good the colouring is unequal, and often weak. Another pictorial serial, the *Birmingham Botanic Garden or Midland Floral Magazine*, containing "accurate delineations, with botanical and popular descriptions of plants" (1836—1837), is attributed to the same editors; but I have not seen it, and have failed to find any further particulars of it. In 1837 were commenced two costly illustrated folio Orchid serials, namely, Lindley's *Sertum Orchidaceum* and Bateman's *Orchidaceæ of Mexico and Guatemala*. The latter is an elephant folio, containing forty coloured plates by Miss Drake, and some facetious and clever tail-pieces by G. Cruikshank, and was completed in 1843. Miss Drake was also the artist of the *Sertum*, which contains forty-nine coloured plates and a frontispiece. Considerations of space hinder me from giving further particulars of these magnificent works. The *Botanist*, conducted by B. Maund, assisted by the Rev. J. S. Henslow, is of this period. There are five undated volumes, small quarto, containing 250 mostly excellent plates, though almost wholly of plants previously figured in other publications. Almost all the editors of the numerous rival serials of those times gave reasons for their appearance before the public, and some of these reasons are more amusing than convincing. The *Botanist* is not specially botanical, for the plants delineated are all of an ornamental character; but the justification for it was that "it seemed to the editor that there was no work which precisely combined accurate scientific instruction with an occasional appeal to the imagination, and to the moral and religious feelings." However, it is well worth a place in any library.

On Saturday, January 2nd, 1841, the first number of the *Gardeners' Chronicle* was issued: the horticultural part by Dr. Lindley. It combined the functions of a general newspaper and matters relating to horticulture, and in 1844 an agricultural section was added. Illustrations were few and far between. Since then gardening has edged out the other departments, and illustrations have become abundant. There is a most interesting paper in the first volume on orchidaceous epiphytes by Mr. J. Bateman, beginning on p. 195. Historically this is of the greatest value. *Loudon's Gardeners' Magazine* ceased in 1843, simultaneously with his death. In 1845 the *United Gardeners' and Land Stewards'*

Journal was started under the editorship of R. Marnock. In form it is very similar to the *Gardeners' Chronicle* of the same date, and what looks very much as though it was intended as an inducement to purchasers, is the statement on the heading of each number that the profits were to be devoted to the relief of aged and indigent gardeners and farm bailiffs, their widows, and orphans. This promise seems to have been withdrawn in 1850, and the latest volume I have seen is dated 1851.

In January, 1850, appeared the first number of the *Gardeners' Magazine of Botany, Horticulture, and Floriculture*, conducted by Thomas Moore and William P. Ayres, and intended by its promoters to take the place of Paxton's *Magazine of Botany*. The illustrations are good, and the letterpress equally so; yet it only reached three volumes, and was to have been replaced by a cheaper publication called the *Companion to the Flower Garden*, but I doubt whether this plan was realized.¹ Paxton's *Flower Garden*, by Paxton and Lindley, was also launched in 1850, and doubtless proved a formidable rival to Moore's *Magazine of Botany*. This also is a quarto, and only reached three volumes, containing 108 excellent coloured plates by L. Constans, and 314 effective woodcuts.² The *Cottage Gardener* was founded by George Johnson, the author of the *History of Gardening*, in 1848, and is still continued under the title of the *Journal of Horticulture*; and the *Gardeners' Magazine*, edited by Shirley Hibberd, followed in 1853. During the troublous period embracing the Russian War and the Indian Mutiny, literary enterprise was smothered; but the late Mr. Noel Humphreys commenced a *Gallery of Exotic Flowers* in 1855, of which, however, only one part of four plates appeared. In 1861 the *Floral Magazine* was started, with Thomas Moore as editor, and W. H. Fitch as artist, and, with various changes of editor and artist, it was continued down to 1881, and contains upwards of 1,000 fine quarto plates of garden plants. Orchids becoming more and more a specialty, Warner commenced the publication of his *Select Orchidaceous Plants* in 1862, Bateman his *Monograph of the Genus Odontoglossum* in 1864, and these have been succeeded by various expensive publications of the same class, both at home and abroad.

¹ Since the above was written, Mr. W. E. Gumbleton has kindly informed me, through the *Gardeners' Chronicle*, that one volume, and one only, was published, and that in 1852.

² A second edition of this, published in 1880, should not be confused with the original issue.

There now remain for notice the works bearing on horticulture of the late Sir William Hooker, but I can do little more than name them. Firstly, there are the various Journals, which, although they have botanical titles, contain an immense amount of information interesting to the horticulturist. Consequent on the similarity of the titles of the different series they are often confounded by writers who are unaware of the existence of several different ones bearing similar titles, and I therefore give them more in detail than would otherwise be necessary. They begin with the *Botanical Miscellany*, containing figures and descriptions of such plants as recommend themselves by their novelty, rarity, or history, &c.; three volumes, 1830—1833, with 112 plain and forty-one coloured plates. Next comes the *Journal of Botany*, being a second series of the *Botanical Miscellany*; four volumes, 1834—1842, with a varying number of plates, partly plain and partly coloured, in the different volumes. This was followed by the *London Journal of Botany*, consisting of seven volumes, dating from 1844—1848, with about twenty-four plates in each volume. The *Companion to the Botanical Magazine*, two volumes, 1835—1836, has already been mentioned. The last of the series is the *Journal of Botany and Kew Garden Miscellany*, nine volumes, 1849—1857. Among Hooker's other works specially interesting to Horticulturists are several illustrating Ferns, such as *Filices Exoticæ* cultivated at Kew, 1859, a hundred coloured plates; *A Century of Ferns*, 1854, a hundred coloured plates; a second *Century of Ferns*, parts 1 and 2, 1860, fifty plates; *British Ferns*, 1861, sixty-six coloured plates; *Garden Ferns*, 1862, sixty-four coloured plates. In 1846 he published *A Century of Orchidaceous Plants*, selected from Curtis's *Botanical Magazine*; and Bateman commenced a second *Century* from the same source in 1864. W. H. Fitch was the artist of nearly all the plates in these publications.

I have already alluded to Sir Joseph Hooker's labours in connection with horticulture when speaking of the introduction of the Himalayan Rhododendrons. During the latter half of this long period—that is to say, from 1844 onwards—he made some very important contributions to botanical literature, and at the same time, one might say, to a knowledge of plants desirable for cultivation either on account of their beauty or their utility. He was naturalist to Sir James Ross's Antarctic Expedition, and the result was six quarto volumes on the Flora of the Southern Hemisphere, with numerous coloured illustrations by W. H. Fitch. First

came the *Flora Antarctica*, two volumes, 1844—1847, with 198 plates; then the *Flora of New Zealand*, two volumes, 1852—1855, with 130 plates; followed by the *Flora of Tasmania*, two volumes, 1855—1860, with 200 plates. Sir Joseph Hooker's subsequent travels in India, where he formed, in conjunction with Dr. T. Thomson, perhaps the largest herbarium ever made on any single expedition, were equally productive. Besides the magnificently illustrated work on *Himalayan Rhododendrons*, which was published from 1849—1851, he was the author, and Fitch the artist, of the equally splendid *Illustrations of Himalayan Plants*, selected from the drawings of the deceased J. F. Cathcart. This appeared in 1855, and contains twenty-four large folio plates. It would be beyond the scope of this sketch to give particulars of Sir Joseph Hooker's numerous other works.

It was not my intention to say anything about foreign illustrated botanical serials; but there is one point in connection with some of them that deserves recording here. In 1845 the *Flore des Serres et des Jardins de l'Europe* was founded at Ghent, and the early volumes consist very largely of copies of the plates published in the *Botanical Magazine*, *Botanical Register*, Hooker's *Himalayan Rhododendrons*, and other English works. In 1851 Lemaire, one of the original editors of the *Flore des Serres*, started the *Jardin Fleuriste*, the plates of which, to an even greater extent, are reproductions from the *Botanical Magazine*. A still more flagrant instance of piracy is that of Reichenbach's *Flora Exotica*, a publication of five volumes, containing 360 plates, probably half of them copied from the Magazine without any sort of acknowledgment.

Here I must conclude the third period, with the consciousness that I have left many things unnoticed that merited attention equally with many of those I have mentioned.

FOURTH PERIOD: 1865—1887.

SIR JOSEPH HOOKER.

This period being essentially contemporaneous with the existing generation of horticulturists, I intend confining myself almost entirely to the history of the *Botanical Magazine*. There are several reasons for this course, the most weighty of which is the fact that this sketch has already exceeded the limits anticipated.

Aucuba japonica in fruit (pl. 5512) is the first subject that specially attracts our attention in the ninety-first volume. The female plant is figured on pl. 1197 (1809), and had already then been in Europe about twenty-five years; but, as the male plant was wanting until Fortune introduced it a little before 1865, the berries with which we are familiar were unknown to our forefathers. *Hepatica angulosa* (pl. 5518) was a pretty addition to spring-flowering plants. *Fourcroya longæva*, represented on the next plate, is one of the most remarkable in the rich and varied flora of Mexico. It was figured from a plant 15 ft. high, that flowered under Mr. W. Robinson's care in the Botanic Garden, Regent's Park; but Karwinski, the original discoverer of this species, has put it on record that it forms a stem 50 ft. high, and the fully-developed inflorescence another 40 ft., and that its habitat is at an altitude of 10,000 ft. in the State of Oaxaca. All these figures I am inclined to regard as exaggerated. *Dianella tasmanica* (pl. 5551) is very handsome when laden with its indigo-blue berries; and *Sparaxis pulcherrima* (pl. 5555) is certainly one of the most beautiful and graceful of Cape bulbous plants. *Tacsonia Van Volxemi* (pl. 5571), which is a synonym of *T. antioquensis*, created a sensation on its first appearance. *Microcachrys tetragona* (pl. 5576), a native of the higher mountains of Tasmania, is remarkable among Cypresses for the scales of the female cones being bright red and fleshy. Singular among many singular South African plants is *Ceropegia sororia* (pl. 5578), with hinged petals which are moved by the faintest breeze. *Fremontia californica* (pl. 5591), *Sanchezia nobilis* (pl. 5594), and *Glyptostrobos pendulus* (pl. 5603), are other notable plants in the ninety-second volume. The next opens with the truly gorgeous *Cattleya Dowiana*, named after Captain Dow, of the American Packet Service, who was always ready to assist botanical travellers in Central America. *Grias cauliflora* (pl. 5622) is one of the characteristic Tropical American Lecythidaceæ, bearing sessile flowers on the stem, which is unbranched and crowned with a tuft of ample leaves.

Clavijsa fulgens (pl. 5626) is another Tropical American tree with the same habit of growth, but having small orange-red flowers in dense racemes proceeding from the axils of the leaves. *Cordyline australis* (pl. 5636) is a characteristic Australasian type; and the next plate represents the singular *Tinnea æthiopica*, which commemorates the unfortunate African traveller, Miss Tinné. *Delechampia*

Roezliana (pl. 5640), from Mexico; *Agave schidigera* (pl. 5641), from the same country; *Begonia boliviensis* (pl. 5657); the fruit of *Cestrum elegans* (pl. 5659), *Begonia Veitchii* (pl. 5663); *Lælia majalis* (pl. 5667), another of the many beautiful Mexican plants; and the singular gigantic West African *Aristolochia Goldiana* (pl. 5672), are a few other prominent plants in the ninety-third volume, which is dedicated to Professor D. Oliver, who, as all those who are associated with him know, possesses a marvellous knowledge of the plants of the whole world. The 106th volume is dedicated to another of my Kew colleagues, Mr. J. G. Baker, who has done so much to smooth the way for amateur botanists and horticulturists, especially in his labours on the petaloid Monocots, for which class of plants he has during many years furnished the letterpress for the Magazine, and, in conjunction with Mr. F. W. Burbidge as artist, he has produced an illustrated monograph of the genus *Narcissus*.

Succeeding volumes are equally rich in figures of plants of gorgeous beauty or fantastic form, of which, however, I can only pause to indicate here and there one. *Cochliostema Jacobianum* (pl. 5705) is a very striking member of the Commelinaceæ; *Pleroma macranthum* (pl. 5721) has purple-blue flowers nearly 6 in. across; *Spiræa palmata* (pl. 5726) is one of the handsomest Japanese herbaceous plants; *Puya Whytei* (pl. 5732) is one of the most conspicuous objects in the scenery of Central Chili; *Blandfordia Cunninghami* (pl. 5734) is an exceedingly showy Australian member of the Liliaceæ; *Masdevallia Veitchiana* (pl. 5739) is one of the earliest of the really ornamental species of this singular genus; the genuine *Fuchsia coccinea* (pl. 5740) is a native of Brazil, and not hardy in this country; *Allamanda nobilis* (pl. 5764) recalls the flower-shows of twenty to thirty years ago; the lovely *Nertera depressa* (pl. 5799) claims our attention, not only for its modest beauty but for its wide distribution, ranging from the Andes of Mexico to Cape Horn, the remote Antarctic islands, and the mountains of Tasmania and New Zealand.

We have now reached the ninety-sixth volume, dedicated to the Rev. C. Parish, the discoverer and introducer of so many fine Malayan Orchids. It opens with a figure of the beautiful *Dahlia imperialis*, followed by *Antigonon leptopus* (pl. 5016), both natives of Mexico.

In spite of all inducements to tarry, I must pass on to the next volume, where there is a new departure in the matter of names, and the Linnean classes and orders are no

longer given. From pl. 1 to pl. 5877 the Latin names were translated into English, or an English name was coined; thus, *Solanum venustum* is called the "graceful *Solanum*;" *Erythrochiton hypophyllanthus*, "Linden's *Erythrochiton*;" *Arenaria purpurascens*, "Purple Alpine Sandwort;" and *Dracæna cylindrica*, "Cylindric-spiked *Dracæna*."

As it is doubtful whether any one of these 5877 English names has been generally adopted (or, at least, one of those coined in the Magazine, for a few of the plants figured possess genuine English names), it was certainly not worth while encumbering the text with them. Where they are translations or explanations of the meanings of the Latin and Greek names, they serve a useful purpose; but from the examples cited it will be seen that they are often quite arbitrary, and therefore misleading to persons not understanding the botanical names.

Passing to the hundredth volume (1874) we find it is dedicated to Mr. George Maw, who has long been well known in the horticultural world as the personal introducer of numerous hardy plants, and more recently as the author of a descriptive, historical and handsomely illustrated monograph of the genus *Crocus*. *Xanthorrhœa quadrangulata* (pl. 6075), one of the Grass Gum trees, a type of vegetation peculiar to Australia, and *Fuchsia procumbens* (pl. 6139), a native of New Zealand, offering one of the problems of plant distribution, are plants of special interest in this volume.

Volume 102 is dedicated to Mr. William Thompson, of Ipswich, the successful raiser of numerous hardy and half-hardy herbaceous plants, many of which embellish the pages of the *Botanical Magazine*; and the next is devoted to Mr. H. J. Elwes, whose magnificent monograph of the genus *Lilium*, illustrated by Fitch, is alone sufficient to give him a high place in contemporary horticulture.

The 104th volume is dedicated to Dr. R. Hogg, and the year of its publication, 1878, was an eventful one for the Magazine, for W. H. Fitch, severed his connection therewith, and the Editor, Sir Joseph Hooker, must have experienced something bordering on despair, as it is no easy matter to replace a botanical artist, even if you are prepared to pay handsomely. A clever painter of flowers may never make a good botanical draughtsman, and the botanist has to train his artist. I have related to what straits the Editor of the Magazine was reduced after Sydenham Edwards left him in 1815, and the loss of so eminent a botanical artist as

Fitch seemed fatal to the existence even of the Magazine. There were, it is true, other capable draughtsmen who worked for the horticultural press, but they were, with few exceptions, wholly unacquainted with the analytical part, and botanists had so long relied on Fitch that there was nobody ready to take his place. I do not forget his nephew, J. N. Fitch, Worthington Smith, and others; but they were all occupied in their respective lines, and living at a distance from Kew. It will be known to many persons that the Royal Gardens, Kew, furnish directly, or through the contributions of nurserymen and other horticulturists, the subjects for the Magazine, and it often happens that a plant must be drawn without delay or it is lost for that season. Sometimes, too, only a single plant exists, or it is of a very delicate constitution, and great risk would attend its conveyance to a distance; hence the importance of the artist living on the spot, and being ready at any moment to take in hand whatever may be required.

On looking through the 104th volume of the Magazine, I see that no fewer than seven different artists besides W. H. Fitch contributed drawings which were lithographed by J. N. Fitch; but most of the drawings are by Mrs. (now Lady) Thiselton-Dyer (H. T.-D.), a daughter of Sir Joseph Hooker; and although one would not think of making comparisons, it may be said that they are highly creditable productions for an amateur suddenly called upon to follow a master hand. Three of the drawings are by M. S. (Miss Matilda Smith), a young lady whom Sir Joseph Hooker had taken under his personal instruction. Of the next volume, which is dedicated to Dr. G. King, Superintendent of the Calcutta Botanic Garden, Mrs. Dyer is also the principal artist, and Miss Smith and various other persons also contributed—A. B. (Mrs. Barnard, a sister of the late Mrs. J. D. Hooker, and daughter of the late Professor Henslow), the greater part of the remainder. Succeeding volumes are almost exclusively the work of the ladies named, in varying proportions; but chiefly of Miss Smith, who is now practically sole artist of the Magazine, having contributed all the drawings for the current volume; and J. N. Fitch, whose work in other publications is familiar to most lovers of flowers, is still lithographer. I have been so much associated with Miss Smith in her drawing for other publications that sympathy might to some extent bias my judgment; but the fact that she has attained her present position speaks for itself. Her latest drawings in the Magazine augur well for the future, and must be a source of satisfaction to Sir Joseph Hooker.

With regard to the subjects figured in the later volumes of the Magazine, they compare favourably with those of any period in point of interest, if not quite in brilliancy; and in spite of the number of other publications illustrating cultivated plants, the *Botanical Magazine* still holds its distinct place, which it is to be hoped it may continue to maintain.

The 112th volume is fittingly dedicated to Sir Trevor Lawrence, as President of the Royal Horticultural Society, and to the memory of his mother, the late Mrs. Lawrence, of Ealing Park.

Few persons, I dare say, have seen, or are even aware of the existence of a large-paper copy of the *Botanical Magazine*, but two or three exist, reaching as far back, at least, as 1845, when Reeve Brothers purchased the property. One is in the possession of Sir Joseph Hooker, and, as might be expected, many of the plates are much more effective on the larger paper. In the library of the late Sir William Hooker is a prospectus on the same sized paper, issued by Reeves in 1845. In this prospectus we are informed that during its sixty years of existence the Magazine had never failed to appear punctually on the first day of every month, and it was the intention of the new proprietors to observe the same regularity. Whether they have always succeeded I do not know, but I can call to mind no delays.

I have already stated that it was not my intention to attempt a review of the kindred literature of this period, but I have alluded to some noteworthy monographs of cultivated plants, and for the same reasons I ought to mention some other works, among them the *Pinetum Britannicum*, published by Mr. Ravenscroft, edited by Andrew Murray, and completed by Dr. Masters; Warner and Williams' *Orchid Album*, illustrated by J. N. Fitch; and the recently established Sander's *Reichenbachia*, illustrated by H. G. Moon and other artists, and including at least one plate by W. H. Fitch. The scientific part of the letterpress of this sumptuous work is contributed by Dr. H. G. Reichenbach, whose name must be known to every person who knows an orchid. Thus we are everywhere confronted with specialties, and a place was found even for inconspicuous plants.

The *Refugium Botanicum*, as its title implies, was started (by the late W. W. Saunders) for the purpose of illustrating interesting rather than decorative plants. Nevertheless, it is in accord with the tastes of the time, and persons who cultivate other than striking and showy plants will find it most useful. There are five volumes, published in parts between 1869 and 1882, containing 360 plates by Fitch,

with descriptions by Dr. Reichenbach and J. G. Baker. The first consists mostly of bulbous plants, with various species of *Pelargonium* and *Cotoneaster*; the second contains Orchids only; the third is mainly devoted to bulbous plants and the section *Echeveria* of *Cotyledon*; Aroids are the prominent feature of the fourth, and *Yuccas* of the fifth. Elwes's *Monograph of Lilies* and Maw's *Monograph of Crocus* are too well known to need more than mere mention here.

Amongst the notable events of this period specially deserving record here is the unparalleled International Flower Show and Botanical Congress at South Kensington in 1866, one of the results of which was the acquisition of the Lindley Library in trust for the Royal Horticultural Society. In the face of great difficulties, and in spite of much adverse criticism, some of which it has deserved, the Royal Horticultural Society has done much to advance horticulture during this period. The fortnightly meetings, the Scientific Fruit and Floral Committees, the various Congresses, the numerous trial cultures at Chiswick under the superintendence of Mr. A. F. Barron, and the publications connected therewith, have done good service, and much of the work possesses permanent value.

1888—1904.

Nearly twenty years have passed since the foregoing lines were written, and much might be written concerning the Magazine, and notable events and acquisitions in horticulture during this period; but I must be brief. The completion of the third series of the Magazine was coincident with the retirement of Sir Joseph Hooker from the editorship, and with the sixtieth year of the possession of the Magazine by the firm of Lovell Reeve & Co. Mr. F. L. Soper, the present head of the firm, has been actively connected with the publication for the last forty years of this long period. Sir Joseph Hooker was born June 30th, 1817, so that he was eighty-seven when he retired, on account of his not being able to travel to Kew in all weathers, not because he was unable to work. His eyes and hands are still good, and he is engaged on a monograph of the genus *Impatiens* from dried specimens; a most difficult task and one requiring great skill and patience in dissecting. Mr. Soper, who is only one year younger, still occupies his chair in Henrietta Street.

I have already mentioned Miss M. Smith's connection with this Magazine. From 1887 to the present day, with

the exception of about half a dozen figures contributed by Lady Thiselton-Dyer, she has been sole artist, now totalling upwards of 1,500 plates; all put on stone by J. N. Fitch, a nephew of W. H. Fitch. But this is only part of her work, as she has also been practically the sole artist for Kew during the same period. The plates of fourteen volumes of Hooker's *Icones Plantarum* were drawn by her on stone, and the admirable illustrations in Collett's *Flora Simlensis* are from her pen-and-ink sketches.

I shall not attempt to review the volumes of the Magazine of the last twenty years, but go at once to the last of the third series, the 130th volume, in which, and the previous volume, I had the honour of my name being associated with that of my venerable and esteemed master. Prominent among the plants illustrated are: *Cymbidium rhodochilum*, *Passiflora vitifolia*, *Oldenburgia arbuscula*, *Kirengeshoma palmata*, *Solanum glaucophyllum*, *Crossosoma californicum*, *Epipremnum giganteum*, *Chloræa crispa*, *Chamaedorea pulchella*, *Impatiens Oliveri*, *Vellozia trichophylla*, *Tecoma shirensis*, *Rosa gigantea*, *Pyrus Niedzwetzkyana*, *Mucuna sempervirens*, × *Zygocloax Veitchii*, *Jasminum primulinum*, *Helipterum splendidum*, *Kalanchoe Dyeri*, *Cydonia sinensis* and × *Odontioda Vuylstekeæ*. I think it will be admitted that this volume fully maintains the high character the Magazine has so long enjoyed.

Among the notable events of the last twenty years none is more gratifying than the rise of the Royal Horticultural Society, which now numbers its Fellows by thousands; possesses a spacious Hall in Vincent Square, and a beautiful Garden, the gift of Sir Thomas Hanbury, at Wisley. The establishment of the Board of Agriculture in 1889 marks an epoch in all that relates to plant diseases, and the transfer of the Royal Botanic Gardens, Kew, to this more sympathetic authority in 1903 met with general approval.

The achievements in horticulture during this period have been great, and the taste now displayed in flower gardening surpasses that of any earlier period. "Carpet-beds" and "ribbon-borders" have not entirely disappeared, nor should they disappear, but mixed planting and harmonious grouping are much more prevalent. These improvements have extended to shrubberies. Artistic rock-gardening has superseded the "clinkeries" of former days, and the "wild garden" is appreciated at its proper worth. Bulbs in the rough lawns is a feature that has been greatly developed. The bamboo-garden is a recent invention, and

it has been gradually ascertained that there is a plenty of hardy kinds.

Coming to indoor gardening, orchids now occupy the foremost position, and their cultivation has well-nigh reached perfection in many gardens. The introduction of new species from all parts of the world, and the artificial raising of new varieties, is an industry that has increased enormously; and the number of species now known probably exceeds that of any other family, except the Compositæ. It came as a surprise to the writer, when compiling the statistics of the Flora of British India, about twenty years ago, to find that orchids were more numerous than any other family, and since then many additions have been made. It is the same in Brazil, where, in a flora of about 20,000 known species, they number close on 1,500. A very satisfactory thing in connection with orchid-growing is the ever-increasing number raised from seed, both of direct and hybrid parentage, as there is less drain on the wild sources. The prices fetched by many of the artificially raised orchids are very high, so that raisers can afford to wait. A hundred guineas is not an uncommon figure, and sometimes 500 have been reached. At a recent sale 1,150 guineas was given for a variety of *Odontoglossum crispum*, and 122 plants of various kinds of orchids averaged over forty guineas each.

Botanical exploration has been actively prosecuted in all parts of the world, but the interior of tropical Africa and the mountainous regions of Central and Western China have yielded the largest harvests. The most important discoveries in Africa include plants affording rubber, oil, or fibre, whereas the acquisitions from China are largely of an ornamental character, and hardy in the United Kingdom. Many novelties were expected from Western China, but nobody realized the immense wealth of the flora. Each of the mighty valleys and ridges visited has its peculiar species and sometimes genera. The parts partially explored are as nothing to the great unknown, yet thousands of new species have been described during the last twenty years, and many of the most showy plants introduced have been figured in the Magazine. To give an idea of the richness of the flora, it may be mentioned that 140 species each of *Rhododendron* and *Senecio* are recorded from China; 130 of *Pedicularis*; upwards of 100 species each of *Rubus*, *Saussurea*, and *Gentiana*; upwards of 80 species each of *Primula* and *Lonicera*; and 60 species of *Viburnum*.

I do not intend to attempt to review the garden literature of this period, but I may mention that the enumeration of Chinese plants in the 23rd and 26th volumes of the *Journal of the Linnean Society* has been brought to a conclusion in the 36th volume. Another work of paramount interest is Sargent's *Silva of North America*, containing excellent figures of all the species of trees occurring north of Mexico; and *A History of Gardening in England*, by the Hon. Alicia Amherst (now the Hon. Mrs. Evelyn Cecil), with a good bibliography of the subject, should be in the possession of all gardeners.

In conclusion, I must ask for the indulgence of the reader, as the greater part of this History was written for a different purpose. Had it been written to appear in the Magazine it would have been compiled on a wholly different plan.

W. BOTTING HEMSLEY.

INDEX TO THE BOTANICAL MAGAZINE.

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Abelia floribunda</i> ...	3	73	4316	<i>Abutilon marmoratum</i>	24	94	5702
<i>serrata</i> ...	9	79	4694	<i>striatum</i> ...	—	67	3840
<i>spathulata</i> ...	38	108	6601	<i>venosum</i> ...	5	75	4463
<i>uniflora</i> ...	9	79	4694	<i>vexillarium</i> ...	24	94	5717
<i>Abelmoschus Manihot</i>	57	127	7752	<i>vitifolium</i> ...	2	72	4227
<i>venustus</i> ...	47	117	7183	" ...	49	119	7328
<i>Abies ajanensis</i> ...	40	110	6743	<i>Acacia</i> ...	—	28	1138
<i>Alcockiana</i> ...	40	110	6743	<i>argyrophylla</i> ...	4	74	4384
<i>brachyphylla</i> ...	46	116	7114	<i>armata</i> ...	—	40	1653
<i>bracteata</i> ...	9	79	4740	<i>brevipes</i> ...	—	61	3358
<i>Dammara</i> ...	19	89	5359	<i>celustrifolia</i> ...	3	73	4306
<i>hirtella</i> ...	40	110	6753	<i>cinerascens</i> ...	—	59	3174
<i>major sinensis</i> ...	—	54	2743	<i>cornigera</i> ...	51	121	7395
<i>Nordmanniana</i> ...	44	114	6992	<i>Cycnorum</i> ...	8	78	4653
<i>pinnosa</i> ...	46	116	7114	" ...	7	77	4588
<i>religiosa</i> ...	40	110	6753	<i>decipiens</i> ...	—	42	1745
<i>sitchensis</i> ...	40	110	6743	" <i>v. præmorsa</i>	—	60	3244
<i>Veitchii</i> ...	46	116	7114	<i>dentifera</i> ...	—	69	4032
<i>Abricoteiro de Brasil</i> ...	53	123	7562	<i>diffusa</i> ...	—	50	2417
<i>Abronia arenaria</i> ...	37	107	6546	<i>diptera v. erioptera</i>	—	68	3939
<i>fragrans</i> ...	21	91	5544	<i>discolor</i> ...	—	42	1750
<i>latifolia</i> ...	37	107	6546	<i>Drummondii</i> ...	16	86	5191
<i>mellifera</i> ...	—	56	2879	<i>elongata</i> ...	—	61	3337
<i>Abrotanum Africanum</i>	—	22	833	<i>graveolens</i> ...	—	60	3279
<i>Absinthium albis flori-</i>				<i>hastulata</i> ...	—	61	3341
<i>bus</i> ...	—	32	1287	<i>hispidissima</i> ...	7	77	4588
<i>album</i> ...	—	32	1287	<i>intermedia</i> ...	—	59	3203
<i>alpinum</i> ...	—	32	1287	<i>lanigera</i> ...	—	56	2922
<i>Erysimi folio</i> ...	—	49	2275	<i>leptoneura</i> ...	4	74	4350
<i>umbelliferum</i> ...	—	32	1287	<i>linearis</i> ...	—	47	2156
<i>Abutilon althæoides</i> ...	—	52	2544	<i>lineata</i> ...	—	61	3346
<i>Darwinii</i> ...	27	97	5917	<i>linifolia</i> ...	—	47	2168
<i>graveolens</i> ...	1	71	4134	<i>longifolia</i> ...	—	43	1827
<i>insigne</i> ...	11	81	4840	" ...	—	47	2166
<i>Lavateræ flore</i> ...	—	10	330	<i>Lophantha</i> ...	—	47	2108

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Acacia melanoxylon</i> ...	—	40	1659	<i>Acanthus montanus</i> ...	21	91	5516
<i>mucronata</i> ...	—	54	2747	<i>spinosus</i> ...	—	43	1808
<i>nigricans</i> ...	—	47	2188	<i>sylvestris</i> ...	—	43	1808
<i>oncinophylla</i> ...	4	74	4353	<i>Acer insigne</i> ...	39	109	6697
<i>orientalis</i> ...	—	25	995	<i>rufinerve v. albo-</i>			
<i>Oxycedrus</i> ...	—	56	2928	<i>limbata</i> ...	25	95	5793
<i>pennata</i> ...	—	61	3366	<i>Velutinum</i> ...	39	109	6697
<i>penninervis</i> ...	—	54	2754	<i>Achania Malvaviscus</i>	—	49	2305
<i>pinnata</i> ...	—	62	3408	<i>mollis</i> ...	—	50	2374
<i>platyptera</i> ...	—	68	3933	<i>Achillea ageratifolia</i> ...	30	100	6117
<i>plumosa</i> ...	—	61	3366	<i>Clavenæ</i> ...	—	32	1287
<i>prensans</i> ...	—	62	3408	<i>foliis tomentosis</i> ...	—	32	1287
<i>prominens</i> ...	—	63	3502	<i>rupestris</i> ...	42	112	6905
<i>quadrangularis</i> ...	—	53	2651	<i>Tomentosa</i> ...	—	14	498
<i>riceana</i> ...	26	96	5835	<i>Achimenes amabilis</i> ...	14	84	5083
<i>rotundifolia</i> ...	—	69	4041	<i>argyrostigma</i> ...	1	71	4175
<i>ruscifolia</i> ...	—	59	3195	<i>cupreata</i> ...	3	73	4312
<i>scandens</i> ...	—	61	3366	<i>Ghiesbrechtii</i> ...	11	81	4871
<i>setigera</i> ...	26	96	5835	<i>grandiflora</i> ...	—	69	4012
<i>smilacifolia</i> ...	7	77	4573	<i>heterophylla</i> ...	11	81	4871
<i>spadicigera</i> ...	51	121	7395	<i>hirsuta</i> ...	1	71	4144
<i>sphærocephala</i> ...	55	125	7663	<i>longiflora</i> ...	—	69	3980
<i>spinosa</i> ...	55	125	7663	<i>major</i> ...	—	58	3081
<i>stricta</i> ...	—	28	1121	<i>minor</i> ...	—	11	374
<i>Acalypha australis</i> ...	—	55	2794	<i>multiflora</i> ...	—	69	3993
<i>densiflora</i> ...	55	125	7632	<i>ocellata</i> ...	4	74	4359
<i>hispida</i> ...	55	125	7632	<i>pedunculata</i> ...	—	70	4077
<i>rubra</i> ...	55	125	7632	<i>picta</i> ...	—	70	4126
<i>Sanderi</i> ...	55	125	7632	<i>Scheerii v. purpuria</i>	9	79	4743
<i>Acantholimon laxi-</i>				<i>Achiotl</i> ...	—	35	1456
<i>florum</i> ...	52	122	7506	<i>Achnatherum con-</i>			
<i>venustum</i> ...	52	122	7506	<i>spicuum</i> ...	32	102	6232
<i>Acanthemitha ilici-</i>				<i>Achras Balata</i> ...	—	59	3157
<i>folia</i> ...	40	110	6750	<i>dissecta</i> ...	—	59	3157
<i>Acanthonema strigo-</i>				<i>fructu elliptico</i> ...	—	58	3111
<i>sum</i> ...	18	88	5339	<i>Sapota</i> ...	—	58	3111
<i>taxifolia</i> ...	—	47	2156	<i>Zapotilla</i> ...	—	58	3111
" ...	—	56	2928	<i>Achyranthes Porri-</i>			
<i>tristis</i> ...	—	62	3420	<i>gens</i> ...	—	21	830
<i>umbrosa</i> ...	—	61	3338	<i>Verschaffeltii</i> ...	21	91	5499
<i>undulæfolia</i> ...	—	62	3394	<i>Acidanthera æquinoc-</i>			
<i>urophylla</i> ...	7	77	4573	<i>tialis</i> ...	51	121	7393
<i>verniciflua</i> ...	—	60	3266	<i>candida</i> ...	59	129	7879
<i>virgata</i> ...	—	60	3266	<i>Acineta densa</i> ...	46	116	7143
<i>Acanthophippium Ja-</i>				<i>glauca</i> ...	46	116	7123
<i>vanicum</i> ...	6	76	4492	<i>Warscewiczii</i> ...	46	116	7143
<i>Acanthorhiza aculeata</i>	49	119	7302	<i>Acinos alpinus</i> ...	—	47	2153
<i>Acanthus aculeatus</i> ...	—	43	1808	<i>Acis hyemalis</i> ...	39	109	6711
<i>medius</i> ...	—	43	1808	<i>Aemena floribunda</i> ...	20	90	5480
<i>mollis</i> ...	—	43	1808	<i>Acoidium fuscum</i> ...	—	69	3969

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Acokanthera spectabilis</i> ...	34	104	6359	<i>Ada aurantiaca</i> ...	20	90	5435
<i>Aconitifolia humilis</i> ...	—	43	1819	<i>Adamaram</i> ...	—	57	3004
<i>Aconitum Anthora</i> ...	—	53	2654	<i>Adamia cyanea</i> ...	—	58	3046
<i>arcuatum</i> ...	46	116	7130	<i>Adamsia scilloides</i> ...	—	48	2244
<i>Atees</i> ...	30	100	6092	<i>Adansonia Baobab</i> ...	—	55	2791
<i>autumnale</i> ...	46	116	7130	<i>digitata</i> ...	—	55	2791
<i>candidum</i> ...	—	28	1120	<i>Adenes Canadenses</i> ...	53	123	7545
<i>Carmichælii</i> ...	46	116	7130	<i>Adenium Honghel</i> ...	19	89	5418
<i>Chinense</i> ...	—	67	3852	<i>obesum</i> ...	19	89	5418
<i>columbianum</i> ...	46	116	7130	<i>Adenocalymna como-</i>			
<i>cordatum</i> ...	30	100	6092	<i>sum</i> ...	2	72	4210
<i>Fischeri</i> ...	46	116	7130	<i>Adesmia balsamica</i> ...	43	113	6921
<i>Helianthemum Ca-</i>				<i>boronioides</i> ...	56	126	7748
<i>nadense</i> ...	—	49	2310	<i>Adhatoda cydoniæ-</i>			
<i>heterophyllum</i> ...	30	100	6092	<i>folia</i> ...	13	83	4962
<i>Labarskyi</i> ...	46	116	7130	<i>floris labio superiore</i>	—	43	1847
<i>Lycoctonum</i> ...	—	48	2196	<i>spica longissima</i> ...	—	43	1847
<i>orientale</i> ...	—	52	2570	<i>zeylonesium</i> ...	—	22	861
<i>maximum</i> ...	46	116	7130	<i>Adiantum indicum</i> ...	—	42	1745
<i>napellus</i> ...	46	116	7130	<i>truncatum</i> ...	—	42	1745
<i>nasutum</i> ...	46	116	7130	<i>Adiantum foliis hex-</i>			
<i>noveboracense</i> ...	46	116	7130	<i>agonis</i> ...	12	82	4925
<i>ochroleucum</i> ...	—	52	2570	<i>hexagonum</i> ...	12	82	4925
<i>septentrionale v. car-</i>				<i>pinnis hexagonis fur-</i>			
<i>paticum</i> ...	—	48	2196	<i>catis</i> ...	12	82	4925
<i>sinense</i> ...	46	116	7130	<i>Adina globiflora</i> ...	—	53	2613
<i>uncinatum</i> ...	—	28	1119	<i>Admirabilis</i> ...	—	11	371
<i>unifolium</i> ...	—	1	3	<i>Adonis amurensis</i> ...	52	122	7490
<i>Acosmia rupestris</i> ...	39	109	6699	<i>apennina</i> ...	52	122	7490
<i>Acranthus arachnitis</i> ...	29	99	6034	<i>vernalis</i> ...	—	4	134
<i>Acridocarpus Natali-</i>				<i>vesicatoria</i> ...	—	20	775
<i>tius</i> ...	24	94	5738	<i>Adrachne Theophrasti</i>	—	46	2024
<i>pruriens</i> ...	59	129	7894	<i>Ægiphila grandiflora</i>	2	72	4230
<i>Acroclinium roseum</i> ...	10	80	4801	<i>Æchmea discolor</i> ...	3	73	4293
<i>Acronychia Cunning-</i>				<i>distichantha</i> ...	20	90	5447
<i>hami</i> ...	—	69	3994	<i>glomerata</i> ...	23	93	5668
<i>Acropera Armeniaca</i> ...	21	91	5501	<i>Lindeni</i> ...	37	107	6565
<i>Loddigesii</i> ...	—	64	3563	<i>Mariæ-reginæ</i> ...	35	105	6441
<i>Acrophyllum venosum</i>	—	70	4050	<i>Melinonii</i> ...	17	87	5235
<i>verticillatum</i> ...	—	70	4050	<i>Mertensii</i> ...	—	59	3186
<i>Acrostichum barbarum</i>	28	98	5954	<i>mucroniflora</i> ...	11	81	4832
<i>sinuatum</i> ...	9	79	4699	<i>myriophylla</i> ...	43	113	6939
<i>Acrotrema Walkeri</i> ...	18	88	5353	<i>(Chevalliera) Veitchii</i>	33	103	6329
<i>Acrotriche ovalifolia</i> ...	—	59	3171	<i>Weilbachii</i> ...	35	105	6435
<i>Actæa aspera</i> ...	—	58	3058	<i>Ægle sepiaria</i> ...	36	106	6513
<i>Actinidia polygama</i> ...	52	122	7497	<i>Æonium urbicum</i> ...	59	129	7893
<i>Aculeosa mauritanica</i>	—	11	378	<i>Aeranthus fragrans</i> ...	47	117	7161
<i>Acunna oblonga</i> ...	10	80	4818	<i>sesquipedalis</i> ...	15	85	5113
<i>Acynos alpinus</i> ...	—	47	2153	<i>Aerides affine</i> ...	—	70	4049
				<i>amplexicaule</i> ...	57	127	7754

INDEX

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Aerides apullaceum</i> ...	22	92	5595	<i>Agarista Pohlii</i> ...	7	77	4593
<i>Brookei</i> ...	5	75	4427	<i>Agathis Dammara</i> ...	19	89	5359
<i>cornutum</i> ...	1	71	4139	<i>loranthifolia</i> ...	19	89	5359
<i>crispum</i> ...	5	75	4427	<i>Agathotes alata</i> ...	24	94	5687
<i>cylindricum</i> ...	13	83	4982	<i>Agave albicans</i> ...	47	117	7207
<i>dasypogon</i> ...	23	93	5630	<i>aloina</i> ...	33	103	6292
<i>difforme</i> ...	50	120	7385	<i>Americana v. foliis</i>			
<i>Emericii</i> ...	39	109	6728	<i>variegatis</i> ...	—	65	3654
<i>guttatum</i> ...	—	70	4108	<i>Bakeri</i> ...	59	129	7890
<i>Huttoni</i> ...	23	93	5681	<i>Besseriana</i> ...	27	97	5940
<i>Hystrix</i> ...	50	120	7385	<i>Botterii</i> ...	32	102	6248
<i>Japonicum</i> ...	25	95	5798	<i>Bouchei</i> ...	53	123	7558
<i>Mitratum</i> ...	24	94	5728	<i>cæspitosa</i> ...	33	103	6292
<i>multiflorum</i> ...	—	70	4049	<i>californica</i> ...	55	125	7662
<i>odoratum</i> ...	1	71	4139	<i>Celsii</i> ...	12	82	4934
<i>retusum</i> ...	—	70	4108	<i>dasyliroides</i> ...	24	94	5716
<i>testaceum</i> ...	15	85	5138	<i>densiflora</i> ...	13	83	5006
<i>Wightianum</i> ...	15	85	5138	<i>Desmetiana</i> ...	36	106	6511
<i>Ærobion fragrans</i> ...	47	117	7161	<i>Elemeetiana</i> ...	44	114	7027
<i>superbum</i> ...	10	80	4761	<i>Fenzliana</i> ...	37	107	6589
<i>Æschinanthus albida</i>	2	72	4236	<i>filifera v. pamosa et</i>			
<i>Æschynanthus cordi-</i>				<i>v. adornata</i> ...	23	93	5641
<i>folius</i> ...	15	85	5131	<i>foetida</i> ...	—	48	2250
<i>fulgens</i> ...	12	82	4891	<i>fourcroydes</i> ...	27	97	5893
<i>grandiflorus</i> ...	—	67	3843	<i>geminiflora</i> ...	53	123	7567
<i>Hildebrandii</i> ...	50	120	7365	<i>glaucescens</i> ...	18	88	5333
<i>Javanicus</i> ...	6	76	4503	<i>Haseloffii</i> ...	53	123	7527
<i>Lobbianus</i> ...	2	72	4260	<i>Hookeri</i> ...	37	107	6589
<i>longiflorus</i> ...	3	73	4328	<i>horrida</i> ...	36	106	6511
<i>obconica</i> ...	50	120	7336	<i>inæquidens</i> ...	37	107	6589
<i>pulcher</i> ...	2	72	4264	<i>ixtlioides</i> ...	27	97	5893
<i>purpurascens</i> ...	2	72	4236	<i>Jacquiniana</i> ...	15	85	5097
<i>speciosus</i> ...	3	73	4328	<i>kewensis</i> ...	53	123	7532
<i>tricolor</i> ...	14	84	5031	<i>laxifolia</i> ...	52	122	7477
<i>Æschynomene miniata</i>	50	120	7353	<i>lurida</i> ...	—	37	1522
<i>Æsculus californica</i> ...	14	84	5077	" ...	15	85	5097
<i>Indica</i> ...	15	85	5117	<i>maculosa</i> ...	15	85	5122
<i>Æsculus macrostachya</i>	—	47	2118	<i>Micracantha</i> ...	47	117	7207
<i>parviflora</i> ...	—	47	2118	<i>Noackii</i> ...	33	103	6292
<i>Æthionema coridi-</i>				<i>Ousselghemiana</i> ...	47	117	7207
<i>folium</i> ...	28	98	5952	<i>Peacockii</i> ...	57	127	7757
<i>Agalmyla staminea</i> ...	24	94	5747	<i>pendula</i> ...	33	103	6292
<i>Aganisia ionoptera</i> ...	48	118	7270	<i>Regeliana</i> ...	36	106	6511
<i>Aganota pulchra</i> ...	3	73	4314	<i>rigida</i> ...	—	37	1522
<i>Agapanthus ensifolius</i>	—	16	554	(<i>Littcea</i>) <i>Sartorii</i> ...	33	103	6292
<i>umbellatus</i> ...	—	14	500	<i>Saundersii</i> ...	21	91	5493
<i>Agapetes acuminata</i> ...	13	83	5010	<i>schidigera</i> ...	23	93	5641
<i>buxifolia</i> ...	13	83	5012	<i>Schottii</i> ...	53	123	7567
<i>Moorei</i> ...	59	129	7928	<i>striata</i> ...	12	82	4950
<i>Agarista neriifolia</i> ...	7	77	4593	" ...	56	126	7749

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Agave univittata</i> ...	38	108	6655	<i>Albuca Physodes</i> ...	—	26	1046
<i>Vera Cruz</i> ...	—	37	1522	<i>setosa</i> ...	—	36	1481
<i>Virginica</i> ...	—	29	1157	<i>viridiflora</i> ...	—	40	1656
<i>xylonacantha</i> ...	23	93	5660	<i>vittata</i> ...	—	33	1329
<i>yuccæfolia</i> ...	16	86	5213	<i>Wakefieldii</i> ...	35	105	6429
<i>Ageratum cœlestinum</i>	—	42	1730	<i>Alcea arborea</i> ...	—	25	1000
<i>laciniatis foliis</i>	—	49	2276	<i>arborescens Syriaca</i>	—	3	83
<i>lineare</i> ...	—	47	2132	<i>ficifolia</i> ...	48	118	7237
<i>mexicanum</i> ...	—	52	2524	<i>folio manihot</i>	57	127	7752
<i>serratum alpinum</i> ...	—	9	310	<i>indica arborea</i> ...	—	49	2305
<i>strictum</i> ...	—	50	2410	<i>javanica</i> ...	—	5	158
<i>Aginetia longiflora</i> ...	2	72	4223	<i>major vulgaris</i>	—	49	2297
<i>Aglaonema commuta-</i>				<i>peregrina</i> ...	—	6	209
<i>tum</i> ...	21	91	5500	<i>sinica</i> ...	—	41	1702
<i>Mannii</i> ...	25	95	5760	<i>tenuifolia crispa</i>	—	49	2298
<i>marantæfolium r.</i>				<i>vesicaria</i> ...	—	6	209
<i>foliis maculatis</i> ...	21	91	5500	<i>vulgaris</i> ...	—	49	2297
<i>Agnostus sinuatus</i>	2	72	4263	<i>Aletris Capensis</i>	—	14	501
<i>Agrostemma Coeli Rosa</i>	—	9	295	<i>farinosa</i> ...	—	34	1418
<i>coronaria</i> ...	—	1	24	<i>fragrans</i> ...	—	27	1081
<i>Flos Jovis</i> ...	—	12	398	<i>glauca</i> ...	—	27	1091
<i>Ahoai major</i> ...	—	19	737	" ...	—	62	3456
<i>Ahoay-miri</i> ...	—	49	2309	<i>guineensis</i> ...	—	29	1180
<i>Ahouai</i> ...	—	19	737	<i>hyacinthoides</i>	—	29	1180
<i>Ahovai Nerii folio</i>	—	49	2309	<i>japonica</i> ...	—	35	1433
<i>Ainsliæa Walkeri</i> ...	32	102	6225	<i>pumila</i> ...	—	20	764
<i>Aitonia Capensis</i>	—	5	173	" ...	—	29	1179
<i>Aizoon canariense</i>	—	41	1701	<i>sarmentosa</i> ...	—	20	744
<i>repens</i> ...	—	41	1701	<i>Uvaria</i> ...	—	20	758
<i>Ajax cyclamineus</i> ...	43	113	6950	" ...	10	80	4816
<i>Ajuga fruticosa</i> ...	—	46	2071	<i>Aleuritopteris dealbata</i>	10	80	4765
<i>Akebia lobata</i> ...	52	122	7485	<i>Alisanus vegetabilis</i>	—	25	968
<i>quinata</i> ...	11	81	4864	<i>Alisma</i> ...	—	42	1749
<i>Alabastrites memoralis</i>				<i>flava</i> ...	—	52	2525
<i>alpina</i> ...	—	48	2202	<i>Alkekengi amplo flore</i>			
<i>Alaternoïdes Africana</i>	—	7	224	<i>violaceo</i> ...	—	51	2458
<i>Alaternus Arbuti foliis</i>				<i>Bonariensis repens</i>	—	53	2625
<i>lucidis</i> ...	—	29	1167	<i>virginianum</i>	—	27	1068
<i>Albacca montana</i> ...	—	57	2996	<i>Allamanda Aubletii</i>	4	74	4411
<i>Alberta magna</i> ...	52	122	7454	<i>Blanchetii</i> ...	46	116	7122
<i>Albikia scirpoides</i>	33	103	6282	<i>Cathartica</i> ...	—	10	338
<i>Albuca Exuviata</i>	—	22	871	" ...	4	74	4351
<i>Gardeni</i> ...	11	81	4842	<i>grandiflora</i>	4	74	4411
<i>juncifolia</i> ...	34	104	6395	<i>neriifolia</i>	7	77	4594
<i>lutea</i> ...	—	19	720	<i>nobilis</i> ...	25	95	5764
" ...	—	21	804	<i>Schottii</i> ...	4	74	4351
<i>Major</i> ...	—	21	804	<i>violacea</i> ...	46	116	7122
<i>Minor</i> ...	—	19	720	<i>Allium albopilosum</i>	60	130	7982
" ...	—	22	859	<i>altaicum</i> ...	—	30	1230
<i>Nelsoni</i> ...	38	108	6649	<i>Ampeloprasum</i>	—	34	1385

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
Allium Ampeloprasum	—	38	1560	Allium montanum	—	29	1150
anceps	32	102	6227	"	—	30	1222
angulosum	—	29	1149	"	—	35	1420
"	—	29	1150	"	—	42	1764
"	—	43	1840	multibulbosum	—	29	1148
bisulcum	—	34	1381	mutabile	—	28	1129
cabulicum	49	119	7294	narcissiflorum	31	101	6182
Caspium	7	77	4598	narcissifolium	—	29	1150
caule planifolio	—	25	978	narcissinis foliis	—	29	1149
"	—	34	1408	"	—	29	1150
" tereti	—	29	1148	nigrum	—	29	1148
" teretifolio	—	35	1420	"	31	101	6182
" teretiuseulo	—	29	1150	Nutans	—	28	1143
" triangulo	—	22	869	(see note)	—	35	1432
Cepa	—	36	1469	obliquum	—	34	1408
cernuum	—	32	1324	ornithogaloides	—	37	1524
Chamæ-Moly	—	30	1203	Ostrowskianum	57	127	7756
ciliatum	—	20	774	pallens	—	35	1420
(see note)	—	28	1141	"	—	35	1432
Cowani	—	63	3531	Paniculatum	—	25	973
cyaneum	49	119	7290	(see note)	—	28	1143
Descendens	—	7	251	"	—	35	1432
elatum	41	111	6828	pedemontanum	31	101	6182
Ellisii	59	129	7875	petræum	—	29	1150
erdelii	35	105	6426	plantagineum	—	30	1222
Fistulosum	—	30	1230	pratense	—	22	869
flavum	—	33	1330	radice gemella	—	42	1764
foliis caulinis	—	29	1148	" oblonga	—	30	1222
" ensiformi-	—	25	978	" senescente	—	29	1150
bus	—	25	978	" sobolifera	—	34	1385
" teretibus	—	35	1432	"	—	38	1560
"	—	33	1330	" tunicato	—	34	1408
giganteum	41	111	6828	ramosum	—	28	1142
grandiflorum	31	101	6182	"	—	34	1408
Inodorum	—	28	1129	reticulatum	—	43	1840
(see note)	—	32	1293	Roseum	—	25	978
"	—	37	1524	"	—	28	1141
kansunense	49	119	7290	"	31	101	6182
karataviense	35	105	6451	rubicundum	—	38	1560
juncifolium	—	33	1330	scapo ancipiti	—	29	1150
"	—	42	1764	" nudo	—	28	1142
Libani	35	105	6426	"	—	29	1149
longispathum	—	35	1420	"	—	28	1141
Macleanii	39	109	6707	Schoenoprasum	—	28	1141
macranthum	40	110	6789	Schuberti	54	124	7587
Magicum	—	29	1148	senescens	—	29	1149
Moly	—	14	499	"	—	29	1150
monspeulanum	—	29	1148	sibiricum	—	28	1141
montanum	—	25	973	speciosum	—	29	1148
"	—	29	1149	sphærocephalon	—	42	1764
				sphærocephalum	—	42	1764

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Allium staminibus alterne trifidis</i> ...	—	28	1143	<i>Aloe acuminata</i> ...	—	32	1322
„ „ ...	—	34	1385	<i>africana</i> ...	—	13	455
„ „ ...	—	36	1469	„ <i>arborescens</i> ...	—	13	457
„ „ ...	—	38	1560	„ <i>humilis</i> ...	—	15	513
„ „ ...	—	42	1764	„ „ ...	—	20	757
<i>staminibus simplicibus</i> ...	—	28	1141	„ „ ...	—	20	758
„ „ ...	—	30	1230	„ „ ...	—	21	814
<i>stellatum</i> ...	—	38	1576	„ „ ...	—	21	815
„ „ ...	—	43	1840	„ „ ...	—	25	979
<i>striatum</i> ...	—	26	1035	„ <i>arborescens</i> ...	—	27	1081
(see note)	—	32	1324	„ „ ...	—	31	1270
„ „ ...	—	37	1524	„ „ ...	—	31	1278
<i>Suworowi</i> ...	44	114	6994	„ „ ...	—	32	1306
<i>sylvestre</i> ...	—	25	978	„ „ ...	—	32	1322
<i>Tataricum</i> ...	—	28	1142	„ „ ...	—	32	1323
<i>Triquetrum</i> ...	—	22	869	„ „ ...	—	33	1331
<i>umbellatum</i> ...	—	28	1142	„ „ ...	—	33	1332
<i>umbelliferum</i> ...	—	29	1149	„ „ ...	—	33	1345
<i>unifolium</i> ...	33	103	6320	„ „ ...	—	33	1346
<i>victorialis</i> ...	—	30	1222	„ „ ...	—	33	1353
<i>virginianum</i> ...	—	3	105	„ „ ...	—	33	1360
<i>Allomorpha Griffithii</i> ...	49	119	7324	„ „ ...	—	33	1361
<i>Alloplectus capitatus</i> ..	5	75	4452	„ „ ...	—	35	1452
<i>concolor</i> ...	4	74	4371	„ „ ...	—	35	1455
<i>dichrons</i> ...	2	72	4216	„ „ ...	—	36	1460
<i>Lynchei</i> ...	48	118	7271	„ „ ...	—	45	1975
<i>peltatus</i> ...	33	103	6333	„ <i>v. angustior</i> ...	—	51	2517
<i>repens</i> ...	2	72	4250	„ „ ...	10	80	4816
<i>Schottii</i> ...	2	72	4216	<i>albicans</i> ...	—	35	1452
<i>sparsiflorus</i> ...	2	72	4216	<i>albo-cincta</i> ...	16	86	5210
<i>speciosus</i> ...	5	75	4452	<i>americana</i> ...	—	33	1353
<i>Allosurus calomelanos</i> ...	10	80	4769	„ „ ...	—	36	1474
<i>cordatus</i> ...	9	79	4698	„ „ ...	—	37	1522
<i>flexuosus</i> ...	10	80	4772	„ „ ...	—	41	1700
<i>Karwinskii</i> ...	16	86	5159	„ „ ...	—	48	2250
<i>Almeidea rubra</i> ...	6	76	4548	<i>arachnoides</i> ...	—	20	756
<i>Alni effigie</i> ...	—	50	2430	„ <i>v. pumila</i> ...	—	33	1361
<i>Alnus nitida</i> ...	55	125	7654	„ <i>v. reticulata</i> .	—	32	1314
<i>Alocasia Dussii</i> ...	50	120	7364	„ <i>v. translucens</i> ...	—	34	1417
<i>illustris</i> ...	50	120	7364	<i>arborescens</i> ...	—	32	1306
<i>Lowii</i> ...	19	89	5376	<i>atrovirens</i> ...	—	32	1314
„ <i>v. picta</i> ...	21	91	5497	„ „ ...	—	33	1361
<i>metallica</i> ...	16	86	5190	<i>attenuata</i> ...	—	33	1345
<i>reversa</i> ...	52	122	7498	<i>Bainesii</i> ...	41	111	6848
<i>Aloe abyssinica v. Peacockii</i> ...	38	108	6620	<i>Bakeri</i> ...	58	128	7834
<i>abyssinica</i> ...	56	126	7712	<i>barbadensis chinensis</i> ...	33	103	6301
<i>acinacifolia</i> ...	—	50	2369	<i>Barberæ</i> ...	41	111	6848
				<i>Baumii</i> ...	60	130	7948
				<i>brachystachys</i> ...	51	121	7399

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
Aloe brevifolia	—	33	1362	Aloe imbricata	—	35	1455
Brevioribus	—	33	1332	intermedia	—	32	1322
Cameroni	59	129	7915	Kirkii	50	120	7386
carinata	—	22	837	leptophylla	54	124	7624
"	—	33	1331	Lingua v. Crassifolia	—	22	838
caulescens	—	32	1306	"	—	25	979
"	—	33	1346	" (see note)	—	32	1322
"	—	36	1460	"	—	32	1322
chinensis	33	103	6301	" (see note)	—	33	1331
Cooperi	34	104	6377	linguæformis	—	22	838
(Gasteria) Croucheri	25	95	5812	"	—	32	1322
cylindracea	—	33	1337	Luntii	51	121	7448
"	—	35	1455	macracantha	37	107	6580
Cymbiformis	—	21	802	macrosiphon	59	129	7915
(see note)	—	37	1532	Maculata	—	20	765
(Apicra) deltoidea	29	99	6071	maculosa	—	33	1346
depressa	—	33	1332	"	—	36	1460
(see note)	—	35	1452	Margaritifera			
disticha	—	13	457	v. media	—	21	815
"	—	22	837	" v. minima	—	33	1360
"	—	22	838	marginalis	—	38	1585
"	—	32	1322	marginata	—	35	1452
"	—	33	1346	"	—	38	1585
"	—	36	1460	Microcantha	—	48	2272
ensiformis	—	22	837	mirabilis	—	33	1354
expansa	—	33	1337	mitræformis	—	31	1270
ferox	—	45	1975	" v. brevifolia	—	33	1362
floribus sessilibus	—	35	1455	nigricans	—	22	838
foliis amplexicauli-				"	—	25	979
bus	—	33	1332	"	—	32	1322
" canaliculatis	—	21	814	"	—	49	2304
" ensiformibus	—	22	838	nitida	—	20	765
" erectis	—	20	757	obliqua	—	25	979
" lanceolatis	—	29	1157	"	—	32	1322
"	—	29	1180	"	—	32	1323
" latis	—	29	1180	obscura	—	32	1323
" linearibus	—	20	758	oligospila	58	128	7834
" ovato-subula-				pendens	58	128	7837
tis	—	33	1360	pentagona	—	33	1338
foliolosa	—	33	1352	Perfoliata v. Succo-			
fragrantissima	—	27	1081	trina	—	14	472
glauca	—	31	1278	(see note)	—	36	1474
Greenii	36	106	6520	"	—	20	757
guineensis	—	29	1180	"	—	31	1278
herbacea	—	32	1314	"	—	31	1270
"	—	33	1361	"	—	32	1323
heteracantha	42	112	6863	"	—	32	1306
Hildebrandtii	44	114	6981	"	—	33	1332
Humilis	—	20	757	"	—	33	1346
"	—	21	828	"	—	33	1362
"	—			"	—	34	1415

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Aloe perfoliata ...	—	36	1460	Aloe Variegata ...	—	15	513
" 	—	36	1474	venosa 	—	33	1353
" 	—	45	1975	vera 	—	14	472
" <i>v. africana</i>	—	51	2517	" 	—	36	1474
Perryi ...	37	107	6596	verrucosa ...	—	22	837
picta ...	—	31	1270	<i>(see note)</i>	—	32	1323
" 	—	32	1323	virens 	—	33	1355
" 	—	33	1346	Viscosa ...	—	21	814
" minor ...	—	36	1460	vulgaris <i>v.</i> Abyssi-			
Plicatilis ...	—	13	457	nica 	56	126	7712
pratensis ...	39	109	6705	yuccæfolia ...	56	126	7723
pumila arachnoides.	—	20	756	yuccæ foliis ...	—	41	1700
" 	—	21	815	Zeyheri ...	41	111	6848
" 	—	32	1314	Aloes à cornes de belier	—	32	1306
" 	—	33	1360	mitrè 	—	31	1270
" 	—	33	1361	patte d'araignée ...	—	20	756
" 	—	33	1361	Alopecurus alpinus ...	—	32	1290
pumilio ...	—	34	1417	Aloysia citrodora ...	—	11	367
" 	—	36	1474	Alpina Eleborine ...	54	124	7585
purpurascens ...	—	38	1585	Alpinia calcarata ...	—	44	1900
purpurea ...	—	33	1345	cernua 	—	44	1900
Radula ...	—	33	1353	hemisphærica ...	54	124	7592
recurva ...	—	32	1314	magnifica 	—	59	3192
reticulata ...	—	33	1361	mutica 	42	112	6908
" 	—	13	455	nutans 	—	44	1903
Retusa ...	—	31	1278	officinarum... ...	44	114	6995
rhodacantha ...	—	33	1337	pumila 	41	111	6832
rigida ...	—	32	1323	sessilis 	—	22	850
rubroviolacea ...	59	129	7882	tubulata 	—	51	2494
saponaria ...	—	33	1346	Zingiberina ...	43	113	6944
" <i>v. latifolia</i>	—	36	1460	Alseuosmia macro-			
" 	55	125	7667	phylla 	43	113	6951
Schweinfurthii ...	—	34	1415	Alsine angustifolia ...	—	31	1281
serrulata ...	—	33	1331	foliis linearibus ...	—	28	1118
sessilis ...	—	36	1474	forte 	—	44	1883
sinuata ...	—	36	1474	minor 	—	45	2021
Socotrina <i>v.</i> pur-	—	36	1474	montana 	—	28	1118
purascens ...	—	33	1338	verna 	—	45	2021
spiralis ...	—	35	1455	Alsomitra sarcophylla.	29	99	6017
" 	—	36	1474	Alstroemeria acutifolia	—	58	3050
succotrina ...	—	33	1361	aurea 	—	61	3350
translucens ...	—	34	1417	Caldasii 	20	90	5442
" 	—	21	814	densiflora 	21	91	5531
triangularis ...	—	33	1353	edulis 	—	39	1613
tricolor ...	33	103	6324	hirtella 	—	55	2848
" 	—	33	1331	Ligta 	—	49	2353
tristicha ...	—	33	1346	Ligtu 	—	4	125
umbellata ...	—	36	1460	Neillii 	—	58	3105
" 	—	20	758	nemorosa ...	—	68	3958
Uvaria ...	10	80	4816	oculata 	—	61	3344
" 							

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Alstroemeria ovata</i> ...	—	55	2848	<i>Amaryllis Atamasco</i> ...	—	7	239
<i>pallida</i> ...	—	58	3040	<i>aulica v. platy-</i>			
<i>Pelegrina</i> ...	—	4	139	<i>petala, glauco-</i>			
<i>psittacina</i> ...	—	57	3033	<i>phylla</i> ...	—	57	2983
<i>" v. Erem-</i>				<i>aulica</i> ...	—	61	3311
<i>boultdti</i> ...	—	68	3944	<i>Aurea</i> ...	—	12	409
<i>pulchella</i> ...	—	49	2353	<i>australasica</i> ...	—	47	2133
<i>pulchra</i> ...	—	50	2421	<i>Belladonna</i> ...	—	19	733
<i>Salsilla</i> ...	—	39	1613	<i>"</i> ...	—	35	1450
<i>Althæa caribæa</i> ...	—	44	1916	<i>bivaginata</i> ...	—	51	2471
<i>ficifolia</i> ...	48	118	7237	<i>blanda</i> ...	—	35	1450
<i>Flexuosa</i> ...	—	23	892	<i>Broussoneti</i> ...	—	24	923*
<i>flore majore</i> ...	—	15	517	<i>"</i> ...	—	29	1171
<i>Froloviana</i> ...	48	118	7237	<i>"</i> ...	—	31	1253
<i>frutescens</i> ...	—	48	2226	<i>"</i> ...	—	47	2121
<i>frutex</i> ...	—	3	83	<i>bulbisperma</i> ...	—	24	923*
<i>"</i> ...	—	48	2226	<i>"</i> ...	—	53	2688
<i>fruticans hispanica</i> .	—	48	2226	<i>candida</i> ...	—	53	2607
<i>hortensis</i> ...	—	23	882	<i>"</i> ...	16	86	5205
<i>palustris</i> ...	—	23	882	<i>capensis</i> ...	—	18	662
<i>rosea</i> ...	—	59	3198	<i>"</i> ...	—	53	2688
<i>rugosa</i> ...	48	118	7237	<i>Caspia</i> ...	7	77	4598
<i>Sida</i> ...	—	23	882	<i>clavata</i> ...	—	49	2291
<i>thuringiaca</i> ...	—	15	517	<i>crispa</i> ...	—	33	1363
<i>virginiana</i> ...	—	48	2193	<i>Curvifolia</i> ...	—	19	725
<i>Alyssoides fruticosum</i> .	—	4	130	<i>cyrtanthoides</i> ...	—	50	2399
<i>Alysson pyrenaicum</i> ...	—	19	713	<i>"</i> ...	—	53	2687
<i>Alyssum arcticum</i> ...	—	56	2882	<i>disticha</i> ...	—	30	1217
<i>Creticum saxatile</i> ...	—	5	159	<i>dryades</i> ...	25	95	5786
<i>Deltoideum</i> ...	—	4	126	<i>dubia</i> ...	—	9	305
<i>halmifolium</i> ...	—	3	101	<i>elata</i> ...	—	35	1430
<i>lunarioides</i> ...	—	58	3807	<i>Equestris</i> ...	—	9	305
<i>maritimum</i> ...	—	3	101	<i>Fagus</i> ...	—	24	923*
<i>Montanum</i> ...	—	12	419	<i>falcata</i> ...	—	35	1443
<i>Saxatile</i> ...	—	5	159	<i>Forbesii</i> ...	37	107	6545
<i>subfruticosum</i> ...	—	12	419	<i>formosissima</i> ...	—	2	47
<i>Utriculatum</i> ...	—	4	130	<i>Fothergillia</i> ...	—	19	725
<i>Alyxia daphnoides</i> ...	—	61	3313	<i>gigantea</i> ...	16	86	5205
<i>Richardsoni</i> ...	—	61	3312	<i>Hallii</i> ...	53	123	7547
<i>ruscifolia</i> ...	—	61	3312	<i>Harrisoni</i> ...	56	126	7737
<i>Amara indica</i> ...	—	51	2455	<i>Humilis</i> ...	—	19	726
<i>Amarantho affinis in-</i>				<i>(see note)</i>	—	35	1430
<i>diæ orientalis</i> ...	—	55	2815	<i>"</i> ...	—	27	1089
<i>Amaranthoides perenne</i>	—	53	2614	<i>ignea</i> ...	—	53	2687
<i>Amaranthus baccifer</i> ...	—	43	1781	<i>Josephinæ</i> ...	—	39	1619
<i>luteus</i> ...	—	47	2159	<i>latifolia</i> ...	16	86	5205
<i>speciosus</i> ...	—	48	2227	<i>Longifolia</i> ...	—	18	661
<i>Amaria petiolata</i> ...	33	103	6277	<i>(see note)</i>	—	35	1443
<i>Amaryllis acuminata</i> ...	—	49	2273	<i>"</i> ...	—	35	1443
<i>Advena</i> ...	—	28	1125	<i>"</i> ...	—	53	2688

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Amaryllis lutea</i>	—	9	290	<i>Amaryllis zeylanica</i>	—	31	1253
"	51	121	7441	<i>Amasonia arborea</i>	51	121	7445
<i>miniata</i>	—	45	1943	<i>calycina</i>	43	113	6915
<i>minuta</i>	—	52	2593	<i>erecta</i>	51	121	7445
<i>multiflora</i>	—	39	1619	<i>punicea</i>	43	113	6915
<i>orientalis</i>	—	39	1619	"	51	121	7445
<i>Ornata</i>	—	24	923*	<i>Amsonia salicifolia</i>	—	44	1873
(<i>see note</i>)	—	29	1173	<i>Amauria dissecta</i>	35	105	6422
"	—	29	1171	<i>Amba paja</i>	—	56	2898
"	—	31	1253	<i>Ambel</i>	—	21	797
"	—	47	2121	<i>Amblyglottis pulchra</i>	30	100	6104
"	16	86	5205	<i>Amblyoglottis veratri- folia</i>	6	76	4541
<i>pardina</i>	23	93	5645	<i>Ambrosinia Bassii</i>	34	104	6360
<i>psittacina, hybrida</i>	—	63	3528	<i>Ambuyaembo</i>	—	52	2545
<i>pulverulenta</i>	—	49	2273	<i>Amelanchier</i>	—	50	2430
<i>Pumilio</i>	—	49	2291	<i>canadensis v. oblongi- folia</i>	54	124	7619
<i>purpurea</i>	—	35	1430	<i>intermedia</i>	54	124	7619
<i>Rayneri</i>	27	97	5883	<i>oblongifolia</i>	54	124	7619
<i>Reginæ</i>	—	13	453	<i>obovalis</i>	54	124	7619
<i>reticulata</i>	—	18	657	<i>ovalis</i>	54	124	7619
" <i>v. striatifolia</i>	—	47	2113	<i>racemosa</i>	10	80	4795
<i>Revoluta</i>	—	23	915	<i>spicata</i>	54	124	7619
"	—	23	917	<i>Amellus spinulosus</i>	33	103	6302
"	—	29	1178	<i>Amendoas de Disanha</i>	28	98	5986
<i>riparia</i>	—	53	2688	<i>American nutmeg</i>	—	58	3081
<i>Sarniensis</i>	—	9	294	<i>Amerimnum Ebenus</i>	8	78	4670
"	—	27	1090	<i>Amethystea cærulea</i>	—	51	2448
<i>solandraeflora</i>	—	66	3771	<i>corymbosa</i>	—	51	2448
<i>solandriflora</i>	—	52	2573	<i>Amethystina montana</i>	—	51	2448
<i>spatha multiflora</i>	—	19	733	<i>erecta</i>	—	51	2448
"	—	35	1443	<i>Amherstia nobilis</i>	5	75	4453
<i>speciosa</i>	—	35	1430	<i>Amica nocturna</i>	—	43	1817
<i>spectabilis</i>	—	24	923*	<i>Amicia Zygotomeris</i>	—	69	4008
"	—	29	1171	<i>Amischotolype margi- nata</i>	20	90	5425
"	—	31	1253	<i>Ammobium alatum</i>	—	51	2459
"	—	47	2121	<i>Ammyrrine buxifolia</i>	40	110	6752
<i>spiralis</i>	—	34	1383	<i>Lyoni</i>	40	110	6752
<i>tubispatha</i>	—	38	1586	<i>prostrata</i>	40	110	6752
<i>Umbrella</i>	—	28	1133	<i>Amomum Afzelii</i>	7	77	4603
<i>Undulata</i>	—	11	369	<i>Clusii</i>	17	87	5250
<i>variabilis</i>	—	23	917	<i>Danielli</i>	10	80	4764
"	—	29	1178	"	17	87	5250
<i>Venusta</i>	—	27	1090	<i>exscapum</i>	7	77	4603
<i>Vittata</i>	—	4	129	<i>Grana Paradisi</i>	7	77	4603
<i>yuccæides</i>	—	47	2121	<i>grandiflorum</i>	7	77	4603
<i>yuccoides</i>	—	24	923*	<i>Granum Paradisi</i>	7	77	4603
"	—	29	1171	<i>hemisphæricum</i>	54	124	7592
"	—	31	1253				
<i>zeylanica</i>	—	24	923*				
"	—	29	1171				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Amomum melegueta</i>				<i>Anagallis hispanica</i> ...	—	50	2389
<i>v. minor</i> ...	28	98	5987	<i>latifolia</i> ...	—	50	2389
<i>quorundam odore</i>				<i>linifolia</i> ...	—	62	3380
<i>Caryophylli</i> ...	—	30	1236	<i>Monelli</i> ...	—	9	319
<i>Rosa Sanctæ-Mariæ</i>	4	74	4400	<i>v. Willmoreana</i>	—	62	3380
<i>scapo nudo</i> ...	—	45	2000	<i>tenuifolia</i> ...	—	9	319
<i>sceptrum</i> ...	25	95	5761	<i>Anagyris barbata</i> ...	11	81	4868
<i>Zerumbet</i> ...	—	45	2000	<i>Anajeli-maravara</i> ...	—	70	4108
<i>Amorpha canescens</i> ...	38	108	6618	<i>Anamenia laserpitii-</i>			
<i>microphylla</i> ...	—	47	2112	<i>folia</i> ...	—	20	775
<i>nana</i> ...	—	47	2112	<i>Ananas Acostæ</i> ...	—	38	1554
<i>Amorphophallus dubius</i>	16	86	5187	<i>aculeatus</i> ...	—	38	1554
<i>Eichleri</i> ...	45	115	7091	<i>bracteatus</i> ...	14	84	5025
<i>Eliotii</i> ...	50	120	7349	<i>ovata</i> ...	—	38	1554
<i>Lacourii</i> ...	39	109	6673	<i>Ananasa bracteatus</i> ...	14	84	5025
<i>leonensis</i> ...	57	127	7768	<i>Anapodophyllum cana-</i>			
<i>oncophyllus</i> ...	49	119	7327	<i>dense</i> ...	—	43	1819
<i>palmaeformis</i> ...	31	101	6195	<i>Anarrhinum bellidi-</i>			
<i>Rivieri</i> ...	31	101	6195	<i>folium</i> ...	—	46	2056
<i>sylvaticus</i> ...	47	117	7190	<i>crassifolium</i> ...	24	94	5733
<i>Titanum</i> ...	47	117	7153	<i>Anassa</i> ...	—	38	1554
<i>virosus</i> ...	44	114	6978	<i>Anastatica hierochun-</i>			
<i>zeylanicus</i> ...	47	117	7190	<i>tica</i> ...	4	74	4400
<i>Ampelopsis humilifolia</i>	23	93	5682	<i>Anchomanes Hookeri</i>			
<i>Ampelygonum Chin-</i>				<i>c. pallida</i> ...	19	89	5394
<i>ense</i> ...	17	87	5238	<i>Anchusa Alcibiadion...</i>	—	48	2197
<i>Amphiblemma cymo-</i>				<i>angustifolia</i> ...	—	44	1897
<i>sum</i> ...	20	90	5473	<i>Angustis dentatis</i>			
<i>Amphicome Emodi</i> ...	11	81	4890	<i>foliis</i> ...	—	47	2119
<i>Amphiraphis albescens</i>	39	109	6672	<i>Barrelieri</i> ...	—	49	2349
<i>Amphobolis cœlestis...</i>	41	111	6822	<i>capensis</i> ...	—	43	1822
<i>Amsonia salicifolia</i> ...	—	44	1873	<i>echioides</i> ...	4	74	4409
<i>Amygdala Guaynensis</i>	—	54	2727	<i>italica</i> ...	—	48	2197
<i>Amygdalo - Persica</i>				<i>laxiflora</i> ...	—	43	1798
<i>nana</i> ...	—	47	2176	<i>Ochroleuca</i> ...	—	39	1608
<i>Amygdalus humilis</i> ...	44	114	6976	<i>orientalis</i> ...	—	15	515
<i>Indica</i> ...	—	5	161	<i>paniculata</i> ...	—	48	2197
<i>Nana</i> ...	—	5	161	<i>petiolata</i> ...	—	67	3858
<i>pumila</i> ...	—	47	2176	<i>undulata</i> ...	—	47	2119
<i>Amyris polygama</i> ...	51	121	7406	<i>versicolor</i> ...	—	63	3477
<i>Anacampseros arach-</i>				<i>Ancylogyne longiflora</i> .	22	92	5588
<i>noides</i> ...	—	33	1368	<i>Andersonia spreng-</i>			
<i>ciliaris</i> ...	—	50	2370	<i>lioides</i> ...	—	40	1645
<i>filamentosa</i> ...	—	33	1367	<i>Andrachne frutescens</i> .	—	46	2024
<i>minor</i> ...	—	50	2370	<i>Andromeda arborea</i> ...	—	23	905
<i>Anadenia pulchella</i> ...	28	98	5979	<i>axillaris</i> ...	—	45	1955
<i>Anagallis aquatica</i> ...	—	52	2557	<i>„</i> ...	—	50	2357
<i>cœrulea</i> ...	—	9	319	<i>baccata</i> ...	—	32	1288
<i>Fruticosa</i> ...	—	21	831	<i>bracteata</i> ...	5	75	4461
<i>grandiflora</i> ...	—	21	831	<i>buxifolia</i> ...	—	53	2660

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Andromeda calyculata</i>				<i>Androsace montana</i> ...	—	45	2021
<i>v. ventricosa</i> ...	—	32	1286	<i>obovata</i> ...	39	109	6712
<i>campanulata</i> ...	45	115	7059	<i>parviflora</i> ...	38	108	6617
<i>cassinefolia</i> ...	—	18	667	<i>pauciflora</i> ...	—	22	868
" ...	—	25	970	<i>primulina</i> ...	45	115	7079
<i>Catesbæi</i> ...	—	45	1955	<i>primuloides</i> ...	45	115	7079
<i>Coriacea</i> ...	—	27	1095	<i>pubescens</i> ...	25	95	5808
<i>crassifolia</i> ...	7	77	4593	<i>rotundifolia v. ma-</i>			
<i>cupressiformis</i> ...	10	80	4796	<i>crocalyx</i> ...	38	108	6617
<i>fasciculata</i> ...	2	72	4273	<i>sarmentosa</i> ...	38	108	6661
<i>fastigiata</i> ...	10	80	4796	" ...	32	102	6210
<i>flexuosa</i> ...	28	98	5984	<i>septentrionalis</i> ...	—	45	2021
<i>floribunda</i> ...	—	38	1566	<i>Villosa</i> ...	—	20	743
<i>foliis ovatis</i> ...	—	5	175	<i>Androsæmum</i> <i>Constan-</i>			
" ...	—	17	636	<i>tinopolitanum</i> ...	—	5	146
" ...	—	38	1579	<i>Andryala</i> <i>Mogadorensis</i>			
<i>frutescens</i> ...	—	53	2660	<i>sis</i> ...	29	99	6010
<i>hirsuta</i> ...	9	79	4697	<i>Anemiopsis</i> <i>Californica</i>	18	88	5292
<i>hypnoides</i> ...	—	56	2936	<i>Anemonæ affinis</i> <i>æthio-</i>			
<i>Jamaicensis</i> ...	2	72	4273	<i>pica</i> ...	—	48	2252
<i>Katagherensis</i> ...	28	98	5984	<i>Anemone</i> <i>alba</i> ...	—	47	2167
<i>lucida</i> ...	—	27	1095	<i>alpina v. major</i> ...	—	45	2007
<i>luridifolia</i> ...	—	29	1152	(<i>Hepatica</i>) <i>angulosa</i>	21	91	5518
<i>Mariana</i> ...	—	27	1095	<i>apiifolia</i> ...	—	45	2007
" <i>v. ovalis</i> ...	—	38	1579	<i>cernua</i> ...	58	128	7858
<i>neriifolia</i> ...	7	77	4593	<i>Coronaria</i> ...	—	22	841
<i>nitida</i> ...	—	27	1095	<i>cyclaminis seu malvæ</i>			
<i>ovata</i> ...	—	18	667	<i>folio</i> ...	—	46	2079
<i>pedunculis solitariis</i>				<i>Fanninii</i> ...	43	113	6958
<i>lateralibus</i> ...	—	59	3181	<i>Govaniana</i> ...	41	111	6840
<i>pulchra</i> ...	3	73	4314	<i>Hepatica</i> ...	—	1	10
<i>Pulverulenta</i> ...	—	18	667	<i>hortensis</i> ...	—	4	123
<i>salicifolia</i> ...	—	60	3286	" ...	—	46	2079
<i>speciosa</i> ...	—	25	970	<i>Japonica</i> ...	3	73	4341
<i>spinulosa</i> ...	—	45	1955	<i>latifolia</i> <i>Clusii</i> ...	—	46	2079
<i>tetragona</i> ...	—	59	3181	" <i>purpurea</i> ...	—	4	123
<i>Androsace alpina</i> ...	—	22	868	<i>longiscapa</i> ...	41	111	6840
" ...	25	95	5808	<i>narcissiflora</i> ...	—	28	1120
<i>carnea v. eximia</i> ...	27	97	5906	<i>obtusiloba</i> ...	41	111	6840
<i>cordifolia</i> ...	38	108	6617	<i>ochotensis</i> ...	—	47	2167
<i>coronopi foliis glabris</i>	—	45	2022	<i>cœnanthes</i> ...	—	22	841
<i>coronopifolia</i> ...	—	45	2022	<i>palmata v. albida</i> ...	—	46	2079
<i>elegans</i> ...	38	108	6617	<i>patens v. ochroleuca</i>	—	45	1994
<i>foliis lanceolatis</i> ...	—	45	2022	<i>polyanthes</i> ...	41	111	6840
<i>foliosa</i> ...	38	108	6661	<i>pratensis v. obsoleta</i>	—	44	1863
<i>Halleri</i> ...	27	97	5906	<i>prima</i> ...	—	4	123
<i>incisa</i> ...	38	108	6617	<i>scaposa</i> ...	41	111	6840
<i>Lactea</i> ...	—	22	868	<i>seminibus nudis</i> ...	—	28	1120
" ...	—	25	981	<i>sylvestris</i> ...	—	2	54
<i>lanuginosa</i> ...	—	69	4005	<i>tenuifolia</i> ...	—	22	841

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Anemone thalictroides</i>	—	22	866	<i>Anhalonium prismati-</i>			
<i>trifolia</i>	41	111	6846	<i>cum</i>	49	119	7279
<i>vernalis</i>	54	124	7581	<i>retusum</i>	49	119	7279
<i>villosa</i>	41	111	6840	<i>Anigozanthus Flavida</i> .	—	29	1151
<i>vitifolia</i>	—	62	3376	<i>fuliginosa</i>	3	73	4291
<i>Anemonopsis macro-</i>				<i>grandiflora</i>	—	29	1151
<i>phylla</i>	35	105	6413	<i>Manglesii</i>	—	67	3875
<i>Anemonospermos afra .</i>	—	48	2252	<i>microphylla</i>	13	83	4975
<i>Africana</i>	—	48	2252	<i>pulcherrimus</i>	1	71	4180
<i>Angelandea pinnati-</i>				<i>tyrianthina</i>	6	76	4507
<i>fidia</i>	37	107	6577	<i>Anisomeles malabarica</i>	—	46	2071
<i>Angelon</i>	—	51	2478	<i>Anisum Africanum</i>			
<i>Angelonia ciliata</i>	—	67	3848	<i>fruticescens</i>	—	51	2489
<i>cornigera</i>	—	67	3848	<i>Anneslea spinosa</i>	—	35	1447
<i>Gardneri</i>	—	66	3754	<i>Annona reticulata</i>	—	56	2911
<i>salicariæfolia</i>	—	51	2478	<i>squamosa</i>	—	58	3095
<i>Angophora cordifolia</i>	—	45	1960	<i>tripetala</i>	—	45	2011
<i>floribunda</i>	20	90	5480	<i>tuberosa</i>	—	58	3095
<i>Angræcum album</i>				<i>Anoda hastata</i>	—	10	330
<i>majus</i>	3	73	4297	„ „	—	37	1541
<i>apiculatum</i>	1	71	4159	<i>Anœctochilus Dawsoni-</i>			
<i>bilobum</i>	1	71	4159	<i>anus</i>	52	122	7486
<i>caudatum</i>	4	74	4370	<i>setaceus</i>	—	70	4123
<i>Chailluanum</i>	22	92	5589	„ <i>v. inornatus</i>	16	86	5208
<i>citratum</i>	23	93	5624	<i>Anoiganthus brevi-</i>			
<i>crumenatum</i>	—	69	4013	<i>florus</i>	45	115	7072
<i>distichum</i>	1	71	4145	<i>Anomochloa maran-</i>			
<i>eburneum</i>	10	80	4761	<i>toidea</i>	18	88	5331
„ <i>v. virens</i>	16	86	5170	<i>Anona aquatica</i>	2	72	4226
<i>Eichlerianum</i>	58	128	7813	<i>Cherimolia</i>	—	45	2011
<i>fastuosum</i>	47	117	7204	<i>foliis laminis</i>	—	58	3111
<i>fragrans</i>	47	117	7161	„ <i>oblongo-ovatis</i>	—	58	3095
<i>funale</i>	3	73	4295	„ <i>odoratis mi-</i>			
<i>Germinyanum</i>	45	115	7061	<i>noribus</i>	—	58	3095
<i>Grantii</i>	51	121	7442	„ <i>subtus ferru-</i>			
<i>Kotschyi</i>	51	121	7442	<i>gineis</i>	—	58	3072
<i>modestum</i>	39	109	6693	<i>glabra</i>	2	72	4226
<i>pertusum</i>	10	80	4782	<i>Maram</i>	—	56	2911
<i>Scottianum</i>	39	109	6723	<i>maxima</i>	—	56	2911
<i>sesquipedale</i>	15	85	5113	„	—	58	3111
<i>superbum</i>	10	80	4761	<i>Myristica</i>	—	58	3059
<i>Anguina aquatica</i>	—	43	1831	<i>palustris</i>	2	72	4226
<i>sinensis</i>	—	19	722	<i>triloba</i>	26	96	5854
<i>Anguloa Clowesii</i>	3	73	4313	<i>uliginosa</i>	2	72	4226
<i>grandiflora</i>	17	87	5278	<i>Anonis Caroliniana</i>	—	29	1177
<i>lurida</i>	—	64	3590	<i>viscosa</i>	—	10	329
<i>Ruckeri</i>	19	89	5384	<i>Anonyma pedunculis</i>			
<i>superba</i>	1	71	4156	<i>arcuatis</i>	—	45	1966
<i>uniflora</i>	10	80	4807	<i>Anonymos flore Coluteæ</i>	—	9	316
<i>Anguria Warschewiczii</i>	18	88	5304	<i>floribus albis</i>	—	13	437

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Anonymos rotundifolia	—	57	3006	Liliastrum...	—	9	318
sempervirens ...	58	128	7851	Anthericum longisca-			
Anopterus glandulosus	4	74	4377	pum ...	—	33	1339
Ansellia Africana ...	13	83	4965	milleflorum ...	—	35	1421
gigantea ...	13	83	4965	paniculatum ...	—	35	1421
Ansett ...	17	87	5223	physodes ...	—	26	1046
Antabsinthium Clavenæ	—	32	1287	plumosum ...	—	58	3084
Antarrhinium crassi-				pugioniforme ...	—	35	1454
folium ...	24	94	5733	ramosum ...	—	26	1055
Antennaria Leontopo-				revolutum ...	—	26	1044
dium ...	—	45	1958	semibarbatum ...	—	59	3129
tripplinervis ...	—	51	2468	subtrigynum ...	—	37	1540
Anteuphorbium ...	30	100	6099	sulphureum ...	—	53	2623
Anthelmenthia quadri-				vespertinum ...	—	26	1040
folia ...	—	50	2359	Anthocercis ilicifolia...	1	71	4200
Anthelmia ...	—	3	80	viscosa ...	—	57	2961
Anthemis ageratifolia .	30	100	6117	Antholyza Æthiopica .	—	16	561
Aizoides ...	30	100	6117	" ...	—	29	1172
Aizoon ...	30	100	6117	alethroides... ..	—	15	533
artemisiæfolia ...	—	46	2042	Cunonia ...	—	10	343
grandiflora ...	—	46	2042	foliis linearibus ...	—	17	632
Pyrethrum ...	—	13	462	fulgens ...	—	17	600
stipulacea ...	—	46	2042	Meriana ...	—	12	418
Anthericum acaule ...	—	33	1339	" ...	—	30	1194
" ...	—	35	1451	Merianella... ..	—	13	441
alooides ...	—	32	1317	" ...	—	15	533
altissimum... ..	—	33	1339	" ...	—	16	574
annuum ...	—	35	1451	quadrangularis ...	—	16	567
asphodeloides ...	—	33	1339	revoluta ...	—	16	569
bulbosum ...	—	57	3017	ringens ...	—	16	561
cæruleum ...	48	118	7249	" ...	39	109	6667
Canaliculatum ...	—	28	1124	Schweinfurthii ...	56	126	7709
caulescens ...	—	21	816	spicata ...	—	17	601
caulibus non ramosis	—	23	914	tubulosa ...	—	15	533
" ramosis ...	—	26	1055	Anthora vera flore			
cirratum ...	—	49	2350	luteo ...	—	53	2654
Drimiopsis... ..	54	124	7580	vulgaris ...	—	53	2654
echeandioides ...	41	111	6809	Anthurium Andræ-			
esculentum ...	—	54	2774	anum ...	38	108	6616
exuviatum... ..	—	22	871	Bakeri ...	32	102	6261
flexifolium... ..	—	26	1044	Chamberlaini ...	49	119	7297
foliis carnosis ...	—	35	1451	Glaziovii ...	41	111	6833
" planis ...	—	26	1055	Gustavi ...	51	121	7437
Frutescens... ..	—	21	816	ornatum ...	26	96	5848
glaucum ...	—	64	3610	Saundersii ...	32	102	6218
hirsutum ...	—	28	1124	Scherzerianum ...	18	88	5319
hyacinthoides ...	—	60	3226	splendidum ...	42	112	6878
latifolium ...	—	49	2350	trifidum ...	34	104	6339
Liliago ...	—	23	914	trilobum ...	34	104	6339
" ...	—	39	1635	Anthurium Veitchii ...	43	113	6968

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Anthyllis Barba				Aphelandra acutifolia .	25	95	5789
Jovis	—	44	1927	amœna	47	117	7179
Cretica	—	27	1092	aurantiaca	2	72	4224
Erinacea	—	18	676	Blanchetiana	47	117	7179
fruticosa	—	27	1092	Chamissoniana	38	108	6627
Hermannia	—	52	2576	cristata	—	38	1578
tetraphylla	—	3	108	Liboniana	20	90	5463
Webbiana	—	60	3284	longiscapa	4	74	4378
Antigonon leptopus ...	26	96	5816	nitens	24	94	5741
Antirrhinum ærugi-				pumila	35	105	6467
neum	26	96	5827	punctata	38	108	6627
Alpinum	—	6	205	sulphurea	28	98	5951
aparinoides	29	99	6041	variegata	12	82	4899
Asarina	—	23	902	Aphyllanthes Anguil-			
bellidifolium	—	46	2056	laræ	—	48	2256
Canadense	—	63	3473	juncea	—	28	1132
dalmaticum	35	105	6424	Monspeliensis	—	28	1132
foliis imis	—	46	2056	Apios Americana	—	30	1198
„ linearibus	—	47	2183	frutescens	—	46	2103
„ radicalibus	—	46	2056	Aplopappus gymnoce-			
genistifolium	—	47	2183	phalus	37	107	6549
glutinosum	34	104	6391	spinulosus	33	103	6302
„	49	119	7285	Apocyno affinis	—	59	3191
heterophyllum	29	99	6060	Apocynum Americanum	—	29	1181
hirtum	—	11	368	„	—	29	1182
hispanicum	34	104	6391	Androsæmifolium	—	8	280
„	49	119	7285	angustifolium	—	49	2289
molle	34	104	6391	Canadense	—	8	280
„	49	119	7285	erectum	—	27	1064
multicaule	29	99	6041	„	—	39	1628
purpureum	—	3	99	folio oblongo	—	49	2289
rupestre	34	104	6391	Persicariæ mitis folio	—	29	1181
sagittatum	29	99	6060	repens	—	49	2289
Sparteum	—	6	200	scandens	—	49	2289
strictum	29	99	6041	zeylanicum	—	44	1865
strumosum	49	119	7272	Aponogeton angusti-			
tenellum	12	82	4927	folium	—	31	1268
Triornithophorum ...	—	15	525	distachyon	—	32	1293
Triphyllum	—	9	324	spathaceum v. jun-			
triste	—	3	74	ceum	34	104	6399
„	26	96	5827	Aporum anceps	—	64	3608
Viscosum	—	11	368	indivisum	52	122	7493
Antithora flore luteo				Leonis	52	122	7493
aconiti	—	53	2654	Appendex erecta	21	91	5500
Antora sive Antitora ...	—	53	2654	Apteranthes Gusso-			
Aotus gracillima	1	71	4146	niana	14	84	5087
Villosa	—	24	949	Aquifolium amplissi-			
Apate	—	47	2130	mis foliis	—	70	4079
Aphærema spicata	51	121	7398	Aquilegia bicolor	—	30	1221
Aphanochilus blandus	—	58	3091	cærulea	4	74	4407

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Aquilegia cærulea</i> ...	20	90	5477	<i>Araucaria columnaris</i> .	8	78	4635
<i>Canadensis</i> ...	—	7	246	<i>Cookii</i> ...	8	78	4635
<i>formosa</i> ...	37	107	6552	<i>excelsa</i> ...	8	78	4635
<i>Hybrida</i> ...	—	30	1221	<i>Arauja angustifolia</i> ...	20	90	5481
<i>Kanaoriensis</i> ...	9	79	4693	<i>Megapotamica</i> ...	20	90	5481
<i>leptoceras</i> ...	4	74	4407	<i>Arbor Africana</i> ...	6	76	4519
" ...	20	90	5477	<i>Americana</i> ...	—	19	737
" <i>v. chrysantha</i>	29	99	6073	<i>baccifera</i> ...	—	21	813
<i>macrantha</i> ...	4	74	4407	<i>calappides sinensis</i> .	—	57	2963
" ...	20	90	5477	<i>cornigera</i> ...	55	125	7663
<i>Mexicana</i> ...	—	68	3919	<i>cucurbitifera Ameri-</i>			
<i>præcox</i> ...	—	7	246	<i>cana</i> ...	—	62	3430
<i>pumila</i> ...	—	7	246	<i>finium Regundorum</i>	—	35	1456
<i>Sibirica</i> ...	—	30	1221	<i>flore luteo</i> ...	—	59	3191
<i>Skinneri</i> ...	—	68	3919	<i>foliis Rhamni</i> ...	52	122	7509
<i>Virginiana</i> ...	—	7	246	<i>fraxini folio</i> ...	—	27	1066
<i>vulgaris</i> ...	—	30	1221	<i>Javanensis</i> ...	19	89	5359
<i>Arabis Alpina</i> ...	—	7	226	<i>Judæ</i> ...	—	28	1138
<i>blepharophylla</i> ...	30	100	6087	<i>lactaria</i> ...	—	43	1845
<i>Caucasica</i> ...	—	46	2046	<i>mexicana</i> ...	—	35	1456
<i>collina</i> ...	—	57	3021	<i>ragoe Amboinensis</i> .	—	57	2963
<i>nivalis</i> ...	—	67	3805	<i>sinensis</i> ...	—	7	250
<i>nutans</i> ...	—	48	2219	<i>Arbuscula africana</i> ...	—	9	299
<i>pumila</i> ...	—	48	2219	<i>jamaicensis</i> ...	—	45	1971
<i>rosea</i> ...	—	60	3246	<i>mariana</i> ...	—	38	1579
<i>scabra</i> ...	—	48	2219	<i>Arbutus Andrachne</i> ...	—	46	2024
<i>verna</i> ...	—	61	3331	<i>Camarus Theophrasti</i>	—	49	2319
<i>Araça do Brazil</i> ...	54	124	7620	<i>Canariensis</i> ...	—	38	1577
<i>Arachnanthe Clarkeii</i> .	45	115	7077	<i>discolor</i> ...	—	68	3904
<i>Araco aromatico</i> ...	47	117	7167	<i>folio non serrato</i> ...	—	46	2024
<i>Aralia digitata</i> ...	51	121	7402	" <i>serrato</i> ...	—	49	2319
<i>excelsa</i> ...	18	88	5299	<i>furens</i> ...	12	82	4920
(<i>Gynapteina</i>) <i>glom-</i>				<i>mollis</i> ...	7	77	4595
<i>erulata</i> ...	10	80	4804	<i>mucronata</i> ...	—	58	3093
<i>hispida</i> ...	—	27	1085	<i>pilosa</i> ...	—	59	3177
<i>macrophylla</i> ...	27	97	5932	<i>procera</i> ...	—	38	1577
<i>Moorei</i> ...	51	121	7402	<i>punctata</i> ...	12	82	4920
<i>papyrifera</i> ...	12	82	4897	<i>tomentosa</i> ...	—	61	3320
<i>reticulata</i> ...	59	129	7927	<i>unedo</i> ...	—	49	2319
<i>Thibautii</i> ...	34	104	6340	<i>Arctiodracon japonicum</i>	60	130	7937
<i>Araliastrum foliis</i>				<i>Arctostaphylos discolor</i>	—	68	3904
<i>ternis</i> ...	—	33	1333	<i>nitida</i> ...	—	68	3904
" " "	—	33	1334	<i>(see note)</i>	—	68	3927
<i>Fragariæ folio</i> ...	—	33	1334	<i>pungens</i> ...	—	68	3927
<i>Quinquefolii folio</i> ...	—	33	1333	<i>Arctotheca foliis rigi-</i>			
" " "	—	33	1334	<i>dis</i> ...	—	3	90
<i>Arapabaca Brasiliën-</i>				<i>Arctotis Anthemoides</i> .	—	15	544
<i>sibus</i> ...	—	50	2359	<i>aspera v. arborescens</i>	36	106	6528
<i>quadrifolia</i> ...	—	50	2359	" ...	41	111	6835
<i>Arasa do Rio Grande</i> .	54	124	7620	<i>aureola</i> ...	41	111	6835

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Arctotis breviscapa</i> ...	—	47	2182	<i>Argemone Mexicana</i> ...	34	104	6402
<i>Calendula</i> ...	—	48	2252	<i>munita</i> ...	34	104	6402
<i>calendulacea</i> ...	—	48	2252	<i>Argolasia aurea</i> ...	—	39	1596
<i>crithmoides</i> ...	—	58	3042	<i>Argyria canescens</i> ...	51	121	7414
<i>glutinosa</i> ...	—	33	1343	<i>radiata</i> ...	51	121	7414
<i>Gumbletoni</i> ...	57	127	7796	<i>Argyreia Choisyana</i> ...	12	82	4940
<i>paleacea</i> ...	—	58	3042	<i>hirsuta</i> ...	12	82	4940
<i>ramisdecumbentibus</i>	—	3	90	<i>Argyrochæta bipinna-</i>			
<i>revoluta</i> ...	41	111	6835	<i>tifida</i> ...	—	49	2275
<i>speciosa</i> ...	—	47	2182	<i>Argyrocome Africana</i> .	—	20	763
<i>tenuifolia</i> ...	17	87	5252	<i>Argyrorchis javanica</i> ..	45	115	7037
<i>Arcturus creticus</i> ...	—	45	1962	<i>Aria alnifolia</i> ...	57	127	7773
<i>Ardisia acuminata</i> ...	—	40	1678	<i>tiliæfolio</i> ...	57	127	7773
<i>crenata</i> ...	—	45	1950	<i>Ariocarpus retusus</i> ...	49	119	7279
<i>crenulata</i> ...	—	45	1950	<i>Ariopsis peltata</i> ...	2	72	4222
<i>Oliveri</i> ...	34	104	6357	<i>Arisæma abbreviatum</i>	56	126	7700
<i>paniculata</i> ...	—	50	2364	<i>anomalum</i> ...	47	117	7211
<i>solanacea</i> ...	—	40	1677	<i>concinnum</i> ...	27	97	5914
<i>Arduina grandiflora</i> ...	33	103	6307	<i>curvatum</i> ...	27	97	5931
<i>Areca Banksii</i> ...	15	85	5139	<i>erubescens</i> ...	21	91	5496
<i>Baueri</i> ...	24	94	5735	<i>filiforme</i> ...	21	91	5507
<i>exorhiza</i> ...	57	127	7797	<i>fimbriatum</i>	46	116	7150
<i>Micholitzii</i> ...	59	129	7917	<i>flavum</i> ...	56	126	7700
<i>monostachya</i> ...	38	108	6644	<i>galeatum</i> ...	35	105	6457
<i>montana</i> ...	—	67	3874	<i>Griffithii</i> ...	36	106	6491
<i>olivæformis</i> ...	47	117	7202	<i>helleborifolium</i>	27	97	5931
<i>pumila</i> ...	29	99	6025	<i>Hookerianum</i>	36	106	6491
<i>sapida</i> ...	15	85	5139	<i>japonicum</i> ...	59	129	7910
„ ...	24	94	5735	<i>latisectum</i> ...	59	129	7910
<i>sechellarum</i>	49	119	7277	<i>Murrayi</i> ...	4	74	4388
<i>triandra</i> ...	29	99	6025	<i>nepenthoides</i>	35	105	6446
<i>vaginata</i> ...	47	117	7202	<i>papillosum</i> ...	21	91	5496
<i>Arenaria cerastoides</i> ...	26	96	5836	<i>præcox</i> ...	17	87	5267
<i>montana</i> ...	—	28	1118	<i>speciosum</i> ...	28	98	5964
<i>purpurascens</i>	26	96	5836	<i>utile</i> ...	36	106	6474
<i>Arethusa bulbosa</i>	—	48	2204	<i>Wightii</i> ...	21	91	5507
<i>catenata</i> ...	54	124	7630	<i>Wrayi</i> ...	46	116	7105
<i>ciliaris</i> ...	51	121	7450	<i>Arisarum Amboynicum</i>	—	10	339
<i>picta</i> ...	—	38	1562	<i>amboinicum</i>	—	49	2324
<i>sinensis</i> ...	60	130	7935	<i>angustifolium</i>	—	49	2282
<i>Aretia foliis ellipticis</i>	—	45	2021	<i>minus</i> ...	—	24	950
<i>foliis linearibus</i>	—	22	868	<i>proboscideum</i>	38	108	6634
„ <i>ovatis</i>	—	20	743	<i>triphyllum</i> ..	—	24	950
<i>Halleri</i> ...	27	97	5906	<i>vulgare</i> ...	29	99	6023
<i>Argemone alba</i>	—	49	2342	<i>Aristea Capitata</i>	—	17	605
<i>albiflora</i> ...	—	49	2342	<i>Cyanea</i> ...	—	13	458
<i>grandiflora</i> ...	—	58	3073	<i>major</i> ...	—	17	605
<i>hispida</i> ...	34	104	6402	<i>melaleuca</i> ...	—	31	1277
<i>Mexicana</i> ...	—	7	243	<i>Pusilla</i> ...	—	30	1231
„ ...	—	49	2342	<i>Aristolochia altissima</i> .	37	107	6586

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Aristolochia anguicida</i>	4	74	4361	<i>Armeria scorzonerifolia</i>	49	119	7313
<i>arborea</i> ...	18	88	5295	<i>Armerius latifolius</i> ...	—	6	207
<i>barbata</i> ...	26	96	5869	<i>Arnebia echioides</i> ...	4	74	4409
<i>Caracasana</i> ...	34	104	6387	<i>Griffithii</i> ...	17	87	5266
<i>caudata</i> ...	—	66	3769	<i>Arnica Bellidiastrum</i> ..	—	30	1196
<i>ciliata</i> ...	—	66	3756	<i>caule nudo</i>	—	30	1196
<i>clypeata</i> ...	53	123	7512	<i>foliis conjugatis</i> ...	—	42	1749
<i>cordifolia</i> ...	4	74	4368	<i>montana</i>	—	42	1749
<i>dictyantha</i>	26	96	5869	<i>tussilaginea folio</i> ...	18	88	5302
<i>Duchartrei</i> ...	27	97	5880	<i>Arnopogon Dale-</i>			
<i>elegans</i>	42	112	6909	<i>champii</i>	—	39	1623
<i>flore albo</i>	—	49	2340	<i>Arnotta</i>	—	35	1456
<i>Gibertii</i>	18	88	5345	<i>Aroid</i>	50	120	7342
<i>gigantea</i>	2	72	4221	<i>Aronia ovalis</i>	54	124	7619
<i>Gigas</i>	4	74	4368	<i>rotundifolia</i>	—	50	2430
<i>glauca</i>	—	28	1115	<i>Aroy kilampahan</i> ...	13	83	4969
<i>Goldieana</i>	23	93	5672	<i>Arpophyllum spicatum</i>	29	99	6022
<i>grandiflora</i>	4	74	4368	<i>Arracacia esculenta</i> ...	—	58	3092
"	24	94	5700	<i>xanthorhiza</i>	—	58	3092
<i>hians</i>	45	115	7073	<i>Arrhostoxylum acutan-</i>			
<i>labiosa</i>	—	52	2545	<i>gulum</i>	34	104	6382
<i>leuconeura</i>	20	90	5420	<i>Artemisia annua</i>	—	51	2472
<i>longifolia</i>	42	112	6884	<i>biennis</i>	—	51	2472
<i>macradenia</i>	5	75	4467	<i>hispanica</i>	—	51	2472
<i>ornithocephala</i> ...	—	70	4120	<i>Arthropodium Mada-</i>			
<i>ridicula</i>	43	113	6934	<i>gascariense</i>	1	71	4173
<i>ringens</i>	—	52	2545	<i>Arthropodium cirratum</i>	—	49	2350
"	24	94	5700	<i>laxum</i>	40	110	6746
<i>saccata</i>	—	65	3640	<i>neo-caledonicum</i> ...	33	103	6326
<i>scandens</i>	4	74	4368	<i>paniculatum</i>	—	35	1421
<i>sempervirens</i>	—	28	1116	<i>strictum</i>	40	110	6746
<i>Sipho</i>	—	15	534	<i>Arthrosolen anthyl-</i>			
<i>subglauca</i>	—	28	1115	<i>loides</i>	49	119	7303
<i>Thwaitesii</i>	12	82	4918	<i>Arthrosteinma dicran-</i>			
<i>tomentosa</i>	—	33	1369	<i>antherum</i>	21	91	5506
<i>tricaudata</i>	29	99	6067	<i>multiflorum</i>	21	91	5506
<i>trifida</i>	34	104	6387	<i>nitida</i>	—	59	3142
<i>trilobata</i>	34	104	6387	<i>versicolor</i>	—	65	3678
<i>ungulifolia</i>	51	121	7424	<i>Arthrotaxis tetragona</i> .	22	92	5576
<i>Westlandi</i>	44	114	7011	<i>Artischoki sub terra</i> ...	53	123	7545
<i>Aristolotelia racemosa</i> ...	58	128	7868	<i>Artocarpus communis</i> .	—	55	2869
<i>Armeniaca Persicae</i>				<i>heterophylla</i>	—	55	2833
<i>foliis</i>	—	5	161	<i>incisa</i>	—	55	2869
<i>Armeria caespitosa</i> ...	54	124	7596	<i>integrifolia</i>	—	55	2833
<i>cephalotes</i>	—	70	4128	<i>Arum acaule</i>	—	55	2801
"	49	119	7313	<i>ægypticum</i>	50	120	7364
<i>humilis</i>	54	124	7596	<i>Æthiopicum</i>	—	21	832
<i>juniperifolia</i>	54	124	7596	<i>Americanum</i>	—	21	832
<i>latifolia</i>	—	70	4128	"	—	22	836
"	49	119	7313	<i>aphyllum</i>	57	127	7768

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Arum arborescens</i> ...	58	128	7817	<i>Arum venis albis</i> ...	—	50	2432
<i>Arisarum</i> ...	29	99	6023	<i>xanthorrhizon</i> ...	13	83	4989
<i>atro-rubens</i> ...	—	24	950	<i>Arundina bambusae-</i>			
<i>Bicolor</i> ...	—	21	820	<i>folia</i> ...	49	119	7284
„ ...	—	52	2543	<i>Arundinaria falcata</i> ...	60	130	7947
„ ...	16	86	5199	<i>Falconeri</i> ...	60	130	7947
<i>bicolorum</i> ...	—	21	820	<i>Fortunei</i> ...	46	116	7146
<i>bulbiferum</i> ...	—	46	2072	<i>nobilis</i> ...	60	130	7947
„ ...	—	51	2508	<i>Simoni v. varie-</i>			
<i>campanulatum</i>	—	55	2812	<i>gata</i> ...	46	116	7146
<i>caulescens</i> ...	—	52	2606	<i>Arundo Australis</i> ...	32	102	6232
<i>caule erecto</i> ...	—	52	2606	<i>conspicua</i> ...	32	102	6232
„ <i>geniculato</i> ...	—	52	2606	<i>indica latifolia</i> ...	—	13	454
<i>Ceylanicum</i> ...	—	49	2324	<i>Kakao</i> ...	32	102	6232
„ ...	—	55	2812	<i>saccharoides</i> ...	50	120	7352
<i>Colocasia</i> ...	50	120	7364	<i>sagittata</i> ...	50	120	7352
<i>colocasioides</i> ...	50	120	7364	<i>Richardi</i> ...	32	102	6232
„ ...	56	126	7732	<i>No. 5</i> ...	41	111	6811
<i>curvatum</i> ...	27	97	5931	<i>Asarca sinuata</i> ...	59	129	7909
<i>Dracontium</i> ...	28	98	5972	<i>Asarina caule erecto</i> ...	—	35	1424
<i>Dracunculus</i>	59	129	7910	<i>galeata</i> ...	—	23	902
<i>esculentum</i> ...	50	120	7364	<i>procumbens</i> ...	—	23	902
<i>flavum</i> ...	56	126	7700	<i>Asarum canadense</i> ...	—	54	2769
<i>foliis palmatis</i> ...	47	117	7190	<i>Carolinianum</i> ...	—	54	2769
<i>folio lato</i> ...	—	50	2432	<i>caudigerum</i> ...	46	116	7126
<i>grandiflorum</i> ...	50	120	7342	<i>geophilum</i> ...	47	117	7168
<i>grandifolium</i> ...	—	53	2643	<i>latifolium</i> ...	—	54	2769
„ ...	—	61	3345	<i>macranthum</i> ...	44	114	7022
<i>guttatum</i> ...	5	75	4465	<i>maximum</i> ...	52	122	7456
<i>hederacium</i> ...	14	84	5086	<i>Virginicum</i> ...	—	66	3746
<i>humile Zeylanicum</i> .	—	49	2324	„ ...	12	82	4933
<i>italicum</i> ...	—	50	2432	<i>Asclepias aizoides</i> ...	—	1	26
<i>maculatum</i> ...	—	50	2432	<i>Carnosa</i> ...	—	21	788
<i>minus</i> ...	—	24	950	<i>caule erecto</i> ...	—	29	1181
<i>nepenthoides</i> ...	35	105	6446	„ ...	—	39	1628
<i>nymphæifolium</i> ...	50	120	7364	<i>Douglasii</i> ...	4	74	4413
<i>Orixense</i> ...	31	101	6180	<i>ex Virginia</i> ...	—	29	1182
<i>Palæstinum</i> ...	21	91	5509	<i>fruticosa</i> ...	—	39	1628
<i>peltatum</i> ...	50	120	7364	<i>gigantea</i> ...	42	112	6859
<i>polyphyllum</i> ...	47	117	7190	„ ...	42	112	6862
<i>proboscideum</i> ...	38	108	6634	<i>hybrida</i> ...	—	29	1182
<i>sagittifolium</i> ...	13	83	4989	<i>nigra</i> ...	—	50	2390
<i>Seguinum</i> ...	—	52	2606	<i>Nivea</i> ...	—	29	1181
<i>spirale</i> ...	—	48	2220	<i>procera</i> ...	42	112	6859
<i>sylvaticum</i> ..	47	117	7190	<i>setosa</i> ...	53	123	7536
<i>tenuifolium</i> ...	—	49	2282	<i>variegata</i> ...	—	29	1182
<i>Trilobatum</i> ...	—	10	339	<i>vestita</i> ...	—	70	4106
„ <i>v. auriculatum</i>	—	49	2324	<i>Ascyrum magno flore</i> .	—	5	146
<i>Triphyllum v. Zebri-</i>				<i>Asimina triloba</i> ...	26	96	5854
<i>num</i> ...	—	24	950	<i>Asjogam</i> ...	—	57	3018

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Aspalathus Araneosa</i> ..	—	21	829	<i>Aspidistra punctata</i> v.			
<i>arborescens</i>	—	44	1886	<i>albomaculata</i> ...	19	89	5386
<i>arboreus</i>	8	78	4670	<i>typica</i>	52	122	7484
<i>callosa</i>	—	49	2329	<i>Asplenium foetida</i> ...	—	46	2096
<i>carnosa</i>	—	32	1289	<i>Hemionitis</i> ...	12	82	4911
<i>Chenopoda</i>	—	48	2225	<i>Nidus</i> ...	—	58	3101
<i>ciliaris</i>	—	48	2233	<i>palmatum</i> ...	12	82	4911
<i>Cretica</i>	—	52	2576	<i>Astelia Cunninghamii</i>	16	86	5175
<i>frutescens</i>	—	26	1016	<i>furfuracea</i> ...	21	91	5503
<i>Pedunculata</i>	—	10	344	<i>Solandri</i> ...	21	91	5503
<i>Asparagopsis grandiflora</i> ...	56	126	7733	<i>Astelma modestum</i> ...	—	54	2710
<i>scandens</i>	55	125	7675	<i>Aster acuminatus</i> ...	—	54	2707
<i>umbellata</i>	56	126	7733	<i>Africanus</i> ...	—	7	238
<i>Asparagus æthiopicus</i> .	56	126	7728	"	—	7	249
<i>dichotomus</i>	56	126	7733	" v. <i>frutescens</i>	—	23	884
<i>Draco</i>	7	77	4571	"	—	49	2286
<i>falcatus</i>	56	126	7728	"	—	54	2718
<i>grandiflorus</i>	56	126	7733	<i>albescens</i> ...	39	109	6672
<i>Loweii</i>	56	126	7733	<i>Alpinus</i> ...	—	6	199
<i>Medeoloides</i>	22	92	5584	<i>alwartensis</i> ...	—	49	2321
<i>pectinatus</i> ...	55	125	7675	<i>argophyllus</i> ...	—	38	1563
<i>scaber</i>	56	126	7733	<i>artemisiæfolius</i> ...	58	128	7825
<i>scandens</i>	55	125	7675	<i>Bellidiastrum</i> ...	—	30	1196
<i>terminalis</i> ...	—	46	2053	<i>cabulicus</i> ...	39	109	6672
<i>ternifolius</i> ...	56	126	7728	<i>caule ramoso</i> ...	—	7	249
<i>umbellatus</i> ...	56	126	7733	<i>Chenopodii folio</i> ...	54	124	7616
<i>Aspasia epidendroides</i> .	—	68	3962	<i>chinensis</i> ...	54	124	7616
<i>variegata</i> ...	—	65	3679	<i>chrysanthemoides</i> ...	8	78	4624
<i>Asperugo divaricata</i> ...	—	15	515	<i>dentatus</i> ...	28	98	5973
<i>Asperula arcadiensis</i> ...	—	47	2146	<i>diplostephioides</i> ...	39	109	6718
<i>Asphodelus acaulis</i> ...	44	114	7004	<i>ferrugineus</i> ...	28	98	5973
<i>Africanus</i> ...	—	35	1451	"	39	109	6672
<i>albus</i>	—	21	799	<i>fragilis</i> ...	58	128	7825
<i>Altaicus</i> ...	11	81	4870	<i>fruticosus</i> ...	—	54	2718
<i>caule folioso</i> ...	—	20	773	<i>fruticulosus</i> ...	—	49	2286
<i>comosus</i> ...	—	23	913	"	—	54	2718
"	—	37	1539	<i>glacialis</i> ...	56	126	7743
<i>elatior floridanus</i> ...	—	25	985	<i>gymnocephalus</i> ...	37	107	6549
<i>Fistulosus</i> ...	—	25	984	<i>hyssopifolius</i> ...	—	49	2286
<i>foemina</i>	—	20	773	<i>inuloides</i> ...	36	106	6530
<i>foliis fistulosis</i> ...	—	25	984	<i>lævigatus</i> ...	—	57	2995
<i>latifolius</i> ...	—	17	616	<i>leucanthemus</i> ...	58	128	7825
<i>Luteus</i>	—	20	773	<i>liratus</i> ...	—	37	1509
<i>major</i>	—	21	799	<i>maritimus</i> ...	—	49	2286
<i>minor</i>	—	25	984	<i>miser</i> ...	58	128	7825
<i>Ramosus</i> ...	—	21	799	<i>montanus cæruleus</i>	—	6	199
<i>Sibiricus</i> ...	11	81	4870	<i>multiradiatus</i> ...	36	106	6530
<i>tenuior</i> ...	—	53	2626	<i>orientalis</i> ...	—	44	1907
<i>Aspidistra lurida</i> ...	—	51	2499	<i>parviflorus</i> ...	58	128	7825
				<i>parvus æthiopicus</i> ...	—	1	33

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Aster Piccolii</i> ...	55	125	7669	<i>Astranthus cochinchin-</i>			
<i>Reflexus</i> ...	—	23	884	<i>ensis</i> ...	—	53	2659
<i>salsuginosus</i> ...	—	56	2942	<i>Astrantia Africana</i> ...	—	20	775
<i>Sikkimensis</i> ...	7	77	4557	<i>Epipactis</i> ...	54	124	7585
<i>Stracheyi</i> ...	42	112	6912	<i>helleborifolia</i> ...	—	38	1553
<i>tanacetifolius</i> ...	8	78	4624	<i>heterophylla</i> ...	—	38	1553
<i>tenellus</i> ...	—	1	33	<i>maxima</i> ...	—	38	1553
<i>tenuifolius</i> ...	58	128	7825	<i>orientalis</i> ...	—	38	1553
<i>tomentosus</i> ...	28	98	5973	<i>Astrapæa mollis</i> ...	7	77	4578
<i>Townshendii</i> ...	35	105	6430	<i>viscosa</i> ...	6	76	4544
<i>Tradescanti</i> ...	58	128	7825	<i>Wallichii</i> ...	—	51	2503
<i>Virginianus</i> ...	58	128	7825	<i>Astrocaryum aureo-</i>			
<i>Asterostigma Lusch-</i>				<i>pictum</i> ...	49	119	7277
<i>nathianum</i> ...	28	98	5972	<i>Borsignianum</i> ...	49	119	7277
<i>vermitoxicum</i> ...	48	118	7242	<i>rostratum</i> ...	10	80	4773
<i>Asterostoma asperum</i>	14	84	5085	<i>Astroloma humifusum.</i>	—	35	1439
<i>Astilbe chinensis</i> ...	59	129	7880	<i>Astrophytum myrio-</i>			
<i>Davidii</i> ...	59	129	7880	<i>stigma</i> ...	1	71	4177
<i>pinnata</i> ...	59	129	7892	<i>Asystasia Coromande-</i>			
<i>rubra</i> ...	13	83	4959	<i>liana</i> ...	2	72	4248
<i>Astragaloides</i> ...	—	48	2261	<i>quaterna</i> ...	5	75	4449
<i>alpina purpurea</i> ...	—	22	843	<i>scandens</i> ...	5	75	4449
<i>Astragalus albidus</i> ...	—	60	3268	<i>violacea</i> ...	27	97	5882
<i>alopecuroides</i> ...	—	59	3193	<i>Ataccia cristata</i> ...	7	77	4589
<i>Alopecurus</i> ...	—	59	3193	<i>Atamaram</i> ...	—	58	3095
<i>brachycarpus</i> ...	—	49	2335	<i>Athanasia annua</i> ...	—	49	2276
<i>caule erecto</i> ...	—	51	2483	<i>Atractulis</i> ...	—	46	2095
<i>dealbatus</i> ...	—	60	3268	<i>Atractylidis facie</i> ...	—	46	2095
<i>foliis ovatis</i> ...	—	22	843	<i>Atractylis foliis carti-</i>			
<i>glaucus</i> ...	—	60	3268	<i>lagineis</i> ...	—	47	2142
<i>humilis Serpyllifoliis</i>	—	49	2335	<i>Fusus agrestis</i> ...	—	47	2142
<i>linearifolius</i> ...	—	53	2665	<i>oppositifolia</i> ...	—	43	1844
<i>lotoides</i> ...	—	33	1350	<i>Theophrasti et Dios-</i>			
<i>Monspessulanus</i> ...	—	11	375	<i>coridis</i> ...	—	47	2142
<i>montanus</i> ...	—	22	843	<i>vera</i> ...	—	47	2142
<i>onobrychis v. teni-</i>				<i>Atragene Alpina v.</i>			
<i>folius</i> ...	—	53	2665	<i>Austriaca</i> ...	—	15	530
<i>orientalis</i> ...	—	49	2335	<i>alpina</i> ...	—	45	1951
<i>perennis</i> ...	—	30	1198	<i>Americana</i> ...	—	23	887
<i>pilosus</i> ...	—	51	2483	<i>austriaca</i> ...	—	15	530
<i>polycephalus</i> ...	54	124	7622	<i>Capensis</i> ...	—	19	716
<i>ponticus</i> ...	54	124	7622	<i>clematides</i> ...	—	15	530
<i>procumbens</i> ...	—	60	3263	<i>Japonica</i> ...	3	73	4341
<i>purpureus</i> ...	—	11	375	<i>sibirica</i> ...	—	45	1951
<i>Sinicus</i> ...	—	33	1350	<i>Atraphaxis Muschke-</i>			
<i>stipitatus</i> ...	—	50	2380	<i>towi</i> ...	51	121	7435
<i>stipulatus</i> ...	—	50	2380	<i>Atriplex orientalis</i> ...	—	27	1065
<i>tenuifolius</i> ...	—	53	2665	<i>sylvestris</i> ...	—	8	276
<i>vesicarius</i> ...	—	60	3268	<i>Atropa biflora</i> ...	1	71	4192
<i>villosus</i> ...	—	51	2483	<i>foliis geminatis</i> ...	—	19	731

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Atropa physaloides</i> ...	—	51	2458	<i>Babiana Disticha</i> ...	—	17	626
<i>Aucuba Japonica</i> ...	—	30	1197	<i>plicata</i> ...	—	16	576
" " " " " " " " " " " "	21	91	5512	<i>purpurea</i> ...	—	26	1052
<i>Augusta grandiflora</i> ...	5	75	4438	<i>ringens</i> ...	39	109	6667
<i>Aulacophyllum Wal-</i>				<i>Sambucina</i> ...	—	26	1019
<i>lisii</i> ...	46	116	7103	<i>Socotrana</i> ...	37	107	6585
<i>Aurelia Broussonetii.</i>	44	114	7016	<i>Spathacea</i> ...	—	17	638
<i>Aureliana Canadensis.</i>	—	33	1333	<i>Stricta v. erecta</i> ...	—	17	621
<i>Auricula Ursi</i> ...	—	29	1161	" " " " " " " " " " " "	—	17	637
<i>ursi carnei coloris</i> ...	—	24	942	" <i>purpurea</i> ...	—	26	1052
" <i>flore cœruleo</i> ...	—	7	236	<i>Sulphurea</i> ...	—	26	1053
" <i>laciniata</i> ...	—	25	987	<i>Tubiflora</i> ...	—	18	680
" <i>myconi</i> ...	—	7	236	" " " " " " " " " " " "	—	22	847
" <i>quarta</i> ...	—	24	942	<i>Villosa</i> ...	—	16	583
" <i>virginiana</i> ...	—	1	12	<i>Bachhousia myrtifolia</i>	1	71	4133
<i>Avanacu</i> ...	—	48	2209	<i>Bacularia monostachya</i>	38	108	6644
<i>Azadirachta indica</i> ...	—	27	1066	<i>Bæa hygrometrica</i> ...	35	105	6468
<i>Azalia amœna</i> ...	9	79	4728	<i>punctata</i> ...	19	89	5392
<i>calendulacea v. crocea</i>	—	41	1721	<i>violacea</i> ...	12	82	4929
" <i>v. flammea</i>	—	47	2143	<i>Bæckia camphorata</i> ...	—	53	2694
" " " " " " " " " " " "	—	62	3439	<i>Chinensis</i> ...	—	55	2802
" " " " " " " " " " " "	13	83	5005	<i>frutescens</i> ...	—	55	2802
<i>crispiflora</i> ...	9	79	4726	<i>saxicola</i> ...	—	59	3160
<i>dilatata</i> ...	55	125	7681	<i>virgata</i> ...	—	47	2127
<i>hybrida enneandra..</i>	—	49	2308	<i>Bæobotrys indica</i> ...	—	46	2052
<i>indica</i> ...	—	36	1480	<i>Baillonia juncea</i> ...	56	126	7695
" <i>v. plena</i> ...	—	51	2509	<i>Balaustia flore pleno</i> ...	—	43	1832
" " " " " " " " " " " "	—	53	2667	<i>Balbisia peduncularis.</i>	31	101	6170
" " " " " " " " " " " "	—	56	2901	<i>verticillata</i> ...	31	101	6170
" <i>v. aliorum</i> ...	—	60	3239	<i>Balsamina cucumerina</i>			
<i>Japonica</i> ...	27	97	5905	<i>Indica</i> ...	—	51	2455
<i>lapponica</i> ...	—	58	3106	<i>fasciculata</i> ...	8	78	4631
<i>ledifolia</i> ...	—	56	2901	<i>heterophylla</i> ...	8	78	4631
" <i>v. phœnicea</i>	—	60	3239	<i>Balsamita grandiflora.</i>	59	129	7886
<i>linearifolia</i> ...	25	95	5769	<i>Balsamum Alpinum</i> ...	—	43	1853
<i>mollis</i> ...	27	97	5905	<i>Bambusa Simoni</i> ...	46	116	7146
<i>myrtifolia</i> ...	14	84	5064	<i>striata</i> ...	30	100	6079
<i>nudiflora v. Coccinea</i>	—	5	180	<i>Bamia Manihot</i> ...	57	127	7752
" <i>v. scintillans</i>	—	65	3667	<i>Ban arbor</i> ...	—	32	1303
<i>occidentalis</i> ...	13	83	5005	<i>Bandura Zingalensium</i>	—	55	2798
<i>ovata</i> ...	14	84	5064	<i>Banisteria bonariensis</i>	38	108	6623
<i>Pontica</i> ...	—	13	433	<i>chrysophylla</i> ...	—	60	3237
" <i>v. albiflora</i> ...	—	50	2383	<i>Banksia æmula</i> ...	—	53	2671
<i>serpyllifolia</i> ...	52	122	7503	<i>aspleniifolia</i> ...	—	55	2803
<i>sinensis</i> ...	27	97	5905	<i>Dilleniæfolia</i> ...	—	50	2406
<i>Azara Gilliesii</i> ...	16	86	5178	<i>ericæfolia</i> ...	—	19	738
<i>Azaroli species ramis</i>				<i>integrifolia</i> ...	—	54	2770
<i>spinescentibus</i> ...	—	49	2314	<i>latifolia</i> ...	—	50	2406
<i>Azedarach</i> ...	—	27	1066	<i>littoralis</i> ...	—	58	3060
<i>Azorella lanceolata</i> ...	—	61	3334	<i>marcescens</i> ...	—	55	2803

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Banksia marginata</i> v.				<i>Bartonia decapetala</i> ...	—	36	1487
<i>microstachya</i> ...	—	45	1947	<i>nuda</i> ...	20	90	5483
<i>media</i> ...	—	58	3120	<i>Basella tuberosa</i> ...	7	77	4617
<i>microstachya</i> ...	—	45	1947	<i>Baselman major</i> ...	—	24	940
<i>occidentalis</i> ...	—	63	3535	<i>Basilæa coronata</i> ...	—	27	1083
<i>oleæfolia</i> ...	—	54	2770	<i>nana</i> ...	—	36	1495
<i>præmorsa</i> ...	—	55	2803	<i>punctata</i> ...	—	37	1539
<i>Robur</i> ...	—	50	2406	<i>Basteria foliis ovatis</i> ..	—	14	503
<i>serræfolia</i> ...	—	53	2671	<i>Basyleophyta Frederici-</i>			
<i>serrata</i> ...	—	53	2671	<i>Augusti</i> ...	14	84	5089
<i>serratifolia</i> ...	—	53	2671	<i>Batemanian Burtii</i> ...	28	98	6003
<i>speciosa</i> ...	—	58	3052	<i>Colleyi</i> ...	—	67	3818
" ...	12	82	4906	<i>grandiflora</i> ...	22	92	5567
<i>spicata</i> ...	—	54	2770	<i>Batschia canescens</i> ...	4	74	4389
<i>uncigera</i> ...	—	50	2406	<i>conspicua</i> ...	4	74	4389
<i>Victoriæ</i> ...	12	82	4906	<i>Battatas de Canada</i> ...	53	123	7545
<i>Baobab</i> ...	—	55	2791	<i>Bauera Rubioides</i> .	—	19	715
<i>Baptisia bracteata</i> ...	27	97	5900	<i>Bauhinia acuminata</i> ...	58	128	7866
<i>leucophœa</i> ...	27	97	5900	<i>candida</i> ...	41	111	6818
<i>perfoliata</i> ...	—	58	3121	" ...	49	119	7312
<i>Barba Jovis</i> ...	—	44	1927	" ...	58	128	7866
<i>Jovis Cretica</i> ...	—	52	2576	<i>corymbosa</i> ...	38	108	6621
" <i>cytisifolio</i> ...	—	27	1092	<i>foliis bilobis</i> ...	—	41	1708
" <i>triphylla</i> ...	—	25	990	<i>forficata</i> ...	—	66	3741
<i>Barbacenia purpurea</i> .	—	54	2777	<i>Galpini</i> ...	52	122	7494
<i>squamata</i> ...	1	71	4136	<i>natalensis</i> ...	30	100	6086
<i>Barbula sinensis</i> ...	41	111	6799	<i>non aculeata</i> ...	—	41	1708
<i>Barkeria elegans</i> ...	10	80	4784	<i>petiolata</i> ...	33	103	6277
<i>Lindleyana</i> ...	30	100	6098	<i>porrecta</i> ...	—	41	1708
<i>spectabilis</i> ...	—	70	4094	<i>purpurea</i> ...	49	119	7312
<i>Barleria cristata</i> ...	—	39	1615	<i>scandens</i> ...	38	108	6621
<i>flava</i> ...	—	70	4113	<i>tomentosa</i> v. <i>glabra</i>	22	92	5560
<i>Gibsoni</i> ...	23	93	5628	<i>variegata</i> ...	41	111	6818
<i>Mackenii</i> ...	26	96	5866	" v. <i>candida</i>	49	119	7312
<i>mitis</i> ...	—	70	4113	<i>yunnanensis</i> ...	58	128	7814
<i>repens</i> ...	43	113	6954	<i>Bay-Berry-Tree</i> ...	—	30	1236
<i>Barnadesia rosea</i> ...	2	72	4232	<i>Beatonia lutea</i> ...	33	103	6295
<i>Barnardia scilloides</i> ...	—	66	3788	<i>purpurea</i> ...	50	120	7356
<i>Barosma crenulata</i> ...	—	62	3413	<i>Beaufortia Dampieri</i> ...	—	60	3272
<i>Barringtonia acutangula</i>	50	120	7337	<i>decussata</i> ...	—	42	1733
<i>excelsa</i> ...	50	120	7337	<i>sparsa</i> ...	48	118	7231
<i>insignis</i> ...	50	120	7337	<i>splendens</i> ...	48	118	7231
<i>racemosa</i> ...	—	67	3831	<i>Beaumontia grandiflora</i>	—	60	3213
" ...	50	120	7337	<i>Beetle Codi</i> ...	—	59	3132
<i>samoensis</i> ...	50	120	7337	<i>Befaria Æstuans</i> ...	10	80	4818
<i>Bartholina Burman-</i>				<i>glauca</i> ...	42	112	6893
<i>niana</i> ...	51	121	7450	<i>Mathewsii</i> ...	13	83	4981
<i>Lindleyana</i> ...	51	121	7450	<i>phillyreæfolia</i> ...	13	83	4981
<i>pectinata</i> ...	51	121	7450	<i>Begonia acuminata</i> ...	—	69	4025
<i>Bartonia aurea</i> ...	—	65	3649	<i>albo-coccinea</i> ...	1	71	4172

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Begonia angularis</i> ...	58	128	7842	<i>Begonia minor</i> ...	—	69	4046
<i>attenuata</i> ...	29	99	6039	<i>monoptera</i> ...	—	64	3564
<i>baccata</i> ...	22	92	5554	<i>multinerva</i> ...	17	87	5256
<i>Baumannii</i> ...	53	123	7540	<i>Natulensis</i> ...	11	81	4841
<i>Beddomei</i> ...	40	110	6767	<i>nigro-venia</i> ...	17	87	5256
<i>biserrata</i> ...	9	79	4746	<i>nitida</i> ...	—	69	4046
<i>Boliviensis</i> ...	23	93	5657	<i>obliqua</i> ...	—	69	4046
<i>Bowringiana</i> ...	16	86	5182	<i>octopetala</i> ...	—	64	3559
<i>cinnabarina</i> ...	5	75	4483	<i>papillosa</i> ...	—	55	2846
<i>Clarkei</i> ...	23	93	5675	<i>parvifolia</i> ...	—	66	3720
<i>coccinea</i> ...	—	69	3990	<i>Pearcei</i> ...	21	91	5545
<i>crenulata</i> ...	58	128	7842	<i>phyllomaniaca</i> ...	17	87	5254
<i>crinita</i> ...	27	97	5897	<i>picta</i> ...	—	57	2962
<i>cyclophylla</i> ...	43	113	6926	„ ...	15	85	5102
<i>Davisii</i> ...	32	102	6252	<i>platanifolia</i> ...	—	64	3591
<i>de Cochabamba</i> ...	53	123	7540	<i>prismatocarpa</i> ...	18	88	5307
<i>dipetala</i> ...	—	55	2849	<i>punctata</i> ...	13	83	4983
<i>diversifolia</i> ...	—	57	2966	<i>purpurea</i> ...	—	69	4046
<i>Evansiana</i> ...	—	36	1473	<i>reniformis</i> ...	—	60	3225
„ ...	55	125	7673	<i>Rex</i> ...	15	85	5101
<i>falcifolia</i> ...	24	94	5707	<i>rosæflora</i> ...	23	93	5680
<i>Fischeri</i> ...	—	63	3532	<i>rubricaulis</i> ...	—	70	4131
<i>frigida</i> ...	16	86	5160	<i>rubro-venia</i> ...	9	79	4689
<i>fuchsioides</i> ...	3	73	4281	<i>sanguinea</i> ...	—	63	3520
<i>geraniifolia</i> ...	—	62	3387	<i>scabrida</i> ...	50	120	7347
<i>geranioides</i> ...	22	92	5583	<i>Scharffii</i> ...	44	114	7028
<i>glandulifera</i> ...	24	94	5695	<i>semperflorens</i> ...	—	56	2920
<i>glandulosa</i> ...	17	87	5256	<i>sinensis</i> ...	55	125	7673
<i>glaucophylla</i> ...	48	118	7219	<i>sinuata</i> ...	—	66	3731
<i>Griffithii</i> ...	13	83	4984	<i>Socotrana</i> ...	37	107	6555
<i>hastata</i> ...	58	128	7842	<i>Sutherlandi</i> ...	24	94	5689
<i>Hemsleyana</i> ...	55	125	7685	<i>Thwaitesii</i> ...	9	79	4692
<i>heracleifolia</i> ...	—	62	3444	<i>umbraculifera</i> ...	52	122	7457
„ <i>v. nigricans</i> ...	13	83	4983	<i>undulata</i> ...	—	54	2723
<i>herbacea</i> ...	29	99	6039	<i>urophylla</i> ...	11	81	4855
<i>hernandiæfolia</i> ...	8	78	4676	<i>Veitchii</i> ...	23	93	5663
<i>hirta</i> ...	—	57	2962	<i>venosa</i> ...	55	125	7657
<i>hydrocotylifolia</i> ...	—	69	3968	<i>Wageneriana</i> ...	13	83	4988
<i>insignis</i> ...	—	56	2900	„ ...	14	84	5047
<i>Johnstoni</i> ...	42	112	6899	<i>xanthina</i> ...	8	78	4683
<i>Koezlii</i> ...	40	110	6758	„ <i>v. Lazuli</i> ...	15	85	5107
<i>Kunthiana</i> ...	17	87	5284	„ <i>v. pictifolia</i> ...	15	85	5102
<i>laciniata</i> ...	13	83	5021	<i>zebrina</i> ...	58	128	7842
<i>Lazuli</i> ...	15	85	5107	<i>Bejaria coarctata</i> ...	5	75	4433
<i>longipes</i> ...	—	57	3001	<i>Belantheria Belvisiana</i> ...	9	79	4717
<i>lucida</i> ...	17	87	5284	<i>Lamium</i> ...	9	79	4717
<i>Lyncheana</i> ...	40	110	6758	<i>Vogeliana</i> ...	9	79	4717
<i>Mannii</i> ...	20	90	5434	<i>Belis jacutifolia</i> ...	—	54	2743
<i>Meyerii</i> ...	—	70	4100	<i>Bellevalia monophylla</i> ...	58	128	7843
<i>microptera</i> ...	13	83	4974	<i>muscaroides</i> ...	58	128	7843

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Bellevalia paradoxa</i> ...	59	129	7873	<i>Berberis cretica</i> ...	38	108	6646
<i>pseudo-muscari</i> ...	59	129	7873	<i>Darwinii</i> ...	7	77	4590
<i>Bellevallia azurea</i> ...	41	111	6822	<i>dictyophylla</i> ...	58	128	7833
<i>Bellidiastrum alpinum</i>	—	30	1196	<i>dulcis</i> ...	36	106	6505
<i>Bellis Africana</i> ...	17	87	5252	<i>elegans</i> ...	45	115	7075
<i>annua</i> ...	—	47	2174	<i>fascicularis</i> ...	—	50	2396
<i>cærulea</i> ...	—	48	2256	<i>glumacea</i> ...	—	68	3949
<i>hortensis</i> ...	—	7	228	<i>ilicifolia</i> ...	3	73	4308
<i>integrifolia</i> ...	—	62	3455	<i>Japonica</i> ...	11	81	4852
<i>Leucanthemum an-</i>				<i>lagenaria</i> ...	3	73	4308
<i>nuum</i> ...	—	47	2174	<i>Lycium</i> ...	45	115	7075
<i>major</i> ...	—	30	1196	<i>nervosa</i> ...	—	68	3949
<i>maritima</i> ...	—	47	2174	<i>pinnata</i> ...	—	50	2396
<i>media</i> ...	—	30	1196	<i>sinensis</i> ...	37	107	6573
<i>minima</i> ...	—	47	2174	" ...	38	108	6646
<i>minor</i> ...	—	7	228	<i>sp.</i> ...	46	116	7116
" ...	—	47	2174	<i>Thunbergii</i> ...	38	108	6646
<i>Perennis v. major</i> ...	—	7	228	<i>virescens</i> ...	46	116	7116
<i>polyclonos</i> ...	—	49	2276	<i>Wallichiana</i> ...	8	78	4656
<i>rotundifolia v. cœru-</i>				<i>Berkheya ciliaris</i> ...	—	46	2095
<i>lescens</i> ...	29	99	6015	<i>fruticosa</i> ...	—	43	1844
<i>sylvestris</i> ...	—	30	1196	<i>grandiflora</i> ...	—	43	1844
" ...	—	51	2511	<i>uniflora</i> ...	—	46	2094
<i>Belonites succulenta</i> ...	21	91	5543	<i>Bergkias</i> ...	—	25	1004
<i>Beloperone ciliata</i> ...	27	97	5888	<i>Berkheya Adlami</i> ...	53	123	7514
<i>violacea</i> ...	17	87	5244	<i>Berlandiera pumila</i> ...	55	125	7680
<i>Belutta-areli</i> ...	—	43	1799	<i>tomentosa</i> ...	55	125	7680
" ...	—	46	2032	<i>Bermudiana bulbosa</i> ...	—	51	2496
<i>-Kaka-Kodi</i> ...	52	122	7492	<i>cærulea</i> ...	48	118	7249
<i>-poli-tali</i> ...	—	27	1073	<i>capensis</i> ...	—	13	458
<i>-pola-taly</i> ...	—	48	2208	<i>graminea</i> ...	—	13	464
<i>Belvidere</i> ...	—	20	754	<i>iridis folio</i> ...	—	3	94
<i>Bem-Schetti</i> ...	—	51	2505	<i>palmae folio</i> ...	—	18	655
<i>Benthamia fragifera</i> ...	8	78	4641	<i>Bertolonia guttata</i> ...	21	91	5524
<i>Berberidopsis corallina</i>	18	88	5343	<i>maculata</i> ...	6	76	4551
<i>Berberis angulosa</i> ...	45	115	7071	<i>primulæflora</i> ...	26	96	5818
<i>aristata</i> ...	—	52	2549	<i>Beschorneria bracteata</i>	38	108	6641
<i>atro-virens</i> ...	8	78	4656	<i>Decosteriana</i> ...	40	110	6768
<i>aurahuacensis</i> ...	45	115	7075	<i>Tonellii</i> ...	30	100	6091
<i>Bealei</i> ...	11	81	4852	<i>tubiflora</i> ...	8	78	4642
" <i>v. planifolia</i> ...	11	81	4846	" ...	38	108	6641
<i>Belstaniana</i> ...	46	116	7116	<i>Wrightii</i> ...	57	127	7779
<i>buxifolia</i> ...	36	106	6505	<i>yuccoides</i> ...	16	86	5203
<i>Chinensis</i> ...	37	107	6573	<i>Besleria bicolor</i> ...	2	72	4216
" ...	38	108	6646	<i>dichrons</i> ...	2	72	4216
<i>chitria</i> ...	—	52	2549	<i>Imray</i> ...	34	104	6341
<i>concinna</i> ...	9	79	4744	<i>inodora</i> ...	7	77	4583
<i>congestiflora</i> ...	40	110	6770	<i>Melissæ Tragi folio</i> .	9	79	4720
<i>congestifolia v.</i>				<i>melittæfolia</i> ...	9	79	4720
<i>hakeoides</i> ...	40	110	6770	<i>Pulchella</i> ...	—	28	1146

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Besleria scandens ...	—	57	3037	Bignonia spectabilis ...	—	46	2050
umbellata ...	—	28	1146	Stans ...	—	59	3191
Betonica Grandiflora..	—	19	700	Telfairiæ ...	—	57	2976
incana ...	—	47	2125	tomentosa ...	8	78	4666
italica ...	—	47	2125	tulipifera ...	15	85	5091
lævigata ...	35	105	6405	uncata ...	—	37	1511
Beureria petaliscoriaceis	—	14	503	urucu foliis ...	—	27	1094
Biakf Mondo...	—	27	1063	venusta ...	—	46	2050
Bicucullata canadensis	—	28	1127	Bikukulla chrysantha	60	130	7954
Bidens caroliniana ...	—	51	2451	Billardiera fusiformis .	—	63	3523
crocata ...	—	39	1627	longiflora ...	—	37	1507
frutescens ...	—	46	2062	mutabilis ...	—	32	1313
scandens ...	—	46	2062	Scandens ...	—	21	801
striata ...	—	59	3155	Billbergia Baraquiniana	43	113	6937
succisæ folio ...	—	51	2451	bivittata ...	17	87	5270
Bifrenaria aurantiaca .	—	64	3597	cruenta ...	—	56	2892
bella ...	38	108	6628	decora ...	43	113	6937
Dallemagnei ...	52	122	7461	Euphemiæ... ..	38	108	6632
Hadwenii ...	8	78	4629	Liboniana ...	14	84	5090
tyrianthina ...	52	122	7461	macrocalyx ...	15	85	5114
Bigenonia sempervirens	58	128	7851	musaica ...	39	109	6675
Bignonia albida ...	2	72	4236	nutans ...	35	105	6423
Americana ...	—	22	864	olens ...	21	91	5502
" ...	—	27	1094	pallescens ...	34	104	6342
buccinatoria ...	53	123	7516	pallida ...	34	104	6342
Capreolata... ..	—	22	864	polystachya ...	20	90	5447
" v. atro-san-				Porteana ...	39	109	6670
guinea	36	106	6501	purpureo-rosea ...	—	61	3304
Catalpa ...	—	27	1094	rhodocyanea ...	11	81	4883
" ...	38	108	6611	sphacelata ...	23	93	5647
Chamberlaynii ...	—	47	2148	Thyrsoidea ...	9	79	4756
Cherere ...	53	123	7516	vittata ...	17	87	5270
chinensis ...	—	34	1398	Wetherelli... ..	11	81	4835
Colei ...	—	55	2817	Wiotiana ...	34	104	6342
comosa ...	2	72	4210	Bircherosia Munbyana	14	84	5087
crucigera ...	36	106	6501	Biscutella Hispida ...	—	51	2444
foliis ovati-lanceo-				Bixa orellana ...	—	35	1456
latis ...	58	128	7851	Oviedi ...	—	35	1456
fruticosa ...	—	59	3191	Blakea foliis ellipticis	—	13	451
fulva ...	12	82	4896	Trinervia ...	—	13	451
grandiflora ...	—	34	1398	Blandfordia aurea ...	25	95	5809
" ...	—	57	3011	cordata ...	—	20	754
Kerere ...	53	123	7516	Cunninghamii ...	24	94	5734
Pandoræ ...	—	22	865	flammea ...	10	80	4819
pandorana ...	—	22	865	" v. princeps	32	102	6209
pandorea ...	—	22	865	nobilis ...	—	45	2003
purpurea ...	25	95	5800	princeps ...	32	102	6209
Radicans ...	—	14	485	Blattaria flore pur-			
rugosa ...	46	116	7124	pureo ...	—	23	885
speciosa ...	—	68	3888	perennis ...	—	23	885

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Blattaria purpurea ...	—	23	885	Bolbophyllum Rhizo-			
Blechnum Lanceola ...	—	60	3240	phoræ ...	18	88	5309
lanceolatum ...	—	60	3240	umbellatum ...	2	72	4267
longifolium ...	—	55	2818	Boldea fragrans ...	44	114	7024
Blepharipappus glan-				Boldoa fragrans ...	44	114	7024
dulosus ...	42	112	6856	Bollea cœlestis ...	35	105	6458
Bletia acutipetala ...	—	60	3217	Lalindei ...	33	103	6331
autumnalis ...	—	67	3817	Boltonia asteroides ...	—	52	2554
flava ...	—	68	3960	glastifolia ...	—	50	2381
graminifolia ...	49	119	7284	Bomarea acutifolia v.			
grandiflora ...	23	93	5667	punctata ...	—	67	3871
longipes ...	53	123	7541	acutifolia v. Ehrhen-			
Masuca ...	6	76	4541	bergiana ...	35	105	6444
Parkinsoni ...	—	66	3736	Caldasiana ...	20	90	5442
patula ...	—	63	3518	chontalensis ...	27	97	5927
præstans ...	21	91	5498	conferta ...	39	109	6692
Shepherdii ...	—	61	3319	densiflora ...	21	91	5531
Sherrattiana ...	23	93	5646	frondea ...	48	118	7247
speciosa ...	23	93	5667	patacocensis ...	39	109	6692
Tankervillæ ...	—	44	1924	Simplex ...	—	67	3863
tuberculosa ...	49	119	7307	Bombax carolinoides ...	—	34	1412
Woodfordii ...	—	54	2719	occidentale ...	—	61	3360
" ...	—	68	3960	pentandrum ...	—	61	3360
Blitum africanum ...	—	50	2376	Bon arbor ...	—	32	1303
americanum ...	—	24	931	Bonatea speciosa ...	—	56	2926
Virgatum ...	—	8	276	Bongardia Chrysogo-			
Bloomeria aurea ...	27	97	5896	num ...	32	102	6244
Blumenbachia chuqui-				Olivieri ...	32	102	6244
tensis ...	31	101	6143	Rauwolfii ...	32	102	6244
(Caiophora) contorta	30	100	6134	Borago laxiflora ...	—	43	1798
insignis ...	—	55	2865	minor ...	—	1	7
multifida ...	—	64	3599	Zeylanica ...	10	80	4820
Bocconia cordata ...	—	44	1905	Borbonia cordata ...	—	47	2128
Boguldea erecto flore	—	25	1009	Crenata ...	—	8	274
Bohea laxa ...	—	59	3148	ruscifolia ...	—	47	2128
Bolbo vomitorio ...	—	19	734	villosa ...	—	60	3216
Bolbophyllum barba-				Boronia anemonifolia	—	70	4052
tum ...	17	87	5288	crenulata ...	—	68	3915
barbigerum ...	17	87	5288	elatior ...	33	103	6285
Beccarii ...	37	107	6567	Fraseri ...	—	70	4052
Calamaria ...	—	70	4088	heterophylla v. bre-			
Careyanum ...	1	71	4166	vipes ...	41	111	6845
cupreum ...	18	88	5316	megastigma ...	29	99	6046
Dayanum ...	30	100	6119	pinnata ...	—	42	1763
lemniscatum ...	28	98	5961	semifertilis ...	33	103	6285
Lobbii ...	6	76	4532	tristis ...	29	99	6046
Neilgherrense ...	14	84	5050	Borrago crassifolia ...	42	112	6870
pavimentatum ...	18	88	5329	Bossiaea heterophylla	—	28	1144
psittacoglossum ...	19	89	5408	Lanceolata ...	—	28	1144
reticulatum ...	22	92	5605	linophylla ...	—	51	2491

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Bossiæa prostrata</i> ...	—	36	1493	<i>Branca ursina</i>			
<i>scolopendra</i> ...	—	30	1235	<i>aculeata</i> ...	—	43	1808
<i>tenuicaulis</i> ...	—	68	3895	<i>Brandonia</i> ...	47	117	7203
<i>virgata</i> ...	—	69	3986	<i>Brassaiopsis confluens</i>	44	114	7008
<i>Botan.</i> ...	—	29	1154	<i>Brassavola cordata</i> ...	—	66	3782
<i>Bothriochilus bellus</i> ...	38	108	6628	<i>cuspidata</i> ...	—	66	3722
<i>Botryanthus paradoxus</i>	59	129	7873	<i>Digbyana</i> ...	5	75	4474
<i>Botrychium dauci-</i>				<i>elegans</i> ...	—	58	3098
<i>folium</i> ...	18	88	5340	<i>glauca</i> ...	—	69	4033
<i>subcarnosum</i> ...	18	88	5340	<i>lineata</i> ...	9	79	4734
<i>Botryodendron lati-</i>				<i>nodosa</i> ...	—	60	3229
<i>folium</i> ...	27	97	5932	<i>Perrinii</i> ...	—	66	3761
<i>Botryogramme Kar-</i>				<i>tuberculata</i> ...	—	56	2878
<i>winskii</i> ...	16	86	5159	<i>venosa</i> ...	—	69	4021
<i>Boucerosia campanulata</i>	49	119	7274	<i>Brassia caudata</i> ...	—	62	3451
<i>Maroccana</i> ...	30	100	6137	<i>Lanceana</i> ...	—	64	3577
<i>umbellata</i> ...	49	119	7274	,, <i>v. viridiflora</i>	—	66	3794
<i>Bouchea pseudogervaoi</i>	32	102	6221	<i>Lawrenciana v. long-</i>			
<i>Bougainvillæa glabra</i>	10	80	4811	<i>issima</i> ...	25	95	5748
<i>Peruviana</i> ...	10	80	4811	<i>maculata</i> ...	—	41	1691
<i>pomacea</i> ...	10	80	4811	<i>Wrayæ</i> ...	—	69	4003
<i>spectabilis</i> ...	10	80	4811	<i>Brassica arvensis</i> ...	—	57	3007
<i>virescens</i> ...	10	80	4811	<i>moriciandoides</i> ...	12	82	4947
<i>Boussingaultia basel-</i>				<i>suffruticosa</i> ...	—	57	3007
<i>loides</i> ...	—	64	3620	<i>Bravoia Bulliana</i> ...	51	121	7427
<i>Bouvardia longiflora</i> ...	2	72	4223	<i>geminiflora</i> ...	9	79	4741
<i>splendens</i> ...	—	66	3781	<i>Bredia hirsuta</i> ...	38	108	6647
<i>triphylla</i> ...	—	43	1854	<i>Brevoortia Ida-maia</i> ...	26	96	5857
<i>Bowenia spectabilis</i> ...	19	89	5398	<i>Brillantaisia Owarien-</i>			
"	28	98	6008	<i>sis</i> ...	9	79	4717
<i>Bowiea volubilis</i> ...	23	93	5619	<i>Briza maxima</i> ...	—	10	357
<i>Brachychiton Bidwilli</i>	15	85	5133	<i>Brodiaea capitata</i> ...	27	97	5912
<i>discolor</i> ...	38	108	6608	<i>coccinea</i> ...	26	96	5857
<i>Brachycome iberidi-</i>				<i>coronaria</i> ...	—	56	2877
<i>folia</i> ...	—	67	3876	<i>Douglasii</i> ...	42	112	6907
<i>xanthocomoides</i> ...	—	62	3455	<i>grandiflora</i> ...	—	56	2877
<i>Brachyloma erianthum</i>	59	129	7907	(Triteleia) <i>Howellii</i> .	44	114	6989
<i>Brachytum confertum</i>	29	99	6018	<i>Ixioides</i> ...	—	50	2382
<i>Brachypappus Smithii</i>	53	123	7531	<i>multiflora</i> ...	28	98	5989
<i>Brachysema aphyllum</i>	5	75	4481	<i>parviflora</i> ...	28	98	5989
<i>lanceolatum</i> ...	8	78	4652	<i>volubilis</i> ...	30	100	6123
<i>latifolium</i> ...	—	45	2008	<i>Bromelia Ananas</i>	—	38	1554
<i>melanopetalum</i> ...	30	100	6114	<i>cruenta</i> ...	—	56	2892
<i>undulatum</i> ...	30	100	6114	<i>Desmetiana</i>	50	120	7340
<i>Brachyspatha sylvatica</i>	47	117	7190	<i>longifolia</i> ...	46	116	7148
<i>zeylanica</i> ...	47	117	7190	<i>Mertensii</i> ...	—	59	3186
<i>Brachystelma Barberiæ</i>	22	92	5607	<i>nudicaulis</i> ...	—	42	1732
<i>crispum</i> ...	—	57	3016	<i>pyramidalis</i>	—	42	1732
<i>tuberosa</i> ...	—	49	2343	<i>pyramidata</i>	—	42	1732
(see note)	—	49	2355	<i>sphacelata</i> ...	23	93	5647

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Bromelia sylvestris</i> ...	—	50	2392	<i>Buchnera Viscosa</i> ...	—	7	217
<i>zebrina</i> ...	—	53	2686	<i>Buchneria coccinea</i> ...	—	11	374
<i>Bromheadia palustris</i> .	—	69	4001	<i>Buchozia coprosmoides</i>	—	11	361
<i>Broughtonia amæna</i> ...	—	68	3921	<i>Bucklandia populnea</i> ..	36	106	6507
<i>coccinea</i> ...	—	63	3536	<i>Buddleia brasiliensis</i> ...	—	54	2713
<i>sanguinea</i> ...	—	58	3076	<i>connata</i> ...	—	55	2853
" ...	—	63	3536	<i>Globosa</i> ...	—	5	174
<i>Broussonetia papyri-</i>				<i>madagascariensis</i> ...	—	55	2824
<i>fera</i> ...	—	50	2358	<i>Buddleia asiatica</i> ...	33	103	6323
<i>Browallia Demissa</i> ...	—	28	1136	<i>Colvilei</i> ...	51	121	7449
<i>elata</i> ...	—	1	34	<i>crispa</i> ...	10	80	4793
<i>grandiflora</i> ...	—	58	3069	<i>discolor</i> ...	33	103	6323
<i>Jamesoni</i> ...	7	77	4605	<i>Neemda</i> ...	33	103	6323
<i>speciosa</i> ...	3	73	4339	<i>salicina</i> ...	33	103	6323
<i>Brownea antioquensis</i> .	45	115	7033	<i>subserrata</i> ...	33	103	6323
<i>Ariza</i> ...	36	106	6469	<i>sundaica</i> ...	33	103	6323
<i>Birschellii</i> ...	28	98	5998	<i>variabilis</i> ...	54	124	7609
<i>coccinea</i> ...	—	69	3964	<i>virgata</i> ...	33	103	6323
<i>grandiceps</i> ...	11	81	4839	<i>Buena latifolia</i> ...	32	102	6239
<i>macrophylla</i> ...	45	115	7033	<i>obtusifolia</i> ...	32	102	6239
<i>Princeps</i> ...	36	106	6469	<i>Buergeria stellata</i> ...	34	104	6370
<i>Brownleea cœrulea</i> ...	49	119	7309	<i>Buffel-Horn</i> ...	—	49	2339
<i>macroceras</i> ...	49	119	7309	<i>Buglossum angusti-</i>			
<i>madagascarica</i> ...	49	119	7309	<i>folium</i> ...	—	44	1897
<i>Brugmansia eximia</i> ...	15	85	5092	" ...	—	48	2197
<i>floribunda</i> ...	—	70	4118	<i>Barrelieri</i> ...	—	49	2349
<i>parviflora</i> ...	—	70	4118	<i>foliis linguiformibus</i>			
<i>Brunella cœrulea</i> ...	—	45	2014	<i>asperis</i> ...	—	48	2197
<i>foliis ovatis</i> ...	—	45	2014	<i>italicum flore cœruleo</i>	—	48	2197
<i>magno flore</i> ...	—	45	2014	<i>lusitanicum</i> ...	—	47	2119
<i>Brunfelsia Americana</i> .	—	11	393	<i>orientale</i> ...	—	15	515
<i>calycina</i> ...	7	77	4583	" ...	—	39	1608
<i>flore albo</i> ...	—	11	393	<i>sylvestre</i> ...	—	39	1608
<i>nitida v. Jamaicensis</i>	3	73	4287	" ...	—	44	1897
<i>Brunsvigia falcata</i> ...	—	35	1443	" <i>minus</i> ...	—	49	2349
<i>Josephinæ</i> ...	—	52	2578	<i>vulgare</i> ...	—	48	2197
<i>multiflora</i> ...	—	39	1619	<i>Buke</i> ...	—	18	692
<i>Brya arborescens</i> ...	8	78	4670	<i>Bulbine asiatica</i> ...	—	27	1073
<i>Ebenus</i> ...	8	78	4670	<i>australis</i> ...	—	57	3017
<i>Bryonia quinqueloba</i> ..	—	43	1820	<i>caulescens</i> ...	—	21	816
<i>Bryophyllum calyci-</i>				<i>Mackenii</i> ...	28	98	5955
<i>num</i> ...	—	34	1409	<i>semibarbata</i> ...	—	59	3129
<i>crenatum</i> ...	58	128	7856	<i>Bulbocodium peduncu-</i>			
<i>proliferum</i> ...	15	85	5147	<i>lis nudis</i> ...	—	30	1225
<i>Bubon Galbanum</i> ...	—	51	2489	<i>Sp.</i> ...	29	99	6012
<i>Bucanephyllon Ameri-</i>				<i>trigynum</i> ...	—	65	3690
<i>canum</i> ...	—	22	849	<i>vernum</i> ...	—	5	153
<i>elatius</i> ...	—	20	780	<i>Bulbophyllum aurico-</i>			
<i>Bucco crenata</i> ...	—	62	3413	<i>num</i> ...	60	130	7938
<i>Buchnera Canadensis</i> .	—	9	308	<i>burfordiense</i> ...	57	127	7787

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Bulbophyllum</i> como- sum ...	49	119	7283	<i>Cacalia</i> cylindriflora ...	48	118	7244
<i>fcenisecii</i> ...	60	130	7938	<i>Hayworthii</i> ...	29	99	6063
<i>grandiflorum</i> ...	57	127	7787	<i>pendula</i> ...	55	125	7659
<i>longiflorum</i> ...	2	72	4237	<i>reclinata</i> ...	48	118	7244
" ...	48	118	7214	<i>tomentosa</i> ...	29	99	6063
<i>macranthum</i> ...	47	117	7208	<i>Cacara</i> <i>perennis</i> ...	—	11	380
<i>Pechei</i> ...	49	119	7286	<i>pruritus</i> ...	12	82	4945
<i>picturatum</i> ...	41	111	6802	<i>Caccinia</i> <i>Celsii</i> ...	42	112	6870
<i>Weddelii</i> ...	60	130	7958	<i>glauca</i> ...	42	112	6870
<i>Bulbosa</i> <i>Africana</i> ...	—	27	1075	<i>Cactus</i> <i>alatus</i> ...	—	55	2820
<i>Bulbus</i> <i>eriphorus</i> ...	—	28	1140	<i>cochinillifer</i> ...	—	54	2741
<i>liliaceus</i> ...	—	21	822	<i>debilis</i> ...	—	44	1884
<i>monophyllum</i> ...	—	24	935	<i>cylindricus</i> ...	—	61	3301
<i>sylvestris</i> ...	—	30	1200	<i>fasciculatus</i> ...	—	58	3079
<i>Bulowia</i> <i>insignis</i> ...	4	74	4364	<i>ferox</i> ...	45	115	7046
<i>Buphthalmum</i> ...	—	4	134	<i>flagelliformis</i> ...	—	1	17
<i>Capense</i> ...	—	40	1637	<i>funalis</i> ...	—	54	2740
<i>cordifolium</i> ...	—	63	3466	<i>grandiflorus</i> ...	—	62	3381
<i>helianthoides</i> ...	—	61	3372	<i>melocactus</i> ...	—	58	3090
<i>orientale</i> ...	—	27	1080	<i>mitis</i> <i>minor</i> ...	—	55	2820
<i>sericeum</i> ...	—	43	1836	<i>Napoleonis</i> ...	—	63	3458
<i>speciosum</i> ...	—	63	3466	<i>nigricans</i> ...	—	38	1557
<i>Burbidgea</i> <i>natida</i> ...	35	105	6403	<i>nobilis</i> ...	5	75	4443
<i>nitida</i> ...	35	105	6403	<i>Opuntia</i> ...	—	38	1557
<i>Burchellia</i> <i>bubalina</i> ...	—	49	2339	" ...	—	50	2393
<i>capensis</i> ...	—	49	2339	" ...	45	115	7041
<i>Burlingtonia</i> <i>amoena</i> ...	11	81	4834	" <i>polyanthos</i> ...	—	53	2691
<i>decora</i> ...	11	81	4834	" <i>Tuna</i> ...	—	68	3911
" <i>v. picta</i> ...	19	89	5419	<i>Ottonis</i> ...	—	58	3107
<i>Burrielia</i> <i>gracilis</i> ...	—	66	3758	<i>parasiticus</i> ...	—	58	3079
<i>Bursaria</i> <i>spinosa</i> ...	—	42	1767	" ...	—	58	3080
<i>Burtonia</i> <i>pulchella</i> ...	4	74	4392	<i>Peirescia</i> ...	46	116	7147
<i>scabra</i> ...	13	83	5000	<i>pendulus</i> ...	—	58	3080
<i>subalpina</i> ...	43	113	6941	<i>Pereskia</i> ...	46	116	7147
<i>villosa</i> ...	4	74	4410	<i>phyllanthoides</i> ...	—	46	2092
<i>Butneria</i> <i>anemones</i> <i>flore</i> ...	—	14	503	<i>phyllanthus</i> ...	—	53	2692
<i>Butonica</i> <i>samoensis</i> ...	50	120	7337	<i>Pitajaya</i> ...	—	70	4084
<i>sylvestris</i> <i>alba</i> ...	—	67	3831	<i>polyanthos</i> ...	—	53	2691
<i>Byblis</i> <i>gigantea</i> ...	58	128	7846	<i>Royeni</i> ...	—	59	3125
<i>Lindleyana</i> ...	58	128	7846	<i>sarmentosus</i> ...	46	116	7147
<i>Cabomba</i> <i>aquatica</i> ...	45	115	7090	<i>Scopa</i> ...	20	90	5445
<i>Cacalia</i> <i>Anteuphor-</i> <i>bium</i> ...	30	100	6099	<i>serpentinus</i> ...	—	64	3566
<i>bicolor</i> ...	15	85	5123	<i>speciosissimus</i> ...	—	49	2306
<i>canescens</i> ...	29	99	6063	<i>speciosus</i> ...	—	46	2092
<i>Coccinea</i> ...	—	16	564	" ...	—	49	2306
				<i>tenuis</i> ...	—	66	3755
				<i>triangularis</i> ...	—	44	1884
				<i>truncatus</i> ...	—	52	2562
				<i>Tuna v. nigricans</i> ...	—	38	1557
				<i>viviparus</i> ...	56	126	7718

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Cadia Ellisiana</i> ...	39	109	6685	<i>Calampelis scaber</i> ...	35	105	6408
<i>Cælogyne</i> (<i>see</i> <i>Cælo-</i> <i>gyne</i>) ...	—	—	—	<i>Calanchoe pinnata</i> ...	—	34	1409
<i>Cæpa sylvestris</i> ...	—	35	1419	<i>Verea</i> ...	—	35	1436
<i>Cæsalpinia Gilliesii</i> ...	—	69	4006	<i>Calandrinia discolor</i> ...	—	61	3357
<i>pulcherrina</i> ...	—	25	995	<i>grandiflora</i> ...	—	61	3369
<i>Caioophora contorta</i> ...	30	100	6134	<i>oppositifolia</i> ...	45	115	7051
<i>Cajanus bicolor</i> ...	35	105	6440	<i>speciosa</i> ...	—	62	3379
<i>flavus</i> ...	35	105	6440	<i>Tweedyi</i> ...	55	125	7633
<i>indicus</i> ...	35	105	6440	<i>Calanthe bicolor</i> ...	44	114	7026
<i>Caladenia alata</i> ...	54	124	7630	<i>curculigoides</i> ...	30	100	6104
<i>angustata</i> ...	54	124	7630	<i>Dominii</i> (<i>hybrida</i>) ...	14	84	5042
<i>carnea v. alba</i> ...	54	124	7630	<i>gracilis</i> ...	9	79	4714
<i>Caladium acre</i> ...	50	120	7364	<i>madagascariensis</i> ...	57	127	7780
<i>aculeatum</i> ...	58	128	7817	<i>Masuca</i> ...	6	76	4541
<i>aquatile</i> ...	50	120	7364	<i>natalensis</i> ...	41	111	6844
<i>arborescens</i> ...	58	128	7817	<i>pulchra</i> ...	30	100	6104
<i>bicolor</i> ...	—	52	2543	<i>striata</i> ...	44	114	7026
<i>v. Neumannii</i> ...	16	86	5199	<i>sylvatica</i> ...	41	111	6844
<i>v. Chantini</i> ...	17	87	5255	" ...	57	127	7780
<i>v. Verschaffeltii</i> ...	17	87	5263	<i>Veitchii hybrida</i> ...	19	89	5375
<i>Chantini</i> ...	17	87	5255	<i>veratrifolia</i> ...	—	53	2615
<i>colocasioides</i> ...	50	120	7364	<i>vestita</i> ...	8	78	4671
" ...	56	126	7732	<i>viridi-fusca</i> ...	8	78	4669
<i>esculentum</i> ...	50	120	7364	<i>Calathea crocata</i> ...	58	128	7820
<i>fragrantissimum</i> ...	—	61	3314	<i>leucostachys</i> ...	31	101	6205
<i>grandifolium</i> ...	—	53	2643	<i>pieta</i> ...	55	125	7674
" ...	—	61	3345	<i>rufibarba</i> ...	53	123	7560
<i>nymphæifolium</i> ...	50	120	7364	<i>tubispatha</i> ...	21	91	5542
<i>odoratum</i> ...	—	68	3935	<i>Veitchiana</i> ...	21	91	5535
<i>odorum</i> ...	—	68	3935	<i>villosa v. pardina</i> ...	13	83	4973
<i>petiolatum</i> ...	—	66	3728	<i>Calceolaria alba</i> ...	1	71	4157
" ...	19	89	5394	<i>amplexicaulis</i> ...	3	73	4300
<i>sagittifolium</i> ...	13	83	4989	<i>andina</i> ...	49	119	7326
<i>sarmentosum</i> ...	17	87	5275	<i>angustiflora</i> ...	—	58	3094
<i>seguinum v. macu-</i> <i>latum</i> ...	—	52	2606	<i>anomala</i> ...	—	60	3255
<i>Veitchii</i> ...	21	91	5497	<i>arachnoidea</i> ...	—	55	2874
<i>Verschaffeltii</i> ...	17	87	5263	<i>bicolor</i> ...	—	57	3036
<i>vicorum</i> ...	50	120	7364	<i>biflora</i> ...	—	55	2805
<i>violaceum</i> ...	50	120	7364	<i>connata</i> ...	—	56	2876
" ...	56	126	7732	<i>corymbosa</i> ...	—	50	2418
<i>zamiæfolium</i> ...	28	98	5985	<i>crenatiflora</i> ...	—	60	3255
<i>Calamagrostis con-</i> <i>spicua</i> ...	32	102	6232	<i>deflexa</i> ...	35	105	6431
<i>Calamintha</i> ...	40	110	6750	<i>flexuosa</i> ...	15	85	5154
<i>Calamintha magno-</i> <i>flore</i> ...	—	6	208	<i>floribunda</i> ...	1	71	4154
<i>montana</i> ...	—	6	208	<i>foliis scabiosæ</i> ...	—	50	2405
				<i>Fothergillii</i> ...	—	10	348
				<i>fuchsiasifolia</i> ...	35	105	6431
				<i>Henrici</i> ...	25	95	5772
				<i>Herbertiana</i> ...	49	119	7326
				<i>heterophylla</i> ...	—	50	2405

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Calceolaria</i> <i>hyssopifolia</i>	21	91	5548	<i>Calliandra</i> <i>Harrisii</i> ...	2	72	4238
<i>integrifolia</i>	—	52	2523	<i>Tweediei</i>	1	71	4188
„ <i>v. viscosissima</i>	—	60	3214	<i>Callianthemum</i> <i>acaule</i>	54	124	7603
<i>lobata</i>	33	103	6330	<i>bipinnatum</i>	54	124	7603
<i>Pavonii</i>	6	76	4525	<i>cachemirianum</i>	54	124	7603
<i>pendula</i>	—	60	3255	<i>coriandrifolium</i>	54	124	7603
<i>perfoliata</i>	6	76	4525	<i>pimpinelloides</i>	54	124	7603
<i>pinnata</i>	—	2	41	<i>rutæfolium v. ane-</i>			
„	—	50	2405	<i>monoides</i>	54	124	7603
<i>pisacomensis</i>	23	93	5677	<i>Callicarpa</i> <i>Americana</i> .	—	47	2107
<i>plantaginea</i>	—	55	2805	<i>cana</i>	—	47	2107
<i>polifolia</i>	—	56	2897	<i>tomentosa</i>	—	47	2107
<i>punctata</i>	19	89	5392	<i>Callichroa</i> <i>platyglossa</i>	—	66	3719
<i>purpurea</i>	—	54	2775	<i>Callicocca</i> <i>Ipecacuanha</i>	—	70	4063
<i>rugosa</i>	—	52	2523	<i>tomentosa</i>	39	109	6696
<i>salviæ folio</i>	—	52	2523	<i>Callicoma</i> <i>serratifolia</i> .	—	43	1811
„	—	60	3214	<i>Calliopsis</i> <i>bicolor</i> ...	—	63	3511
<i>scabiosæfolia</i>	—	50	2405	<i>nudata</i>	35	105	6419
<i>Sinclairii</i>	37	107	6597	<i>tinctoria v. atropur-</i>			
<i>tenella</i>	32	102	6231	<i>purea</i>	—	63	3511
<i>thyrsiflora</i>	—	56	2915	<i>Calliphurria</i> <i>edentata</i> .	33	103	6289
<i>tinctoria</i>	—	55	2874	<i>Hartwegiana</i>	32	102	6259
<i>violacea</i>	12	82	4929	<i>subedentata</i>	33	103	6289
<i>Calceolus</i> <i>purpureus</i>				<i>Calliprora</i> <i>lutea</i>	—	64	3588
<i>speciosus</i>	—	56	2938	<i>Callipsyche</i> <i>aurantiaca</i>	41	111	6841
<i>Calcostylis</i> <i>aurantiaca</i>	5	75	4468	<i>Callirhoe</i> <i>digitata</i> ...	—	53	2612
<i>Calea</i> <i>lobata</i>	—	42	1734	<i>Callista</i> <i>Bandonia</i> ...	—	69	4016
<i>Calectasia</i> <i>cyanea</i> ...	—	67	3834	<i>Callistachys</i> <i>elliptica</i> .	—	44	1925
<i>Calendula</i> <i>chrysan-</i>				„	—	60	3249
<i>themifolia</i>	—	48	2218	<i>linearis</i>	—	68	3882
<i>flaccida</i>	—	45	1981	<i>ovata</i>	—	44	1925
<i>graminifolia</i>	17	87	5252	<i>sordida</i>	—	68	3882
<i>officinalis</i>	—	59	3204	<i>Callistemma</i> <i>hortensis</i>	54	124	7616
<i>Tragus</i>	—	12	408	<i>Callistemon</i> <i>pinifolium</i>	—	69	3989
„	—	45	1981	<i>Callistephus</i> <i>chinensis</i>	54	124	7616
<i>Calisaya</i> <i>javanica</i> ...	35	105	6434	<i>hortensis</i>	54	124	7616
<i>Calla</i> <i>Æthiopica</i>	—	21	832	<i>Callithauma</i> <i>angusti-</i>			
<i>aquatilis</i>	—	22	836	<i>folium</i>	—	67	3866
<i>aromatica</i>	—	49	2279	<i>viridiflorum</i>	—	67	3866
<i>Dracontium</i>	14	84	5086	<i>Callixene</i> <i>polyphylla</i> ...	16	86	5192
<i>foliis cordatis</i>	—	43	1831	<i>Calochilus</i> <i>campestris</i>	—	59	3187
<i>oblongifolia</i>	21	91	5500	<i>Calochortus</i> <i>Benthami</i>	36	106	6475
<i>occulta</i>	—	49	2279	<i>citrinus</i>	31	101	6200
<i>palustris</i>	—	43	1831	<i>clavatus</i>	54	124	7606
<i>pertusa</i>	14	84	5086	<i>elegans</i>	28	98	5976
<i>pieta</i>	21	91	5500	<i>Kennedyi</i>	48	118	7264
<i>Calliandra</i> <i>brevipes</i> ...	6	76	4500	<i>Leichtlinii</i>	26	96	5862
<i>fulgens</i>	54	124	7626	<i>nitidus</i>	36	106	6475
<i>hæmatocephala</i>	16	86	5181	<i>pulchellus</i>	36	106	6527
				<i>uniflorus</i>	25	95	5804

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Calodietyon Andium...	17	87	5259	Camellia Japonica ...	—	2	42
Calonnea pulcherrima.	—	39	1602	„ v. anemoniflora	—	40	1654
Calopetalon ringens ...	17	87	5233	„ v. myrtifolia	—	40	1670
Calophanes Hildebrandtii ...	60	130	7973	„	—	52	2571
Calorhabdos cauloptera	57	127	7800	„	—	52	2577
Calosacme polycarpa...	37	107	6538	„	—	54	2745
Calostemma luteum ...	—	46	2101	reticulata	—	54	2784
purpureum ...	—	46	2100	„ v. flore pleno	13	83	4976
Calothamnus quadrida ...	—	37	1506	rosæflora	14	84	5044
rupestris	59	129	7906	sasanqua	—	46	2080
Calothyrsus California	14	84	5077	„ v. anemoniflora	15	85	5152
Calotropis gigantea ...	42	112	6862	Cameraria dubia ...	—	40	1646
Hamiltoni	42	112	6859	obesa	19	89	5418
heterophylla	42	112	6859	Camoensa maxima ...	54	124	7572
procera	42	112	6859	Campanula Africana...	—	11	378
Wallichii	42	112	6859	„ „	—	20	782
Calpicarpum Roxburghii ...	2	72	4220	„ „	—	36	1499
Caltha alpina	—	42	1749	aggregata	—	53	2649
sagittata	—	70	4056	alliarifolia	—	23	912
Calycanthus Floridus.	—	14	503	Allionii	—	31	1258
occidentalis	10	80	4808	„	37	107	6588
Præcox	—	13	466	alpestris	—	31	1258
Calycomes	—	43	1811	„	37	107	6588
Calycomis verticillata.	—	70	4050	Alpina	—	24	957
Calycophyllum tubulosum ...	15	85	5110	„ latifolia	—	51	2492
Calydermos erosus	—	51	2458	„	—	32	1290
Calypso Americana	—	54	2763	arborescens	—	44	1894
borealis	—	54	2763	aurea	37	107	6556
Calyptrion Aubletii	28	98	5960	Azurea	—	16	551
nitidum	28	98	5960	baldensis	—	52	2581
Calyptrogyne Ghiesbrechtiana ...	25	95	5782	barbata	—	31	1258
Calyptrostigma Midendorffianum ...	59	129	7876	Barrelieri	36	106	6504
Calystegia species	—	53	2609	betonicaefolia	—	45	2019
Calythrix virgata	—	61	3323	calycibus e tergo			
Calytrix ericoides	—	61	3323	lamellis	—	41	1723
Camara trifolia	—	35	1449	canariensis	—	13	444
Camaridium ochroleucum	1	71	4141	Capensis	—	20	782
Camassia esculenta v. Leichtlinii ...	33	103	6287	Capitata	—	21	811
Cambessedesia paraguayensis ...	38	108	6604	capsulis trilocularibus	—	18	659
Camellia axillaris	—	46	2047	Carpatia	—	4	117
„ „	—	69	4019	caule simplicis	—	31	1258
				Cavolini	36	106	6504
				coclearifolia	36	106	6504
				Collina	—	24	927
				colorata	7	77	4555
				crassifolia	36	106	6504
				diffusa	36	106	6504
				excisa	50	120	7358
				floribunda	24	94	5745

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Campanula floribus				Campanula saxatilis			
lanuginosis ...	—	32	1290	rotundifolia ...	36	106	6504
foliis Echii ...	—	31	1258	Sibirica ...	—	18	659
" " ...	—	32	1290	speciosa ...	—	53	2649
" ellipticis ...	—	24	957	Speculum ...	—	3	102
fragilis ...	36	106	6504	strigosa ...	14	84	5068
glomerata ...	—	53	2649	tenuifolia ...	36	106	6482
gracilis ...	—	18	691	thyrsoides ...	—	32	1290
graminifolia ...	31	101	6188	Tommasiniana ...	37	107	6590
" ...	36	106	6482	Vidaliana ...	9	79	4748
Grandiflora ...	—	7	252	Vidalii ...	9	79	4748
heterophylla ...	54	124	7594	vincæflora ...	—	18	691
Iberica ...	—	61	3347	Waldsteiniana ...	37	107	6590
infundibuliformis ...	—	53	2632	Wanneri ...	54	124	7594
isophylla ...	24	94	5745	Campanulata glabrata ...	47	117	7174
Jacobæa ...	39	109	6703	Prismatocarpus ...	—	54	2733
lactiflora ...	—	45	1973	undulata ...	47	117	7174
lamiifolia ...	—	53	2632	Campelia marginata ...	20	90	5425
latifolia <i>v.</i> macrantha ...	—	52	2553	Camphora officinarum ...	—	53	2658
" ...	—	61	3347	Campsanthus macu-			
Lorei ...	—	52	2581	latus ...	12	82	4955
macrantha ...	—	52	2553	Campsidium chilense ...	30	100	6111
" <i>v.</i> polyantha ...	—	61	3347	Campsoa maculata ...	12	82	4955
Macrophylla ...	—	23	912	Camptopus Mannii ...	25	95	5755
<i>(see note, last page)</i>	—	23	—	Camptosema pinnatum ...	54	124	7582
macrostyla ...	34	104	6394	rubicundum ...	7	77	4608
menthastri folio ...	—	53	2653	Campylobotrys discolor ...	6	76	4530
minor ...	—	15	512	Gheisbechtii ...	19	89	5383
" Afrinana ...	—	64	3609	refulgens ...	18	88	5346
mirabilis ...	56	126	7714	regalis ...	17	87	5280
mollis ...	—	12	404	Canada, Artischoki sub			
Moorcroftiana ...	7	77	4555	terra ...	53	123	7545
nana ...	37	107	6588	Canarina Campanula ...	—	13	444
orientalis ...	—	53	2653	Canavalia ensiformis ...	—	69	4027
peregrina ...	—	31	1257	Candollea cuneiformis ...	—	54	2711
" ...	11	81	4879	serrulata ...	—	44	1918
Persicifolia ...	—	12	397	Canella javanensis ...	—	40	1636
Polymorpha ...	—	18	691	malabarica ...	—	40	1636
primulæflora ...	11	81	4879	zeylanica ...	—	46	2028
Prismatocarpus ...	—	54	2733	Cankrienia chrysantha ...	40	110	6732
pulla ...	—	51	2492	Canna edulis ...	—	51	2498
pumila ...	—	15	512	gigantea ...	—	49	2316
punctata ...	—	41	1723	glaucæ <i>v.</i> rufa ...	—	49	2302
pusilla ...	—	15	512	" <i>v.</i> rubro-lutea ...	—	62	3437
rapunculoides ...	—	53	2653	Indica ...	—	13	454
rotundifolia ...	—	12	404	" ...	—	46	2085
" ...	—	15	512	" ...	—	49	2307
" Cajetana ...	36	106	6504	" ...	—	51	2498
Ruthenica ...	—	53	2653	iridiflora ...	—	45	1968
Sarmatica ...	—	45	2019	lutea ...	—	46	2085

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Canna pedunculata</i> ...	—	49	2323	<i>Cardaminum ampliori</i>			
<i>sanguinea</i> ...	11	81	4854	<i>folio</i> ...	—	1	23
<i>speciosa</i> ...	—	49	2317	<i>quinquefolii folio</i> ...	—	33	1351
<i>Warszewiczii</i> ...	11	81	4854	<i>Cardamine asarifolia</i> ..	—	42	1735
<i>Cannabis indica</i> ...	—	41	1716	<i>Chelidonii</i> ...	54	124	7628
<i>Cannacorus</i> ...	—	13	454	<i>latifolia</i> ...	54	124	7628
<i>Canscora Parishii</i> ...	20	90	5429	<i>montana</i> ...	—	42	1735
<i>Cantharifera</i> ...	—	53	2629	<i>nivalis</i> ...	—	67	3805
<i>Cantua bicolor</i> ...	9	79	4729	<i>pentaphylla</i> ...	—	48	2202
<i>buxifolia</i> ...	7	77	4582	<i>pratensis</i> ...	54	124	7628
<i>flexuosa</i> ...	4	74	4386	<i>pumila</i> ..	—	48	2219
<i>ligustrifolia</i> ...	—	50	2412	<i>raphanifolia</i> ...	54	124	7628
<i>Loxensis</i> ...	4	74	4386	<i>trifolia</i> ...	—	13	452
<i>ovata</i> ...	7	77	4582	<i>uniflora</i> ...	24	94	5730
" ...	9	79	4729	<i>Cardamines alterius</i>			
<i>parviflora</i> ...	—	56	2883	<i>æmula plantula</i> ...	—	48	2219
<i>pyrifolia</i> ...	4	74	4386	<i>Cardiaca Melica</i> ...	—	43	1852
<i>tomentosa</i> ...	7	77	4582	<i>Syriaca</i> ...	—	43	1852
<i>tuberosa</i> ...	3	73	4301	<i>Cardiospermum foliis</i>			
<i>uniflora</i> ...	7	77	4582	<i>ternato-ternatis</i> ...	—	26	1049
<i>Capa-veela</i> ...	—	40	1681	<i>Halicacabum</i> ...	—	26	1049
<i>Capnorchis Americana</i>	—	28	1127	<i>Carduus Acanthus</i> ...	—	43	1808
<i>chrysantha</i> ...	60	130	7954	<i>afer</i> ...	—	49	2287
<i>Capparis flexuosa</i> ...	48	118	7248	<i>alpinus</i> ...	—	33	1366
<i>paradoxa</i> ...	25	95	5788	<i>Brasilianus</i> ...	—	38	1554
<i>Spinosa</i> ...	—	9	291	<i>chrysanthemus Peru-</i>			
<i>Capraria undulata</i> ...	—	38	1556	<i>anus</i> ...	—	7	243
<i>Caprifolium dimor-</i>				<i>Diacantha</i> ...	—	49	2287
<i>phum</i> ...	60	130	7977	<i>erectus</i> ...	—	49	2293
<i>etruscum</i> ...	60	130	7977	<i>foliis tenuissime</i>			
<i>floribus rubellis</i> ...	—	20	781	<i>spinosus</i> ...	—	48	2216
<i>foliis ovatis</i> ...	—	45	1965	<i>mollis</i> ...	—	51	2482
<i>Perichymentum</i> ...	60	130	7977	<i>sphærocephalus</i> ...	—	24	932
<i>pubescens</i> ...	—	58	3103	" ...	—	47	2109
<i>pyrenaicum</i> ...	57	127	7774	<i>spinosissimus</i> ...	—	33	1366
<i>sempervirens</i> ...	—	20	781	<i>tomentosus</i> ...	—	47	2109
<i>syringanthum</i> ...	60	130	7989	<i>Xeranthemos</i> ...	—	50	2365
<i>Capsicum bicolor</i> ...	—	43	1835	<i>Carex baccans</i> ...	49	119	7288
<i>nigrum</i> ...	—	43	1835	<i>curvirostris</i> ...	49	119	7288
<i>Caquepiria Bergkia</i> ...	—	25	1004	<i>dolicophylla</i> ...	49	119	7288
<i>Caragana Sibirica</i> ...	—	44	1886	<i>Fraseri</i> ...	—	34	1391
<i>Caraguata Andreana</i> ...	44	114	7014	<i>Fraseriana</i> ...	—	34	1391
<i>angustifolia</i> ...	46	116	7137	<i>recurvirostris</i> ...	49	119	7288
<i>conifera</i> ...	50	120	7359	<i>scaposa</i> ...	43	113	6940
<i>musaica</i> ...	39	109	6675	<i>Cargillia australis</i> ...	—	60	3274
<i>sanguinea</i> ...	40	110	6765	<i>Carica candamarcensis</i>	31	101	6198
<i>Zahnii</i> ...	29	99	6059	<i>citriiformis</i> ...	—	65	3633
<i>Caralluma campanu-</i>				<i>Papaya</i> ...	—	56	2898
<i>lata</i> ...	49	119	7274	" ...	—	56	2899
<i>Caranosi</i> ...	—	47	2187	<i>Carim-Curini</i> ...	—	43	1847

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Cariophyllata Veronensium flore</i> ...	—	25	987	<i>Caryophyllus plumarius</i>	—	9	297
<i>Carissa grandiflora</i> ...	33	103	6307	<i>pumilus latifolius</i> ...	—	30	1205
<i>Carlina foliis imbricatis</i>	—	46	2095	<i>saxatilis</i> ...	—	35	1448
<i>polycephalos alba</i> ...	—	33	1366	<i>simplex</i> ...	—	9	297
<i>Xeranthemoides</i> ...	—	50	2365	<i>sinensis</i> ...	—	1	25
<i>Carludovica Caput</i>				<i>spicam frumenti re-</i>			
<i>Medusæ</i> ...	46	116	7118	<i>ferens</i> ...	—	39	1622
<i>ensiformis</i> ...	35	105	6418	<i>spurius inodorus</i> ...	—	21	794
<i>latifolia</i> ...	—	56	2950	<i>sylvestris</i> ...	—	30	1205
<i>Laucheana</i> ...	55	125	7683	" ...	—	42	1740
<i>Micro-cephala</i> ...	48	118	7263	" ...	—	43	1775
<i>rotundifolia</i> ...	45	115	7083	" ...	—	46	2039
<i>Carneum floribus car-</i>				<i>Caryopteris incana</i> ...	41	111	6799
<i>neis</i> ...	—	46	2032	<i>Mastacanthus</i> ...	41	111	6799
<i>Carolinea alba</i> ...	6	76	4508	<i>Caryota Cumingii</i> ...	25	95	5762
<i>macrocarpa</i> ...	6	76	4549	<i>mitis</i> ...	34	104	6358
<i>minor</i> ...	—	34	1412	<i>Casparia speciosa</i> ...	33	103	6277
<i>Carpenteria californica</i>	42	112	6911	<i>Cassebeera farinosa</i> ...	10	80	4765
<i>Carpodontos lucida</i> ...	47	117	7200	<i>Cassia alata</i> ...	35	105	6425
<i>Carpolyza spiralis</i> ...	—	34	1383	<i>australis</i> ...	—	53	2676
<i>Carpopogon pruriens</i> ...	12	82	4945	<i>aversiflora</i> ...	—	53	2638
<i>Cartesia centauroides</i> .	13	83	4966	<i>bahamensis</i> ...	—	43	1829
<i>Carthamus Africanus</i> .	—	43	1844	<i>biflora</i> ...	—	21	810
<i>arborescens</i> ...	—	61	3302	<i>bracteata</i> ...	35	105	6425
<i>cæruleus</i> ...	—	49	2293	<i>Chamæcrista</i>	—	3	107
<i>Carolinianus</i> ...	13	83	4966	<i>cinnamomea</i>	—	40	1636
<i>lanatus</i> ...	—	47	2142	" ...	—	46	2028
<i>levis</i> ...	13	83	4966	<i>coquimbensis</i> ...	44	114	7002
<i>rigidus</i> ...	—	61	3302	<i>corymbosa</i> ...	—	17	633
<i>Carua</i> ...	—	40	1636	<i>flaccida</i> ...	44	114	7002
<i>Caryocar nuciferum</i> ...	—	54	2727	<i>frondosa</i> ...	44	114	7002
" "	—	—	2728	<i>fruticosa</i> ...	—	21	810
<i>Caryophyllata alpina</i> .	—	28	1120	<i>glandulosa</i> ...	—	62	3435
<i>Veronensium</i> ...	—	25	987	<i>lignea</i> ...	—	40	1636
<i>Caryophyllum</i> ...	—	54	2749	<i>ligustrina</i> ...	—	43	1829
<i>Caryophyllus alpinus</i> .	—	30	1205	<i>Malabarica</i>	—	40	1636
<i>aromaticus</i> ...	—	30	1236	<i>mimosoides v. Tel-</i>			
" ...	—	54	2749	<i>fairiana</i> ...	26	96	5874
" ...	—	59	3153	<i>minor arborescens</i> ..	—	21	810
<i>arvensis</i> ...	—	46	2039	<i>Cassida orientalis</i> ...	—	47	2120
<i>cæruleus</i> ...	—	28	1132	<i>Cassiope fastigiata</i> ..	10	80	4796
<i>foliis oblongo-oppo-</i>				<i>Castalia</i> ...	—	29	1189
<i>sitis</i>	—	59	3153	<i>ampla</i> ...	5	75	4469
" " <i>ovatis</i>	—	30	1236	<i>magnifica</i> ...	—	31	1280
<i>hortensis</i> ...	—	6	207	<i>pygmæa</i> ...	—	37	1525
<i>monomotapensis</i> ...	—	16	595	<i>stellaris</i> ...	—	46	2058
<i>montana</i> ...	—	46	2039	<i>Castanea chryso-</i>			
<i>orientalis</i> ...	—	27	1069	<i>phylla</i> ...	12	82	4953
<i>peregrinus</i> ...	—	39	1622	<i>Castilleja indivisa</i> ...	34	104	6376
				<i>Casumunar</i> ...	—	35	1426

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Catalpa bignonioides</i> ..	—	27	1094	<i>Cattleya coccinea</i> ...	—	65	3709
" " "	38	108	6611	<i>crispa</i> ...	—	68	3910
<i>Bungei</i> ...	38	108	6611	<i>Dowiana</i> ...	23	93	5618
<i>himalayensis</i> ...	38	108	6611	<i>elegans</i> ...	9	79	4700
<i>Kæmpferi</i> ...	38	108	6611	<i>elongata</i> ...	53	123	7543
<i>ovata</i> ...	38	108	6611	<i>Forbesii</i> ...	—	60	3265
<i>syringifolia</i> ...	—	27	1094	<i>granulosa</i> ...	14	84	5048
<i>Catananche cærulea</i> ...	—	9	293	<i>guttata, v. Russell-</i>			
<i>Cataria montana</i> ...	—	47	2185	<i>iana</i> ...	—	65	3693
<i>orientalis</i> ...	—	23	923	<i>intermedia</i> ...	—	55	2851
<i>Catasetum abruptum</i> ..	—	68	3929	" <i>v. angustifolia</i>	—	66	3711
<i>atratum</i> ...	16	86	5202	" " "	—	70	4085
<i>Bungerothi</i> ...	44	114	6998	<i>iricolor</i> ...	49	119	7287
<i>callosum v. grandiflorum</i>	2	72	4219	<i>labiata</i> ...	—	69	3998
" " "	38	108	6648	<i>Lawrenceana</i> ...	46	116	7133
<i>cernuum</i> ...	19	89	5399	<i>Lindleyana</i> ...	20	90	5449
<i>Claveringi</i> ...	—	61	3329	<i>luteola</i> ...	14	84	5032
<i>fimbriatum</i> ...	47	117	7158	<i>maxima</i> ...	12	82	4902
<i>floribundum</i> ...	—	61	3329	<i>modesta</i> ...	14	84	5032
<i>Garnettianum</i> ...	45	115	7069	<i>Mossiæ</i> ...	—	65	3669
<i>globiflorum</i> ...	—	68	3942	<i>Perinnii</i> ...	—	66	3711
<i>inapertum</i> ...	—	62	3388	<i>pumila</i> ...	—	65	3656
<i>integerrimum</i> ...	—	67	3823	" <i>v. major</i> ...	21	91	5498
<i>Lemosii</i> ...	51	121	7444	" " "	46	116	7133
<i>longifolium</i> ...	—	67	3819	<i>quadricolor</i> ...	21	91	5504
<i>luridum</i> ...	—	64	3590	<i>Russellianum</i> ...	56	126	7727
<i>macrocarpum</i> ...	—	52	2559	<i>Schilleriana, v. con-</i>			
" " "	—	61	3329	<i>color</i> ...	15	85	5150
<i>naso</i> ...	10	80	4792	<i>Schomburgkii</i> ...	—	70	4083
<i>purum</i> ...	—	63	3388	<i>Skinneri</i> ...	2	72	4270
<i>quadridens</i> ...	58	128	7864	" <i>v. parviflora</i>	12	82	4916
<i>Randii</i> ...	52	122	7470	<i>superba</i> ...	—	70	4083
<i>roseum</i> ...	51	121	7444	<i>Whitei</i> ...	56	126	7727
<i>Russellianum</i> ...	—	66	3777	<i>Caturus spiciflorus</i> ...	55	125	7632
<i>tridentatum</i> ...	—	52	2559	<i>Cauda felis</i> ...	55	125	7632
" " "	—	61	3329	<i>Cautleya lutea</i> ...	44	114	6991
<i>trifidum</i> ...	—	60	3262	<i>Ceanothus americanus</i>	—	36	1479
" " "	19	89	5399	<i>californicus</i> ...	55	125	7640
<i>viridi-flavum</i> ...	—	69	4017	<i>discolor</i> ...	—	37	1510
<i>Walesii</i> ...	—	68	3937	<i>floribundus</i> ...	10	80	4806
<i>Catesbæa fruticosa</i> ...	—	11	393	<i>integerrimus</i> ...	55	125	7640
<i>spinosa</i> ...	—	4	131	<i>laniger</i> ...	—	43	1823
<i>Catheartia villosa</i> ...	7	77	4596	<i>Lobbianus</i> ...	10	80	4810
<i>Catriconda</i> ...	—	51	2479	<i>nevadensis</i> ...	55	125	7640
<i>Cattleya Aclandiae</i> ...	14	84	5039	<i>Oreganus</i> ...	16	86	5177
<i>Alexandræ</i> ...	53	123	7543	<i>papillosus</i> ...	10	80	4815
<i>amethystoglossa</i> ...	24	94	5683	<i>rigidus</i> ...	8	78	4664
<i>bicolor</i> ...	12	82	4909	<i>sanguineus</i> ...	16	86	5177
<i>citrina</i> ...	—	66	3742	<i>thyrsoflorus</i> ...	55	125	7640
				<i>Veitchianus</i> ...	15	85	5127

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Ceanothus velutinus</i> ...	16	86	5165	<i>Centrosolenia bractes-</i>			
<i>verrucosus</i> ...	8	78	4660	<i>cens</i> ...	8	78	4675
<i>Cedronella cana</i> ...	7	77	4618	<i>glabra</i> ...	6	76	4552
<i>Celastrus articulatus</i> ..	54	124	7599	<i>pieta</i> ...	7	77	4611
<i>auriculatus</i> ...	54	124	7599	<i>Centrostemma multi-</i>			
<i>buxifolius</i> ...	—	46	2070	<i>florum</i> ...	16	86	5173
<i>v. inermis</i> ...	—	47	2114	<i>Cepa alba</i> ...	—	36	1469
<i>cymosus</i> ...	—	46	2070	<i>oblonga</i> ...	—	30	1230
<i>inermis</i> ...	—	36	1479	<i>palustris</i> ...	—	28	1141
<i>orbiculatus</i> ...	54	124	7599	<i>rotunda</i> ...	—	36	1469
<i>punctatus</i> ...	54	124	7599	<i>rupestris</i> ...	—	30	1230
<i>Pyracanthus</i> ...	—	29	1167	<i>scapis foliisque tere-</i>			
<i>spinis nudis</i> ...	—	29	1167	<i>tibus</i> ...	—	28	1141
<i>spinosus</i> ...	—	29	1167	<i>sectilis</i> ...	—	28	1141
<i>Celmisia Lindsayi</i> ...	46	116	7134	<i>vulgaris</i> ...	—	36	1469
<i>Munroi</i> ...	52	122	7496	<i>Cephaelis bubalina</i> ...	—	49	2339
<i>spectabilis</i> ...	38	108	6653	<i>emetica</i> ...	—	70	4063
<i>Celosia baccata</i> ...	—	54	2717	<i>Ipecacuanha</i> ...	—	70	4063
<i>Celsia Arcturus</i> ...	—	45	1962	<i>tomentosa</i> ...	39	109	6696
<i>betonicæfolia</i> ...	29	99	6066	<i>Cephalanthera Royleana</i> ...	55	125	7690
<i>Cretica</i> ...	—	24	964	<i>Cephalanthus natalen-</i>			
<i>Linearis</i> ...	—	6	210	<i>sis</i> ...	51	121	7400
<i>Urticæfolia</i> ...	—	12	417	<i>Cephalotaxus Fortunei</i> ...	6	76	4499
<i>Centaurea americana</i> ..	13	83	4966	<i>Cephalotus follicularis</i> ...	—	58	3118,
<i>aurea</i> ...	—	12	421	" "			3119
<i>caucasica</i> ...	—	29	1175	<i>Cerastium amplexi-</i>			
<i>cœspitosa</i> ...	—	52	2551	<i>caule</i> ...	—	43	1789
<i>depressa</i> ...	—	65	3662	<i>Biebersteinii</i> ...	—	54	2782
<i>Fenzlii</i> ...	31	104	6392	<i>Ramondi</i> ...	26	96	5836
<i>glastifolia</i> ...	—	2	62	<i>repens</i> ...	—	54	2782
<i>lanata</i> ...	—	47	2142	<i>tomentosum</i> ...	—	54	2782
<i>macrocephala</i> ...	—	31	1248	<i>Cerasus jamaicensis</i> ...	—	21	813
<i>montana</i> ...	—	3	77	<i>sphærocarpa</i> ...	—	59	3141
<i>orchroleuca</i> ...	—	29	1175	<i>zeylanica</i> ...	—	5	169
<i>pygmæa</i> ...	—	65	3662	<i>Ceratiola ericoides</i> ...	—	54	2758
<i>Ragusina</i> ...	—	14	494	<i>Ceratochilus oculatus</i> ...	18	88	5300
<i>Rhapontica</i> ...	—	42	1752	<i>Ceratodactylis osmun-</i>			
<i>sphærocephala</i> ...	—	52	2551	<i>dioides</i> ...	16	86	5159
<i>spinosa</i> ...	—	51	2493	<i>Ceratosanthes tuberosa</i> ...	—	53	2703
<i>Centaureidium Drum-</i>				<i>Ceratostema grandi-</i>			
<i>mondii</i> ...	33	103	6275	<i>florum</i> ...	10	80	4779
<i>Centaureium foliis binis</i>	—	2	37	<i>longiflorum</i> ...	10	80	4779
<i>foliis petiolatis</i> ...	—	42	1752	<i>Ceratostemma coronaria</i>	22	92	5575
<i>majus</i> ...	—	2	62	<i>Ceratostigma plumba-</i>			
" " ...	—	42	1752	<i>ginoites</i> ...	6	76	4487
<i>minus</i> ...	—	7	233	<i>Ceratotheca triloba</i> ...	44	114	6974
<i>Centradenia grandifolia</i>	17	87	5228	<i>Cerbera Ahouai</i> ...	—	19	737
<i>Centroclinium appres-</i>				<i>Ahovai</i> ...	—	19	737
<i>sum</i> ...	—	58	3115	<i>fruticosa</i> ...	2	72	4220
<i>reflexum</i> ...	—	58	3114	<i>Manghas</i> ...	—	43	1845

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Cerbera Tanghin</i> ...	—	57	2968	<i>Cereus scandens</i> ...	—	44	1884
<i>Thevetia</i> ...	—	49	2309	<i>Scolopendrii folio</i> ...	—	53	2692
<i>Cercis siliquastrum</i> ...	—	28	1138	<i>scopa</i> ...	20	90	5445
<i>Cereus Ackermanni</i> ...	—	64	3598	<i>serpentinus</i> ...	—	64	3566
<i>americanus</i> ...	—	44	1884	<i>Smithii</i> ...	—	67	3822
<i>biformis</i> ...	31	101	6156	<i>speciosissimus, hy-</i>			
<i>Bigelovii</i> ...	56	126	7705	<i>bridus</i> ...	—	67	3822
<i>cærulescens</i> ...	—	68	3922	<i>squamatus</i> ...	—	70	4066
<i>cæspitosus</i> ...	39	109	6669	<i>squamulosus</i> ...	—	66	3763
<i>Cavendishii</i> ...	55	125	7648	<i>tenuispinus</i> ...	—	66	3755
<i>cylindricus</i> ...	—	61	3301	<i>triangularis, v. major</i>	—	63	3458
<i>elegans</i> ...	—	66	3763	<i>Tweediei</i> ...	6	76	4498
<i>extensus</i> ...	—	70	4066	<i>undulosus</i> ...	—	70	4084
<i>Fendleri</i> ...	36	106	6533	<i>variabilis</i> ...	—	70	4084
<i>flagelliformis</i> ...	—	1	17	<i>viridiflorus</i> ...	55	125	7688
<i>fulgidus</i> ...	26	96	5856	<i>Cerithe flore ex rubro</i>	—	10	333
<i>giganteus</i> ...	48	118	7222	<i>glaber</i> ...	—	10	333
<i>gracilis scandens</i> ...	—	62	3381	<i>gymnandra</i> ...	30	100	6130
<i>grandiflorus</i> ...	—	62	3381	<i>major</i> ...	—	10	333
<i>latifrons</i> ...	—	67	3813	<i>minor</i> ...	42	112	6890
<i>Leeanus</i> ...	5	75	4417	<i>retorta</i> ...	17	87	5264
<i>Lemairii</i> ...	10	80	4814	<i>Ceropegia Barkleyi</i> ...	33	103	6315
<i>leptacanthus</i> ...	—	65	3651	<i>Bowkeri</i> ...	19	89	5407
<i>leucanthus</i> ...	7	77	4567	<i>Cumingiana</i> ...	4	74	4349
<i>lividus</i> ...	25	95	5775	<i>elegans</i> ...	—	57	3015
<i>lumbricoides</i> ...	15	85	5136	<i>Gardneri</i> ...	18	88	5306
<i>MacDonaldiæ</i> ...	9	79	4707	<i>Lushii</i> ...	—	61	3300
<i>Mallisoni</i> ...	—	67	3822	<i>Monteiroæ</i> ...	43	113	6927
<i>Martianus</i> ...	—	66	3768	<i>oculata</i> ...	—	70	4093
<i>mohavensis</i> ...	56	126	7705	<i>Sandersoni</i> ...	25	95	5792
<i>mojavensis</i> ...	56	126	7705	<i>sororia</i> ...	22	92	5578
<i>multiplex</i> ...	—	66	3789	<i>stapeliiformis</i> ...	—	64	3567
<i>Myosurus</i> ...	—	66	3755	<i>Thwaitesii</i> ...	10	80	4758
<i>Napoleonis</i> ...	—	63	3458	<i>vineæfolia</i> ...	—	66	3740
<i>Æthiops</i> ...	—	68	3922	<i>Wightii</i> ...	—	60	3267
<i>oxypetalus</i> ...	—	64	3598	<i>Woodii</i> ...	56	126	7704
„ ...	—	67	3813	<i>Cervicaria major</i> ...	—	32	1290
<i>Paxtonianus</i> ...	55	125	7648	<i>Cestrum alaternoides</i> ..	—	56	2929
<i>paucispinus</i> ...	40	110	6774	<i>bracteatum</i> ...	—	57	2974
<i>pentalophus, v. sub-</i>				<i>elegans</i> ...	23	93	5659
<i>articulatus</i> ...	—	65	3651	<i>fastigiatum</i> ...	—	42	1729
<i>Perotetti</i> ...	25	95	5775	<i>Parqui</i> ...	—	42	1770
<i>Pitajaya</i> ...	—	70	4084	<i>viridiflorum</i> ...	—	69	4022
<i>procumbens</i> ...	47	117	7205	<i>Chaa</i> ...	—	25	998
<i>propinquus</i> ...	—	65	3651	<i>Chabræa rosea</i> ...	—	70	4116
<i>pterogonus</i> ...	19	89	5360	<i>runcinata</i> ...	—	70	4116
<i>reductus</i> ...	5	75	4443	<i>Chænestes lanceolata</i> ..	3	73	4338
<i>rostratus</i> ...	10	80	4814	<i>Chænomeles chinensis</i> ..	60	130	7988
<i>Royeni</i> ...	—	59	3125	<i>Chætogastra conferta</i> ..	29	99	6018
<i>Russellianus</i> ...	—	66	3717	<i>gracilis</i> ...	—	63	3481

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Chætogastra lanceolata</i>	—	55	2836	<i>Chamælorion luteum</i> ...	36	106	6510
<i>mollis</i>	20	90	5455	<i>Chamæmelum</i> ...	—	15	544
<i>sarmentosa</i>	23	93	5629	<i>specioso flore</i> ...	—	13	462
<i>Chaitæa Tacca</i>	49	119	7299	<i>Chamærhodendros</i>			
<i>Chamæ-moly</i>	—	30	1203	<i>pontica</i>	—	13	433
<i>Chamæbatia foliolosa</i> ..	16	86	5171	"	—	18	650
"	57	127	7810	<i>Chamærhododendron</i>			
<i>Chamæbatiaria mille-</i>				<i>berberis folio</i> ...	—	14	488
<i>folium</i>	57	127	7810	<i>exoticum</i>	—	36	1480
<i>Chamæbuxus flore Co-</i>				<i>Chamærhododendros</i>			
<i>luteæ</i>	—	9	316	<i>folio glabro</i> ...	—	17	636
<i>Chamæcerasus mon-</i>				<i>lauri folio</i>	—	24	951
<i>tana</i>	—	45	1965	<i>Chamæriphe</i> <i>tri-</i>			
<i>Chamæ Cistus</i>	—	14	488	<i>carpos</i>	—	47	2152
<i>Chamæcistus hirsuta</i> ..	—	14	488	<i>Chamærops acaulis</i> ...	—	35	1434
<i>luteus</i>	—	50	2371	<i>excelsa</i>	—	33	1371
<i>Chamæcrista pavonis</i>				"	16	86	5221
<i>major</i>	—	3	107	<i>fenestrata</i>	18	88	5291
<i>Chamæcyparis Bour-</i>				<i>Fortunei</i>	16	86	5221
<i>sieri</i>	22	92	5581	<i>Griffithii</i>	46	116	7128
<i>Chamædaphne</i>	—	32	1286	<i>humilis</i>	—	47	2152
<i>foliis tini</i>	—	5	175	<i>khasyana</i>	46	116	7128
<i>sempervirens</i>	—	10	331	<i>stauracantha</i> ...	49	119	7302
<i>Chamædaphnoides cre-</i>				<i>Chamæxyris angusti-</i>			
<i>tica</i>	—	44	1917	<i>folia</i>	—	18	681
<i>Chamædorea Arenber-</i>				<i>Chameiris flavo et pur-</i>			
<i>giana</i>	41	111	6838	<i>purascete flore</i> ...	—	30	1209
<i>Chamædorea elegans</i>				<i>latifolia</i>	—	30	1209
<i>(mas.)</i>	11	81	4845	<i>Chamelæa alpina</i> ...	—	12	428
<i>Ernesti - Augusti,</i>				<i>incana</i>	—	12	428
<i>mas.</i>	11	81	4837	<i>lanuginosa</i>	—	12	428
<i>fem.</i>			4831	<i>Chameranthemum Bey-</i>			
<i>fenestrata</i>	18	88	5291	<i>richii v. variegata</i> ...	22	92	5557
"	30	100	6088	<i>Chaptalia integrifolia</i> .	—	48	2257
<i>geonomæformis</i> ...	30	100	6088	<i>tomentosa</i>	—	48	2257
<i>humilis</i>	30	100	6088	<i>Cheilanthes dealbata</i> ..	10	80	4765
<i>latifolia</i>	41	111	6838	<i>farinosa</i>	10	80	4765
<i>latifrons</i>	41	111	6838	<i>Cheilopsis montana</i> ...	21	91	5516
<i>Lindeniana</i>	21	91	5492	<i>Cheiranthera parvi-</i>			
<i>pulchella</i>	60	130	7959	<i>flora</i>	48	118	7261
<i>stolonifera</i>	48	118	7265	<i>Cheiranthus alpinus</i> ...	—	50	2423
<i>tenella</i>	37	107	6584	<i>Armeniacus</i>	—	22	835
<i>Tepejilote</i>	29	99	6030	<i>decumbens</i>	—	50	2423
<i>Chamæiris</i>	—	18	681	<i>erysimoides</i>	—	50	2423
<i>minor</i>	—	1	9	<i>foliis lanceolato li-</i>			
<i>Chamæjasme</i>	—	20	743	<i>nearibus</i>	—	19	729
<i>Chamælarix monomo-</i>				<i>littoreus</i>	8	78	4672
<i>patensis</i>	—	48	2225	<i>maritimus</i>	—	5	166
<i>Chamæleonta Monspel-</i>				<i>mutabilis</i>	—	6	195
<i>liensium</i>	—	43	1808	<i>odoratissimus</i> ...	—	41	1711

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Cheiranthus tristis</i> ...	—	19	729	<i>Chironia palustris</i> ...	46	116	7101
<i>Cheirostemon plantan-</i> <i>oides</i> ...	15	85	5135	<i>peduncularis</i> ...	45	115	7047
<i>Chelidonium diphyllum</i>	11	81	4867	<i>trinervia</i> ...	45	115	7047
<i>japonicum</i> ...	26	96	5830	<i>trinervis</i> ...	5	75	4423
<i>majus</i> ...	—	5	162	" ...	45	115	7047
<i>uniflorum</i> ...	26	96	5830	<i>Chlamysporum junci-</i> <i>folium</i> ...	—	49	2351
<i>Chelonanthera speciosa</i>	11	81	4889	<i>Chloræa crispa</i> ...	60	130	7955
<i>Chelone angustifolia</i> ...	—	68	3884	<i>longibracteata</i> ...	59	129	7909
<i>campanulata</i> ...	—	68	3884	<i>Chloranthus mono-</i> <i>stachys</i> ...	—	48	2190
<i>campanuloides</i> ...	—	44	1878	<i>Chlorocodon Whiteii</i> ..	27	97	5898
<i>centranthifolia</i> ...	15	85	5142	<i>Chlorogalum Leicht-</i> <i>linii</i> ...	33	103	6287
<i>foliis inferioribus</i> ...	—	35	1425	<i>Chlorophytum Inorna-</i> <i>tum</i> ...	—	27	1071
<i>gentianoides</i> ...	—	65	3661	<i>Chondrilla altera</i> ...	—	47	2130
<i>lævigata</i> ...	—	35	1425	<i>cærulea</i> ...	—	9	293
<i>major</i> ...	—	44	1864	" ...	—	47	2130
<i>pentstemon</i> ...	—	35	1424	<i>tinjitana</i> ...	—	4	142
" ...	—	35	1425	<i>Chondrosea calyciflora</i>	49	119	7315
<i>Chelonopsis moschata</i> .	57	127	7783	<i>longifolia</i> ...	27	97	5889
<i>Chenopoda monomopa-</i> <i>tensis</i> ...	—	48	2225	<i>Chonemorpha grandi-</i> <i>flora</i> ...	52	122	7492
<i>Chenopodium atriplicis</i>	17	87	5231	<i>macrophylla</i> ...	52	122	7492
<i>folio sinuato</i> ...	—	65	3641	<i>mollis</i> ...	52	122	7492
<i>leucospermum</i> ...	17	87	5231	<i>Chorizema Henchmanni</i>	—	64	3607
<i>punctulatum</i> ...	17	87	5231	<i>nanum</i> ...	—	26	1032
<i>purpurascens</i> ...	17	87	5231	<i>spectabile</i> ...	—	68	3903
<i>quinoa</i> ...	—	65	3641	<i>trilobum</i> ...	—	36	1477
<i>Chevalliera Veitchii</i> ...	33	103	6329	<i>Choromna Mandaru</i> ...	49	119	7312
<i>Childsia Wercklei</i> ...	55	125	7684	<i>Chorozema sericeum</i> ...	30	100	6114
<i>Chilodia australis</i> ...	—	62	3405	<i>Chovanna-Mandaru</i> ...	41	111	6818
<i>scutellarioides</i> ...	—	62	3405	<i>Chrysanthemum ameri-</i> <i>canum</i> ...	—	7	227
<i>Chionodoxa Forbesii</i> ..	35	105	6433	" ...	—	41	1716
<i>Luciliæ</i> ...	35	105	6433	" ...	—	49	2310
<i>nana</i> ...	35	105	6453	<i>Broussonetii</i> ...	14	84	5067
<i>Chionographis japonica</i>	36	106	6510	<i>canadense</i> ...	53	123	7545
<i>Chirita depressa</i> ...	48	118	7213	<i>cannabinum</i> ...	—	41	1716
<i>Moonii</i> ...	4	74	4405	<i>carinatum v. pictum</i>	15	85	5095
<i>sinensis</i> ...	3	73	4284	<i>carolinianum</i> ...	—	52	2554
<i>Wakeriæ</i> ...	3	73	4327	<i>catananche</i> ...	30	100	6107
<i>Zeylanica</i> ...	1	71	4182	<i>cinarariaefolium</i> ...	40	110	6781
<i>Chironia angustifolia</i> ..	—	21	818	<i>coccineum</i> ...	—	27	1080
<i>baccifera</i> ...	—	7	233	<i>conyzoide</i> ...	—	41	1716
<i>Barclayana</i> ...	45	115	7047	<i>curassavicum</i> ...	—	41	1716
<i>calycosa</i> ...	—	39	1600	<i>grande</i> ...	59	129	7886
<i>decussata</i> ...	—	19	707	<i>grandiflorum</i> ...	59	129	7886
<i>dichotoma</i> ...	—	39	1600	<i>Indicum</i> ...	—	10	327
<i>frutescens</i> ...	—	2	37				
<i>Krebsii</i> ...	46	116	7101				
<i>latifolia</i> ...	45	115	7047				
<i>Linoides</i> ...	—	15	511				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Chrysanthemum</i> Indi-				<i>Chrysophyllum</i> cœru-			
<i>eum</i>	—	46	2042	<i>leum</i>	—	58	3072
"	—	52	2556	<i>imperiale</i>	41	111	6823
"	59	129	7874	<i>jamaicense</i>	—	58	3081
<i>lacustre</i>	—	54	2706	<i>monopyrenum</i>	—	61	3303
<i>latifolium</i>	—	42	1749	<i>oliviforme</i>	—	61	3303
"	53	123	7545	<i>Chrysorrhoe nitens</i>	17	87	5286
<i>maderaspatanum</i>	59	129	7874	<i>Chrysostemma tripteris</i>	—	64	3583
<i>marginatum</i>	60	130	7965	<i>Chusquea abietifolia</i> ...	41	111	6811
<i>(pyrethrum) Mawii</i> .	28	98	5997	<i>Chysis aurea</i>	—	64	3617
<i>montanum</i>	48	118	7225	<i>aurea v. maculata</i> ...	7	77	4576
<i>multicaule</i>	43	113	6930	" <i>v. Lemminghei</i>	17	87	5265
<i>nipponicum</i>	55	125	7660	<i>bractescens</i>	16	86	5186
<i>ornatum</i>	60	130	7965	<i>Lemminghei</i>	17	87	5265
<i>perenne v. majus</i> ...	53	123	7545	<i>Cicer arietinum</i>	—	49	2274
<i>pinnatifidum</i>	14	84	5067	<i>foliolis serratis</i>	—	49	2274
<i>procumbens</i>	59	129	7874	<i>montanum</i>	—	51	2483
<i>purpureum</i>	—	46	2042	<i>nigrum</i>	—	49	2274
<i>rigidum</i>	40	110	6781	<i>sativum</i>	—	49	2274
<i>rotundifolium</i>	48	118	7225	<i>sylvestre</i>	—	10	335
<i>Sabini</i>	59	129	7874	<i>Cienkowskia Kirkii</i> ...	28	98	5994
<i>sinense</i>	—	52	2556	<i>Cimicifuga Americana</i> .	—	46	2069
<i>tricolor</i>	—	15	508	<i>cordifolia</i>	—	46	2069
"	15	85	5095	<i>palmata</i>	—	39	1630
<i>tripartitum</i>	59	129	7874	<i>Cinchona Academica</i> ...	19	89	5364
<i>Turreanum</i>	40	110	6781	<i>calisaya v. Josephiana</i>	29	99	6052
<i>uliginosum</i>	—	54	2706	" <i>v. vera</i>	35	105	6434
<i>virginicum</i>	53	123	7555	<i>condaminea</i>	19	89	5364
<i>Chryseis tenuifolia</i> ...	10	80	4812	<i>grandiflora</i>	32	102	6239
<i>Chrysiphiala latifolia</i> ..	12	82	4952	<i>gratissima</i>	—	68	3946
<i>Chrysiphiale trichroma</i>	24	94	5686	<i>lancifolia</i>	19	89	5364
<i>Chrysobactron Hookeri</i>	7	77	4602	<i>longiflora</i>	1	71	4186
<i>Chrysobaphus Rox-</i>				<i>officinalis</i>	19	89	5364
<i>burgii</i>	—	70	4123	<i>Uritusinga</i>	19	89	5364
"	16	86	5208	<i>Cineraria alpina</i>	—	48	2262
<i>Chrysocias grandiflora</i>	27	97	5913	<i>Amelloides</i>	—	7	249
<i>Chrysocoma coma</i>				<i>aurantiaca</i>	—	48	2262
<i>aurea</i>	—	45	1972	<i>aurita</i>	—	43	1786
<i>comaurea</i>	—	45	1972	<i>cruenta</i>	—	12	406
<i>dracunculoides</i>	—	52	2546	<i>discolor</i>	—	53	2647
<i>fruticosa</i>	—	45	1972	<i>gigantea</i>	53	123	7531
<i>graminifolia</i>	—	52	2546	<i>integrifolia</i>	—	48	2262
<i>squamata</i>	—	64	3625	<i>lanata</i>	—	2	53
<i>Chrysocome africana</i> ...	—	20	763	"	—	67	3827
<i>lutea</i>	—	47	2159	<i>leucanthema</i>	53	123	7531
<i>Chrysogonum Dioseo-</i>				<i>othonnites</i>	—	69	3967
<i>ridis</i>	32	102	6244	<i>parviflora</i>	—	45	1990
<i>Chrysophiala flava</i> ...	—	53	2641	<i>pentactina</i>	57	127	7799
<i>Chrysophyllum Cainito</i>	—	58	3072	<i>Petasitis</i>	—	37	1536
"	—	61	3303	<i>praecox</i>	10	80	4803

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Cineraria Sibirica</i> ...	—	44	1869	<i>Cistus chamærhodo-</i>			
<i>Tussilaginis</i> ...	—	60	3215	<i>dendros</i> ...	—	14	488
<i>Cinnamodendron corti-</i>				<i>foliis villosis</i> ...	—	43	1803
<i>cosum</i> ...	30	100	6120	<i>Formosus</i> ...	—	8	264
<i>Cinnamomum foliis</i>				<i>fruticosus</i> ...	—	17	627
<i>latis</i> ...	—	46	2028	<i>humilis</i> ...	—	8	273
<i>malabaricum</i> ...	—	40	1636	„ ...	—	43	1782
<i>perpetuo florens</i> ...	—	40	1636	„ ...	—	43	1803
<i>Zeylanica</i> ...	—	46	2028	<i>incanus</i> ...	—	2	43
<i>Cipura paludosa</i> ...	—	18	646	<i>indicus</i> ...	—	36	1480
<i>Cirrhaea fusco-lutea</i> ...	—	66	3726	<i>ladaniferus</i>	—	4	112
<i>Cirrhopetalum Collettii</i>	47	117	7198	<i>laevipes</i> ...	—	43	1782
<i>cornutum</i> ...	9	79	4753	<i>Ledon</i> ...	—	4	112
<i>Cumingii</i> ...	13	83	4996	„ ...	—	43	1853
<i>Curtisii</i> ...	53	123	7554	<i>mas angustifolius</i> ...	—	2	43
<i>fimbriatum</i> ...	4	74	4391	<i>mutabilis</i> ...	—	43	1803
<i>graveolens</i> ...	53	123	7557	<i>ochreatus</i> ...	17	87	5241
<i>Hookeri</i> ...	58	128	7869	<i>ocymoides</i> ...	23	93	5621
<i>Macraei</i> ...	5	75	4422	<i>pilosus</i> ...	—	43	1803
<i>makoyanum</i> ...	48	118	7259	<i>sampsucifolius</i>	—	43	1803
<i>medusæ</i> ...	13	83	4977	„	23	93	5621
<i>nutans</i> ...	5	75	4418	<i>suffruticosus</i> ...	—	43	1782
<i>ornatissimum</i> ...	48	118	7229	<i>symphytifolius</i> ...	17	87	5241
<i>picturatum</i> ...	41	111	6802	<i>tuberaria</i> ...	11	81	4873
<i>robustum</i> ...	53	123	7557	<i>vaginatus</i> ...	17	87	5241
<i>Thouarsii</i> ...	2	72	4237	<i>virginiana</i> ...	—	5	180
„	48	118	7214	<i>Citambel</i> ...	—	46	2058
<i>umbellatum</i> ...	48	118	7214	<i>Citharexylon cyanocar-</i>			
<i>Wallichii</i> ...	4	74	4391	<i>pum</i> ...	41	111	6849
<i>Cirsium acanthoides</i> ...	—	33	1366	<i>Citrus acida</i> ...	40	110	6745
<i>foliis caulinis</i> ...	—	33	1366	<i>aurantium v. japonica</i>	30	100	6128
<i>Grahami</i> ...	27	97	5885	„ <i>v. Bergamia</i>	47	117	7194
<i>italicum</i> ...	—	48	2197	<i>Bergamia</i> ...	47	117	7194
<i>molle</i> ...	—	51	2482	<i>japonica</i> ...	30	100	6128
<i>spinosissimum</i> ...	—	33	1366	<i>Lima</i> ...	40	110	6745
<i>tuberosum</i> ...	—	34	1411	<i>limetta</i> ...	40	110	6745
<i>Cissampelos convolvu-</i>				„	47	117	7194
<i>lacea</i> ...	8	78	4658	<i>limomum bergamotta</i>	47	117	7194
<i>smilacina</i> ...	—	44	1910	<i>limonellus</i> ...	40	110	6745
<i>Cissus antarctica</i> ...	—	51	2488	<i>Margarita</i> ...	30	100	6128
<i>discolor</i> ...	10	80	4763	<i>medica v. acida</i> ...	40	110	6745
<i>glandulosa</i> ...	—	51	2488	„ <i>v. Riversii</i> ..	41	111	6807
<i>macropus</i> ...	20	90	5479	<i>trifolia</i> ...	36	106	6513
<i>quinquefolia</i> ...	—	51	2443	<i>trifoliata</i> ...	36	106	6513
<i>velutinus</i> ...	16	86	5207	<i>Clabodium violaceum</i> ..	—	70	4071
<i>Cistanche violacea</i> ...	59	129	7911	<i>Cladrastis amurensis</i> ...	37	107	6551
<i>Cistus algarvensis</i> ...	—	17	627	<i>lutea</i> ...	57	127	7767
<i>Barrelieri</i> ...	—	50	2371	<i>tinctoria</i> ...	57	127	7767
<i>candidissimus</i> ...	17	87	5241	<i>Clandestina rectiflora</i> ..	46	116	7106
<i>chamærhododendros</i>	—	5	175	<i>Clappertonia ficifolia</i> ..	58	128	7836

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Clarionea spathulata</i> ..	19	89	5401	<i>Clematis montana</i> <i>v.</i>			
<i>Clarkia elegans</i> ...	—	64	3592	<i>grandiflora</i> ...	—	70	4061
<i>pulchella</i> ...	—	56	2918	<i>myrsinites</i> ...	—	37	1511
<i>Clausonia acaulis</i> ...	44	114	7004	<i>Nipalensis</i> ...	10	80	4794
<i>Clavija Ernstii</i> ...	43	113	6928	<i>oreophila</i> ...	59	129	7897
<i>fulgens</i> ...	23	93	5626	<i>orientalis v. tangutica</i>	56	126	7710
<i>macrophylla</i> ...	26	96	5829	<i>peregrina</i> ...	—	27	1070
<i>ornata</i> ...	12	82	4922	<i>Pitcheri</i> ...	37	107	6594
<i>Claytonia alsinoides</i> ...	—	32	1309	<i>polypetala</i> ...	3	73	4341
<i>cubensis</i> ...	—	33	1336	<i>reticulata</i> ...	—	29	1160
<i>perfoliata</i> ...	—	33	1336	" ...	37	107	6574
<i>Sibirica</i> ...	—	48	2243	<i>smilacifolia</i> ...	2	72	4259
<i>Virginica</i> ...	—	24	941	<i>smilacina</i> ...	2	72	4259
<i>Clemanthus senensis</i> ..	57	127	7763	<i>Stanleyi</i> ...	47	117	7166
<i>Clematis æthusæfolia</i>				<i>stans</i> ...	41	111	6810
<i>v. latisecta</i> ...	37	107	6542	<i>subpeltata</i> ...	2	72	4259
<i>alpina</i> ...	—	15	530	<i>tubulosa</i> ...	2	72	4269
" ...	—	29	1160	" <i>v. Hookeri.</i>	41	111	6801
<i>altera bætica</i> ...	—	27	1070	<i>Viorna</i> ...	—	29	1160
<i>americana</i> ...	—	22	864	" ...	37	107	6594
<i>anemoniflora</i> ...	—	70	4061	<i>viticella</i> ...	—	16	565
<i>Armandi</i> ...	59	129	7897	<i>Clematitis altera</i> ...	—	16	565
<i>bætica elusii</i> ...	—	27	1070	<i>cærulea</i> ...	—	2	65
<i>balearica</i> ...	—	24	959	" ...	—	16	565
<i>barbellata</i> ...	10	80	4794	<i>peregrina</i> ...	—	16	565
<i>cærulea, v. grandi-</i>				<i>Cleochroma grandi-</i>			
<i>flora</i> ...	—	69	3983	<i>florum</i> ...	18	88	5301
<i>calycina</i> ...	—	24	959	<i>Cleome arborea</i> ...	—	61	3296
<i>cirrhis scandens</i> ...	—	27	1070	<i>assurgens</i> ...	—	40	1640
<i>cirrhosa</i> ...	—	27	1070	<i>atro-purpurea</i> ...	—	61	3296
<i>coccinea</i> ...	37	107	6594	<i>candelabrum</i> ...	—	53	2656
<i>cœrulea</i> ...	—	2	65	<i>dendroides</i> ...	—	61	3296
<i>cordata</i> ...	—	43	1816	<i>Erucago</i> ...	—	40	1640
<i>crispa</i> ...	—	44	1892	<i>gigantea</i> ...	—	59	3137
<i>cruciata</i> ...	—	15	530	<i>pentaphylla</i> ...	—	40	1681
<i>cylindrica</i> ...	—	29	1160	<i>pubescens</i> ...	—	43	1857
<i>flore crispo</i> ...	—	44	1892	<i>pungens</i> ...	—	40	1640
<i>florida</i> ...	—	22	834	<i>spinosa</i> ...	—	40	1640
<i>foliis compositis</i> ...	—	16	565	<i>viridiflora</i> ...	—	59	3137
" ...	—	45	1951	<i>Clerodendron Bethune-</i>			
<i>glandulosa</i> ...	2	72	4259	<i>anum</i> ...	5	75	4485
<i>graveolens</i> ...	6	76	4495	<i>Bungei</i> ...	11	81	4880
<i>grewiæflora</i> ...	34	104	6369	<i>calamitosum</i> ...	18	88	5294
<i>hedysarifolia</i> ...	59	129	7897	<i>capitatum</i> ...	4	74	4355
<i>Hookeri</i> ...	41	111	6801	" ...	59	129	7922
<i>indivisa v. lobata</i> ...	4	74	4398	<i>cephalanthum</i> ...	59	129	7922
<i>integrifolia</i> ...	—	2	65	<i>emirnense</i> ...	—	56	2925
" ...	4	74	4398	<i>foetidum</i> ...	11	81	4880
<i>Kousabotan</i> ...	41	111	6810	<i>hastatum</i> ...	—	62	3398
<i>Meyeniana</i> ...	59	129	7897	<i>macrosiphon</i> ...	39	109	6695

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Clerodendron myri-</i>				<i>Cnicus Afer</i> ...	—	49	2287
<i>coides</i> ...	26	96	5838	<i>alter</i> ...	—	49	2293
<i>myrmecophila</i> ...	59	129	7887	<i>cæruleus asperior</i>	—	49	2293
<i>nutans</i> ...	—	58	3049	<i>spinosissimus</i> ...	—	33	1366
<i>paniculatum</i> ...	46	116	7141	<i>Cobæa acuminata</i> ...	—	66	3780
<i>scandens</i> ...	4	74	4354	<i>lutea</i> ...	—	66	3780
<i>sinuatum</i> ...	2	72	4255	<i>macrostema</i> ...	—	66	3780
<i>splendidum</i> ...	46	116	7141	<i>penduliflora</i> ...	25	95	5757
<i>Thomsonæ</i> ...	18	88	5313	<i>scandens</i> ...	—	22	851
<i>trichotomum</i> ...	37	107	6561	<i>Cobbea scandens</i> ...	—	22	851
<i>umbellatum</i> ...	4	74	4354	<i>Coburgia coccinea</i>	—	67	3865
<i>Clerodendrum fragrans</i>	—	43	1834	<i>fulva</i> ...	—	60	3221
<i>macrophyllum</i> ...	—	52	2536	<i>trichroma</i> ...	24	94	5686
<i>tomentosum</i> ...	—	37	1518	" ...	—	67	3867
<i>viscosum</i> ...	—	43	1805	<i>Coccocypselum discolor</i>	49	119	7278
<i>Clethra alnifolia</i> <i>v.</i> <i>to-</i>				<i>hirsutum</i> ...	49	119	7278
<i>mentosa</i> ...	—	66	3743	<i>repens</i> ...	49	119	7278
<i>arborea</i> ...	—	26	1057	<i>Coccoloba foliis crassis</i>			
<i>tomentosa</i> ...	—	66	3743	<i>orbiculatis</i> ...	—	59	3166
<i>Clethropsis nitida</i> ...	55	125	7654	<i>grandifolia</i> ...	—	59	3166
<i>Cleyera Fortunei</i> ...	51	121	7434	<i>leoganensis</i> ...	—	59	3130
<i>japonica</i> ...	51	121	7434	<i>macrantha</i> ...	6	76	4536
<i>Clianthus Dampieri</i> ...	14	84	5051	<i>macrophylla</i> ...	6	76	4536
<i>Oxleyi</i> ...	14	84	5051	<i>platyclada</i> ...	19	89	5382
<i>puniceus</i> ...	—	64	3584	<i>pubescens</i> ...	—	59	3166
<i>Cliftonia</i> ...	—	39	1625	<i>uvifera</i> ...	—	59	3130
<i>Clinopodium foliis</i>				<i>Cocculus palmatus</i> ...	—	57	2970
<i>ovatis</i> ...	—	47	2153	<i>Cochlioda Noezliana</i> ...	52	122	7474
<i>montanum</i> ...	—	47	2153	<i>Cochliopetalum flavescens</i>	33	103	6318
<i>Clinostylis speciosa</i> ...	12	82	4938	<i>Cochliostema Jacobi-</i>			
<i>Clintonia Andrewsiana</i>	45	115	7092	<i>anum</i> ...	24	94	5705
<i>Andrewsii</i> ...	45	115	7092	<i>Cocos arenarius</i> ...	11	81	4861
<i>pulchella</i> ...	32	102	6257	<i>maldivica</i> ...	—	54	2734
<i>Clitoria arborescens</i> ...	—	59	3165	<i>plumosa</i> ...	16	86	5180
<i>heterophylla</i> ...	—	47	2111	<i>Cocus maldivicus</i> ...	—	54	2734
<i>Ternatea</i> ...	—	37	1542	<i>Codia</i> ...	—	43	1811
<i>Clivia Gardeni</i> ...	12	82	4895	<i>Codiaeum pictum</i> ...	—	58	3051
<i>Clomenocoma montana</i>	18	88	5310	<i>Codonopsis cordata</i> ...	19	89	5372
<i>Clusia Brongniartiana</i>	18	88	5325	<i>rotundifolia v. grandiflora</i>	13	83	5018
<i>odorata</i> ...	26	96	5865	<i>Coelanthè Burseri</i> ...	55	125	7637
<i>rosæflora</i> ...	26	96	5865	<i>Coelia bella</i> ...	38	108	6628
<i>Clutia alaternoides</i> ...	—	32	1321	<i>macrostachya</i> ...	9	79	4712
<i>cascarilla</i> ...	53	123	7515	<i>Coelogyne angustifolia</i>	20	90	5462
<i>Eluteria</i> ...	53	123	7515	<i>corrugata</i> ...	22	92	5601
<i>pulchella</i> ...	—	45	1945	<i>corymbosa</i> ...	43	113	6955
<i>Cluytia alaternoides</i> ...	—	32	1321	<i>Cumingii</i> ...	8	78	4645
<i>Clymenum Hispanicum</i>	—	8	253	<i>elata</i> ...	13	83	5001
<i>Cneorum</i> ...	—	9	313	<i>flaccida</i> ...	—	61	3318
<i>album</i> ...	—	13	459				
<i>Cnicum alpinum</i> ...	—	33	1366				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Cœlogyne fuliginosa</i> ...	5	75	4440	<i>Colchicum latifolium</i> ..	—	28	1122
" 	28	98	5958	" 	47	117	7181
<i>fuscescens v. brunnea</i>	21	91	5494	<i>luteum</i> ..	31	101	6153
<i>graminifolia</i> ..	44	114	7006	" <i>majus</i>	—	9	290
(Pleione) <i>Hookeriana</i>	34	104	6388	<i>montanum</i> ...	35	105	6443
<i>humilis</i> ...	23	93	5674	<i>Parkinsoni</i> ...	30	100	6090
<i>lagenaria</i> ...	19	89	5370	<i>Ritchii</i> ...	35	105	6443
<i>lentiginosa</i> ...	28	98	5958	<i>Sibthorpii</i> ...	47	117	7181
<i>maculata</i> ...	9	79	4691	<i>speciosum</i> ...	30	100	6078
<i>Massangeana</i> ...	44	114	6979	<i>Troodii</i> ...	42	112	6901
<i>ocellata</i> ...	—	66	3767	<i>variegatum</i> ...	—	26	1028
" 	43	113	6955	<i>vernum Hispanicum</i>	—	5	153
<i>ochracea</i> ...	8	78	4661	<i>Colensoa physaloides</i> ..	42	112	6864
<i>odoratissima</i> ...	20	90	5462	<i>Coleonema pulchrum</i> ..	—	61	3340
<i>pandurata</i> ...	14	84	5084	<i>Coleostephus multi-</i>			
<i>Parishii</i> ...	18	88	5323	<i>caulis</i> ...	43	113	6930
(Pleione) <i>Reichen-</i>				<i>Coleus Blumei</i> ...	9	79	4754
<i>bachiana</i> ...	25	95	5753	<i>inflata</i> ...	17	87	5236
<i>Rossiana</i> ...	47	117	7176	<i>inflatus</i> ...	17	87	5236
<i>Schilleriana</i> ...	14	84	5072	<i>Macraei</i> ...	9	79	4690
<i>speciosa</i> ...	11	81	4889	<i>Mahonii</i> ...	58	128	7818
<i>Swaniana</i> ...	54	124	7602	<i>thyrsoides</i> ...	55	125	7672
<i>testacea</i> ...	10	80	4785	<i>Collania andinamarcana</i>	2	72	4247
<i>Veitchii</i> ...	57	127	7764	<i>urceolata</i> ...	20	90	5464
<i>Wallichiana</i> ...	6	76	4496	<i>Colletia Bictoniensis</i> ..	14	84	5033
<i>Wallichii</i> ...	6	76	4496	<i>cruciata</i> ...	14	84	5033
<i>Cœtocapniageminiflora</i>	9	79	4741	<i>ferox</i> ...	—	65	3644
<i>Coffea Arabica</i> ...	—	32	1303	<i>horrida</i> ...	—	65	3644
" 	52	122	7475	<i>Collinsia anisata</i> ...	—	30	1213
<i>Benghalensis</i> ...	12	82	4917	<i>bicolor</i> ...	—	63	3488
<i>stenophylla</i> ...	52	122	7475	<i>heterophylla</i>	—	65	3695
<i>travancorensis</i> ...	40	110	6749	<i>verna</i> ...	12	82	4927
<i>triflora</i> ...	40	110	6749	<i>Collinsonia anisata</i> ...	—	30	1213
<i>Coilophyllum virginia-</i>				<i>serotina</i> ...	—	30	1213
<i>num</i> ...	—	20	780	<i>Collomia Cavanillesii</i> ..	—	63	3468
<i>Coix Lachryma</i> ...	—	51	2479	<i>coccinea</i> ...	—	63	3468
<i>Cola acuminata</i> ...	24	94	5699	<i>gracilis</i> ...	—	56	2924
<i>Colax Barringtoniæ</i> ...	24	94	5706	<i>grandiflora</i>	—	56	2894
<i>Harrisoniæ</i> ...	—	56	2927	<i>heterophylla</i>	—	56	2895
<i>jugosus</i> ...	23	93	5661	<i>lateritia</i> ...	—	63	3468
<i>Colchicum Bertolonii</i> .	35	105	6443	<i>linearis</i> ...	—	56	2893
<i>bulbocodioides</i> ...	35	105	6443	<i>parviflora</i> ...	—	56	2893
<i>Byzantinum</i> ...	—	28	1122	<i>Colocasia antiquorum</i> .	50	120	7364
<i>Caucasicum</i> ...	—	65	3690	" <i>v. Fontanesii</i>	56	126	7732
<i>chionense</i> ...	—	26	1028	<i>esculenta</i> ...	50	120	7364
" 	30	100	6090	<i>euchlora</i> ...	50	120	7364
<i>crociflorum</i> ...	—	53	2673	<i>Fontanesii</i> ...	50	120	7364
<i>Cupani</i> ...	35	105	6443	" 	56	126	7732
<i>fritillaricum</i> ...	—	26	1028	<i>himalensis</i> ...	50	120	7364
" <i>chiense</i>	30	100	6090	<i>nymphæifolia</i> ...	50	120	7364

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Colocasia odora</i> ...	—	68	3935	<i>Commelina speciosa</i> ...	20	90	5471
<i>odorata</i> ...	—	68	3935	<i>tuberosa</i> ...	—	41	1695
<i>pruinipes</i> ...	50	120	7364	<i>Commersonia echinata</i>	—	43	1813
<i>violacea</i> ...	56	126	7732	<i>platyphylla</i> ...	—	43	1813
<i>Colquhounia coccinea</i> ...	6	76	4514	<i>Comparettia falcata</i> ...	13	83	4980
<i>Columellia oblonga</i> ...	31	101	6183	<i>macroplectron</i> ...	39	109	6679
<i>sericea</i> ...	31	101	6183	<i>Compsanthus maculatus</i>	12	82	4955
<i>Columnnea aureo-nitens</i>	3	73	4294	<i>Conandron ramon-</i>			
<i>crassifolia</i> ...	3	73	4330	<i>dioides</i> ...	36	106	6484
<i>erecta</i> ...	—	11	374	<i>Conanthera bifolia</i> ...	—	51	2496
<i>Harrisii</i> ...	3	73	4330	<i>Conchocarpus macro-</i>			
<i>hirsuta</i> ...	—	58	3081	<i>phyllus</i> ...	12	82	4948
<i>Kalbreyeri</i> ...	38	108	6633	<i>Concombre de Sikkim</i> .	32	102	6206
<i>rotundifolia</i> ...	—	39	1614	<i>Conium Arracacha</i> ...	—	58	3092
" ...	15	85	5118	<i>Conobea alata</i> ...	—	58	3067
<i>scandens</i> ...	—	39	1614	<i>Conoclinium ianthimum</i>	7	77	4574
" ...	15	85	5118	<i>Conophallus Titanum</i> .	47	117	7153
<i>Schiedeana</i> ...	—	69	4045	<i>Conospermum ericifo-</i>			
<i>speciosa</i> ...	15	85	5118	<i>lium</i> ...	—	55	2850
<i>Colutea æthiopica</i> ...	—	6	181	<i>falcifolium</i> ...	—	54	2724
<i>arborescens</i> ...	—	3	81	<i>taxifolium</i> ...	—	54	2724
<i>frutescens</i> ...	—	6	181	<i>Conostylis aculeata</i>	—	57	2989
<i>galegifolia</i> ...	—	21	792	<i>americana</i> ...	—	39	1596
<i>nepalensis</i> ...	—	53	2622	<i>Conradia ventricosa</i> ...	50	120	7339
<i>Novæ-Hollandiæ</i> ...	14	84	5051	<i>Convallaria bifolia</i> ...	—	15	510
<i>scorpioides</i> ...	—	1	13	<i>Japonica</i> ...	—	27	1063
" ...	—	23	907	<i>oppositifolia</i> ...	—	63	3529
<i>siliquosa</i> ...	—	13	445	<i>polygonatum</i> ...	30	100	6133
" <i>minor</i> ...	—	23	907	<i>punctata</i> ...	14	84	5061
<i>vesicaria</i> ...	—	3	81	<i>racemosa</i> ...	—	23	899
<i>Colvillea racemosa</i> ...	—	61	3325	<i>rosea</i> ...	14	84	5049
<i>Coma aurea</i> ...	—	45	1972	<i>spicata</i> ...	18	88	5348
<i>Comanthosphace japo-</i>				<i>stellata</i> ...	—	26	1043
<i>nica</i> ...	52	122	7463	<i>umbellulata</i> ...	—	29	1155
<i>Comarum Salesovi</i> ...	48	118	7258	<i>Convolvulus Ægyptius</i>	—	19	699
<i>Combretum coccineum</i>	—	46	2102	<i>Althææ folio</i> ...	—	10	359
<i>grandiflorum</i> ...	—	56	2944	<i>althæoides</i> ...	—	10	359
<i>micropetalum</i> ...	22	92	5617	<i>americanus</i> ...	—	20	752
<i>purpureum</i> ...	—	46	2102	<i>angustifolius</i> ...	20	90	5426
<i>Commelina Africana</i> ...	—	35	1431	<i>argenteus</i> ...	—	10	359
<i>cœlestis</i> ...	—	41	1695	" ...	—	13	459
<i>corollis æqualibus</i> ...	—	35	1435	<i>bellus</i> ...	3	73	4305
<i>cristata</i> ...	—	35	1435	<i>bicolor</i> ...	—	48	2205
<i>deficiens</i> ...	—	53	2644	<i>Blumei</i> ...	20	90	5426
<i>formosa</i> ...	—	58	3047	<i>bryoniæ-folius</i> ...	—	24	943
<i>gracilis</i> ...	—	58	3047	<i>cæruleus</i> ...	—	4	113
<i>hirsuta</i> ...	57	127	7785	" ...	—	6	188
<i>procumbens</i> ...	—	35	1431	<i>Cairicus</i> ...	—	19	699
<i>radice anacampserotis</i>	—	41	1695	<i>canariensis</i> ...	—	30	1228
" <i>perenni</i> ...	—	35	1431	<i>candicans</i> ...	—	39	1603

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Convolvulus capillaceus</i>	3	73	4301	<i>Convolvulus tricolor</i> ...	—	1	27
<i>Cneorum</i> ...	—	13	459	<i>trifolius</i> ...	—	6	188
<i>coccineus</i> ...	—	7	221	<i>Turpethum</i> ...	—	46	2093
<i>cuneiformis</i> ...	—	47	2170	<i>Conyza Æthiopica</i> ...	—	45	1972
<i>Dahuricus</i> ...	—	53	2609	<i>Africana</i> ...	—	45	1987
<i>denticulatus</i> ...	20	90	5426	<i>arborescens</i> ...	—	42	1734
<i>erubescens</i> ...	—	27	1067	<i>canescens</i> ...	19	89	5412
<i>Falckia</i> ...	—	48	2228	<i>conspicua</i> ...	39	109	6672
<i>filicaulis</i> ...	20	90	5426	<i>Helichrysoides</i> ...	—	45	1987
<i>filiformis</i> ...	20	90	5426	<i>pinifolia</i> ...	19	89	5412
<i>flore maximo</i> ...	—	39	1603	<i>Cooperia chlorosolen</i> ..	—	63	3482
<i>foliis cordatis</i> ...	—	20	752	<i>pedunculata</i> ...	—	66	3727
„ <i>inferioribus</i> ...	—	39	1603	<i>Coral carolinensis</i> ...	—	22	877
„ <i>lanceolatis</i> ...	—	19	699	<i>Coraliodendron foliis</i>			
„ <i>palmato-pinnatis</i>	—	19	699	<i>ternatis</i> ...	—	22	877
<i>hastatus</i> ...	20	90	5426	<i>humile</i> ...	—	22	877
<i>heptaphyllus</i> ...	3	73	4305	<i>Corbularia Graellsii</i> ...	36	106	6473
<i>indicus</i> ...	—	46	2093	<i>monophylla</i> ...	26	96	5831
<i>involutus</i> ...	—	48	2205	<i>Corchorus flore pleno</i> ..	—	32	1296
<i>Jalapa</i> ...	—	38	1572	<i>japonicus</i> ...	—	32	1296
„ ...	3	73	4280	<i>olitorius</i> ...	—	55	2810
<i>Japonicus</i> ...	20	90	5426	<i>Plinii</i> ...	—	55	2810
<i>Linearis</i> ...	—	9	289	<i>Cordia decandra</i> ...	33	103	6279
<i>macrostegius</i> ...	56	126	7717	<i>foliis amplioribus</i> ...	—	21	794
<i>major</i> ...	—	13	459	„ <i>subovatis</i> ...	—	21	794
„ ...	—	44	1939	<i>glabra</i> ...	25	95	5774
<i>Mauritanicus</i> ...	17	87	5243	<i>ipomœæflora</i> ...	14	84	5027
<i>maximus</i> ...	—	20	752	<i>nucis juglandis folio</i>	—	21	794
<i>medium</i> ...	20	90	5426	<i>Sebestena</i> ...	11	81	4888
<i>megalorhizos</i> ...	—	44	1939	„ ...	—	21	794
<i>nervosus</i> ...	—	51	2446	<i>superba</i> ...	11	81	4888
<i>nil</i> ...	—	6	188	<i>Cordyla discolor</i> ...	30	100	6125
<i>occidentalis</i> ...	56	126	7717	<i>Cordyline Australis</i> ...	23	93	5636
<i>ocellatus</i> ...	—	70	4065	<i>foliis pungentibus</i> ...	—	31	1260
<i>panduratus</i> ...	—	39	1603	<i>longifolia</i> ...	15	85	5099
„ ...	—	44	1939	<i>Rumphii</i> ...	3	73	4279
<i>pannifolius</i> ...	—	30	1228	<i>Sieboldii</i> ...	10	80	4787
<i>pentanthus</i> ...	—	47	2151	<i>Coreopsis aristosa</i> ...	35	105	6462
<i>peregrinus</i> ...	—	1	27	<i>auriculata v. diversi-</i>			
<i>Potoricensis</i> ...	3	73	4289	<i>folia</i> ...	—	63	3474
<i>pudibundus</i> ...	3	73	4289	<i>coronata</i> ...	—	63	3460
<i>purpureus</i> ...	—	4	113	<i>diversifolia</i> ...	—	63	3474
„ <i>v. elatior.</i>	—	25	1005	<i>ferulæfolia</i> ...	—	46	2059
„ <i>v. varius.</i>	—	41	1682	<i>filifolia</i> ...	—	63	3505
<i>quinquefoliis</i> ...	—	19	699	<i>foliis linearibus</i> ...	—	46	2051
<i>saxatilis</i> ...	—	13	459	<i>lanceolata</i> ...	—	51	2451
<i>sepium v. Americanus</i>	—	19	732	<i>longipes</i> ...	—	64	3586
<i>speciosus</i> ...	—	51	2446	(<i>Tuckermannia</i>) <i>ma-</i>			
<i>tenuifolius Ameri-</i>				<i>ritima</i> ...	32	102	6241
<i>canus</i> ...	—	7	244	<i>nudata</i> ...	35	105	6419

G

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Coreopsis senifolia</i> ...	—	63	3484	<i>Corticoatzoate coxo-</i>			
<i>tinctoria</i> ...	—	51	2512	<i>chiti</i> ...	—	64	3742
<i>tripteris</i> ...	—	64	3583	<i>Cortusa Americana</i> ...	—	38	1589
<i>verticillata</i> ...	—	5	156	<i>foliis ovatis</i> ...	—	7	236
<i>Coriaria japonica</i> ...	52	122	7509	<i>indica</i> ...	—	38	1589
<i>sarmentosa</i> ...	—	51	2470	<i>Matthioli</i> ...	—	25	987
<i>Corindum ampliore folio</i>	—	26	1049	<i>Coryanthes macrantha</i>	56	126	7692
<i>peregrinum</i> ...	—	26	1049	<i>maculata</i> ...	—	58	3102
<i>Coris cærulea</i> ...	—	47	2131	„ <i>v. Parkeri.</i>	—	66	3747
<i>juncea aphyllis</i> ...	—	48	2199	<i>Corydalis aurea</i> ...	41	111	6826
<i>legitima</i> ...	—	5	178	<i>bracteata</i> ...	—	60	3242
<i>lutea</i> ...	—	5	178	<i>bulbosa</i> ...	—	49	2340
<i>monspeliaca</i> ...	—	47	2131	<i>Canadensis</i> ...	—	57	3031
<i>Monspeliensium</i> ...	—	47	2131	<i>caudata</i> ...	—	60	3230
<i>monspeliensis</i> ...	—	47	2131	<i>cava</i> ...	—	49	2340
<i>monspessulana</i> ...	—	47	2131	<i>heterocarpa</i> ...	41	111	6826
<i>quorundam</i> ...	—	47	2131	<i>Kolpakowskiana</i> ...	43	113	6925
<i>Cornus Canadensis</i> ...	—	22	880	<i>Ledebouriana</i> ...	43	113	6946
<i>capitata</i> ...	8	78	4641	<i>longiflora</i> ...	—	60	3230
<i>Florida</i> ...	—	15	526	<i>nobilis</i> ...	—	45	1953
<i>mascula</i> ...	—	53	2675	<i>pallida</i> ...	41	111	6826
<i>sylvestris</i> ...	—	53	2675	<i>racemosa</i> ...	41	111	6826
<i>Virginiana</i> ...	—	15	526	<i>Sewerzovi</i> ...	42	112	6896
<i>Cornutia punctata</i> ...	—	53	2611	<i>speciosa</i> ...	41	111	6826
<i>pyramidata</i> ...	—	53	2611	<i>spectabilis</i> ...	5	75	4458
<i>Corona Imperialis</i> ...	—	6	194	<i>thalictrifolia</i> ...	58	128	7830
„ „	—	30	1215	<i>tuberosa</i> ...	—	49	2340
<i>regalis</i> ...	—	36	1495	<i>Wilfordii</i> ...	41	111	6826
<i>solis</i> ...	—	53	2668	<i>Wilsoni</i> ...	60	130	7939
<i>Coronilla caule erecto</i>	—	23	907	<i>Corylopsis Himalayana</i>	40	110	6779
<i>caulibus lignosis</i> ...	—	47	2179	<i>pauciflora</i> ...	56	126	7736
<i>coronata</i> ...	—	23	907	<i>spicata</i> ...	20	90	5458
<i>Emerus</i> ...	—	13	445	<i>Corynocarpus lævigata</i>	4	74	4379
<i>glaucæ</i> ...	—	1	13	<i>Corynophallus Afzelii.</i>	57	127	7768
<i>iberica</i> ...	—	53	2646	<i>leonensis</i> ...	57	127	7768
<i>maritima</i> ...	—	1	13	<i>Corynostylis albiflora</i> .	28	98	5960
<i>minima</i> ...	—	47	2179	<i>Benthami</i> ...	28	98	5960
<i>montana</i> ...	—	23	907	<i>Carthagenensis</i> ...	28	98	5960
<i>orientalis</i> ...	—	53	2646	<i>Guyanensis</i> ...	28	98	5960
<i>Valentina</i> ...	—	6	185	<i>Hybanthus</i> ...	28	98	5960
<i>varia</i> ...	—	8	258	<i>Corypha australis</i> ...	33	103	6274
<i>Corosinam</i> ...	—	66	3715	<i>minor</i> ...	—	35	1434
<i>Corræa pulchella</i> ...	—	69	4029	<i>pumila</i> ...	—	35	1434
<i>rubra</i> ...	—	42	1746	<i>Corysanthera elliptica.</i>	26	96	5832
<i>speciosa</i> ...	—	42	1746	<i>Corysanthes limbata</i> ...	19	89	5357
<i>virens</i> ...	—	44	1901	<i>Coscium fenestratum</i>	8	78	4658
<i>viridiflora</i> ...	—	44	1901	<i>Cosmanthus grandi-</i>			
<i>Correa cardinalis</i> ...	12	82	4912	<i>florus</i> ...	14	84	5029
<i>reflexa</i> ...	—	44	1901	<i>Cosmea bipinnata</i> ...	—	37	1535
<i>Cortaderia jubata</i> ...	54	124	7607	<i>lutea</i> ...	—	41	1689

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Cosmibuena obtusifolia</i>				<i>Crassula Bolusii</i> ...	31	101	6194
<i>v. latifolia</i> ...	32	102	6239	<i>centauroides</i> ...	—	42	1765
<i>Cosmos bipinnatus</i> ...	—	37	1535	<i>coccinea</i> ...	—	14	495
<i>diversifolius v. atro-</i>				<i>Cotyledon</i> ...	—	11	384
<i>sanguineus</i> ...	17	87	5227	<i>cultrata</i> ...	—	44	1940
<i>Costus Afer</i> ...	13	83	4979	<i>dichotoma</i> ...	7	77	4607
<i>elegans</i> ...	27	97	5894	" ...	34	104	6401
<i>igneus</i> ...	41	111	6821	<i>falcata</i> ...	—	46	2035
<i>Malortieanus</i> ...	27	97	5894	<i>gentianoides</i> ...	7	77	4607
<i>Cotoneaster laxiflora</i> ...	—	63	3519	" ...	34	104	6401
<i>Cottonia macrostachya</i>	46	116	7099	<i>jasminea</i> ...	—	47	2178
<i>peduncularis</i> ...	46	116	7099	<i>jasminiflora</i> ...	—	47	2178
<i>Cotula grandis</i> ...	59	129	7886	<i>lactea</i> ...	—	43	1771
<i>Cotyledon Africana</i> ...	—	14	495	<i>obliqua</i> ...	—	46	2035
" ...	—	52	2601	<i>profusa</i> ...	29	99	6044
<i>africanum</i> ...	—	9	321	<i>pyramidalis</i> ...	55	125	7665
<i>arborescens</i> ...	—	11	384	<i>quadrangula</i> ...	55	125	7665
<i>calyculata</i> ...	—	34	1409	<i>retroflexa</i> ...	—	46	2035
<i>coccinea</i> ...	—	52	2572	" ...	7	77	4607
<i>coruscans</i> ...	—	52	2601	" ...	34	104	6401
<i>crenata</i> ...	—	35	1436	<i>rosularis</i> ...	19	89	5393
<i>curviflora</i> ...	—	46	2044	<i>saxifraga</i> ...	29	99	6068
<i>decussata</i> ...	—	51	2518	<i>teretifolia</i> ...	32	102	6235
<i>fascicularis</i> ...	22	92	5602	<i>versicolor</i> ...	—	50	2356
<i>flicaulis</i> ...	29	99	6020	<i>Crassuvia floripendula</i>	—	34	1409
<i>foliis angustis</i> ...	—	51	2518	<i>Cratægus alnifolia</i> ...	57	127	7773
" <i>latis undulatis</i>	59	129	7931	<i>coccinea</i> ...	—	62	3432
" <i>linearibus</i> ...	—	5	173	<i>florentina</i> ...	51	121	7423
<i>malacophyllus</i> ...	—	70	4098	<i>glabra</i> ...	—	47	2105
<i>mamillaris</i> ...	29	99	6020	<i>indica</i> ...	—	42	1726
<i>Orbiculata</i> ...	—	9	321	<i>orientalis</i> ...	—	49	2314
<i>papillaris</i> ...	—	51	2518	<i>spicata</i> ...	54	124	7619
<i>pinnata</i> ...	—	34	1409	<i>Cratægusa cerasi folio</i>	31	101	6158
(<i>Echeveria</i>) <i>pulvinata</i>	59	129	7918	<i>Cratæva capparoides</i> ...	—	16	596
<i>purpurea</i> ...	—	46	2044	<i>fragrans</i> ...	—	16	596
(<i>Echeveria</i>) <i>Purpusii</i>	56	126	7713	<i>moschata</i> ...	—	16	596
<i>ramosissima</i> ...	35	105	6417	<i>Crawfurdia fasciculata</i>	11	81	4838
<i>Salzmanni</i> ...	25	95	5801	<i>luteo-viridis</i> ...	37	107	6539
<i>teretifolia</i> ...	32	102	6235	<i>Crepidaria carinata</i> ...	—	51	2514
<i>undulata</i> ...	59	129	7931	<i>Crepis barbata</i> ...	—	1	35
<i>velutina</i> ...	24	94	5684	<i>macrorhiza</i> ...	—	57	2988
<i>Couroupita Guianensis</i>	—	59	3158	<i>Crescentia arborescens</i>	—	62	3430
<i>Coxia</i> ...	12	82	4941	<i>Cujete</i> ...	—	62	3430
<i>Coyolxochitl</i> ...	—	39	1613	<i>macrophylla</i> ...	10	80	4822
<i>Craspedia glauca</i> ...	17	87	5271	<i>Crinodendron Hooker-</i>			
<i>macrocephala</i> ...	—	62	3415	<i>ianum</i> ...	47	117	7160
<i>pilosa</i> ...	17	87	5271	<i>Patagua</i> ...	47	117	7160
<i>Richea</i> ...	17	87	5271	<i>Crinum Africanum</i> ...	—	14	500
<i>Crassula albiflora</i> ...	—	50	2391	<i>amabile</i> ...	—	39	1605
<i>anacampserotis folio</i>	—	44	1940	" <i>v. augustum</i>	—	50	2397

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Crinum Americanum...	—	26	1034	Crinum procerum ...	—	53	2684
" "	—	30	1232	purpurascens ...	36	106	6525
angustifolium ...	—	8	271	rhodanthum ...	57	127	7777
aquaticum ...	—	49	2352	riparium ...	—	53	2688
arenarium ...	—	49	2355	scaberrimum ...	—	47	2180
" "	—	52	2531	scabrum ...	—	47	2180
Asiaticum ...	—	27	1073	Schimperii ...	51	121	7417
" "	—	48	2208	speciosissimum ...	—	48	2217
Augustum ...	—	50	2397	speciosum ...	—	35	1430
Balfourii ...	37	107	6570	" "	—	48	2217
brachynema ...	27	97	5937	spirale ...	—	34	1383
Broussoneti ...	—	47	2121	strictum ...	—	53	2635
campanulatum ...	—	49	2352	submersum ...	—	51	2463
Candelabrum ...	—	39	1619	tenellum ...	—	34	1383
capense v. riparia ...	—	53	2688	urceolatum ...	20	90	5464
Careyanum ...	—	51	2466	Woodrowi ...	54	124	7597
caspium ...	7	77	4598	yuccæflorum ...	—	29	1171
confertum ...	—	51	2522	" "	—	31	1253
Declinatum ...	—	48	2231	" "	—	47	2121
defixum ...	—	48	2208	zeylanicum ...	—	24	923*
elegans ...	—	52	2592	" "	—	29	1171
ensifolium ...	—	49	2301	" "	—	31	1253
Erubescens ...	—	30	1232	Crista Pavonis ...	—	25	995
(hybridum) Erube-				Cristaria ...	—	46	2102
scente-Capense ...	—	49	2336	coccinea ...	—	40	1673
falcatum ...	—	35	1443	Crithmus indicus ...	—	41	1701
flaccidum ...	—	47	2133	Crociris iridiflora ...	31	101	6141
Forbesianum ...	37	107	6545	Crocodylium monspeli-			
Forbesii ...	37	107	6545	ensium ...	—	24	932
giganteum...	—	24	923*	Crocum montanum ...	—	31	1267
" "	16	86	5205	" "	31	101	6141
Hilderbrandtii ...	39	109	6709	Crocus aerius ...	41	111	6852
humile ...	—	53	2636	albus ...	—	28	1111
Johnstoni ...	58	128	7812	Alexandri ...	56	126	7740
Kirkii ...	36	106	6512	alpinus ...	—	31	1267
latifolium ...	—	29	1171	annulatus ...	31	101	6162
" "	—	31	1253	" "	32	102	6211
leucophyllum ...	40	110	6783	" Adamicus ...	—	67	3868
longifolium ...	—	18	661	Aucheri ...	29	99	6031
" "	—	53	2688	aureus ...	—	28	1111
Macowani ...	34	104	6381	" "	—	57	2986
moluccanum ...	—	49	2292	autumnalis ...	—	31	1267
Moorei ...	30	100	6113	Balansæ ...	35	105	6416
natans ...	58	128	7862	banaticus ...	31	101	6141
nervosum ...	—	35	1419	biflorus ...	—	22	845
obliquum ...	—	28	1133	" "	—	30	1202
ornatum ...	—	51	2466	" "	32	102	6211
petiolatum...	16	86	5205	" "	56	126	7740
plicatum ...	—	56	2908	Boryanus ...	31	101	6187
podophyllum ...	36	106	6483	Boryi ...	31	101	6187

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Crocus byzantinus ...	31	101	6141	Crocus sublimis ...	29	99	6036
cancellatus ...	30	100	6103	sulphureus ...	—	24	938
candidus ...	31	101	6176	" ...	—	34	1384
chrysanthus ...	31	101	6162	" ...	31	101	6162
Crewei ...	31	101	6168	Susianus ...	—	18	652
croceus ...	31	101	6162	(see note)	—	30	1202
dianthus ...	30	100	6103	Syriacus ...	35	105	6416
Etruscus ...	34	104	6362	thessalus ...	31	101	6197
exiguus ...	31	101	6197	tingitanus ...	28	98	6000
Fleischeri ...	31	101	6176	triflorus ...	—	30	1225
Fleischerianus ...	31	101	6176	Veluchensis ...	31	101	6197
Hubertianus ...	31	101	6141	vernus ...	—	2	45
insularis ...	31	101	6176	" ...	—	8	265
Ionicus ...	31	101	6187	" ...	—	18	652
iridiflorus ...	31	101	6141	" ...	—	22	845
Korolkowi ...	41	111	6852	" v. neapolitanus	—	22	860
lagenæflorus ...	—	53	2655	" ...	—	24	935
" ...	—	57	2986	" ...	—	28	1110
" v. lacteus lu-				" ...	—	28	1111
tescens	—	67	3869	" ...	—	34	1384
" Syriacus ...	35	105	6416	" ...	29	99	6036
luteus ...	—	18	652	" v. obovatus ...	—	48	2240
" ...	—	28	1111	versicolor ...	—	28	1110
Mæsiacus ...	—	28	1111	vitellinus ...	35	105	6416
" ...	31	101	6162	Weldeni ...	32	102	6211
Malyi ...	54	124	7590	Crossandra flava ...	9	79	4710
mazziaricus ...	30	100	6103	guineensis ...	34	104	6346
minimus ...	31	101	6176	undulæfolia ...	—	47	2186
" ...	—	57	2991	Crossosoma californicum	60	130	7949
montanus ...	—	31	1267	Crotalaria alba ...	—	29	1177
nanus ...	—	57	2991	angulosa ...	—	57	3034
nivalis ...	29	99	6036	arborescens ...	60	130	7950
nudiflorus ...	30	100	6103	asiatica ...	—	52	2561
obovatus ...	—	48	2240	cærulea ...	—	57	3034
ochroleucus ...	18	88	5297	capensis ...	60	130	7950
officinalis ...	—	22	860	cordifolia ...	—	68	3894
Olivieri ...	29	99	6031	Cunninghamii ...	25	95	5770
orphanidis ...	25	95	5776	dichotoma ...	—	54	2714
reticulatus ...	—	57	2991	elegans ...	—	44	1913
Salzmanni ...	28	98	6000	fenestrata ...	—	44	1933
sativus ...	—	22	860	foliis simplicibus ...	—	38	1580
" vernus ...	—	28	1110	" solitariis ...	—	14	490
Schimperi ...	30	100	6103	Heyneana ...	28	98	5974
serotinus ...	—	31	1267	incanescens ...	60	130	7950
Sibthorpianus ...	41	111	6852	juncea ...	—	14	490
Sieberi ...	29	99	6036	longirostrata ...	49	119	7306
speciosus ...	—	67	3861	major ...	—	52	2561
" ...	31	101	6141	ovalis ...	—	57	3006
Spruneri ...	30	100	6103	oxalidifolia ...	—	24	965
Suaveolens ...	—	67	3864	perfoliata ...	—	58	3121

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Crotalaria pulchella</i> ...	—	41	1699	<i>Cucurbita sinensis</i> ...	—	19	722
<i>pulcherrima</i> ...	—	46	2027	<i>Cullay</i> ...	53	123	7568
<i>purpurea</i> ...	—	44	1913	<i>Cullumia ciliaris</i> ...	—	46	2095
<i>retusa</i> ...	—	52	2561	<i>Cum Mun fa</i> ...	—	46	2099
<i>rotundifolia</i> ...	—	57	3006	<i>Cumbulu</i> ...	4	74	4395
<i>sagittalis</i> ...	—	57	3006	<i>Cunninghamia lanceo-</i>			
<i>striata</i> ...	—	59	3200	<i>lata</i> ...	—	54	2743
<i>triflora</i> ...	—	14	482	<i>sinensis</i> ...	—	54	2743
<i>verrucosa</i> ...	—	57	3034	<i>Cunonia antholyza</i> ...	—	10	343
<i>Croton cascarilloides</i> ..	53	123	7515	<i>floribus sessilibus</i> ...	—	10	343
<i>castaneifolium</i> ...	—	55	2794	<i>Cupania Cunninghami</i>	5	75	4470
<i>Eluteria</i> ...	53	123	7515	<i>Cuphea Circaeoides</i> ...	—	48	2201
<i>nomolepidus</i> ...	53	123	7515	<i>cordata</i> ...	2	72	4208
<i>pictum</i> ...	—	58	3051	<i>eminens</i> ...	17	87	5232
<i>Siraki</i> ...	52	122	7509	<i>Jorullensis</i> ...	17	87	5232
<i>variegatum</i> ...	—	58	3051	<i>lanceolata</i> ...	—	44	1931
<i>Crowea angustifolia</i> ...	58	128	7870	" ...	35	105	6412
<i>saligna</i> ...	—	25	989	<i>procumbens</i> ...	—	44	1931
" ...	—	55	2854	<i>serpyllifolia</i> ...	—	52	2580
<i>scabra</i> ...	—	55	2854	<i>silenooides</i> ...	4	74	4362
<i>Crucianella hispida</i> ...	—	38	1558	<i>Zimpani</i> ...	35	105	6412
<i>Cruckshanksia cisti-</i>				<i>Cupressus disticha</i> ...	22	92	5603
<i>flora</i> ...	31	101	6170	<i>Lawsoniana</i> ...	22	92	5581
<i>Cryptadenia uniflora</i> ...	1	71	4143	<i>Curatella speciosa</i> ...	41	111	6823
<i>Cryptochilus Meirax</i> ...	49	119	7329	<i>Curculigo latifolia</i> ...	—	46	2034
<i>Cryptocoryne</i> sp. ...	56	126	7719	<i>orchiooides</i> ...	—	27	1076
<i>Griffithii</i> ...	56	126	7719	<i>Cureuma albiflora</i> ...	27	97	5909
<i>Cryptophragmium ve-</i>				<i>aromatica</i> ...	—	37	1546
<i>nustum</i> ...	—	60	3208	<i>Australasica</i> ...	23	93	5620
<i>Cryptostegia Madagas-</i>				<i>cordata</i> ...	5	75	4435
<i>cariensis</i> ...	60	130	7984	<i>petiolata</i> ...	26	96	5821
<i>Cryptostemma calendu-</i>				<i>Roscoeana</i> ...	8	78	4667
<i>lacea</i> ...	—	48	2252	<i>Zedoaria</i> ...	—	37	1546
<i>Cryptostylis arachnites</i>	19	89	5381	<i>Cumeria Wallisii</i> ...	37	107	6571
<i>Cucubalus lacerus</i> ...	—	48	2255	<i>Cuscuta elatior</i> ...	37	107	6566
<i>multifidus</i> ...	—	23	908	<i>grandiflora</i> ...	37	107	6566
<i>Stellatus</i> ...	—	28	1107	<i>macrantha</i> ...	37	107	6566
<i>Cucumis acutangulus</i> ..	—	40	1638	<i>megalantha</i> ...	37	107	6566
<i>agrestis</i> ...	—	44	1914	<i>reflexa</i> ...	37	107	6566
<i>Anguria</i> ...	26	96	5817	<i>verrucosa</i> ...	37	107	6566
<i>angurioides</i> ...	26	96	5817	<i>Cyamus flavicomus</i> ...	—	66	3753
<i>asininus</i> ...	—	44	1914	<i>luteus</i> ...	—	66	3753
<i>echinatus</i> ...	26	96	5817	<i>mysticus</i> ...	—	23	903
<i>indicus</i> ...	—	40	1638	<i>Nelumbo</i> ...	—	23	903
<i>longus</i> ...	—	40	1638	<i>Cyananthus lobatus</i> ...	36	106	6485
<i>sativus v. Sikkimen-</i>				<i>Cyanella Capensis</i> ...	—	16	568
<i>sis</i> ...	32	102	6206	<i>caule folioso</i> ...	—	16	568
<i>sylvestris</i> ...	—	40	1638	<i>foliis lanceolatis</i> ...	—	16	568
" ...	—	44	1914	<i>Illus</i> ...	48	118	7249
<i>Zeylanicus</i> ...	—	51	2455	<i>lutea</i> ...	—	31	1252

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Cyanotis abyssinica</i> ...	57	127	7785	<i>Cymbidium canalicu-</i>			
<i>hirsuta</i> ...	57	127	7785	<i>latum</i> ...	26	96	5851
<i>nodiflora</i> ...	20	90	5471	<i>chloranthum</i> ...	12	82	4907
<i>Cyanus major</i> ...	—	3	77	<i>coccineum</i> ...	—	35	1437
<i>montanus</i> ...	—	3	77	<i>eburneum</i> ...	15	85	5126
<i>orientalis</i> ...	—	29	1175	<i>elegans</i> ...	44	114	7007
<i>spinosus</i> ...	—	51	2493	<i>ensifolium</i> ...	—	42	1751
<i>Cyathodes laurina</i> ...	—	61	3324	<i>giganteum</i> ...	11	81	4844
<i>Cycas Caffra</i> ...	12	82	4903	<i>guttatum</i> ...	—	64	3603
<i>circinalis</i> ...	—	55	2826	<i>hirsutum</i> ...	15	85	5141
<i>revoluta</i> ...	—	57	2963, 2964	<i>Hookerianum</i> ...	22	92	5574
<i>Cychnoches barbatum</i> ...	5	75	4479	<i>Huttoni</i> ...	23	93	5676
<i>Egertonianum</i> ...	—	70	4054	<i>hyacinthinum</i> ...	—	36	1492
<i>Haagii</i> ...	52	122	7502	<i>iridifolium</i> ...	6	76	4517
<i>Loddigesii, v. leu-</i>				<i>iridioides</i> ...	11	81	4844
<i>cochilum</i> ...	—	67	3855	<i>ixioides</i> ...	45	115	7060
<i>„</i> ...	2	72	4215	<i>juncifolium</i> ...	—	64	3568
<i>Pescatorei</i> ...	46	116	7123	<i>luteum</i> ...	60	130	7955
<i>ventricosum v. Eger-</i>				<i>nodosum</i> ...	—	60	3229
<i>tonianum</i> ...	—	70	4054	<i>ochroleucum</i> ...	1	71	4141
<i>Cyclamen Africanum</i> ..	25	95	5758	<i>pendulum v. atro-</i>			
<i>Coum</i> ...	—	1	4	<i>purpurea</i> ...	24	94	5710
<i>europæum</i> ...	—	25	1001	<i>rhodochilum</i> ...	60	130	7932
<i>folio hederæ</i> ...	—	25	1001	<i>Simonsianum</i> ...	58	128	7863
<i>Hederæfolium</i> ...	—	25	1001	<i>tesselloides</i> ...	—	48	2245
<i>hyemale</i> ...	—	1	4	<i>„</i> ...	—	62	3416
<i>macrophyllum</i> ...	25	95	5758	<i>tigrinum</i> ...	20	90	5457
<i>Neapolitanum</i> ...	25	95	5758	<i>triquetrum</i> ...	—	62	3393
<i>orbiculato folio</i> ...	—	1	4	<i>triste</i> ...	—	65	3648
<i>persicum</i> ...	—	2	44	<i>umbellatum</i> ...	2	72	4237
<i>Romanum</i> ...	—	25	1001	<i>„</i> ...	48	118	7214
<i>vernum</i> ...	—	25	1001	<i>utriculatum</i> ...	1	71	4151
<i>Cyclaminus orbicularis</i>	—	25	1001	<i>Cymburus mutabilis</i> ...	—	25	976
<i>verno tempore florens</i>	—	25	1001	<i>urticæfolius</i> ...	—	43	1848
<i>Cyclobothra elegans v.</i>				<i>Cyminosma oblongifolia</i>	—	61	3322
<i>lutea</i> ...	36	106	6475	<i>Cynanchum discolor</i> ...	—	31	1273
<i>pulchella</i> ...	36	106	6527	<i>nigrum</i> ...	—	50	2390
<i>uniflora</i> ...	25	95	5804	<i>„</i> ...	—	55	2799
<i>Cyclobothria elegans</i> ..	28	98	5976	<i>virginicum</i> ...	—	31	1273
<i>Cyclonema myricoides</i> ..	26	96	5838	<i>viridiflorum</i> ...	—	44	1929
<i>Cydonia chinensis</i> ...	60	130	7988	<i>Cynara cardunculus</i> ...	—	55	2862
<i>sinensis</i> ...	60	130	7988	<i>„</i> ...	—	60	3241
<i>Cylista albiflora</i> ...	—	43	1859	<i>foliis petiolatis</i> ...	—	42	1752
<i>lancifolia</i> ...	27	97	5913	<i>sylvestris</i> ...	—	55	2862
<i>Cymbidium altissimum</i>	—	57	2990	<i>„</i> ...	—	60	3241
<i>Andersonii</i>	—	43	1800	<i>Cynoglossum anchu-</i>			
<i>aphyllum</i> ...	31	101	6199	<i>soides</i> ...	53	123	7520
<i>bambusaefolium</i> ...	49	119	7284	<i>cheirifolium</i> ...	—	47	2134
<i>boreale</i> ...	—	54	2763	<i>Creticum</i> ...	—	47	2134
				<i>Emodi</i> ...	53	123	7520

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Cynoglossum Emodum</i>	53	123	7520	<i>Cypripedium læviga-</i>			
<i>folio molli</i> ...	—	47	2134	<i>tum</i> ...	21	91	5508
<i>Lusitanicum</i> ...	—	52	2529	<i>Lawrenceanum</i> ...	35	105	6432
<i>macrostylum</i> ...	53	123	7520	<i>longifolium</i> ...	28	98	5970
<i>nervosum</i> ...	53	123	7513	<i>macranthon</i> ...	—	56	2938
<i>nitidum</i> ...	—	52	2529	<i>Mastersianum</i> ...	54	124	7629
<i>nobile</i> ...	15	85	5137	<i>montanum</i> ...	49	119	7319
<i>Omphalodes</i> ...	—	1	7	<i>neo-guineense</i> ...	46	116	7102
<i>pictum</i> ...	—	47	2134	<i>niveum</i> ...	27	97	5922
<i>Cynorchis calanthoides</i>	58	128	7852	<i>occidentale</i> ...	49	119	7319
<i>grandiflora</i> ...	53	123	7564	<i>orientale</i> ...	56	126	7746
<i>Lowiana</i> ...	53	123	7551	<i>Parishii</i> ...	25	95	5791
<i>purpurascens</i> ...	53	123	7551	<i>parviflorum</i> ...	—	23	911
" ...	58	128	7852	" ...	—	57	3024
<i>villosa</i> ...	58	128	7845	<i>Pearcii</i> ...	20	90	5466
<i>Cynorchis Nov-</i>				<i>purpuratum</i> ...	12	82	4901
<i>anglicanum</i> ...	—	35	1424	<i>Roezli</i> ...	32	102	6217
<i>Cypella brachypus</i> ...	34	104	6380	<i>Rothschildianum</i> ...	46	116	7102
<i>cærulea</i> ...	22	92	5612	<i>Schlimii</i> ...	22	92	5614
<i>peruviana</i> ...	32	102	6213	<i>Schomburgkianum</i> ..	47	117	7178
<i>plumbea</i> ...	—	65	3710	<i>spectabile</i> ...	—	6	216
<i>Cyperorchis elegans</i> ...	44	114	7007	<i>Spicerianum</i> ...	36	106	6490
<i>Cyphomandra betacea</i> .	55	125	7682	<i>Stonei</i> ...	18	88	5349
<i>Cypripedium acaule</i> ...	—	6	192	<i>variegatum</i> ...	56	126	7746
<i>album</i> ...	—	6	216	<i>venustum</i> ...	—	47	2129
<i>Argus</i> ...	31	101	6175	<i>Victoria-Mariæ</i> ...	54	124	7573
<i>arietinum</i> ...	—	38	1569	<i>Cyprus Narcissus</i> ...	—	25	1011
<i>barbatum</i> ...	2	72	4234	<i>Cyrilla Caroliniana</i> ...	—	51	2456
<i>bulbosum</i> ...	—	54	2763	<i>pulchella</i> ...	—	11	374
<i>Calceolus</i> ...	—	23	911	<i>racemiflora</i> ...	—	51	2456
<i>californicum</i> ...	47	117	7188	<i>Cyrtandra staminea</i> ...	24	94	5747
<i>candidum</i> ...	26	96	5855	<i>Cyrtanthera aurantiaca</i>	5	75	4468
<i>caricinum</i> ...	20	90	5466	<i>catalpæfolia</i> ...	5	75	4444
<i>Chamberlainianum</i> ..	54	124	7578	<i>chrysostephana</i> ...	27	97	5887
<i>Charlesworthii</i> ...	51	121	7416	<i>Cyrtanthus albo-</i>			
<i>concolor</i> ...	21	91	5513	<i>luteus</i> ...	19	89	5374
<i>Exul</i> ...	52	122	7510	<i>Angustifolius</i> ...	—	8	271
<i>Fairieanum</i> ...	13	83	5024	<i>breviflorus</i> ...	45	115	7072
<i>fasciculatum</i> ...	49	119	7275	<i>Huttoni</i> ...	52	122	7488
<i>Godefroyæ</i>	42	112	6876	<i>lutescens</i> ...	19	89	5374
<i>guttatum</i> ...	56	126	7746	<i>obliquus</i> ...	—	28	1133
<i>Haynaldianum</i> ...	33	103	6296	<i>pallidus</i> ...	—	51	2471
<i>hirsutissimum</i> ...	13	83	4990	<i>parviflorus</i>	55	125	7653
<i>hirsutum</i> ...	—	6	216	<i>(Gastronema) san-</i>			
<i>Hookeræ</i> ...	19	89	5362	<i>guineus</i> ...	16	86	5218
<i>humile</i> ...	—	6	192	<i>Striatus</i> ...	—	52	2534
<i>insigne</i> ...	—	62	3412	<i>uniflorus</i> ...	—	49	2291
" ...	52	122	7510	<i>Cyrtoceras floribundum</i>	16	86	5173
<i>Javanicum</i>	2	72	4234	<i>Lindleyanum</i> ...	16	86	5173
<i>Klotzschianum</i> ...	47	117	7178	<i>reflexum</i> ...	16	86	5173

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Cyrtochilum citrinum</i> .	5	75	4454	<i>Dacrydium Pancheri</i> ..	58	128	7854
<i>maculatum, v. ecor-</i>	—	67	3836	<i>Dactylanthus anacantha</i>	—	51	2520
<i>nutum</i>	—	68	3880	<i>globosa</i>	—	53	2624
"	—	68	3880	<i>Dædalacanthus macro-</i>			
<i>Cyrtodeira chontalen-</i>				<i>phyllus</i>	39	109	6686
<i>sis</i>	27	97	5925	<i>Dahlia coccinea</i> ...	—	20	762
<i>cupreata v. viridifolia</i>	16	86	5195	<i>glabrata</i>	—	67	3878
<i>fulgida</i>	30	100	6136	<i>imperialis</i>	26	96	5813
<i>Cyrtopera sanguinea</i> ...	31	101	6161	<i>Maximiliana</i> ...	55	125	7655
<i>Cyrtopodium Andersonii</i>	—	43	1800	<i>superflua</i>	—	44	1885
<i>elegans</i>	—	58	3098	<i>Dais anthylloides</i> ...	49	119	7303
<i>palmifrons</i>	57	127	7807	<i>Cotinifolia</i>	—	5	147
<i>punctatum</i>	—	63	3507	<i>laurifolia</i>	—	5	147
<i>virescens</i>	51	121	7396	<i>sericea</i>	49	119	7303
<i>Woodfordii</i>	—	43	1814	<i>Dalea</i>	—	28	1136
<i>Cyrtosperma sene-</i>				<i>bicolor</i>	—	51	2486
<i>galense</i>	54	124	7617	<i>mutabilis</i>	—	51	2486
<i>Cystanthe Sprengel-</i>				<i>violacea</i>	—	41	1707
<i>ioides</i>	—	67	3826	<i>Dalechampia Rœzliana</i>	23	93	5640
<i>Cystidianthus campa-</i>				<i>Dalibarda fragarioides</i>	—	38	1567
<i>nulatus</i>	6	76	4545	<i>Damasonium Indicum.</i>	—	30	1201
<i>Cytisus Africanus</i> ...	—	14	476	<i>Matthioli</i>	—	42	1749
<i>argenteus</i>	—	13	442	<i>maximum</i>	—	52	2525
<i>Cajan</i>	35	105	6440	<i>Dammara alba</i> ...	19	89	5359
<i>caramanicus</i>	59	129	7898	<i>ex Nova Hollandia</i> .	—	60	3272
<i>divaricatus</i>	—	34	1387	<i>orientalis</i>	19	89	5359
<i>falcatus</i>	41	111	6819	<i>Dampiera innundata</i> ...	55	125	7679
<i>foliis incanis</i>	—	34	1387	<i>Daphne Altaica</i> ...	—	44	1875
<i>Foliolosus</i>	—	12	426	"	50	120	7388
<i>glabris foliis</i>	—	8	255	<i>Blagayana</i>	54	124	7579
<i>græcus</i>	—	52	2576	<i>caucasica</i>	50	120	7388
<i>hirsutus</i>	41	111	6819	<i>Cneorum</i>	—	9	313
<i>incanus</i>	—	27	1092	"	50	120	7388
<i>Laburnum</i>	—	5	176	<i>Collina</i>	—	12	428
<i>leucanthus</i>	—	35	1438	<i>euphorbioides</i> ...	50	120	7388
<i>montis Calcaris</i> ...	—	34	1387	<i>Gardneri</i>	47	117	7180
<i>primus</i>	—	34	1387	<i>Lagetto</i>	6	76	4502
<i>proliferus</i>	—	44	1908	<i>odora</i>	—	38	1587
<i>pseudo-cajan</i>	35	105	6440	<i>oleoides</i>	—	44	1917
<i>Psoraloides</i>	—	14	476	"	50	120	7388
<i>purgans</i>	54	124	7618	<i>papyrifera</i>	47	117	7180
<i>purpureus</i>	—	29	1176	<i>pontica</i>	—	31	1282
<i>rhombofolius</i>	—	64	3611	<i>salicifolia</i>	—	44	1917
<i>secundus</i>	—	34	1387	"	50	120	7388
<i>sessilifolius</i>	—	8	255	<i>Darlingtonia Californica</i>	27	97	5920
<i>tener</i>	—	48	2265	<i>Dasylium acrotrichum</i>	14	84	5030
<i>Tournefortianus</i> ...	41	111	6819	<i>glaucophyllum</i> ...	14	84	5041
<i>triflorus</i>	41	111	6819	<i>gracile</i>	14	84	5030
<i>trifoliatus</i>	—	49	2329	<i>Hartwegianum</i> ...	15	85	5099
<i>vulgatior</i>	—	8	255	<i>quadrangulatum</i> ...	56	126	7749

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Dasystachys Drimiopsis</i>	54	124	7580	<i>Dendrobium anceps</i> ...	—	64	3608
<i>Dasystephana</i> ...	—	27	1078	<i>aqueum</i> ...	8	78	4640
<i>Datura ceratocaula</i> ...	—	61	3352	<i>arachnitis</i> ...	29	99	6034
<i>chlorantha flore pleno</i>	15	85	5128	<i>atroviolaceum</i> ...	50	120	7371
<i>cornigera</i> ...	2	72	4252	<i>aureum</i> ...	9	79	4708
<i>innoxia</i> ...	—	35	1440	" ...	13	83	4970
<i>macrocaulis</i> ...	—	61	3352	<i>barbatulum</i> ...	20	90	5444
<i>Metel</i> ...	—	35	1440	" ...	27	97	5918
<i>sarmentosa</i> ...	—	44	1874	<i>Barringtoniæ</i> ...	24	94	5706
<i>Daubentonia punicea</i> ..	50	120	7353	<i>bellatulum</i>	60	130	7985
<i>Daviesia acicularis</i> ...	—	53	2679	<i>Bensoniæ</i> ...	23	93	5679
<i>corymbosa</i> ...	—	45	1957	<i>bigibbum</i> ...	12	82	4898
<i>denudata</i> ...	—	29	1190	<i>bilobum</i> ...	12	82	4898
<i>glauca</i> ...	—	45	1957	<i>brisbanense</i> ...	45	115	7042
<i>Latifolia</i> ...	—	42	1757	<i>Brymerianum</i> ...	34	104	6383
<i>mimosoides</i> ...	—	45	1957	<i>Bullerianum</i> ...	23	93	5652
<i>physodes</i> ...	2	72	4244	<i>Calceolaria</i> ...	—	67	3837
<i>virgata</i> ...	—	59	3196	<i>Cambridgeanum</i> ...	5	75	4450
<i>Decabelone Barklyi</i> ...	31	101	6203	<i>capillipes</i> ...	55	125	7639
<i>elegans</i> ...	30	100	6115	<i>cariniferum v. Wattii</i>	39	109	6715
<i>Decaisnea Fargesii</i> ...	58	128	7848	<i>castum</i> ...	20	90	5482
<i>insignis</i> ...	40	110	6731	<i>chrysocrepis</i> ...	28	98	6007
<i>Deeringia celosioides</i> ..	—	54	2717	<i>chrysotis</i> ...	29	99	6013
<i>Deherainia smaragdina</i>	34	104	6373	<i>chrysotoxum</i> ...	14	84	5053
<i>Delima sarmentosa</i> ...	—	58	3058	<i>ciliatum</i> ...	—	70	4081
<i>Delostoma dentatum</i> ...	25	95	5754	" ...	20	90	5430
<i>Delphinium Brunoni-</i>				" ...	24	94	5706
<i>anum</i> ...	20	90	5461	<i>clavatum</i> ...	44	114	6993
<i>cardinale</i> ...	11	81	4887	<i>crassinode</i> ...	25	95	5766
<i>Cashmirianum</i> ...	31	101	6189	<i>crepidatum v. labello</i>			
" <i>v. Walkeri</i>	41	111	6830	<i>glabro</i> ...	13	83	5011
<i>grandiflorum</i> ...	—	41	1686	<i>cretaceum</i> ...	8	78	4686
<i>Lusitanicum</i> ...	—	41	1686	<i>crumenatum</i> ...	—	69	4013
<i>moschatum</i> ...	20	90	5461	<i>crystallinum</i> ...	33	103	6319
<i>nudicaule</i> ...	26	96	5819	<i>cucullatum</i> ...	—	48	2242
<i>urceolatum</i> ...	—	43	1791	<i>cucumerinum</i> ...	7	77	4619
<i>vimineum</i> ...	—	64	3593	<i>cumulatum</i> ...	24	94	5703
<i>Zalil</i> ...	45	115	7049	<i>cymbidioides</i> ...	9	79	4755
<i>Demidovia tetragon-</i>				<i>densiflorum</i> ...	—	62	3418
<i>oides</i> ...	—	50	2362	" <i>v. albo-lutea</i>	25	95	5780
<i>Dendranthema indica</i> ..	59	129	7874	<i>denudans</i> ...	53	123	7548
<i>Dendrium buxifolium</i> ..	40	110	6752	<i>Devonianum</i> ...	5	75	4429
<i>Dendrobium aduncum</i> ..	40	110	6784	<i>dixanthum</i>	22	92	5564
<i>æmulum</i> ...	—	56	2906	<i>eburneum</i> ...	20	90	5459
<i>aggregatum</i> ...	—	65	3643	<i>elongatum</i> ...	45	115	7042
<i>albo-sanguineum</i> ...	15	85	5130	<i>extinctorium</i> ...	27	97	5910
<i>albo-viride</i>	21	91	5515	<i>Falconeri</i> ...	12	82	4944
<i>Amboinense</i> ...	12	82	4937	" ...	14	84	5058
<i>amethystoglossum</i> ..	28	98	5968	<i>Farneri</i> ...	8	78	4659
<i>amœnum</i> ...	31	101	6199	" <i>v. aureo-flava</i>	20	90	5451

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Dendrobium fimbriatum</i>				<i>Dendrobium senile</i> ...	21	91	5520
<i>v. oculatum</i> ...	1	71	4160	<i>speciosum</i> ...	—	58	3074
<i>Findleyanum</i> ...	35	105	6438	<i>spectabile</i> ...	56	126	7747
<i>fragrans</i> ...	53	123	7525	<i>squalens</i> ...	—	57	2955
<i>fuscatum</i> ...	32	102	6226	<i>sulcatum</i> ...	43	113	6962
<i>Fytchianum</i> ...	20	90	5444	<i>Tattonianum</i> ...	21	91	5537
<i>Gracilicaule</i> ...	45	115	7042	<i>teretifolium</i> ...	9	79	4711
<i>graminifolium</i> ...	—	54	2764	<i>tetragonum</i> ...	28	98	5956
<i>gratiosissimum</i> ...	23	93	5652	<i>tigrinum</i> ...	56	126	7747
<i>Hanburyanum</i> ...	29	99	6050	<i>tortile</i> ...	5	75	4477
<i>Harrisoniæ</i> ...	—	56	2927	<i>transparens</i> ...	8	78	4663
<i>hedyosmum</i> ...	21	91	5515	<i>Treacherianum</i> ...	37	107	6591
<i>heterocarpum</i> ...	9	79	4708	<i>triadenium</i> ...	17	87	5285
<i>v. Henshallii</i> ...	13	83	4970	<i>tripetaloides</i> ...	60	130	7938
<i>Hildebrandii</i> ...	52	122	7453	<i>vestitum</i> ...	25	95	5807
<i>Hillii</i> ...	17	87	5261	<i>villosulum</i> ...	56	126	7741
<i>Hodgkinsoni</i> ...	56	126	7724	<i>Williamsoni</i> ...	60	130	7974
<i>Hookerianum</i> ...	29	99	6013	<i>Dendrochilum gluma-</i>			
<i>inæquale</i> ...	56	126	7745	<i>ceum</i> ...	11	81	4853
<i>infundibulum</i> ...	20	90	5446	<i>Dendrocolla amplexi-</i>			
<i>Japonicum</i> ...	20	90	5482	<i>caulis</i> ...	57	127	7754
<i>Javanicum</i> ...	—	64	3605	<i>Dendromecon rigidum.</i>	15	85	5134
<i>Jerdonianum</i> ...	56	126	7741	<i>Dendroseris macro-</i>			
<i>Johannis</i> ...	21	91	5540	<i>phylla</i> ...	34	104	6353
<i>Kingianum</i> ...	6	76	4527	<i>Dens Canis</i> ...	—	1	5
<i>lasioglossum</i> ...	26	96	5825	<i>Dentaria aphyllus</i> ...	46	116	7106
<i>Leonis</i> ...	52	122	7493	<i>digitata</i> ...	—	48	2202
<i>linguæforme</i> ...	17	87	5249	<i>diphylla</i> ...	—	36	1465
<i>lituiflorum</i> ...	29	99	6050	<i>pentaphylla</i> ...	—	48	2202
<i>Lowii</i> ...	18	88	5303	<i>polyphylla</i> ...	41	111	6796
<i>luteolum</i> ...	20	90	5441	<i>Rondeletii</i> ...	—	47	2139
<i>MacCarthyæ</i> ...	11	81	4886	<i>Dentellaria Rondeletii.</i>	—	47	2139
<i>macranthum</i> ...	—	69	3970	<i>Dermatobotrys Saun-</i>			
<i>macrophyllum v.</i>				<i>dersii</i> ...	50	120	7369
<i>Veitchianum</i> ...	23	93	5649	<i>Desfontainia acut-</i>			
<i>Madonnæ</i> ...	59	129	7900	<i>angula</i> ...	10	80	4781
<i>marginatum</i> ...	20	90	5454	<i>Hookeri</i> ...	10	80	4781
<i>moniliforme</i> ...	1	71	4153	<i>spinosa</i> ...	10	80	4781
<i>moschatum</i> ...	—	67	3837	<i>splendens</i> ...	10	80	4781
<i>nobile v. pallidiflorum</i>	13	83	5003	<i>Desmanthus plenus</i> ...	9	79	4695
<i>nodatum</i> ...	20	90	5470	<i>polyphyllus</i> ...	9	79	4695
<i>Parishii</i> ...	21	91	5488	<i>punctatus</i> ...	9	79	4695
<i>Phalænopsis</i> ...	41	111	6817	<i>virgatus</i> ...	—	51	2454
<i>Pierardi</i> ...	—	52	2584	<i>Desmodium Canadense</i>	—	64	3553
<i>pulchellum</i> ...	14	84	5037	<i>dubium</i> ...	—	57	2960
<i>revolutum</i> ...	39	109	6706	<i>japonicum</i> ...	38	108	6602
<i>sarmentosum</i> ...	53	123	7525	<i>nutans</i> ...	—	55	2867
<i>sanguineum</i> ...	—	58	3076	<i>penduliflorum</i> ...	38	108	6602
<i>"</i> ...	—	63	3536	<i>Skinneri v. albo-</i>			
<i>secundum</i> ...	4	74	4352	<i>lineata</i> ...	20	90	5452

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Desmotrichum cymbi-</i>				<i>Diapensia barbulata...</i>	7	77	4592
<i>dioides</i>	9	79	4755	<i>cuneifolia</i>	7	77	4592
<i>Deutzia discolor</i> <i>v.</i> <i>pur-</i>				<i>Lapponica</i>	—	28	1108
<i>purascens</i>	56	126	7708	<i>Diaphane stylosa</i>	27	97	5890
<i>scabra</i>	—	67	3838	<i>Diascia Barberæ</i>	27	97	5933
<i>Dianella Cærulea</i>	—	15	505	<i>Diastema ochroleuca...</i>	2	72	4254
<i>ensifolia</i>	—	34	1404	<i>Dicentra chrysantha...</i>	60	130	7954
<i>(see note)</i>	—	37	1532	<i>Dicentranthera macro-</i>			
<i>nemorosa</i>	—	34	1404	<i>phylla</i>	24	94	5696
<i>Tasmanica</i>	21	91	5551	<i>Dichelostemma califor-</i>			
<i>Dianthera americana</i> ..	—	50	2367	<i>nica</i>	30	100	6123
<i>„ v. flava</i>	—	70	4113	<i>capitata</i>	27	97	5912
<i>ensiformis</i>	—	50	2367	<i>Dichopogon strictus</i>	40	110	6746
<i>eustachiana</i>	—	46	2076	<i>undulatum</i>	40	110	6746
<i>flava</i>	—	70	4113	<i>Dichorisandra leucoph-</i>			
<i>Dianthus Alpinus</i>	—	30	1205	<i>thalmos</i>	9	79	4733
<i>arenarius</i>	—	46	2038	<i>oxypetala</i>	—	54	2721
<i>atrorubens</i>	—	43	1775	<i> picta</i>	10	80	4760
<i>„</i>	—	46	2039	<i>Saundersii</i>	31	101	6165
<i>barbatus</i>	—	6	207	<i>Dichotrichum ternateum</i>	40	110	6791
<i>„</i>	—	49	2288	<i>Dichroma coccinea</i>	18	88	5335
<i>callizonus</i>	48	118	7223	<i>Diconangia</i>	—	50	2409
<i>Campestris</i>	—	44	1876	<i>Dictamnus Creticus</i>	—	9	298
<i>capitatus</i>	—	43	1775	<i>Dictyanthus Pavonii</i> ..	9	79	4750
<i>Carthusianorum</i>	—	46	2039	<i>Dictyopsis Thunbergii</i> .	23	93	5638
<i>Caryophyllus</i>	—	54	2744	<i>Didactyle Weddellii</i>	60	130	7958
<i>„ v imbricatus</i>	—	39	1622	<i>Didiscus cæruleus</i>	—	55	2875
<i>Caucaseus</i>	—	21	795	<i>Didymocarpus crinita</i> .	7	77	4554
<i>chinensis</i>	—	1	25	<i>Humboldtiana</i>	9	79	4757
<i>„ v. laciniatus</i>	21	91	5536	<i>lacunosa</i>	48	118	7236
<i>cincinnatus</i>	21	91	5536	<i>Malayana</i>	53	123	7526
<i>collinus</i>	16	86	5215	<i>primulæfolia</i>	16	86	5161
<i>deltoides</i>	16	86	5216	<i>Rexii</i>	—	57	3005
<i>Discolor</i>	—	29	1162	<i>Didymosperma nanum</i> .	41	111	6836
<i>fragrans</i>	—	46	2067	<i>Dielytra canadensis</i>	—	57	3031
<i>leptopetalus</i>	—	42	1739	<i>chrysantha</i>	60	130	7954
<i>montanus</i>	16	86	5215	<i>eximia</i>	—	57	3031
<i>nitidus</i>	48	118	7223	<i>spectabilis</i>	5	75	4458
<i>orientalis</i>	—	27	1069	<i>Diervilla acadiensis</i>	—	43	1796
<i>petræus</i>	—	30	1204	<i>canadensis</i>	—	43	1796
<i>pomeridianus</i>	—	42	1739	<i>humilis</i>	—	43	1796
<i>prolifer</i>	—	28	1132	<i>lutea</i>	—	43	1796
<i>Pseudarmeria</i>	—	49	2288	<i>Middendorffiana</i>	59	129	7876
<i>rupestris</i>	—	42	1740	<i>Tourneforti</i>	—	43	1796
<i>Ruthenicus</i>	16	86	5215	<i>Dieteria spinulosa</i>	33	103	6302
<i>Seguieri v. Cauca-</i>				<i>Dietes Huttoni</i>	31	101	6174
<i>sicus</i>	16	86	5215	<i>Digitalis angustifolia</i> ..	—	43	1828
<i>squarrosus</i>	—	46	2067	<i>ferruginea</i>	—	43	1828
<i>Superbus</i>	—	9	297	<i>foliis linearibus</i>	—	46	2048
<i>virginicus</i>	—	42	1740	<i>folio oblongo</i>	—	26	1023

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Digitalis fucata</i> ...	—	68	3925	<i>Diosma ericoides</i> ...	—	49	2332
<i>gilvo flore</i> ...	—	43	1828	<i>foliis setaceis acutis.</i>	—	49	2332
<i>glutinosa</i> ...	—	65	3653	<i>fragrans</i> ...	—	37	1519
<i>hispanica</i> ...	—	47	2157	<i>latifolia</i> ...	—	62	3413
" ...	—	47	2160	<i>odorata</i> ...	—	62	3413
<i>hybrida</i> ...	—	68	3925	<i>ovata</i> ...	—	39	1616
<i>lævigata</i> ...	28	98	5999	<i>pulchella</i> ...	—	33	1357
<i>Lanata</i> ...	—	29	1159	" ...	—	39	1616
<i>lutea, v. fucata</i> ...	—	68	3925	<i>rugosa</i> ...	—	31	1271
<i>maxima</i> ...	—	43	1828	<i>serratifolia</i> ...	—	13	456
<i>micrantha</i> ...	—	68	3925	" ...	—	62	3413
<i>minor</i> ...	—	47	2160	<i>speciosa</i> ...	—	31	1271
<i>obscura</i> ...	—	47	2157	<i>umbellata</i> ...	—	31	1271
<i>orientalis</i> ...	—	48	2253	<i>uniflora</i> ...	—	8	273
<i>parviflora</i> ...	—	68	3925	" ...	—	31	1271
<i>perfoliata</i> ...	—	8	283	<i>Diospyros</i> ...	—	50	2430
" ...	—	35	1425	<i>edulis</i> ...	—	69	3988
<i>purpurascens</i> ...	—	68	3925	<i>Sapota</i> ...	—	69	3988
<i>tomentosa</i> ...	—	48	2194	<i>Diostea chamædry-</i>			
<i>virginiana</i> ...	—	46	2048	<i>folia</i> ...	56	126	7695
<i>Digitatis orientalis</i> ...	—	48	2253	<i>juncea</i> ...	56	126	7695
<i>Dillenia elliptica</i> ...	13	83	5016	<i>Dipcadi serotina</i> ...	—	22	859
<i>Indica</i> ...	—	13	449	<i>Diphylleia cymosa</i> ...	—	40	1666
" ...	13	83	5016	<i>Diplacus puniceus</i> ...	—	65	3655
<i>speciosa</i> ...	—	13	449	<i>Dipladenia acuminata.</i>	11	81	4828
" ...	13	83	5016	<i>Alexicaca</i> ...	47	117	7156
<i>Dillwynia cinerascens</i>	—	48	2247	<i>androsæmifolia</i> ...	47	117	7156
<i>ericifolia</i> ...	—	37	1545	<i>Boliviensis</i> ...	25	95	5783
<i>Glaberrima</i> ...	—	24	944	<i>eximia</i> ...	56	126	7720
<i>myrtifolia</i> ...	—	31	1274	<i>flava</i> ...	9	79	4702
<i>obovata</i> ...	—	31	1274	<i>Gardneriana</i> ...	47	117	7156
<i>parvifolia</i> ...	—	37	1527	<i>Harrisii</i> ...	11	81	4825
<i>Dimocarpus Longan</i> ...	—	70	4096	<i>illustris v. glabra</i> ...	47	117	7156
<i>Dimorphotheca Bar-</i>				<i>pastorum v. tenuifolia</i>	56	126	7725
<i>beriae</i> ...	18	88	5337	<i>polymorpha</i> ...	56	126	7725
<i>Ecklonis</i> ...	53	123	7535	<i>Rosa campestris</i> ...	47	117	7156
<i>graminifolia</i> ...	17	87	5252	<i>urophylla</i> ...	4	74	4414
<i>Statices folio</i> ...	17	87	5252	<i>Diplectrum coriifolium</i>	—	47	2172
<i>Dinema polybulbon</i> ...	—	70	4067	" ...	49	119	7289
<i>Diodonta aristosa</i> ...	35	105	6462	<i>Diplolaena Dampieri</i> ..	—	70	4059
<i>Dion aculeatum</i> ...	31	101	6184	<i>Diplolodium Walcottii</i>	21	91	5490
<i>edule</i> ...	31	101	6184	<i>Diplopappus chinensis</i>	54	124	7616
<i>imbricatum</i> ...	31	101	6184	<i>diplostephioides</i> ...	39	109	6718
<i>Dionæa Muscipula</i> ...	—	20	785	<i>incanus</i> ...	—	62	3382
<i>Dioscorea cinnamomi-</i>				<i>pinnatifidus</i> ...	33	103	6302
<i>folia</i> ...	—	55	2825	<i>rotundifolius</i> ...	28	98	5973
<i>crinita</i> ...	41	111	6804	<i>Roylei</i> ...	36	106	6530
<i>vittata</i> ...	35	105	6409	<i>Diplothemium littorale</i>	11	81	4861
<i>crenata</i> ...	—	62	3413	<i>Dipodium</i> ...	34	104	6344
<i>crenulata</i> ...	—	62	3413	<i>paludosum</i> ...	52	122	7464

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Dipodium pictum</i> ...	60	130	7951	<i>Dodecatheon Meadia</i> ...	—	1	12
<i>Diporidium atro-purpureum</i> ...	6	76	4519	„ <i>v. frigidum</i> ...	26	96	5871
<i>Dipteracanthus affinis</i> ...	19	89	5414	<i>speciosum</i> ...	26	96	5871
<i>calvescens</i> ...	15	85	5106	<i>Dodonæa attenuata</i> mas.	—	55	2860
<i>calycinus</i> ...	43	113	6947	<i>Doko-utsugi</i> ...	52	122	7509
<i>Herbstii</i> ...	15	85	5156	<i>Dolichos acinaciformis</i>	—	69	4027
<i>macranthus</i> ...	59	129	7872	<i>ensiformis</i> ...	—	69	4027
<i>spectabilis</i> ...	6	76	4494	<i>Lablab</i> ...	—	23	896
<i>Dipyrena dentata</i> ...	56	126	7695	<i>Lignosus</i> ...	—	11	380
<i>Dircaeo-Gesneria purpurea</i> ...	15	85	5115	<i>polystachyos</i> ...	53	123	7522
<i>Disa atropurpurea</i> ...	42	112	6891	<i>pyramidalis</i> ...	—	49	2284
<i>atrosanguinea</i> ...	42	112	6891	<i>simplicifolius</i> ...	49	119	7318
<i>Cooperi</i> ...	48	118	7256	<i>sinensis</i> ...	—	48	2232
<i>cornuta</i> ...	—	70	4091	<i>Dombeya Ameliæ</i> ...	6	76	4544
<i>excelsa</i> ...	47	117	7206	<i>angulata</i> ...	—	56	2905
<i>grandiflora</i> ...	—	70	4073	„ ...	23	93	5639
<i>incarnata</i> ...	48	118	7243	<i>Burgessii</i> ...	21	91	5487
<i>lacera v. multifida</i> ..	45	115	7066	<i>cannabina</i> ...	—	64	3619
<i>macrantha</i> ...	36	106	6529	<i>columnaris</i> ...	8	78	4635
<i>megaceras</i> ...	36	106	6529	<i>cordifolia</i> ...	—	56	2905
<i>polygonoides</i> ...	36	106	6532	<i>Erythroxyton</i>	—	25	1000
<i>racemosa</i> ...	44	114	7021	<i>lappacea</i> ...	—	66	3749
<i>sagittalis</i> ...	51	121	7403	<i>Mastersii</i> ...	23	93	5639
<i>secunda</i> ...	44	114	7021	<i>mollis</i> ...	7	77	4578
<i>tripetaloides</i> ...	47	117	7206	<i>tiliaefolia</i> ...	—	56	2905
<i>uniflora</i> ...	—	70	4073	<i>viburniflora</i>	7	77	4568
<i>venosa</i> ...	47	117	7206	<i>Dondia Epipactis</i> ...	54	124	7585
<i>Disandra prostrata</i> ...	—	7	218	<i>Dondisia Epipactis</i> ...	54	124	7585
<i>Dischidia benghalensis</i>	—	56	2916	<i>Donia inuloides</i> ...	—	66	3737
<i>Brunoniana</i> ...	58	128	7853	<i>punicea</i> ...	—	64	3584
<i>fasciculata</i> ...	58	128	7853	<i>speciosa</i> ...	14	84	5051
<i>hirsuta</i> ...	58	128	7853	<i>squarrosa</i> ...	—	41	1706
<i>Disemma aurantia</i> ...	1	71	4140	<i>Doodia crinita</i> ...	50	120	7377
<i>coccinea</i> ...	27	97	5911	<i>Dorcoceras hygrometrica</i>	35	105	6468
<i>Hahnii</i> ...	45	115	7052	<i>Doronicum Austriacum</i>	—	42	1749
<i>Disisocactus biformis</i> ..	31	101	6156	<i>Bellidiastrum</i> ...	—	30	1196
<i>Disocactus biformis</i> ...	31	101	6156	<i>Bourgæi</i> ...	13	83	4994
<i>Disporum Ceylanicum</i> ..	43	113	6935	<i>Caucasicum</i> ...	—	59	3143
<i>Leschenaultianum</i> ..	43	113	6935	<i>Germanicum</i> ...	—	42	1749
<i>mysorense</i> ...	43	113	6935	<i>oppositifolium</i> ...	—	42	1749
<i>Dissotis Irvingiana</i> ...	15	85	5149	<i>Plantaginis folio</i> ...	—	42	1749
<i>Mahoni</i> ...	59	129	7896	<i>Tussilaginis folio</i> ...	18	88	5302
<i>Diuris alba</i> ...	31	101	6201	<i>Dorstenia argentata</i> ...	25	95	5795
<i>maculata</i> ...	—	59	3156	<i>arifolia</i> ...	—	51	2476
<i>Dochafa flava</i> ...	56	126	7700	<i>ceratosanthes</i> ...	—	54	2760
<i>Dodartia Orientalis</i> ...	—	48	2199	<i>Dentariæ radice</i> ...	—	45	2017
<i>Dodecatheon frigidum</i> ..	26	96	5871	<i>Houstoni</i> ...	—	45	2017
<i>integrifolium</i> ...	—	64	3622	<i>Mannii</i> ...	27	97	5908
				<i>Phillipsiæ</i> ...	55	125	7676
				<i>tubicina</i> ...	—	55	2804

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Doryanthes excelsa</i> ...	—	41	1685	<i>Dracæna surculosa</i> v.			
<i>Palmeri</i> ...	39	109	6665	<i>maculata</i> ...	23	93	5662
<i>Doryenium foliis sim-</i>				<i>terminalis</i> ...	—	46	2053
<i>plicibus</i>	—	18	665	<i>terniflora</i> ...	10	80	4787
<i>foliis solitariis</i> ...	—	52	2576	<i>volubilis</i> ...	55	125	7675
<i>Douglasia lævigata</i> ...	44	114	6996	<i>Wallichii</i> ...	10	80	4787
<i>Downingia pulchella</i> ...	32	102	6257	<i>Dracocephalum al-</i>			
<i>Draba Aizoides</i> ...	—	5	170	<i>taiense</i> ...	—	25	1009
<i>alba</i> ...	—	7	226	<i>denticulatum</i> ...	—	6	214
<i>Arabis</i> ...	—	3	106	<i>floribus verticillatis</i>	—	25	1009
<i>araucana</i> ...	59	129	7913	<i>foliis lanceolato-line-</i>			
<i>aurea</i> ...	—	56	2934	<i>aribus</i> ...	—	27	1084
<i>Bonplandiana</i> ...	23	93	5650	<i>grandiflorum</i> ...	—	25	1009
<i>Davilæ</i> ...	59	129	7913	<i>peregrinum</i> ...	—	27	1084
<i>Gilliesii</i> ...	59	129	7913	<i>Sibiricum</i> ...	—	47	2185
<i>Mawii</i> ...	31	101	6186	<i>speciosum</i> ...	33	103	6281
<i>Pyrenaica</i> ...	—	19	713	<i>virginianum</i> ...	—	13	467
<i>rosulata</i> ...	59	129	7913	<i>Dracocephalus latifolius</i>	—	35	1424
<i>stolonifera</i> ...	59	129	7913	<i>Dracontium amplifolius</i>	—	55	2801
<i>violacea</i> ...	23	93	5650	<i>camtschatcense</i> ...	60	130	7937
<i>Dracæna australis</i> ...	—	55	2835	<i>Carderi</i> ...	36	106	6523
<i>bicolor</i> ...	23	93	5636	<i>caule immaculato</i> ...	47	117	7190
<i>borealis</i> ...	17	87	5248	<i>cordatum</i> ...	—	55	2801
<i>cernua</i> ...	—	29	1155	<i>fæcundum</i> ...	41	111	6808
<i>cylindrica</i> ...	—	34	1403	<i>foetidum</i> ...	—	22	836
<i>Draco</i> ...	33	103	6327	<i>foliis lanceolatis</i> ...	—	60	3224
<i>elliptica</i> v. <i>maculata</i>	26	96	5846	<i>pertusis</i> ...	60	130	7937
<i>ensifolia</i> ...	7	77	4571	<i>pentaphyllum</i> ...	14	84	5086
<i>ferrea</i> ...	—	46	2053	<i>pertusum</i> ...	—	34	1375
<i>floribunda</i> ...	32	102	6253	<i>Zeylanicum</i> ...	14	84	5086
<i>fragrans</i> ...	—	34	1404	<i>Dracophyllum capita-</i>	16	86	5187
<i>fruticosa</i> ...	—	46	2053	<i>tum</i> ...	—	64	3624
<i>Godseffiana</i> ...	35	105	6447	<i>gracile</i> ...	—	53	2678
<i>Goldieana</i> ...	—	27	1081	<i>secundum</i> ...	—	60	3264
<i>Javanica</i> ...	32	102	6253	<i>Dracopis amplexicaulis</i>	—	66	3716
<i>maculata</i> ...	54	124	7584	<i>Dracunculus Alpinus</i> ..	—	32	1287
<i>marginata</i> ...	38	108	6630	<i>amboinicus</i> ...	—	49	2279
<i>marmorata</i> ...	10	80	4787	<i>aquatilis</i> ...	—	43	1831
<i>Medeoloides</i> ...	10	80	4787	<i>palustris</i> ...	—	43	1831
<i>obtectata</i> ...	—	38	1585	<i>virginianus</i> ...	—	1	2
<i>ovata</i> ...	45	115	7078	<i>zeylanicus poly-</i>			
<i>phrynioides</i> ...	22	92	5584	<i>phyllus</i> ...	47	117	7190
<i>retlexa</i> ...	—	55	2835	<i>Drimia altissima</i> ...	21	91	5522
<i>saposchnikowi</i> ...	—	29	1179	<i>ciliaris</i> ...	—	27	1074
<i>Smithii</i> ...	18	88	5352	<i>Coleæ</i> ...	53	123	7565
<i>spicata</i> ...	33	103	6327	<i>elata</i> ...	—	21	822
<i>stricta</i> ...	32	102	6234	<i>lanceæfolia</i> ...	—	34	1380
	31	101	6169	<i>Drimiopsis Kirkii</i> ...	33	103	6276
	10	80	4787				
	—	52	2575				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Drimys Chilensis</i> ...	10	80	4800	<i>Dubois Reymondia pal-</i>			
<i>Granatensis</i> ...	10	80	4800	<i>pigera</i> ...	19	89	5385
<i>Mexicana</i> ...	10	80	4800	<i>Duboisia Reymondi</i> ...	19	89	5385
<i>Winteri</i> ...	10	80	4800	<i>Duhamelia patens</i> ...	—	52	2533
<i>Drosera binata</i> ...	—	58	3082	<i>ventricosa</i> ...	—	44	1894
<i>Capensis</i> ...	37	107	6583	<i>Dulcis radix</i> ...	—	47	2154
<i>cistiflora</i> ...	46	116	7100	<i>Duranta Ellisia</i> ...	—	42	1759
<i>filiformis</i> ...	—	63	3540	<i>umbellata</i> ...	41	111	6849
<i>Helianthemum</i> ...	46	116	7100	<i>Dutra alba</i> ...	—	35	1440
<i>spathulata</i> ...	17	87	5240	<i>Duvalia polita</i> ...	32	102	6245
<i>speciosa</i> ...	46	116	7100	<i>Duvana cuneata</i> ...	51	121	7406
<i>tenuifolia</i> ...	—	63	3540	<i>dentata</i> ...	51	121	7406
<i>violacea</i> ...	46	116	7100	<i>dependens</i> ...	51	121	7406
<i>Whittakerii</i> ...	30	100	6121	<i>fasciculata</i> ...	51	121	7406
<i>Drosophyllum lusitani-</i>				<i>inebrians</i> ...	51	121	7406
<i>cum</i> ...	25	95	5796	<i>longifolia</i> ...	51	121	7406
<i>Dryandra arctotidis</i> ...	—	69	4035	<i>ornata</i> ...	51	121	7406
<i>armata</i> ...	—	60	3236	<i>ovata</i> ...	51	121	7406
<i>blechnifolia</i> ...	—	63	3500	<i>polygama</i> ...	51	121	7406
<i>calophylla</i> ...	55	125	7642	<i>præcox</i> ...	51	121	7406
<i>carduacea v. angusti-</i>				<i>spinescens</i> ...	51	121	7406
<i>folia</i> ...	3	73	4317	<i>Dyckia Desmetiana</i> ...	50	120	7340
<i>Drummondii</i> ...	55	125	7642	<i>frigida</i> ...	33	103	6294
<i>floribunda</i> ...	—	38	1581	<i>rariflora</i> ...	—	62	3449
<i>formosa</i> ...	—	70	4102	<i>Dyschoriste Hilde-</i>			
<i>longifolia</i> ...	—	38	1582	<i>brandtii</i> ...	60	130	7973
<i>nervosa</i> ...	—	58	3063	<i>Dysodia grandiflora</i> ...	18	88	5310
<i>nobilis</i> ...	8	78	4633	<i>Ebenus Cretica</i> ...	—	27	1092
<i>pteridifolia</i> ...	—	63	3500	<i>Ecbolium</i> ...	—	22	861
<i>tenuifolia</i> ...	—	63	3513	<i>Eccremocarpus scaber.</i>	35	105	6408
<i>Dryas chamædrifolia</i> ..	—	57	2972	<i>Echeandia eleutheran-</i>			
<i>Drummondii</i> ...	—	57	2972	<i>dra</i> ...	41	111	6809
<i>Drymispermum ambi-</i>				<i>Echeveria canaliculata</i>	13	83	4986
<i>guum</i> ...	52	122	7471	<i>Perpusii</i> ...	56	126	7713
<i>lanceifolium</i> ...	52	122	7471	<i>pulvinata</i> ...	59	129	7918
<i>laurifolium</i> ...	25	95	5787	<i>racemosa</i> ...	—	64	3570
<i>Drymoda picta</i> ...	27	97	5904	<i>Echidnopsis Bentii</i> ...	57	127	7760
<i>Drymonia marmorata</i> .	40	110	6763	<i>cereiformis</i> ...	27	97	5930
<i>punctata</i> ...	—	70	4089	<i>somalensis</i> ...	59	129	7929
<i>villosa</i> ...	11	81	4866	<i>Echinacea angustifolia</i>	17	87	5281
<i>Drymophloeus appendi-</i>				<i>Echinocactus cente-</i>			
<i>culata</i> ...	47	117	7202	<i>terius</i> ...	—	69	3974
<i>olivæformis</i> ...	47	117	7202	<i>chlorophthalmus</i> ...	4	74	4373
<i>Drypis foliis qua-</i>				<i>cinnabarinus</i> ...	3	73	4326
<i>ternis</i> ...	—	28	1107	<i>concinus</i> ...	—	70	4115
<i>italica aculeata</i> ...	—	48	2216	<i>corynodes</i> ...	—	68	3906
<i>Spina alba</i> ...	—	48	2216	<i>Cummingii</i> ...	30	100	6097
<i>spinosa</i> ...	—	48	2216	<i>Eyriesii</i> ...	—	62	3411
<i>Theophrasti Anguil-</i>				<i>hamatocanthus</i> ...	8	78	4632
<i>laræ</i> ...	—	48	2216				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Echinocactus</i> Haselbergii ...	44	114	7009	<i>Echinosperrum</i> ...	53	123	7520
hexædrophorus ...	3	73	4311	<i>Echinostachys</i> Pineliana ...	18	88	5321
ingens ...	7	77	4559	<i>Echioides</i> orientalis Buglossi folio ...	4	74	4409
Joadii ...	42	112	6867	<i>Echites</i> Alexicaca ...	47	117	7156
Leeanus ...	1	71	4184	caryophyllata ...	—	44	1919
leucanthus... ..	7	77	4567	Franciscea... ..	6	76	4547
longihamatus ...	8	78	4632	grandiflora ...	—	60	3213
<i>Mactianus</i> ...	—	64	3561	grandis ...	52	122	7492
mammillarioides ...	—	64	3558	hirsuta ...	—	69	3997
microspermus ...	58	128	7840	illustris ...	47	117	7156
multiflorus... ..	1	71	4181	macrantha... ..	52	122	7492
multiplex ...	—	66	3789	macrophylla ...	52	122	7492
myriostigma ...	1	71	4177	nutans ...	—	51	2473
obrepandus ...	6	76	4521	pastorum ...	56	126	7725
„ ...	8	78	4687	peduncularis ...	56	126	7725
orthocanthus ...	—	70	4115	splendens ...	—	69	3976
Ottonis ...	—	58	3107	Suberecta ...	—	27	1064
„ v. tenuispinus ...	—	68	3963	succulenta ...	21	91	5543
oxygonus ...	1	71	4162	tenuifolia ...	56	126	7725
pectiniferus ...	1	71	4190	venenosa ...	47	117	7156
Pentlandi ...	—	70	4124	<i>Echium</i> Africanum fruticans ...	—	43	1772
rhodophthalmus ...	6	76	4486	Alpinum ...	—	32	1290
„ v. ellipticus ...	8	78	4634	Benthami ...	44	114	7003
rosaceus ...	—	68	3906	candicans ...	42	112	6868
scopa ...	20	90	5445	creticum ...	—	44	1934
sessiliflorus ...	—	64	3569	fastuosum ...	42	112	6868
streptocaulon ...	7	77	4562	fruticosum v. minor. ...	—	43	1772
tenuispinus ...	—	68	3963	montanum... ..	—	32	1290
tubiflorus ...	—	65	3627	petræum ...	27	97	5942
Visnaga ...	7	77	4559	rubro flore... ..	—	43	1826
Williamsii... ..	3	73	4926	rubrum ...	—	43	1826
<i>Echinocereus</i> cæspitosus	39	109	6669	sylvestre ...	—	43	1826
Laboureti ...	55	125	7688	Wildpretii... ..	58	128	7847
Labouretianus ...	55	125	7688	<i>Eclipta</i> integrifolia ...	—	62	3455
mojavensis... ..	56	126	7705	<i>Edera</i> trifolia ...	—	43	1806
pectinatus ...	39	109	6669	<i>Edgeworthia</i> chrysantha	47	117	7180
viridiflorus ...	55	125	7688	Gardneri ...	47	117	7180
<i>Echinops</i> caule subuni- floro ...	—	24	932	papyrifera ...	47	117	7180
foliis supra glaber- rimis ...	—	24	932	<i>Edraianthus</i> dalmaticus	36	106	6482
Ritro ...	—	24	932	Kitaibelii ...	31	101	6188
strictus ...	—	51	2457	tenuifolius... ..	36	106	6482
strigosa ...	—	47	2109	<i>Edwardsia</i> Macnabiana	—	66	3735
<i>Echinopsis</i> campyla- cantha ...	7	77	4567	microphylla ...	—	35	1442
cristata v. purpurea.	6	76	4521	<i>Eichornia</i> azurea ...	36	106	6487
„ ...	8	78	4687	tricolor ...	13	83	5020
<i>Echinopus</i> minor ...	—	24	932	<i>Elæagnus</i> crispa ...	50	120	7341
				edulis ...	50	120	7341

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Elæagnus longipes</i> ...	50	120	7341	<i>Encephalartos Marumii</i>	47	117	7162
<i>macrophylla</i> ...	55	125	7638	<i>villosus</i> ...	38	108	6654
<i>multiflora</i> ...	50	120	7341	<i>Encephalartos Caffer.</i> ..	12	82	4903
<i>rotundifolia</i> ...	50	120	7341	<i>horridus v. trispinosa</i>	19	89	5371
<i>Elæocarpus cyaneus</i> ...	—	42	1737	<i>longifolia</i> ...	12	82	4903
<i>grandiflora</i> ...	8	78	4680	<i>Encholirion Jonghei</i> ...	43	113	6945
<i>lanceolata</i> ...	8	78	4680	<i>Encyclia patens</i> ...	—	57	3013
<i>peduncularis</i> ...	2	72	4246	<i>viridiflora</i> ...	—	55	2831
<i>Elæodendron Capense.</i>	—	67	3835	<i>Engelmannia pinnati-</i>			
<i>Elebori nigri facie</i> ...	54	124	7585	<i>fida</i> ...	37	107	6577
<i>Elephantusia macro-</i>				<i>Engenia caryophyllata</i>	—	54	2749
<i>carpa</i> ...	12	82	4913	<i>Enkianthus campanu-</i>			
<i>Elettaria hemisphærica</i>	54	124	7592	<i>latus</i> ...	45	115	7059
<i>Elichrison arenarium</i> ..	—	47	2159	<i>Himalaicus</i> ...	35	105	6460
<i>latifolium</i> ...	—	47	2159	<i>Japonicus</i> ...	26	96	5822
<i>Elichrysum abrotani</i> ...	—	50	2365	<i>quinqueflora</i> ...	—	40	1649
<i>Africanum lanugino-</i>				<i>Ensete</i> ...	17	87	5223
<i>sum</i> ...	—	20	763	<i>Entelea arborescens</i> ...	—	51	2480
" ...	—	45	1972	<i>Eomecon chionantha</i> ..	42	112	6871
" ...	—	45	1987	<i>Epacris ceræflora</i> ...	—	60	3243
<i>capense</i> ...	—	49	2328	<i>gracilis</i> ...	—	53	2678
<i>incanum</i> ...	—	56	2881	<i>grandiflora</i> ...	—	25	982
<i>inodorum</i> ...	—	49	2276	<i>heteronema</i> ...	—	60	3257
<i>proliferum</i> ...	—	50	2365	<i>impressa</i> ...	—	62	3407
<i>splendens</i> ...	—	43	1773	<i>longiflora</i> ...	—	25	982
<i>Elisena longipetala</i> ...	—	67	3873	<i>microphylla</i> ...	—	65	3658
<i>Elleanthus xanthocomus</i>	29	99	6016	<i>nivalis</i> ...	—	60	3253
<i>Ellisia frutescens</i> ...	—	42	1759	<i>obtusifolia</i> ...	—	66	3775
<i>Elsholtzia barbinervis</i>	52	122	7463	<i>onosmæflora</i> ...	—	59	3168
<i>cristata</i> ...	—	52	2560	<i>pulchella</i> ...	—	29	1170
<i>japonica</i> ...	52	122	7463	<i>pungens</i> ...	—	22	844
<i>stellipila</i> ...	52	122	7463	<i>(see note)</i>	—	30	1199
<i>sublancefolia</i> ...	52	122	7463	" <i>v. rubra</i> ...	—	30	1199
<i>Elutheria Providentiæ</i>	53	123	7515	<i>secunda</i> ...	—	60	3264
<i>Elychrysum Africanum</i>	—	9	300	<i>Ephedra altissima</i> ...	55	125	7670
<i>arenarium</i> ...	—	47	2159	<i>Ephemerum Matthioli</i>	—	49	2346
<i>Embothrium coccineum</i>	11	81	4856	<i>spurium Lobelii</i> ...	—	49	2346
<i>cytisoides</i> ...	—	22	862	<i>zeylanicum</i> ...	—	35	1435
<i>herbaceum</i> ...	—	31	1272	<i>Ephippium grandi-</i>			
<i>lineare</i> ...	—	53	2661	<i>florum</i> ...	57	127	7787
<i>linearefolium</i> ...	—	53	2661	<i>Epichysianthus macro-</i>			
<i>longifolium</i> ...	56	126	7698	<i>phyllus</i> ...	52	122	7492
<i>myricoides</i> ...	56	126	7698	<i>Epicostorus montanus</i>	57	127	7758
<i>sericeum</i> ...	—	22	862	<i>Epidendre iridée</i> ...	12	82	4909
" ...	—	53	2661	<i>paniculé</i> ...	21	91	5541
<i>silaiifolium</i> ...	—	31	1272	<i>ponceau</i> ...	—	65	3709
<i>speciosissimum</i> ...	—	28	1128	<i>Epidendron amethysto-</i>			
<i>tinctorium</i> ...	—	70	4110	<i>glossum</i> ...	24	94	5683
<i>Encephalartos Alten-</i>				<i>Epidendrum aloides</i> ...	—	11	387
<i>steinii</i>	47	117	7162	<i>aloifolium</i> ...	—	11	387

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Epidendrum altissimum</i>	—	57	2990	<i>Epidendrum (Barkeria)</i>			
<i>amabile</i> ...	3	73	4297	<i>Lindleyanum</i> ...	30	100	6098
<i>anceps</i> ...	—	55	2844	<i>linearifolium</i> ...	7	77	4572
<i>Barringtoniæ</i> ...	24	94	5706	<i>longicolle</i> ...	1	71	4165
<i>basilare</i> ...	10	80	4759	<i>macrochilum</i> ...	—	63	3534
<i>bicornutum</i> ...	—	61	3332	<i>Magnoliæ</i> ...	—	62	3457
<i>Brassavolæ</i> ...	23	93	5664	<i>moschatum</i> ...	—	67	3837
<i>calocheilum</i> ...	—	68	3898	<i>myrianthum</i> ...	22	92	5553
<i>Capartianum</i> ...	57	127	7792	<i>nocturnum</i> ...	—	61	3298
<i>Carthagenense</i> ...	—	20	777	<i>nodosum</i> ...	—	60	3229
<i>caudatum</i> ...	—	62	3451	<i>osmanthum</i> ...	57	127	7792
<i>caule erecto</i> ...	—	45	2004	<i>pallidiflorum</i> ...	—	57	2980
<i>Cebolleta</i> ...	—	64	3568	<i>paniculatum</i> ...	24	94	5731
<i>cepiforme</i> ...	—	66	3765	<i>papillosum</i> ...	—	65	3631
<i>chloroleucum</i> ...	—	64	3557	<i>Parkinsonianum</i> ...	—	66	3778
<i>ciliare</i> ...	—	13	463	<i>patens</i> ...	—	67	3800
<i>cnemidophorum</i> ...	23	93	5656	<i>polybulbon</i> ...	—	70	4067
<i>coccineum</i> ...	—	35	1437	<i>prismatocarpum</i> ...	18	88	5336
<i>cochleatum</i> ...	—	5	152	<i>Pseudepidendrum</i> ...	27	97	5929
<i>(see note)</i> ...	—	16	572	<i>punctatum</i> ...	—	63	3507
<i>conopseum</i> ...	—	40	1669	<i>pygmæum</i> ...	—	60	3233
<i>Cooperianum</i> ...	—	62	3457	<i>retusum</i> ...	—	60	3233
<i>coriaceum</i> ...	23	93	5654	<i>retusum</i> ...	—	70	4108
<i>crassifolium</i> ...	—	64	3595	<i>sanguineum</i> ...	—	58	3076
<i>criniferum</i> ...	—	64	3543	<i>„</i> ...	—	63	3536
<i>cucullatum</i> ...	—	64	3543	<i>Sceptrum</i> ...	47	117	7169
<i>densiflorum</i> ...	30	100	6094	<i>secundum</i> ...	—	17	611
<i>dichromum v. amabile</i>	—	15	543	<i>„</i> ...	—	55	2844
<i>difforme</i> ...	—	66	3791	<i>Sinense</i> ...	—	23	888
<i>diffusum</i> ...	—	64	3565	<i>„</i> ...	—	42	1751
<i>eburneum</i> ...	21	91	5491	<i>Skinneri</i> ...	—	68	3951
<i>ellipticum</i> ...	—	46	2030	<i>Sophronitis</i> ...	33	103	6314
<i>„</i> ...	—	64	3565	<i>spondiadum</i> ...	49	119	7273
<i>elongatum</i> ...	23	93	5643	<i>Stamfordianum</i> ...	10	80	4759
<i>Endresii</i> ...	—	64	3543	<i>stenopetalum</i> ...	—	62	3410
<i>ensifolium</i> ...	54	124	7586	<i>syringothyrsis</i> ...	31	101	6145
<i>evectum</i> ...	—	17	611	<i>teres</i> ...	—	65	3648
<i>floribundum</i> ...	58	128	7855	<i>tesselatum</i> ...	—	65	3638
<i>fragrans</i> ...	—	42	1751	<i>tetragonum</i> ...	5	75	4442
<i>(see note)</i> ...	27	97	5902	<i>triste</i> ...	—	65	3648
<i>funale</i> ...	—	65	3637	<i>umbellatum</i> ...	—	46	2030
<i>fuscatum</i> ...	—	40	1669	<i>„</i> ...	2	72	4237
<i>Godseffianum</i> ...	—	16	572	<i>„</i> ...	48	118	7214
<i>Grahami</i> ...	3	73	4295	<i>undulatum</i> ...	—	20	777
<i>graminifolium</i> ...	—	55	2844	<i>Uro-Skinneri</i> ...	18	88	5336
<i>grandiflorum</i> ...	57	127	7792	<i>variegatum</i> ...	—	59	3151
<i>guttatum</i> ...	—	68	3885	<i>„</i> ...	49	119	7273
<i>Harrisoniæ</i> ...	—	54	2764	<i>verrucosum</i> ...	7	77	4606
<i>juncifolium</i> ...	17	87	5278	<i>viridi-purpureum</i> ...	—	65	3666
	—	64	3603	<i>vitellinum</i> ...	—	70	4107
	—	60	3209	<i>xanthinum</i> ...	54	124	7586
	—	64	3568				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Epigynium acuminatum</i>	13	83	5010	<i>Eranthemum coccineum</i>	4	74	4378
<i>leucobotrys</i> ...	15	85	5103	<i>Cooperi</i> ...	20	90	5467
<i>Epilobium angustis-</i>				<i>crenulatum v. grandi-</i>			
<i>simum</i> ...	—	3	76	<i>florum</i>	20	90	5440
<i>flore difformi</i> ...	—	3	76	" ...	28	98	5957
<i>obcordatum</i> ...	55	125	7641	<i>diantherum</i> ...	20	90	5440
<i>Epimedium alpinum v.</i>				<i>elegans</i> ...	25	95	5771
<i>rubrum</i> ...	23	93	5671	<i>hypocrateriforme</i> ...	31	101	6181
<i>diphyllum</i> ...	—	63	3448	<i>laxiflorum</i> ...	33	103	6336
<i>Musschianum</i> ...	—	66	3745	<i>macrophyllum</i> ...	39	109	6686
<i>Perralderianum</i> ...	36	106	6509	<i>montanum</i> ...	—	69	4031
<i>pinnatum</i> ...	5	75	4456	<i>palatiferum</i> ...	28	98	5957
<i>rubrum</i> ...	23	93	5671	<i>pulchellum</i> ...	—	33	1358
<i>violaceum</i> ...	—	66	3751	<i>punctulatum</i> ...	24	94	5711
<i>Epipactis americana</i> ...	55	125	7690	<i>reticulatum</i> ...	52	122	7480
<i>amplo flore luteo</i> ...	60	130	7955	<i>sanguinolentum</i> ...	21	91	5511
<i>gigantea</i> ...	55	125	7690	<i>Schomburgkii</i> ...	52	122	7480
<i>Royleana</i> ...	55	125	7690	<i>strictum</i> ...	—	58	3068
<i>Thunbergii</i> ...	55	125	7690	<i>tuberculatum</i> ...	19	89	5405
<i>Epiphora pubescens</i> ...	22	92	5586	<i>Eremostachys iberica</i> ..	45	115	7048
<i>Epiphyllum alatum</i> ...	—	55	2820	<i>laciniata</i> ...	45	115	7048
<i>Gaertneri</i> ...	47	117	7201	<i>Eremurus Altaicus</i> ...	11	81	4870
<i>latifrons</i> ...	—	67	3813	<i>aurantiacus</i> ...	46	116	7113
<i>Makoyanum</i> ...	47	117	7201	<i>Bungei</i> ...	46	116	7113
<i>Phyllanthus</i> ...	—	53	2692	<i>Caucasicus</i> ...	11	81	4870
<i>Russellianum</i> ...	—	66	3717	<i>himalaicus</i>	45	115	7076
" ...	47	117	7201	<i>robustus</i> ...	39	109	6726
<i>truncatum</i> ...	—	52	2562	<i>spectabilis</i>	11	81	4870
<i>Epipogium aphyllum</i> ..	10	80	4821	<i>Tauricus</i> ...	11	81	4870
<i>Epipogon Gmelini</i> ...	10	80	4821	<i>Eria capillipes</i> ...	27	97	5910
<i>Epipogon Gmelini</i> ...	10	80	4821	<i>Dillynii</i> ...	1	71	4163
<i>Epipremnum giganteum</i>	60	130	7952	<i>Elwesii</i> ...	49	119	7329
<i>Episcia bicolor</i> ...	4	74	4390	<i>extinctoria</i>	27	97	5910
<i>Chontalensis</i> ...	27	97	5925	<i>latibracteata</i> ...	54	124	7605
<i>densa</i> ...	52	122	7481	<i>marginata</i> ...	48	118	7238
<i>erythropus</i>	32	102	6219	<i>Meirax</i> ...	49	119	7329
<i>fulgida</i> ...	30	100	6136	<i>myristicæformis</i> ...	19	89	5415
<i>maculata</i> ...	46	116	7131	<i>obesa</i> ...	19	89	5391
<i>melittifolia</i> ...	9	79	4720	<i>stellata</i> ...	—	64	3605
<i>Epistephium Williamsii</i>	20	90	5485	<i>vestita</i> ...	25	95	5807
<i>Epistylum glancescens</i>	20	90	5437	<i>Erianthus Japonicus</i> ..	49	119	7304
<i>Eranthemum affine</i> ...	31	101	6181	<i>Erica Africana</i> ...	—	10	358
<i>albiflorum</i> ...	2	72	4225	<i>Aitonia</i> ...	—	12	429
<i>Andersoni</i> ...	25	95	5771	" ...	—	70	4074
<i>aspersum</i> ...	24	94	5711	<i>albens</i> ...	—	13	440
<i>atropurpureum</i> ...	58	128	7839	<i>alexandrina</i> ...	—	45	1949
<i>aureo-reticulatum</i>	52	122	7480	<i>ampullacea</i> ...	—	9	303
<i>borneense</i> ...	39	109	6701	<i>andromedæflora</i> ...	—	31	1250
<i>cinnabarinum v. ocel-</i>				" <i>v. triumphans</i>	—	49	2322
<i>latum</i> ...	27	97	5921	<i>aristata</i> ...	—	31	1249

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Erica articularis</i> ...	—	12	422	<i>Erica primuloides</i> ...	—	38	1548
<i>baccans</i> ...	—	10	358	<i>procumbens</i> ...	—	1	11
<i>Banksia</i> ...	—	33	1370	<i>propendens</i> ...	—	47	2140
<i>Blandfordia</i> ...	—	43	1793	<i>pubescens</i> ...	—	14	480
<i>Blandfordiana</i> ...	—	43	1793	<i>Pyramidalis</i> ...	—	11	366
<i>Bonplandiana</i> ...	—	47	2126	<i>recurvata</i> ...	—	62	3427
<i>bucciniflora</i> ...	—	51	2465	<i>resinosa</i> ...	—	28	1139
<i>carnea</i> ...	—	1	11	<i>retorta</i> ...	—	11	362
<i>Cerinthoides</i> ...	—	7	220	<i>rubella</i> ...	—	47	2165
<i>Chamissonis</i> ...	30	100	6108	<i>sanguinolenta</i> ...	—	48	2263
<i>ciliaris</i> ...	—	14	484	<i>Shannoni</i> ...	—	70	4069
<i>concava</i> ...	—	47	2149	<i>Shannoniana</i> ...	—	70	4069
<i>corios folio</i> ...	—	14	471	<i>sicula</i> ...	44	114	7030
<i>dilecta</i> ...	—	38	1548	<i>subdivaricata</i> ...	—	10	342
<i>elegans</i> ...	—	24	966	<i>sulphurea</i> ...	—	45	1984
<i>empetrifolia</i> ...	—	13	447	<i>Thunbergii</i> ...	—	30	1214
<i>fastigiata</i> ...	—	38	1548	<i>togata</i> ...	—	39	1626
" ...	—	46	2084	<i>triumphans</i> ...	—	49	2322
<i>flava v. imbricata</i> ...	—	43	1815	<i>variifolia</i> ...	—	44	1915
<i>florida v. campanulata</i> ...	—	65	3639	<i>Ventricosa</i> ...	—	10	350
<i>foliis corios quaternis</i> ...	—	14	471	<i>vernix</i> ...	—	28	1139
" <i>ovatis</i> ...	—	14	484	<i>vestita v. coccinea</i> ...	—	12	402
<i>fragrans</i> ...	—	47	2181	<i>Walkeria</i> ...	—	46	2084
<i>gemmifera</i> ...	—	48	2266	<i>Ericæformis Coridis</i> ...	—	49	2332
<i>glauca</i> ...	—	16	580	<i>Ericinella Manii</i> ...	22	92	5569
<i>grandiflora</i> ...	—	6	189	<i>Ericu et Bel-ericu</i> ...	42	112	6862
<i>herbacea</i> ...	—	1	11	<i>Erigeron bellidifolium</i> ...	—	50	2402
<i>Hibbertia</i> ...	—	42	1758	<i>Capense</i> ...	19	89	5412
<i>Hibbertiana</i> ...	—	42	1758	<i>glabellum</i> ...	—	56	2923
<i>hirsuta Anglica</i> ...	—	14	484	<i>leiomerus</i> ...	56	126	7743
<i>hirtiflora</i> ...	—	14	481	<i>multiradiatus</i> ...	36	106	6530
<i>inflata</i> ...	—	70	4074	<i>pulchellum</i> ...	—	50	2402
<i>Irbyana</i> ...	—	69	4016	<i>Erinacea</i> ...	—	18	676
<i>jasminiflora</i> ...	—	70	4074	<i>Erinus Alpinus</i> ...	—	9	310
<i>lagenæformis</i> ...	—	70	4074	<i>capensis</i> ...	—	51	2504
<i>Lawsoni</i> ...	—	41	1720	<i>Lychnidea</i> ...	—	51	2504
<i>longifolia v. carnea</i> ..	—	19	706	<i>lychnideus</i> ...	—	51	2504
<i>Massoni</i> ...	—	10	356	<i>Peruvianus</i> ...	—	61	3333
<i>maxima</i> ...	—	14	471	<i>Eriocaulon decangulare</i> ...	—	59	3126
<i>medioliflora</i> ...	—	30	1214	<i>decemangulare</i> ...	—	59	3126
<i>Mediterranea</i> ...	—	14	471	<i>Novaboracens</i> ...	—	59	3126
<i>metulæflora</i> ...	—	17	612	<i>serotinum</i> ...	—	59	3126
<i>monadelpha</i> ...	—	33	1370	<i>Erioccephalus Africanus</i> ...	—	22	833
<i>Monsoniæ</i> ...	—	44	1915	<i>pectinifolius</i> ...	—	43	1855
<i>Monsoniana</i> ...	—	44	1915	<i>racemosus</i> ...	—	22	833
<i>mundula</i> ...	—	46	2084	<i>sempervirens</i> ...	—	22	833
<i>mutabilis</i> ...	—	49	2348	<i>Eriococcus glaucescens</i> ...	20	90	5437
<i>odorata</i> ...	—	34	1399	<i>Eriodendron anfractu-</i> <i>sum v. Caribæum</i> ...	—	61	3360
<i>persoluta</i> ...	—	10	342	<i>Eriogonum compositum</i> ...	9	79	4703
<i>physodes</i> ...	—	13	443				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Eriopappus glandulosus</i>	42	112	6856	<i>Erythrobulbus helle-</i>			
<i>Eriophorus Peruvianus</i>	—	20	749	<i>bori albi foliis</i> ...	—	17	616
<i>Eriopsis rutidobulbon.</i>	5	75	4437	<i>Erythrochiton Brasi-</i>			
<i>Eriospermum latifolium</i>	—	34	1382	<i>liense</i> ...	9	79	4742
<i>Eriostemon buxifolium</i>	—	70	4101	<i>hypophyllanthus</i> ...	26	96	5824
<i>cuspidatum</i> ...	—	59	3180	<i>macrophyllum</i> ...	12	82	4948
<i>intermedium</i> ...	5	75	4439	<i>Erythrodamum alsinæ-</i>			
<i>myoporoides</i> ...	—	59	3180	<i>forme</i> ...	25	95	5799
<i>salicifolium</i> ...	—	55	2854	<i>Erythrolæna conspicua</i>	—	56	2909
<i>Turezaninovii</i> ...	58	128	7870	<i>Erythronium America-</i>			
<i>Eritrichium nanum</i> ...	26	96	5853	<i>num</i> ...	—	28	1113
<i>Erodendrum eximium.</i>	—	41	1717	<i>Dens canis</i> ...	—	1	5
<i>formosum</i> ...	—	41	1713	" ...	—	28	1113
<i>longifolium</i> ...	—	50	2439	<i>foliis ovato-oblongis</i>	—	28	1113
<i>Erodium glandulosum</i>	23	93	5665	<i>giganteum</i> ...	24	94	5714
<i>graveolens</i> ...	23	93	5665	<i>grandiflorum</i> ...	24	94	5714
<i>Gussonii</i> ...	—	51	2445	" ...	54	124	7583
<i>Hymenodes</i> ...	—	29	1174	<i>Hartwegi</i> ...	54	124	7583
<i>incarnatum</i> ...	—	8	261	<i>Hendersoni</i> ...	44	114	7017
<i>macradenium</i> ...	23	93	5665	<i>Indicum</i> ...	—	60	3226
<i>pelagoniiflorum</i> ...	16	86	5206	<i>Erythrorhiza rotundi-</i>			
<i>Romanum</i> ...	—	11	377	<i>folia</i> ...	—	20	754
<i>trilobatum</i> ...	—	29	1174	<i>Erythrotis Beddomei.</i>	31	101	6150
<i>Erotium theoides</i> ...	6	76	4546	<i>Erythroxyton Coca</i> ...	50	120	7334
<i>Erucaria hypogæa</i> ...	54	124	7598	<i>Escallonia affinis</i> ...	43	113	6949
<i>Erycina echinata</i> ...	50	120	7389	<i>bifida</i> ...	35	105	6404
<i>Eryngium aliud mon-</i>				<i>floribunda</i> ...	35	105	6404
<i>tanum</i> ...	—	23	922	<i>macrantha</i> ...	5	75	4473
<i>Alpinum</i> ...	—	23	922	<i>montevidensis</i> ...	35	105	6404
<i>cæruleum</i> ...	—	23	922	<i>Organensis</i> ...	2	72	4274
<i>corniculatum</i> ...	—	35	1427	<i>pterocladon</i> ...	11	81	4827
<i>cornutum</i> ...	—	35	1427	<i>revoluta</i> ...	43	113	6949
<i>foliis radicalibus</i> ...	—	23	922	<i>rubra</i> ...	—	56	2890
<i>lusitanicum</i> ...	—	35	1427	" <i>v. punctata</i> ...	37	107	6599
<i>palustre</i> ...	—	35	1427	<i>Eschscholzia Califor-</i>			
<i>planum</i> ...	—	23	922	<i>nicæ</i> ...	—	56	2887
<i>Erysimum alpinum</i> ...	—	50	2423	<i>Eschscholtzia crocea</i> ...	—	63	3495
<i>diffusum</i> ...	—	50	2423	<i>tenuifolia</i> ...	10	80	4812
<i>lanceolatum</i> ...	—	50	2423	<i>Esmeralda Clarkei</i> ...	45	115	7077
<i>Perofskianum</i> ...	—	66	3757	<i>Sanderiana</i> ...	44	114	6983
<i>Erythæa chironioides.</i>	34	104	6396	<i>Espeletia argentea</i> ...	5	75	4480
<i>tricantha</i> ...	34	104	6396	<i>Euadenia eminens</i> ...	37	107	6578
<i>Venusta</i> ...	34	104	6396	<i>Eucalyptus amygdalina</i>	—	60	3260
<i>Erythrina caffra</i> ...	—	50	2431	<i>cneorifolia</i> ...	45	115	7074
<i>Crista Galli</i> ...	—	47	2161	<i>coccifera</i> ...	8	78	4637
<i>foliis ternatis</i> ...	—	22	877	<i>cordata</i> ...	—	46	2087
<i>herbacea</i> ...	—	22	877	" ...	58	128	7835
<i>laurifolia</i> ...	—	47	2161	<i>cornuta</i> ...	31	101	6140
<i>poianthes</i> ...	—	60	3234	<i>ficifolia</i> ...	56	126	7697
<i>velutina</i> ...	—	60	3227	<i>Gunnii v. montana.</i>	57	127	7808

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Eucalyptus Luehmaniana</i>	45	115	7074	<i>Eugenia uniflora</i>	—	14	473
<i>macrocarpa</i>	3	73	4333	<i>Eulalia japonica</i>	49	119	7304
<i>Preissiana</i>	2	72	4266	<i>Eulophia articulata</i>	59	129	7921
<i>pulverulenta</i>	—	46	2087	<i>bella</i>	53	123	7546
<i>splachnicarpon</i>	—	69	4036	<i>bicolor</i>	49	119	7330
<i>stricta</i>	45	115	7074	<i>cochleata</i>	—	64	3585
<i>virgata</i>	45	115	7074	<i>euglossa</i>	22	92	5561
<i>Eucharidium concinnum</i>	—	64	3589	<i>Guineensis</i>	—	51	2467
<i>Eucharis Bakeriana</i>	46	116	7144	<i>helleborina</i>	26	96	5875
<i>grandiflora</i>	13	83	4971	<i>longibracteata</i>	59	129	7921
<i>Mastersii</i>	41	111	6831	<i>Mackaiana</i>	—	62	3402
<i>Sanderii v. multiflora</i>	39	109	6676	<i>macrostachya</i>	32	102	6246
" " " " " "	41	111	6831	<i>streptopetala</i>	—	56	2931
<i>Euchlæna luxurians</i>	35	105	6414	<i>virens</i>	22	92	5579
<i>Eucnida bartonioides</i>	6	76	4491	<i>Zeyheri</i>	49	119	7330
<i>Eucomis bicolor</i>	41	111	6816	<i>Eulophiella Elizabethæ</i>	50	120	7387
<i>bifolia</i>	—	22	840	<i>Peetersiana</i>	54	124	7612
<i>(see note)</i>	—	36	1495	<i>Euonymus echinata</i>	—	54	2767
<i>nana</i>	—	36	1495	<i>europæus v. latifolius</i>	—	50	2384
<i>punctata</i>	—	23	913	<i>jububinis foliis</i>	—	36	1479
" <i>v. striata</i>	—	37	1539	<i>latifolius</i>	—	50	2384
<i>regia</i>	—	27	1083	<i>novi Belgii</i>	—	36	1479
<i>striata</i>	—	37	1539	<i>scandens</i>	—	54	2767
<i>undulata</i>	—	27	1083	<i>Tobira</i>	—	34	1396
<i>(see note)</i>	—	36	1495	<i>Eupatorioides salicis</i>	—	50	2400
<i>Eucrosia bicolor</i>	—	51	2490	<i>folio</i>	—	50	2400
<i>Eucryphia Billardieri</i>	—	—	—	<i>Eupatorium marianum</i>	—	45	2010
<i>v. Milligani</i>	47	117	7200	<i>salviæfolium</i>	—	45	2010
<i>Milligani</i>	47	117	7200	<i>Euphorbia anacantha</i>	—	51	2520
<i>pinnatifolia</i>	45	115	7067	<i>arborescens</i>	47	117	7184
<i>Eugenia amplexicaulis</i>	25	95	5790	<i>atro-purpurea</i>	—	61	3321
<i>apiculata</i>	14	84	5040	<i>Bojeri</i>	—	63	3527
<i>Brasiliensis</i>	6	76	4526	<i>bupleurifolia</i>	—	63	3476
<i>Cheken</i>	23	93	5644	<i>canaliculata</i>	—	51	2514
<i>elliptica</i>	—	44	1872	<i>carinata</i>	—	51	2514
" " " " " "	20	90	5480	<i>corollata</i>	—	57	2992
<i>fragrans</i>	—	31	1242	<i>cupularis</i>	47	117	7184
<i>Jambos</i>	—	41	1696	<i>epithymoides</i>	—	48	2258
" " " " " "	—	61	3356	<i>globosa</i>	—	53	2624
<i>Luma</i>	14	84	5040	<i>inermis</i>	—	36	1494
<i>Malaccensis</i>	4	74	4408	<i>Ipecacuanhæ</i>	—	36	1494
<i>montana</i>	—	31	1242	<i>jacquiniflora</i>	—	65	3673
<i>myrtifolia</i>	—	48	2230	<i>longifolia</i>	—	32	1305
<i>orbiculata</i>	7	77	4558	<i>Mellifera</i>	—	32	1305
<i>racemosa</i>	—	67	3831	<i>Monteiri</i>	21	91	5534
<i>Smithii</i>	20	90	5480	<i>obesa</i>	59	129	7888
<i>trinervia</i>	—	60	3223	<i>petiolaris</i>	—	23	883
<i>Ugni</i>	8	78	4626	<i>Poinsettiana</i>	—	63	3493
				<i>pulcherrima</i>	—	63	3493
				<i>punicea</i>	—	45	1961

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Euphorbia splendens</i> ..	—	56	2902	<i>Exanthemum palati-</i>			
<i>tridentata</i>	—	51	2520	<i>ferum</i>	28	98	5957
<i>variegata</i>	—	42	1747	<i>Exarrhena macrantha</i> .	49	119	7291
<i>viperina</i>	60	130	7971	<i>Exogonium Purga</i> ...	3	73	4280
<i>Euphorbium anacanthum</i>	—	51	2520	<i>Exorrhiza Wendland-</i>			
<i>erectum</i>	—	51	2520	<i>iana</i>	57	127	7797
<i>Euphoria Longana</i> ...	—	70	4096	<i>Exostemma longiflorum</i>	1	71	4186
<i>Euphrasia Æthiopica</i> .	—	51	2504				
<i>floridana</i>	—	8	283	<i>Fabaga Afra</i>	—	11	372
<i>Euploca convolvulacea</i>	22	92	5615	<i>Africana</i>	—	47	2184
<i>Eupomatia laurina</i> ...	11	81	4848	<i>Capensis</i>	—	47	2184
<i>Eurispermum grandiflorum</i>	—	40	1650	<i>flore luteo</i>	—	47	2184
<i>Eurya latifolia variegata</i>	51	121	7434	<i>Fabricia lævigata</i> ...	—	32	1304
<i>Euryale Amazonica</i> ...	3	73	4275	<i>serrata</i>	—	19	709
<i>ferox</i>	—	35	1447	<i>stellata</i>	—	18	662
<i>Euryangium Sumbul.</i> ..	31	101	6196	<i>villosa</i>	—	19	711
<i>Eurybia dentata</i> ...	45	115	7065	<i>Fagara nitida</i>	—	52	2558
<i>Gunniana</i>	8	78	4638	<i>piperita</i>	—	52	2558
<i>Eurycles Cunninghamii</i>	—	62	3399	<i>Fagonia Cretica</i> ...	—	7	241
<i>Eurygania ovata</i> ...	34	104	6393	<i>Fagraea obovata</i> ...	2	72	4205
<i>Euryloma Irbyana</i> ...	—	69	4016	<i>zeylanica</i>	30	100	6080
<i>jasminiflora</i>	—	70	4074	<i>Fagus glutinosa</i> ...	45	115	7067
<i>recurvata</i>	—	62	3427	<i>Fakudsitqua</i>	—	12	405
<i>Shannoniana</i>	—	70	4069	<i>Falkia repens</i>	—	48	2228
<i>Euryops socotranus</i> ...	58	128	7838	<i>Fallugia mexicana</i> ...	38	108	6660
<i>Eustrephus latifolius</i> ..	—	31	1245	<i>paradoxa</i>	38	108	6660
<i>Euterpe montana</i> ...	—	67	3874	<i>Fanna Skimmi</i>	—	69	3965
<i>Eutoca divaricata</i> ...	—	65	3706	<i>Faradaya splendida</i> ...	47	117	7187
<i>Franklinii</i>	—	57	2985	<i>Farfugium grande</i> ...	18	88	5302
<i>grandiflora</i>	14	84	5029	<i>Kæmpferi</i>	18	88	5302
<i>Menziesii</i>	—	66	3762	<i>Farsetia lunarioides</i> ...	—	58	3087
<i>multiflora</i>	—	66	3762	<i>Fedia grandiflora</i> ...	37	107	6564
<i>sericea</i>	—	57	3003	<i>Ruthenica</i>	—	49	2325
<i>speciosa</i>	14	84	5029	<i>Sibirica</i>	—	19	714
<i>viscosa</i>	—	64	3572	"	—	49	2325
<i>Evelyna Caravata</i> ...	15	85	5141	<i>Feijoa Sellowiana</i> ...	54	124	7620
<i>lepida</i>	15	85	5141	<i>Felix Hemionitis</i> ...	12	82	4911
<i>Evolvulus purpureo-cæruleus</i>	1	71	4202	<i>Fendlera rupicola</i> ..	59	129	7924
<i>Exacum affine</i>	41	111	6824	<i>Fenzlia dianthiflora</i> ...	11	81	4876
<i>bicolor</i>	3	73	4340	<i>Ferdinandea superba</i> ..	10	80	4822
<i>Hamiltonii</i>	3	73	4340	<i>Fereira</i>	—	19	721
<i>macranthum</i>	10	80	4771	<i>Fernandesia robusta</i> ...	22	92	5592
<i>tetragonum v. bicolor</i>	3	73	4340	<i>Ferraria antherosa</i> ...	—	20	751
<i>viscosum</i>	—	47	2135	<i>elegans</i>	—	18	654
<i>Zeylanicum</i>	5	75	4423	<i>parviflora</i>	—	18	655
				<i>pavonia</i>	—	15	532
				<i>Tigridia</i>	—	15	532
				<i>undulata</i>	—	4	144
				<i>viridis</i>	—	20	751

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Ferula Africana gal-</i>				<i>Flos Solis marianus</i> ...	—	46	2051
<i>banifera</i> ...	—	51	2489	<i>pyramidalis</i> ...	53	123	7545
<i>Assafoetida</i> ...	—	46	2096	<i>triplicatus</i> ...	—	53	2615
<i>Persica</i> ...	—	46	2096	<i>tuberosus Solis</i> ...	53	123	7545
<i>sancta</i> ...	48	118	7267	<i>Flüggea spicata</i> ...	18	88	5348
(<i>Euryangium</i>) <i>Sumbul</i>	31	101	6196	<i>Folium bracteatum</i> ...	—	44	1870
<i>tingitana</i> ...	48	118	7267	<i>petiolatum</i> ...	—	70	4123
<i>Feuillaea pedata</i> , Fem.	—	53	2681	<i>Forrestia hispida</i> ...	20	90	5125
"	—	54	2751	<i>Forsythia suspensa</i> ...	13	83	4995
<i>Fevillea Moorei</i> ...	34	104	6356	<i>viridissima</i> ...	7	77	4587
<i>Ficoidea capensis</i> ...	57	127	7775	<i>Fothergilla alnifolia</i> v.			
<i>humilis</i> ...	57	127	7775	<i>obtusa</i> ...	—	33	1341
<i>Ficoides Africana</i> ...	—	43	1824	"	—	33	1342
<i>capensis</i> ...	—	1	32	<i>alnifolia</i> v. <i>major</i> ...	—	33	1342
"	—	13	448	<i>Gardeni</i> ...	—	33	1341
<i>Ficus acuminata</i> ...	—	60	3282	<i>involuta</i> ...	52	122	7501
<i>australis</i> ...	—	56	2939	<i>Fortune's Double Yellow</i>	8	78	4679
<i>comosa</i> ...	—	61	3305	<i>Fourcroya cubensis</i> v.			
<i>erecta</i> v. <i>Sieboldii</i> ...	53	123	7550	<i>inermis</i> ...	37	107	6543
<i>ferruginea</i> ...	—	56	2939	<i>flavo-viridis</i> ...	16	86	5163
<i>indica major lævis</i> ...	—	54	2741	<i>longava</i> ...	21	91	5519
<i>repens</i> ...	38	108	6657	<i>Noackii</i> ...	33	103	6292
<i>rubiginosa</i> ...	—	56	2939	<i>pubescens</i> ...	48	118	7250
<i>scandens</i> ...	38	108	6657	<i>Selloa</i> ...	31	101	6148
<i>Sieboldii</i> ...	53	123	7550	<i>tubiflora</i> ...	8	78	4642
<i>stipulata</i> ...	38	108	6657	<i>undulata</i> ...	31	101	6160
<i>Fieldia australis</i> ...	14	84	5089	<i>Fragaria monophylla</i> ..	—	2	63
<i>Filago floribus sessilibus</i>	—	45	1958	<i>sterilis</i> ...	—	3	75
<i>Leontopodium</i> ...	—	45	1958	<i>Fragarius niger</i> ...	—	15	529
<i>Filix Africana</i> ...	28	98	5954	<i>Franciscea acuminata</i> ..	1	71	4189
<i>Fischera buxifolia</i> ...	40	110	6752	<i>calycina</i> ...	7	77	4583
<i>Fischeria martiana</i> ...	5	75	4472	<i>capitata</i> ...	2	72	4209
<i>Fitz-Roya Patagonica</i> ..	7	77	4616	<i>confertiflora</i> ...	7	77	4583
<i>Fkamigusa</i> ...	—	29	1154	<i>eximia</i> ...	10	80	4790
<i>Flagellaria repens</i> ...	56	126	7744	<i>Hopeana</i> ...	—	55	2829
<i>Flamma sylvarum</i> ...	—	5	169	<i>hydrangeæformis</i> ...	2	72	4209
<i>Flaveria Contrayerba</i> ..	—	50	2400	<i>latifolia</i> ...	—	68	3907
<i>Flos Africanus</i> ...	—	5	150	<i>Pohliana</i> ...	1	71	4189
<i>cæruleus</i> ...	—	37	1542	<i>Francoa appendiculata</i>	—	59	3178
<i>clitoridis</i> ...	—	37	1542	"	—	67	3824
<i>Constantinopolitanus</i>	—	8	257	<i>ramosa</i> ...	—	67	3824
"	—	46	2104	<i>sonchifolia</i> ...	—	59	3178
<i>Farnes</i> ...	53	123	7545	"	—	61	3309
<i>globosus</i> ...	—	55	2815	<i>Frankenia pauciflora</i> ..	—	56	2896
<i>Indicus</i> ...	—	4	144	<i>Franklin's Tartar</i> ...	—	2	39
<i>Manilbanus</i> ...	—	44	1865	<i>Fraxinus Mariesii</i> ...	39	109	6678
<i>passionis</i> ...	—	1	28	<i>Fremontia Californica</i> ..	22	92	5591
"	—	53	2619	<i>Freycinetia Banksii</i> ...	29	99	6028
<i>Pavonis</i> ...	—	25	995	<i>Freziera theoides</i> ...	6	76	4546
<i>Solis Farnesianus</i> ...	53	123	7545	<i>Friesia peduncularis</i> ...	2	72	4246

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Friesia racemosa</i> ...	58	128	7868	<i>Fritillaria Persica v.</i>			
<i>Fritillaria acmopetala.</i>	33	103	6321	<i>major</i> ...	—	37	1537
<i>Armena</i> ...	34	104	6365	<i>pluriflora</i> ...	54	124	7631
<i>askabadensis</i> ...	58	128	7850	<i>pteroarpa</i> ...	35	105	6406
<i>aurea</i> ...	50	120	7374	<i>pyrenæa</i> ...	—	18	664
<i>autumnalis</i> ...	—	27	1083	<i>Pyrenaica</i> ...	—	18	664
<i>Belinde</i> ...	—	37	1538	<i>(see note)</i>	—	37	1538
<i>bucharica</i> ...	45	115	7080	" ...	—	24	952
<i>caucasica</i> ...	28	98	5969	<i>racemo nudiusculo..</i>	—	37	1537
<i>collina</i> ...	—	37	1538	" <i>nudo</i> ...	—	24	962
<i>dasyphylla</i> ...	33	103	6321	<i>Racemosa</i> ...	—	24	952
<i>esculenta</i> ...	—	30	1207	<i>(see note)</i>	—	37	1538
" ...	—	37	1538	" ...	—	30	1216
<i>Festus</i> ...	—	37	1538	<i>ramosa</i> ...	—	24	962
<i>flore atrorubente</i> ...	—	30	1207	<i>recurva</i> ...	32	102	6264
" " ...	—	37	1538	<i>regia</i> ...	—	36	1495
" <i>flavo</i> ...	—	37	1538	<i>Sewerzowi</i> ...	34	104	6371
" <i>luteo</i> ...	—	37	1538	<i>Thomsoniana</i> ...	9	79	4725
" <i>minore</i> ...	—	18	664	<i>tulipifolia</i> ...	14	84	5052
" <i>pleno</i> ...	—	22	853	" ...	28	98	5969
<i>gibbosa</i> ...	35	105	6406	" ...	33	103	6321
<i>Græca</i> ...	14	84	5052	<i>viperino flore</i> ...	—	30	1216
<i>hispanica</i> ...	—	18	664	<i>Frutex æthiopicus le-</i>			
<i>Hookeri</i> ...	34	104	6385	<i>guminosus</i>	—	8	274
<i>Imperialis</i> ...	—	6	194	" ...	—	45	1945
" ...	—	30	1215	<i>Africanus Genistæ..</i>	—	48	2225
<i>Karelini</i> ...	35	105	6406	<i>corni foliis...</i>	—	14	503
<i>latifolia</i> ...	—	22	853	<i>coronarius</i> ...	—	11	391
" ...	—	30	1207	<i>foliis majoribus cor-</i>			
" <i>v. lutea</i> ...	—	37	1538	<i>datisve</i> ...	6	76	4502
<i>leucantha</i> ...	—	58	3083	<i>humilis</i> ...	—	45	1947
<i>lutea</i> ...	—	22	853	<i>padi foliis serratis...</i>	—	23	910
" ...	—	30	1207	<i>regis</i> ...	—	46	2061
" ...	—	37	1538	<i>Fu Ku Jusō Shin Dsu</i>	52	122	7490
<i>lycia</i> ...	33	103	6321	<i>Fu Ran</i> ...	1	71	4153
<i>Meleagris</i> ...	—	30	1216	<i>Fuchsia affinis</i>	—	68	3948
<i>meleagroides</i> ...	—	60	3280	<i>alpestris</i> ...	—	69	3999
<i>minima</i> ...	—	24	962	<i>ampliata</i> ...	41	111	6839
" ...	—	37	1537	<i>arborescens</i> ...	—	53	2620
<i>minor</i> ...	—	60	3280	<i>bacillaris</i> ...	6	76	4506
<i>nigra</i> ...	—	18	664	<i>coccinea</i> ...	—	3	97
" ...	—	24	952	" ...	24	94	5740
<i>nobilis</i> ...	52	122	7500	<i>cordifolia</i> ...	—	70	4082
<i>obliqua</i> ...	—	22	857	<i>corymbiflora</i> ...	—	69	4000
<i>(see note)</i>	—	37	1537	<i>decussata</i> ...	—	51	2507
<i>orientalis</i> ...	—	30	1216	<i>discolor</i> ...	—	63	3498
<i>oxypetala</i> ...	9	79	4731	<i>elegans</i> ...	24	94	5740
<i>pallidiflora</i> ...	39	109	6725	<i>fulgens</i> ...	—	67	3801
<i>Persica</i> ...	—	24	962	<i>globosa</i> ...	—	61	3364
" ...	—	30	1207	<i>integrifolia</i> ...	—	68	3948

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Fuchsia Kirkii</i> ...	30	100	6139	<i>Gaillardia amblyodon</i> ..	30	100	6081
<i>Lowei</i> ...	—	63	3498	<i>aristata</i> ...	—	56	2940
<i>lycioides</i> ...	—	26	1024	" ...	—	61	3368
<i>macrantha</i> ...	2	72	4233	<i>bicolor</i> ...	—	56	2940
<i>macrostema v. re-</i>				" <i>v. Drummondii</i>	—	61	3368
<i>curvata</i> ...	—	63	3521	" " ...	—	64	3551
<i>procumbens</i> ...	30	100	6139	<i>Galactodendron utile</i> ..	—	66	3723
<i>pyrifolia</i> ...	—	68	3948	<i>Galanthus autumnalis</i> .	39	109	6711
<i>racemosa</i> ...	41	111	6795	<i>Elwesii</i> ...	31	101	6166
<i>radicans</i> ...	—	68	3948	<i>nivalis</i> ...	—	47	2162
<i>serratifolia</i> ...	1	71	4174	<i>plicatus</i> ...	—	47	2162
<i>sessilifolia</i> ...	27	97	5907	<i>uniflorus</i> ...	—	45	1993
<i>simplicicaulis</i> ...	15	85	5096	<i>vernus</i> ...	—	45	1993
<i>spectabilis</i> ...	4	74	4375	<i>Galardia bicolor</i> ...	—	39	1602
<i>splendens</i> ...	—	70	4082	<i>lanceolata</i> ...	—	39	1602
<i>trifylla</i> ...	41	111	6795	<i>pecta</i> ...	—	64	3551
<i>Fugosia cuneiformis</i> ...	19	89	5413	<i>Galax aphylla</i> ...	—	20	754
<i>hakeæfolia</i> ...	2	72	4261	<i>Galaxia ciliata</i> ...	—	37	1516
<i>heterophylla</i> ...	2	72	4218	<i>graminea</i> ...	—	32	1292
<i>Fumaria altera</i> ...	—	49	2340	<i>grandiflora</i> ...	—	30	1208
<i>bracteata</i> ...	—	60	3242	" ...	—	37	1516
<i>bulbosa</i> ...	—	7	231	<i>ixiæflora</i> ...	—	34	1378
" ...	—	7	232	<i>ovata</i> ...	—	30	1208
" ...	—	49	2340	" <i>v. purpurea</i> ...	—	37	1516
<i>Cava</i> ...	—	7	232	<i>Galeandra Baueri v.</i>			
" <i>v. albiflora</i>	—	49	2340	<i>floribus luteis</i> ...	9	79	4701
<i>Cucullaria</i> ...	—	28	1127	<i>Devoniana</i>	7	77	4610
<i>formosa</i> ...	—	33	1335	<i>euglossa</i> ...	22	92	5561
<i>Glaucia</i> ...	—	5	179	<i>longibracteata</i> ...	59	129	7921
<i>longiflora</i> ...	—	60	3230	<i>Galega montana</i> ...	—	48	2192
<i>major</i> ...	—	49	2340	<i>orientalis</i> ...	—	48	2192
<i>nobilis</i> ...	—	45	1953	<i>Galeopsis maxima</i> ...	—	5	172
<i>pallida</i> ...	41	111	6826	" " ...	—	38	1555
<i>Schangini</i> ...	—	60	3230	<i>Galeotia grandiflora</i> ...	22	92	5567
<i>sempervirens</i> ...	—	5	179	<i>Galinsogea trilobata</i> ...	—	44	1895
<i>siliquosa</i> ...	—	5	179	<i>Galipea macrophylla</i> ...	12	82	4948
" ...	—	28	1127	<i>Galium tauricum</i> ...	—	53	2670
<i>solida</i> ...	—	7	231	<i>Galleandra Baueri v.</i>			
<i>spectabilis</i> ...	5	75	4458	<i>floribus luteis</i> ...	9	79	4701
<i>tuberosa</i> ...	—	28	1127	<i>Galtonia clavata</i> ...	42	112	6885
<i>Funckia albo-marginata</i>	—	65	3657	<i>Gamolepis euryopoides</i>	32	102	6249
<i>Sieboldiana</i> ...	—	65	3663	<i>Gandsulium</i> ...	—	19	708
<i>Furcraea Bedinghausii</i>	47	117	7170	<i>Garciana cochin-</i>			
<i>gigantea</i> ...	—	48	2250	<i>chinensis</i> ...	—	20	783
<i>pubescens</i> ...	48	118	7250	<i>Mangostana</i> ...	11	81	4847
<i>Roetzlii</i> ...	47	117	7170	<i>Gardenia aculeata</i> ...	—	43	1841
<i>Gaerdia Kunthiana</i> ...	17	87	5284	<i>amœna</i> ...	—	44	1904
<i>Gagea fascicularis</i> ...	—	30	1200	<i>citriodora</i> ...	13	83	4987
<i>lutea</i> ...	—	30	1200	<i>crassicaulis</i> ...	—	25	1004
<i>Gaillarda pulchella</i> ...	—	39	1602	<i>florida v. ovalifolia</i> .	—	53	2627

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Gardenia florida</i> fl.				<i>Gaultheria trichophylla</i>	55	125	7635
<i>simplici</i> ...	—	61	3349	<i>Gaura biennis</i> ...	—	11	389
<i>globosa</i> ...	10	80	4791	<i>parviflora</i> ...	—	63	3506
<i>inermis</i> ...	—	18	690	<i>Gawa-juri</i> ...	34	104	6337
<i>longistyla</i> ...	3	73	4322	<i>Gazania bracteata</i> ...	52	122	7455
<i>malleifera</i> ...	3	73	4307	<i>canescens</i> ...	52	122	7455
<i>nitida</i> ...	3	73	4343	<i>nivea</i> ...	52	122	7455
<i>octomera</i> ...	19	89	5410	<i>pygmæa</i> ...	52	122	7455
<i>radicans</i> ...	—	43	1842	<i>uniflora</i> ...	—	48	2270
<i>Randia</i> ...	—	43	1841	<i>Geissenia verna</i> ...	—	45	1988
<i>Rothmannia</i> ...	—	18	690	<i>Geissorhiza grandis</i> ...	26	96	5877
<i>Sherbourniæ</i> ...	—	69	4044	<i>obtusata</i> ...	—	18	672
<i>Stanleyana</i> ...	1	71	4185	" ...	—	31	1255
<i>Thunbergia</i> ...	—	25	1004	<i>rochensis</i> ...	—	31	1255
<i>tubiflora</i> ...	—	45	1992	<i>secunda</i> ...	—	28	1105
" ...	8	78	4636	<i>setacea</i> ...	—	31	1255
<i>verticillata</i> ...	—	25	1004	<i>Geitonoplesium cymo-</i>			
<i>Gardoquia betonicoides</i>	—	67	3860	<i>sum</i> ...	—	59	3131
<i>multiflora</i> ...	—	66	3772	<i>Gelasine azurea</i> ...	—	66	3779
<i>Garidella foliis tenu-</i>				<i>Gelonium fascicula-</i>			
<i>issime divisis</i> ...	—	31	1266	<i>tum</i> ...	—	60	3231
<i>Nigellastrum</i> ...	—	31	1266	<i>Gelsemium lucidum</i> ...	58	128	7851
<i>Gasteria acinacifolia</i> ...	—	50	2369	<i>luteum odoratum</i> ...	58	128	7851
<i>fusco-punctata</i> ...	53	123	7549	<i>nitidum</i> ...	58	128	7851
<i>Gastonia palmata</i> ...	44	114	7008	<i>sempervirens</i> ...	58	128	7851
<i>Gastrochilus Curtisii</i> ..	50	120	7363	<i>Gemphrena floridana</i> ..	—	52	2603
<i>longiflora</i> ...	—	69	4010	<i>lanata</i> ...	—	52	2603
<i>pulcherrima</i> ...	—	68	3930	<i>Genetyllis fimbriata</i> ...	20	90	5468
<i>Gastrolobium acutum</i> ..	—	69	4040	<i>macrostegia</i> ...	11	81	4860
<i>bilobum</i> ...	—	48	2212	<i>tulipifera</i> ...	11	81	4858
<i>retusum</i> ...	—	61	3328	<i>Geniostoma Brasiliense</i>	1	71	4150
<i>Gastronema clavatum</i> ..	—	49	2291	<i>Genisiphylla aspleni-</i>			
<i>sanguineum</i> ...	16	86	5218	<i>folia</i> ...	—	26	1021
<i>Gaultheria bracteata</i> ..	5	75	4461	<i>Genista Æthiopica</i> ...	—	21	829
<i>cordifolia</i> ...	5	75	4461	<i>Æthnensis</i> ...	—	53	2674
<i>discolor</i> ...	14	84	5034	<i>Africana</i> ...	—	31	1241
<i>erecta</i> ...	5	75	4461	" ...	—	38	1580
<i>ferruginea</i> ...	9	79	4697	" ...	—	48	2223
<i>fragrans</i> ...	28	98	5984	<i>capensis</i> ...	—	20	742
<i>fragrantissima</i> ...	28	98	5984	<i>ericoides africana</i> ...	—	48	2225
<i>fruticosa</i> ...	—	55	2843	<i>gracilis</i> ...	—	48	2265
<i>insipida</i> ...	29	99	6070	<i>linifolia</i> ...	—	13	442
<i>Leschenaultii</i> ...	28	98	5984	<i>purgans</i> ...	54	124	7618
<i>odorata</i> ...	5	75	4461	<i>radiata</i> ...	—	48	2260
<i>ovalifolia</i> ...	28	98	5984	<i>rosmarini folio</i> ...	—	31	1259
<i>petraea</i> ...	29	99	6070	(Teline, Spachiana.)	1	71	4195
<i>procumbens</i> ...	—	45	1966	<i>Spartium africanum</i>	—	47	2158
<i>rigida</i> ...	5	75	4461	" <i>cæruleum</i>	—	42	1727
<i>shallon</i> ...	—	55	2843	" <i>spinosum</i>	—	18	676
<i>tomentosa</i> ...	9	79	4697	<i>Triquetra</i> ...	—	9	314

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Genosiris fragilis</i> ...	—	53	2677	<i>Gentiana quinque-</i>			
<i>Gentiana acaulis-</i>	—	2	52	<i>flora</i> ...	—	63	3496
<i>adscendens</i> ...	—	19	705	<i>Saponaria</i> ...	—	26	1039
" ...	—	19	723	" ...	—	38	1551
<i>affinis</i> ...	42	112	6874	" ...	—	49	2303
<i>alpina</i> ...	—	2	52	" ...	35	105	6421
<i>amarelloides</i> ...	—	63	3496	<i>septemfida</i> ...	—	30	1229
<i>Andrewsii</i> ...	35	105	6421	" ...	—	34	1410
<i>angustifolia</i> ...	—	17	639	" <i>v. cordifolia</i>	36	106	6497
<i>asclepiadea</i> ...	—	27	1078	<i>tibetica</i> ...	53	123	7528
<i>autumnalis</i> ...	—	17	639	<i>verna</i> ...	—	14	491
" ...	—	38	1551	<i>villosa</i> ...	—	38	1551
<i>Bigelovii</i> ...	42	112	6874	<i>virginiana</i> ...	—	26	1039
<i>biloba</i> ...	55	125	7637	<i>viscosa</i> ...	—	47	2135
<i>Burseri</i> ...	55	125	7637	<i>volubilis</i> ...	11	81	4838
<i>cæruleo flore</i> ...	—	27	1078	<i>Gentianella cærulea</i> ...	—	17	639
<i>Catesbæi</i> ...	—	26	1039	<i>Geodorum citrinum</i> ...	—	48	2195
<i>Caucasea</i> ...	—	26	1038	<i>Geonoma Carderi</i> ...	46	116	7108
<i>ciliata</i> ...	—	17	639	<i>corallifera</i> ...	11	81	4831
<i>cordifolia</i> ...	36	106	6497	<i>fenestrata</i> ...	18	88	5291
<i>corollis quadrifidis</i> ..	—	17	639	<i>Ghiesbrechtiana</i> ...	25	95	5782
<i>crinita</i> ...	—	46	2031	<i>gracilis</i> ...	60	130	7963
<i>decumbens</i> ...	—	19	705	<i>Riedeliana</i> ...	60	130	7963
<i>fimbriata</i> ..	—	46	2031	<i>Georgina superflua</i> ...	—	44	1885
<i>flore quadrifido</i> ...	—	17	639	<i>variabilis</i> ...	—	44	1885
<i>floribus campani-</i>				<i>Geranium acetosum</i> ...	—	3	103
<i>formibus</i> ...	—	27	1078	<i>africanum</i> ...	—	1	20
" <i>confertis</i> ..	—	34	1414	" ...	—	3	103
" <i>lateralibus</i>	—	27	1078	" ...	—	16	579
" <i>ventricosis</i>	—	26	1039	" ...	—	40	1641
" " ...	—	38	1551	" ...	—	44	1877
<i>Fortuni</i> ...	10	80	4776	" ...	—	45	1986
<i>fimbriæplica</i> ...	36	106	6497	<i>Albanum</i> ...	—	66	3732
<i>fimbriata</i> ...	—	26	1039	<i>albiflorum</i> ...	—	59	3124
<i>gelida</i> ...	36	106	6497	<i>anemonefolium</i> ...	—	6	206
<i>incarnata</i> ...	—	43	1856	<i>angulatum</i> ...	—	6	203
<i>intermedia</i> ...	—	49	2303	<i>argenteum</i> ...	—	14	504
<i>Kurroo</i> ...	36	106	6470	<i>astragalifolium</i> ...	—	16	579
<i>macrophylla</i> ...	—	34	1414	<i>Atlanticum</i> ...	35	105	6452
" ...	55	125	7637	<i>batrachioides</i> ...	—	50	2420
<i>major</i> ...	—	26	1039	<i>betulinum</i> ...	—	5	148
" ...	—	38	1551	<i>bicolor</i> ...	—	6	201
<i>Moorcroftiana</i> ...	39	109	6727	<i>calycibus monophyllis</i>	—	40	1641
<i>ochroleuca</i> ...	—	38	1551	" " ...	—	45	1986
" ...	—	49	2303	<i>ciliatum</i> ...	—	41	1718
<i>ornata</i> ...	36	106	6514	<i>cordifolium</i> ...	—	5	165
<i>Pneumonanthæ v.</i>				<i>cristatum</i> ...	—	66	3732
<i>Guttata</i> ...	—	27	1101	<i>foliis lobatis</i> ...	—	48	2234
<i>punctata</i> ...	55	125	7637	<i>fruticosum</i> ...	—	5	148
<i>Pyrenaica</i> ...	24	94	5742	<i>geifolium</i> ...	—	29	1174

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Geranium glandulosum	23	93	5665	Gesneria bulbosa	—	58	3041
glaucum	—	2	56	„	—	68	3886
glutinosum	—	4	143	„ v. lateritia	2	72	4240
hymenodes	—	29	1174	cinnabarina	14	84	5036
Ibericum	—	34	1386	cochlearis	—	66	3787
incarnatum	—	8	261	corymbosa	50	120	7339
incrassatum	—	20	761	discolor	—	69	3995
indicum	—	40	1641	Donklarii	14	84	5070
lanceolatum	—	2	56	Douglasii	15	85	5115
lobatum	—	45	1986	„ v. verticillata	—	64	3612
macrorhizon	—	50	2420	elliptica v. lutea	2	72	4242
myrrhinum	—	11	377	elongata	—	66	3725
noctu olens	—	40	1641	erecta	—	26	1023
orientale	—	34	1386	eriantha	59	129	7907
palmatum	—	6	206	Gardneri	—	70	4121
peltatum	—	1	20	Houdensis	2	72	4217
pinnatum	—	16	579	Libanensis	4	74	4380
præmorsum	—	15	547	Lindleyi	—	64	3602
prolificum	—	16	579	mollis	—	67	3815
„	—	44	1877	pardina	4	74	4348
radicatum	23	93	5665	pendulina	—	54	2725
radice tuberosa	—	40	1641	picta	5	75	4431
radula	—	3	95	polyantha	—	69	3995
rapaceum	—	44	1877	purpurea	15	85	5115
Reichardi	—	1	18	Regeliana	11	81	4843
revolutum	—	3	95	rutila v. atrosanguinea	—	64	3602
Romanum	—	2	55	Sceptrum v. ignea	—	64	3576
„	—	11	377	Schiedeana	1	71	4152
selinum	—	44	1877	Seemanni	6	76	4504
spinosum	24	94	5729	spicata	1	71	4152
striatum	—	2	55	stricta	—	66	3738
ternatum	—	12	413	Tomentosa	—	26	1023
tetragonum	—	4	136	triflora	3	73	4342
trifolium	—	29	1174	ventricosa	50	120	7339
triste	—	40	1641	verticillata	15	85	5115
tuberosum v. Charlesii	42	112	6910	„	—	54	2776
viscosum	—	4	143	„	—	64	3612
Wallichianum	—	50	2377	Zebrina	—	68	3940
Gerardia glutinosa	—	65	3653	Gethosyne acaulis	44	114	7004
purpurea	—	46	2048	Gethyllis spiralis	—	27	1088
Gerbera Jamesoni	45	115	7087	Geum cercocarpoides	38	108	6660
Geropogon Glabrum	—	14	479	elatum	37	107	6568
Gerrardanthus tomentosus	39	109	6694	Peckii	—	55	2863
Gesnera fascialis	—	65	3659	triflorum	—	55	2858
Marchii	—	66	3744	Ghiaggiulo	—	19	719
rupestris	—	65	3664	Gibboosi	—	35	1433
tuberosa	—	65	3664	Giganthemum scandens	54	124	7572
Gesneria aggregata	—	54	2725	Gilia achilleæfolia	—	62	3440
				„	27	97	5939
				Brandegei	34	104	6378

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Gilia Californica</i> ...	11	81	4872	<i>Gladiolus carneus</i> ...	—	40	1665
<i>capitata</i> ...	—	53	2698	" ...	33	103	6335
<i>dianthoides</i> ...	11	81	4876	<i>caryophylleus</i> ...	—	17	601
<i>gracilis</i> ...	—	56	2924	<i>communis</i> ...	—	3	86
<i>heterophylla</i> ...	—	56	2895	" ...	—	19	719
<i>inconspicua</i> ...	—	56	2883	" ...	—	22	874
<i>liniflora</i> ...	27	97	5895	" <i>v. carneus</i>	—	38	1575
(<i>Leptosiphon</i>) <i>lutea</i>	9	79	4735	<i>concolor</i> ...	—	27	1098
<i>micrantha</i> ...	26	96	5863	<i>Cooperi</i> ...	31	101	6202
<i>parviflora</i> ...	—	56	2883	<i>crispus</i> ...	—	18	678
<i>pungens</i> ...	—	57	2977	<i>eruentus</i> ...	25	95	5810
<i>tricolor</i> ...	—	63	3463	<i>cuspidatus</i> ...	—	16	582
<i>Gilibertia palmata</i> ...	44	114	7008	" ...	—	16	591
<i>Gilliesia graminea</i> ...	—	54	2716	<i>debilis</i> ...	—	52	2585
<i>Ginseng</i> ...	—	33	1333	<i>dracocephalus</i> ...	27	97	5884
<i>Gireoudia heracleifolia</i>	13	83	4983	<i>Eckloni</i> ...	33	103	6335
<i>Gladiolus abbreviatus</i> .	—	16	567	<i>fissifolius</i> ...	—	31	1246
<i>Adlami</i> ...	57	127	7791	<i>fistulosus</i> ...	—	15	523
<i>æthiopicus</i> ...	—	16	561	<i>flore firme regulari</i> ..	—	19	727
<i>Africanus</i> ...	—	17	602	" <i>rubente</i> ...	—	38	1575
<i>alatus</i> ...	—	16	578	" <i>singulari</i> ...	—	16	586
" ...	—	16	586	<i>floribundus</i> ...	—	17	610
" ...	—	18	688	<i>floribus patentibus</i> ..	—	17	625
" ...	—	53	2608	<i>foliis ensiformibus</i> ...	—	15	538
<i>albidus</i> ...	—	17	625	" <i>linearibus</i> ...	—	16	578
" ...	—	40	1665	" " ...	—	27	1098
<i>alopecuroides</i> ...	—	16	553	" <i>sulcatis</i> ...	—	27	1098
<i>amabilis</i> ...	—	17	606	<i>fragrans</i> ...	—	16	576
<i>amænus</i> ...	—	16	574	<i>galeatus</i> ...	—	16	586
<i>angustus</i> ...	—	15	538	" ...	—	16	592
" ...	—	17	202	<i>glumaceus</i> ...	—	27	1072
<i>bicolor</i> ...	—	15	548	<i>gracilis</i> ...	—	16	562
<i>blandus</i> ...	—	17	625	<i>gramineus</i> ...	—	17	615
" <i>v. purpureo-</i>				<i>grandiflorus</i> ...	—	17	610
<i>albescens</i> ...	—	18	645	<i>hastatus</i> ...	—	38	1564
" ...	—	18	648	<i>hirsutus</i> ...	—	16	574
" <i>v. pictus</i> ...	—	40	1665	" ...	—	19	727
<i>brachyandrus</i> ...	35	105	6463	" ...	—	21	823
<i>brevifolius</i> ...	—	16	574	" ...	—	25	992
" ...	—	19	727	<i>imbricatus</i> ...	42	112	6897
<i>Byzantinus</i> ...	—	22	874	<i>Indicus</i> ...	—	4	144
<i>cæruleus</i> ...	—	13	464	<i>inflatus</i> ...	—	40	1665
<i>campanulatus</i> ...	—	40	1665	<i>iridifolius</i> ...	—	17	600
<i>capitatus</i> ...	—	17	605	<i>junceus</i> ...	—	17	606
<i>cardinalis</i> ...	—	4	135	<i>Kotschyanus</i> ...	42	112	6897
<i>carinatus</i> ...	—	16	578	<i>laccatus</i> ...	—	17	631
<i>carneus</i> ...	—	16	574	<i>laceratus</i> ...	—	18	678
" ...	—	16	591	<i>lacustris</i> ...	—	29	1156
" ...	—	17	625	<i>latifolius</i> ...	—	15	548
" ...	—	19	727	<i>lineatus</i> ...	—	14	487

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Gladiolus longiflorus ..	—	8	256	Gladiolus roseo-albus .	—	15	537
„ ..	—	18	680	„ ..	—	30	1193
„ ..	—	37	1502	roseus ...	—	16	574
„ ..	—	37	1503	„ ..	—	17	618
„ ..	—	37	1531	„ ..	—	37	1531
Mackinderi ...	58	128	7860	sambucinus ...	—	26	1019
major byzantinus ...	—	22	874	Saundersii ...	26	96	5873
marginatus ...	—	17	600	secundus ...	—	17	632
„ ..	—	17	601	securiger ...	—	11	383
„ ..	—	17	608	Segetum ...	—	19	719
„ ..	—	27	1072	sericeo-villosus ...	20	90	5427
„ ..	—	37	1530	spathaceus ...	—	17	638
maximus ...	—	37	1530	species ...	—	25	992
Merianellus ...	—	16	574	spicatus ...	—	19	719
merianus ...	—	15	533	striatus ...	—	15	538
„ ..	—	30	1194	„ ..	—	17	618
Milleri ...	—	17	632	strictus ...	—	17	621
Mortoni ...	—	65	3680	„ ..	—	26	1052
Namaquensis ...	—	16	592	sulphureus ...	—	26	1053
narbonensis ...	—	38	1575	„ ..	57	127	7791
natalensis ...	40	110	6739	trichonemifolius ...	—	36	1483
neglectus ...	—	38	1575	trimaculatus ...	—	40	1665
ochroleucus ...	33	103	6291	tristis ...	—	8	272
odoratus ...	—	34	1404	„ ..	—	16	556
odorus ...	—	16	578	„ ..	—	16	574
oppositiflorus ...	49	119	7292	„ ..	—	16	578
orchidiflorus ...	—	18	688	„ ..	—	16	582
Papilio ...	22	92	5565	„ ..	—	17	602
pigmæus ...	—	26	1053	„ ..	—	19	727
plicatus ...	—	16	576	„ ..	—	27	1098
„ ..	—	17	621	„ ..	—	38	1564
„ ..	—	17	626	tubatus ...	—	18	680
„ ..	—	26	1053	tubiflorus ...	—	18	680
polystachius ...	—	17	606	tubulosus ...	—	15	533
Pottsii ...	39	109	6722	undulatus ...	—	15	538
præcox ...	—	16	569	„ ..	—	16	582
psittacinus ...	—	57	3032	„ ..	—	18	647
punctatus ...	—	16	562	„ ..	—	18	647
„ ..	—	16	578	utrinque floridus ...	—	3	86
purpureo-auratus ...	28	98	5944	versicolor v. tenuior	—	16	556
purpureus ...	—	26	1052	„ ..	—	26	1042
pyramidalis ...	—	16	561	villosiusculus ...	—	16	574
pyramidatus ...	—	27	1072	„ ..	—	19	727
quadrangularis ...	—	16	567	villosus ...	—	15	548
Quartinianus ...	40	110	6739	viperatus ...	—	18	688
ramosus ...	—	17	615	viridis ...	—	31	1275
recurvus ...	—	16	569	Watsonioides ...	43	113	6919
„ ..	—	16	573	Watsonius ...	—	13	450
„ ..	—	16	578	„ ..	—	16	569
ringens ...	—	16	578	Globba atro-sanguinea	38	108	6626
				bulbifera ...	—	35	1428

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Globba coccinea</i> ...	38	108	6626	<i>Glycirrhiza lepidota</i> ...	—	47	2150
<i>erecta</i> ...	—	44	1900	<i>Glyphaea Monteiroi</i> ...	22	92	5610
<i>nutans</i> ...	—	44	1903	<i>Glyphosperma Palmeri</i>	39	109	6717
<i>Schomburgkii</i> ...	33	103	6298	<i>Glyptostrobus pendulus</i>	22	92	5603
<i>sessiliflora</i> ...	—	35	1428	<i>Gmelina Hystrix</i> ...	50	120	7391
<i>sylvestris</i> ...	—	44	1903	<i>Rheedii</i> ...	4	74	4395
<i>Globularia vulgaris</i> ...	—	48	2256	<i>Gnaphalium Africanum</i>	—	45	1987
<i>Globulea cultrata</i> ...	—	44	1940	<i>Alpinum</i> ...	—	45	1958
<i>Glomera jasminiflora</i> ..	35	105	6454	<i>apiculatum</i> ...	—	45	1985
<i>Gloriosa Abyssinica</i> ...	12	82	4938	<i>arenarium</i> ...	—	47	2159
<i>angulata</i> ...	12	82	4938	<i>bellidiflorum</i> ...	36	106	6515
<i>caerulea</i> ...	12	82	4938	<i>congestum</i> ...	—	49	2328
<i>simplex</i> ...	12	82	4938	<i>Ericoides</i> ...	—	13	435
<i>superba</i> ...	—	52	2539	<i>eximium</i> ...	—	9	300
" ...	12	82	4938	<i>foetidum</i> ...	—	45	1987
<i>virescens</i> ...	—	52	2539	<i>fruticans</i> ...	—	43	1802
" ...	12	82	4938	<i>grandiflorum</i>	—	43	1802
<i>Glossanthus grandifolius</i> ...	19	89	5409	<i>involveratum</i> ...	—	52	2582
<i>Malabarica</i> ...	7	77	4620	<i>Leontopodium</i>	—	45	1958
<i>Notoniana</i> ...	7	77	4620	<i>modestum</i> ...	—	54	2710
<i>Zeylanica</i> ...	7	77	4620	<i>olympicum</i> ...	—	47	2159
<i>Gloxinia fimbriata</i> ...	5	75	4430	<i>tricostatum</i>	—	49	2328
<i>hirsuta</i> ...	—	53	2690	<i>Gnidia aurea</i> ...	—	21	812
<i>hypocyrtiliflora</i> ...	23	93	5655	<i>denudata</i> ...	—	54	2761
<i>maculata</i> ...	—	29	1191	<i>filamentosa</i>	—	40	1657
<i>multiflora</i> ...	14	84	5083	<i>grandis</i> ...	—	40	1658
<i>pallidiflora</i> ...	2	72	4213	<i>imberbis</i> ...	—	36	1463
<i>speciosa</i> ...	—	44	1937	<i>laevigata</i> ...	—	44	1902
" <i>v. albiflora</i> ...	—	60	3206	<i>oppositifolia</i>	—	44	1902
" <i>v. macrophylla</i>	—	68	3934	<i>pinifolia</i> ...	—	36	1463
<i>variegata</i> ...	—	68	3943	" ...	—	45	2016
" <i>v. Menziesii</i> ...	—	69	3971	<i>pubescens</i> ...	—	54	2761
<i>tubiflora</i> ...	—	69	3971	<i>radiata</i> ...	—	45	2016
<i>violacea</i> ...	12	82	4954	<i>simplex</i> ...	—	21	812
<i>Glycine Apios</i> ...	—	30	1198	" ...	—	36	1463
<i>bimaculata</i> ...	—	8	263	<i>tomentosa</i> ...	49	119	7303
<i>coccinea</i> ...	—	8	270	" ...	—	54	2761
<i>erecta</i> ...	27	97	5913	<i>viridis</i> ...	—	21	812
<i>floribunda</i> ...	53	123	7522	<i>Godwinia gigas</i> ...	29	99	6048
<i>frutescens</i> ...	—	46	2103	<i>Goethea Mackoyana</i> ...	35	105	6427
<i>phaseoloides</i> ...	—	49	2284	<i>strictiflora</i> ...	8	78	4677
<i>radice tuberosa</i> ...	—	30	1198	<i>Goldfussia anisophylla</i>	—	62	3404
<i>rubicunda</i> ...	—	8	268	<i>colorata</i> ...	43	113	6922
<i>sinensis</i> ...	—	46	2083	<i>Cusia</i> ...	43	113	6947
" ...	53	123	7522	<i>glomerata</i> ...	—	68	3881
<i>sylvestre scandens</i> ...	—	49	2284	" <i>v. speciosa</i>	10	80	4767
<i>Glycirrhiza capite</i>	—	47	2154	<i>isophylla</i> ...	4	74	4363
<i>echinato</i> ...	—	47	2154	<i>Thomsoni</i> ...	15	85	5119
<i>echinata</i> ...	—	47	2154	<i>Gomesa recurva</i> ...	—	42	1748
				<i>Gomeza recurva</i> ...	—	63	3504

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Gomidesia amplexicaulis</i>	25	95	5790	<i>Gordonia foliis ovatis</i> .	—	18	668
<i>Gomozia Granatensis</i> ..	25	95	5799	<i>Javanica</i>	6	76	4539
<i>Gomphia decorans</i> ...	17	87	5262	<i>Lasianthus</i>	—	18	668
<i>oliva-formis</i>	17	87	5262	<i>Gorgoglossum Reichen-</i>			
<i>Theophrasta</i>	23	93	5642	<i>bachianum</i>	54	124	7576
<i>Gomphocarpus fruti-</i>				<i>Gorteria ciliaris</i> ...	—	46	2095
<i>cosus</i>	—	39	1628	<i>fruticosa</i>	—	43	1844
" "	53	123	7536	<i>rigens</i>	—	3	90
<i>setosus</i>	53	123	7536	<i>uniflora</i>	—	48	2270
<i>Gompholobium barbi-</i>				<i>Govenia Gardneri</i> ...	—	65	3660
<i>gerum</i>	1	71	4171	<i>utriculata</i>	1	71	4151
<i>ellipticum</i>	—	60	3249	<i>Goyabo del Pays</i> ...	54	124	7620
<i>fimbriatum</i>	1	71	4171	<i>Grabowskia duplicata</i> .	—	67	3841
<i>grandiflorum</i>	—	37	1533	<i>Gramen eriophorum</i> ...	—	13	458
<i>maculatum</i>	—	31	1259	<i>tremulum</i>	—	10	357
<i>polymorphum</i>	—	37	1533	<i>triglochis</i>	—	35	1445
<i>scabrum</i>	13	83	5000	<i>Grammanthes cæsia</i> ...	34	104	6401
<i>venustum</i>	2	72	4258	<i>chloræflora</i>	7	77	4607
<i>versicolor</i>	1	71	4179	" <i>v. cæsia</i> .	34	104	6401
<i>Gomphostylis candida</i> .	9	79	4691	<i>depressa</i>	34	104	6401
<i>Gomphrena globosa</i> ...	—	55	2815	<i>flava</i>	34	104	6401
<i>perennis</i>	—	53	2614	<i>gentianoides</i>	7	77	4607
<i>pulchella</i>	—	70	4064	"	34	104	6401
<i>Gonatanthus sarmen-</i>				<i>Sebæoides</i>	34	104	6401
<i>tosus</i>	17	87	5275	<i>Grammatocarpus volu-</i>			
<i>Gongora atro-purpurea</i>	—	60	3220	<i>bilis</i>	14	84	5028
<i>gratulabunda</i>	48	118	7224	<i>Grammatophyllum</i>			
<i>macrantha</i>	56	126	7692	<i>Ellisii</i>	16	86	5179
<i>maculata</i>	—	65	3687	<i>Finlaysonianum</i> ...	—	69	4001
"	53	123	7530	<i>Gulielmi II.</i>	52	122	7507
<i>portentosa</i>	33	103	6284	<i>paludosum</i>	52	122	7464
<i>speciosa</i>	—	54	2755	<i>Rumphianum</i>	52	122	7507
<i>tricolor</i>	53	123	7530	<i>scandens</i>	60	130	7951
<i>viridi-purpurea</i> ...	—	57	2978	<i>scriptum</i>	52	122	7507
<i>Gongronema Wel-</i>				<i>Seegerianum</i>	52	122	7507
<i>witsehii</i>	59	129	7925	<i>speciosum</i>	16	86	5157
<i>Goniolimon tataricum</i> .	37	107	6537	<i>Grammitis (Selligues)</i>			
<i>Gonolobos Martianus</i> ..	5	75	4472	<i>caudiformis</i>	18	88	5328
<i>Gonolobus hispidus</i> ...	—	66	3786	<i>Granadilla americana</i> ..	—	18	651
<i>niger</i>	—	55	2799	<i>foetida</i>	—	53	2619
<i>Goodenia Grandiflora</i> ..	—	23	890	<i>folio hastato</i>	—	45	2015
<i>lævigata</i>	—	8	287	" <i>lunato</i>	—	49	2354
<i>tenella</i>	—	28	1137	<i>polyphyllos</i>	—	1	28
<i>Goodia lotifolia</i>	—	24	958	<i>Granata Punica</i>	—	43	1832
<i>pubescens</i>	—	32	1310	<i>Gratiola foliis subro-</i>			
<i>Goodyera discolor</i> ...	—	46	2055	<i>tundis</i>	—	36	1501
<i>pubescens v. minor</i> .	—	52	2540	" " "	—	61	3336
<i>Goraná-timbo</i>	54	124	7582	" " "	—	61	3363
<i>Gordonia anomala</i> ...	—	69	4019	<i>Monnieria</i>	—	52	2557
<i>foliis lanceolatis</i> ...	—	18	668	<i>tetragona</i>	—	59	3134

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Gratiolæ affinis floridana</i> ...	—	50	2367	<i>Grisebachia Belmoreana</i>	44	114	7018
<i>Greenovia aurea</i> ...	—	70	4087	<i>Grislea tomentosa</i> ...	—	44	1906
<i>Greigia sphacelata</i> ...	23	93	5647	<i>Grossularia fructu, &c.</i>	46	116	7147
<i>Grenadier, Le</i> ...	—	43	1832	<i>Grumilea capensis</i> ...	59	129	7916
<i>Grevillea acanthifolia</i> .	—	55	2807	<i>globosa</i> ...	59	129	7916
<i>alpestris</i> ...	13	83	5007	<i>Guaguebina luteo-rubra</i>	57	127	7776
<i>alpina</i> ...	13	83	5007	<i>Guajabara racemosa</i> ..	—	59	3130
<i>annulifera</i> ...	39	109	6687	<i>Guanabanus Perseæ</i>			
<i>arenaria</i> ...	—	60	3285	<i>folio</i> ...	—	45	2011
<i>aspera</i> ...	30	100	6105	<i>Guevillguevill</i> ...	—	50	2412
<i>aspleniifolia</i> ...	45	115	7070	<i>Guichenotia macrantha</i>	8	78	4651
<i>Banksii</i> ...	26	96	5870	<i>Guidonia ulmifolia</i> ...	—	16	550
<i>blechnifolia</i> ...	—	59	3133	<i>Gunnera perpensa</i> ...	—	50	2376
<i>Caleyi</i> ...	—	59	3133	<i>Gustavia gracillima</i> ...	31	101	6151
<i>canescens</i> ...	—	59	3185	<i>insignis</i> ...	14	84	5069
<i>cinerea</i> ...	—	59	3185	<i>Leopoldi</i> ...	17	87	5239
<i>Dallachiana</i> ...	13	83	5007	<i>pterocarpa</i> ...	17	87	5239
<i>dubia</i> ...	—	67	3798	<i>Gutierrezia gymno-</i>			
<i>ericifolia</i> ...	34	104	6361	<i>spermoides</i> ...	15	85	5155
<i>fasciculata</i> ...	30	100	6105	<i>Guzmania angustifolia</i>	46	116	7137
<i>Hilliana</i> ...	53	123	7524	<i>Bulliana</i> ...	46	116	7137
<i>Hillii</i> ...	53	123	7524	<i>Guzmannia tricolor</i> ...	16	86	5220
<i>Hookeriana</i> ...	42	112	6879	<i>Gymnadenia purpurascens</i> ...	53	123	7551
<i>intricata</i> ...	27	97	5919	" "	58	128	7852
<i>Latrobei</i> ...	34	104	6361	<i>Gymnanthus paradoxus</i>	50	120	7375
<i>linearis v. incarnata</i>	—	53	2661	<i>Gymnogramma sinuata</i>	9	79	4699
<i>longifolia</i> ...	45	115	7070	<i>Gymnostachyum Cey-</i>			
<i>macrostylis</i> ...	27	97	5915	<i>lanicum</i> ...	9	79	4706
<i>Meissneriana</i> ...	30	100	6105	<i>Gynandriris Sisyrinchium</i> ...	30	100	6096
<i>ornithopoda</i> ...	56	126	7739	<i>Gynerium argenteum</i>			
<i>Preissii</i> ...	26	96	5837	<i>carminatum Rend-</i>			
<i>pulchella</i> ...	28	98	5979	<i>datleri</i> ...	54	124	7607
<i>punicea</i> ...	39	109	6698	<i>jubatum</i> ...	54	124	7607
<i>riparia</i> ...	28	98	5971	<i>roseum Rendatleri</i> ..	54	124	7607
<i>robusta</i> ...	—	59	3184	<i>saccharoides</i> ...	50	120	7352
<i>rosmarinifolia</i> ...	28	98	5971	<i>sagittatum</i> ...	50	120	7352
<i>silatifolia</i> ...	—	31	1272	<i>zeylanicum</i> ...	32	102	6232
<i>tetragonoloba</i> ...	42	112	6879	<i>Gynopleura dilatata</i> ...	55	125	7645
<i>Van Houtteana</i> ...	45	115	7070	<i>humilis</i> ...	55	125	7645
<i>venusta</i> ...	—	59	3184	<i>linearifolia</i> ...	—	61	3362
<i>Grewia corollis acutis</i> .	—	12	423	<i>Gynopogon pugioni-</i>			
<i>Occidentalis</i> ...	—	12	423	<i>formis</i> ...	—	61	3312
<i>Greyia Sutherlandi</i> ...	29	99	6040	<i>Gynoxys fragrans</i> ...	6	76	4511
<i>Grias cauliflora</i> ...	23	93	5622	<i>Gynura bicolor</i> ...	15	85	5123
<i>Griffinia Blumenavia</i> ..	23	93	5666	<i>Finlaysoniana</i> ...	48	118	7244
<i>dryades</i> ...	25	95	5786	<i>sarmentosa</i> ...	48	118	7244
<i>ornata</i> ...	34	104	6367	<i>Gypsophila cerastioides</i>	39	109	6699
<i>Grindelia graniflora</i> ...	8	78	4628	<i>foliis linearibus</i> ...	—	35	1448
<i>inuloides</i> ...	—	66	3737				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Gypsophila prostrata</i> ..	—	31	1281	<i>Hæmanthus Katherinæ</i>	40	110	6778
repens	—	35	1448	Mannii	34	104	6364
<i>Vaccaria</i>	—	49	2290	multiflorus... ..	—	24	961
				"	—	45	1995
<i>Habenaria ciliaris</i> ...	—	40	1668	Natalensis... ..	19	89	5378
cordata	—	59	3164	orbicularis... ..	—	39	1618
Elwesii	52	122	7478	orientalis	—	39	1619
gigantea	—	62	3374	puniceus	—	32	1315
goodyeroides	—	62	3397	quadrivalvis	—	37	1523
incarnata	48	118	7243	rotundifolius	39	1618
leptoceras	—	54	2726	spiralis	—	34	1383
longecalcarata	48	118	7228	tenuiflorus <i>v.</i> Mozam.			
longicauda... ..	—	57	2957	bicensis	—	67	3870
longicorniculata	48	118	7228	" <i>v.</i> coccineus	27	97	5881
Lugardii	57	127	7798	tigrinus	—	41	1705
macroceras	—	56	2947	toxicarius	—	30	1217
macroceratitis	—	56	2947	<i>Haemaria Dawsoniana</i>	52	122	7486
monophylla	54	124	7601	discolor	52	122	7486
rhodocheila	53	123	7571	<i>Hæmocharis semiserrata</i>	—	70	4129
rhodopensis	38	108	6651	<i>Hæmodorum plani-</i>			
Salaccensis	16	86	5196	folium	—	39	1610
<i>Habranthus Andersoni</i>				<i>Hakea cucullata</i>	6	76	4528
<i>v. Texanus</i>	—	64	3596	dactyloides	—	66	3760
angustus	—	53	2639	eucalyptoides	46	116	7127
bifidus	—	52	2597	ferruginea	—	62	3424
fulgens	22	92	5563	florida	—	52	2579
gracilifolius	—	51	2464	laurina	46	116	7127
pratensis <i>v.</i> quadri-				myrtoides	8	78	4643
flora	—	68	3961	nitida	—	48	2246
versicolor	—	51	2485	<i>Scoparia</i>	8	78	4644
<i>Habrothamnus corym-</i>				<i>Halbert-Weed</i>	—	42	1734
bosus	1	71	4201	<i>Halesia tetraptera</i>	—	23	910
elegans	1	71	4183	<i>Halicacabum peregri-</i>			
"	23	93	5659	num	—	26	1049
fasciculatus	1	71	4183	repens	—	26	1049
purpureus	1	71	4183	<i>Halleria lucida</i>	—	42	1744
"	23	93	5659	<i>Hallia imbricata</i>	—	43	1850
<i>Hacquetia epipactis</i> ...	54	124	7585	"	—	52	2596
<i>Hæmanthus africanus.</i>	—	27	1075	<i>Hama-gikii</i>	55	125	7660
albiflos	—	31	1239	<i>Hamamelida</i>	40	100	6779
(see note)	—	37	1523	<i>Hamamelis androgyna</i>	39	109	6684
<i>Baurii</i>	42	112	6875	arborea	38	108	6659
carneus	—	61	3373	chinensis	60	130	7979
cinnabarinus	18	88	5314	corylifolia	39	109	6684
coccineus	—	27	1075	dioica	39	109	6684
colchici foliis	—	32	1315	japonica	38	108	6659
deformis	27	97	5903	macrophylla	39	109	6684
falcatus	—	35	1443	mollis	59	129	7884
incarnatus	21	91	5532	<i>Persica</i>	24	94	5744
insignis	9	79	4745	<i>virginiana</i>	39	109	6684

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Hamamelis virginica..	39	109	6684	Hedyotis campanuli-			
Hamelia grandiflora...	—	44	1894	flora	—	55	2840
patens	—	52	2533	Hedypnois monspessu-			
ventricosa	—	44	1894	lana	—	39	1623
Hamellia coccinea ...	—	52	2533	Hedysarum alpinum...	—	48	2213
patens	—	52	2533	bupleurifolium ...	—	41	1722
Hapaline Brownei ...	49	119	7325	Canadense... ..	—	64	3553
Haplopappus spinulosus	33	103	6302	canescens	34	104	6386
Harina nana	41	111	6836	capitatum	—	31	1251
Harrisonia loniceroides	—	53	2699	caule recto... ..	—	8	282
Hartogia pulchella ...	—	33	1357	comosum	50	120	7377
Hatskangusa... ..	—	29	1154	crinitum	50	120	7377
Haworthia xiphiophylla	52	122	7505	dasycarpum	34	104	6386
Haylockia pusilla ...	56	126	7693	foliis pinnatis ...	—	48	2213
Hebeandra euonymoides	35	105	6415	gramineum	—	41	1722
phyllireioides ...	—	58	3122	imbricatum	—	43	1850
Hebecladus biflorus ...	1	71	4192	"	—	52	2596
Hebeclinium ianthinum	7	77	4574	lanseum	50	120	7377
Hebenstretia comosa ..	59	129	7895	Mackenzii	34	104	6386
dentata	—	14	483	micro-calyx	43	113	6931
fruticosa	—	45	1970	nutans	—	55	2867
Hechtia argentea ...	52	122	7460	obscurum	—	8	282
cordylinoides ...	37	107	6554	roseum	—	25	996
Ghiesbreghtii ...	26	96	5842	saxatile	—	48	2213
Hedarome tulipiferum	11	81	4858	Heinekenia pelio-			
Hedera ferruginea ...	44	114	7008	rhyneha... ..	40	110	6733
glomerulata ...	10	80	4804	Heinsia jasminiflora...	2	72	4207
macrophylla ...	51	121	7402	Heintzia tigrina ...	10	80	4774
monophyllos ...	—	44	1910	Heisteria	—	10	340
palmata	44	114	7008	mitior	—	41	1715
saxatilis	—	23	902	Helcia sanguinea ...	49	119	7281
terebinthacea ...	51	121	7402	Helenium autumnale..	—	57	2994
venosa	51	121	7402	Canadense... ..	53	123	7545
Hederaceus purpureus	—	6	188	indicum tuberosum .	53	123	7545
Hedychium acuminat-				tenuifolium	56	126	7721
tum	—	57	2969	Heliamphora nutans...	46	116	7093
angustifolium ...	—	46	2078	Helianthemum algar-			
aurantiacum	43	113	6913	viense	—	17	627
carneum	—	53	2637	Barrelieri	—	50	2371
chrysoleucum ...	6	76	4516	humilis	—	43	1803
coccineum	—	46	2078	levipes	—	43	1782
coronarium	—	19	708	ocymoides	23	93	5621
flavum	—	50	2378	radice tuberosa ...	53	123	7545
"	—	58	3039	sampsuchifolium ...	—	43	1803
Gardnerianum ...	43	113	6913	Tuberaria	11	81	4873
glaucum	38	108	6638	Helianthus altissimus.	53	123	7555
gracile	38	108	6638	angustifolius	—	46	2051
speciosum	43	113	6913	atrorubens... ..	—	53	2668
spicatum	—	49	2300	canescens	—	54	2778
viridiflorum ...	38	108	6638	cucumerifolius ...	51	121	7432

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Helianthus debilis</i> ...	51	121	7432	<i>Helipterum citrinum</i> ..	22	92	5604
<i>decapetalus</i> ...	—	63	3510	<i>Cotula</i> ...	22	92	5604
<i>diffusus</i> ...	—	45	2020	<i>præcox</i> ...	22	92	5604
<i>doronicoides</i> ...	53	123	7545	<i>Sandfordii</i> ...	18	88	5350
<i>foliis lanceolatis</i> ...	53	123	7555	<i>simplex</i> ...	22	92	5604
<i>frondosus</i> ...	—	63	3510	<i>splendidum</i> ...	60	130	7983
<i>giganteus</i> ...	53	123	7555	<i>Helleborine Americana</i>	—	24	930
<i>gigas</i> ...	53	123	7555	<i>Calceolus</i> ...	—	6	192
<i>lævis</i> ...	—	61	3372	" ...	—	6	216
<i>mollis</i> ...	—	54	2778	" ...	—	23	911
" ...	—	65	3689	<i>coccinea</i> ...	—	35	1437
<i>multiflorus</i> ...	—	7	227	<i>cochleato flore</i> ...	—	5	152
<i>præcox</i> ...	51	121	7432	" ...	—	16	572
<i>pubescens</i> ...	—	54	2778	<i>floribus albis</i> ...	—	15	543
<i>speciosus</i> ...	—	61	3295	<i>foliis liliaceis</i> ...	—	34	1374
<i>tomentosus</i> ...	—	54	2778	<i>graminea repens</i>			
<i>tuberosus</i> ...	53	123	7545	<i>biflora</i> ...	—	54	2764
<i>Helichrysum Africanum</i>	—	45	1987	<i>maculosa</i> ...	—	20	777
<i>Cotula</i> ...	22	92	5604	<i>mariana monanthos.</i>	—	48	2204
<i>frigidum</i> ...	36	106	6515	<i>radice arundinacea..</i>	—	24	930
<i>Gulielmi</i> ...	57	127	7789	<i>ramosissima</i> ...	—	62	3451
<i>Mannii</i> ...	20	90	5431	<i>Helleborus aconiti folio</i>	—	7	235
<i>niveum</i> ...	—	67	3857	<i>albus</i> ...	—	24	963
<i>Heliconia</i> ...	—	4	119	<i>atro-rubens</i> ...	7	77	4581
<i>angustifolia</i> ...	5	75	4475	<i>hyemalis</i> ...	—	1	3
<i>aurantiaca</i> ...	19	89	5416	<i>lividus</i> ...	—	2	72
<i>brevispatha</i> ...	19	89	5416	" ...	59	129	7903
<i>humilis</i> ...	22	92	5613	<i>niger</i> ...	—	1	8
<i>metallica</i> ...	18	88	5315	" ...	—	4	134
<i>Psittacorum</i> ...	—	14	502	<i>purpurascens</i> ...	—	59	3170
<i>pulverulenta</i> ...	8	78	4685	<i>ramosissimus</i> ...	—	63	3507
<i>Helicophyllum Alberti</i>	43	113	6969	<i>Helonias angustifolia..</i>	—	37	1540
<i>Helicteres Isora</i> ...	—	46	2061	<i>Asphodeloides</i> ...	—	20	748
<i>Heliophila Arabioides</i> .	—	14	496	<i>bracteata</i> ...	—	41	1703
<i>scandens</i> ...	55	125	7668	<i>Bullata</i> ...	—	20	747
<i>stricta</i> ...	—	52	2526	<i>(see note)</i>	—	37	1540
<i>Heliopsis lævis</i> ...	—	61	3372	<i>erythrosperma</i> ...	—	21	803
<i>Heliotropium Americanum</i> ...	—	43	1837	" ...	—	37	1540
" ...	—	53	2669	<i>glaberrima</i>	—	40	1680
<i>Brasilicum</i> ...	—	50	2359	<i>graminea</i> ...	—	39	1599
<i>convolvulaceum</i> ...	22	92	5615	<i>japonica</i> ...	36	106	6510
<i>corymbosum</i> ...	—	39	1609	<i>læta</i> ...	—	21	803
<i>curassavicum</i> ...	—	53	2669	" ...	—	37	1540
<i>foliis ovatis</i> ...	—	43	1837	<i>lanceolata</i> ...	—	20	747
<i>grandiflorum</i> ...	—	39	1609	<i>lutea</i> ...	—	27	1062
<i>indicum</i> ...	—	43	1837	<i>(see note)</i>	—	37	1540
" ...	—	53	2669	<i>Virginica</i> ...	—	25	985
<i>maritimum</i> ...	—	53	2669	<i>Viridis</i> ...	—	27	1096
<i>Peruvianum</i> ...	—	4	141	<i>Heloniopsis japonica</i> ...	44	114	6986
				<i>Hemerocallis</i> ...	—	26	1018

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Hemerocallis alba</i> ...	—	35	1433	<i>Hermione obliterata</i> ...	44	114	7016
<i>cærulea</i> ...	—	23	894	<i>Hermodactylus folio</i>			
(<i>see note</i>)	—	35	1433	<i>quadrangulo</i> ...	—	15	531
<i>cordata</i> ...	34	104	6337	<i>Hernandia mœrenhou-</i>			
<i>flava</i> ...	—	1	19	<i>tiana</i> ...	26	96	5839
" ...	—	22	873	<i>Herpestis Monnieria v.</i>			
<i>floribus patulis</i> ...	—	9	318	<i>portulacacea</i> ...	—	52	2557
" <i>purpurascen-</i>				<i>Herpetica</i> ...	35	105	6425
<i>tibus</i> ...	—	49	2353	<i>Hesperaloe Engelmanni</i>	56	126	7723
<i>fulva</i> ...	—	2	64	<i>yuccæfolia</i> ...	56	126	7723
<i>graminea</i> ...	—	22	873	<i>Hesperantha cinna-</i>			
<i>Japonica</i> ...	—	23	894	<i>momea</i> ...	—	26	1054
" ...	—	35	1433	<i>pilosa</i> ...	—	31	1254
<i>minor</i> ...	—	22	873	" ...	—	36	1475
<i>radice tuberosa</i> ...	—	22	873	<i>Radiata v. caricina</i>	—	21	790
<i>scandens</i> ...	—	39	1613	<i>Hesperis caule hispido</i>	—	19	730
<i>Hemichæna fruticosa</i> ..	31	101	6164	<i>foliis glabris</i> ...	—	50	2423
<i>Hemionitis foliis atro-</i>				<i>grandiflora</i> ...	—	53	2683
<i>virentibus</i> ...	—	60	3247	<i>littorea</i> ...	8	78	4672
<i>profunde laciniata</i> ...	—	60	3247	<i>montana</i> ...	—	19	730
<i>Hemiorchis burmanica</i>	46	116	7120	<i>pannonica</i> ...	—	19	730
<i>Hemipilia amethystina</i>	53	123	7521	<i>Sicula coronopifolia</i>	56	126	7750
<i>calophylla</i> ...	43	113	6920	<i>Tristis</i> ...	—	19	730
<i>Henckelia crinita</i> ...	7	77	4554	<i>verna</i> ...	—	61	3331
<i>Henfreyia scandens</i> ...	5	75	4449	<i>Heteranthera alismoides</i>	31	101	6192
<i>Henningia robusta</i> ...	39	109	6726	<i>limosa</i> ...	31	101	6192
<i>Hepatica angulosa</i> ...	21	91	5518	<i>Heterocentron Hum-</i>			
<i>triloba</i> ...	21	91	5518	<i>boldtianum</i> ...	19	89	5367
<i>Hepetis angustifolia</i> ...	—	21	824	<i>Mexicanum</i> ...	16	86	5166
<i>Heptapleurum ellip-</i>				<i>Heterochæta diplo-</i>			
<i>ticum</i> ...	51	121	7402	<i>stephioides</i> ...	39	109	6718
<i>polybotryum</i> ...	32	102	6238	No. 2 ...	42	112	6912
<i>venulosum v. erythro-</i>				<i>Heteronoma subtripli-</i>			
<i>stachys</i> ...	51	121	7402	<i>nervium</i> ...	16	86	5166
<i>Herba elata Cochinchin-</i>				<i>Heteropteris chryso-</i>			
<i>nensis</i> ...	31	101	6195	<i>phylla</i> ...	—	60	3237
<i>venti</i> ...	—	51	2449	<i>Heterotoma lobelioides</i>	58	128	7849
<i>Herbertia cærulea</i> (fig. 3)	—	67	3862	<i>Heterotrichum macro-</i>			
<i>pulchella</i> (figs. 1, 2)	—	67	3862	<i>don</i> ...	5	75	4421
<i>Heritiera macrophylla</i>	47	117	7192	<i>Heterotropia asaroides</i> .	—	66	3746
<i>Hermannia alnifolia</i> ...	—	9	299	" ...	12	82	4933
<i>althæifolia</i> ...	—	9	307	<i>parviflora</i> ...	19	89	5380
<i>capensis</i> ...	—	9	307	<i>Heuchera sanguinea</i> ...	43	113	6929
<i>cristata</i> ...	47	117	7173	<i>Heurnia barbata</i> ...	—	50	2401
<i>flammea</i> ...	—	33	1349	<i>Hexacentris coccinea</i> ..	15	85	5124
<i>foliis tripartitis</i> ...	—	8	277	<i>lutea</i> ...	10	80	4786
<i>frutescens</i> ...	—	8	277	<i>Mysorensis</i> ...	10	80	4786
" ...	—	9	304	<i>Hexaglottis</i> ...	—	37	1502
<i>Lavendulifolia</i> ...	—	9	304	<i>Hexisia bidentata</i> ...	44	114	7031
<i>tenuifolia</i> ...	—	33	1348	<i>Heynea trijuga</i> ...	—	42	1738

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Hibbertia Baudouinii</i>	29	99	6053	<i>Hibiscus Scotti</i>	58	128	7816
<i>corifolia</i>	—	53	2672	<i>speciosus</i>	—	10	360
<i>crenata</i>	—	30	1218	<i>splendens</i>	—	57	3025
<i>cuneiformis</i>	—	54	2711	<i>Surattensis</i>	—	33	1356
<i>Cunninghamii</i>	—	59	3183	<i>Syriacus</i>	—	3	83
<i>dentata</i>	—	49	2338	<i>Trionum</i>	—	6	209
<i>grossulariæfolia</i>	—	30	1218	<i>venustus</i>	47	117	7183
<i>Hibiscus abutiloides</i>	17	87	5245	<i>virginicus</i>	—	50	2385
<i>aculeis recurvis</i>	—	33	1356	<i>Wrayæ</i>	19	89	5406
<i>arboreus</i>	17	87	5245	<i>Hidalgoa Wercklei</i>	55	125	7684
<i>Cameroni</i>	—	68	3936	<i>Hieracium asperum</i>	—	39	1623
<i>capriodorus</i>	19	89	5413	<i>boeticum</i>	—	1	35
<i>cuneiformis</i>	19	89	5413	<i>calyce barbato</i>	—	1	35
<i>elatus</i>	17	87	5245	<i>foliis et floribus dentis</i>			
<i>ferox</i>	4	74	4401	<i>leonis bulbosi</i>	—	39	1623
<i>frutescens</i>	—	49	2305	<i>proliferum</i>	—	1	35
<i>Genevii</i>	—	59	3144	<i>sulphureum</i>	—	39	1623
<i>geraniifolius</i>	19	89	5406	<i>Higginsia Gheisbechtii</i>	19	89	5383
<i>grossulariæfolius</i>	3	73	4329	<i>refulgens</i>	18	88	5346
"	19	89	5406	<i>regalis</i>	17	87	5280
<i>hastatus</i>	—	50	2385	<i>Hillebrandia sandwi-</i>			
<i>Huegelii v. quinque-</i>				<i>censis</i>	43	113	6953
<i>vulnera</i>	19	89	5406	<i>Hillia longiflora</i>	—	19	721
<i>hukeæfolius</i>	2	72	4261	<i>parasitica</i>	—	19	721
<i>javanica</i>	—	5	158	<i>tetrandra</i>	50	120	7355
<i>lævis</i>	—	50	2385	<i>tuxtensis</i>	50	120	7355
<i>liliiflorus (hybridus)</i>	—	56	2891	<i>Hindsia violacea</i>	1	71	4135
<i>Malvaviscus</i>	—	49	2305	<i>Hinga-miduki</i>	56	126	7736
<i>Manihot</i>	—	41	1702	<i>Hippeastrum ambiguum</i>			
"	—	59	3152	<i>v. longiflora</i>	—	64	3542
"	57	127	7752	<i>Arechavaletæ</i>	56	126	7737
<i>marmoratus</i>	24	94	5702	<i>brachyandrum</i>	50	120	7344
<i>Meisneri</i>	19	89	5406	<i>breviflorum</i>	—	64	3549
<i>militaris</i>	—	50	2385	<i>equestre v. glabrifolia</i>	—	49	2278
<i>Moscheutos</i>	—	23	882	<i>Harrisoni</i>	56	126	7737
<i>palmatus</i>	—	59	3152	<i>pulverulentum</i>	—	49	2273
"	57	127	7752	<i>Solandriflorum</i>	—	52	2573
<i>palustris</i>	—	23	882	"	—	66	3771
<i>papyriferus</i>	57	127	7752	<i>spathaceum hybridum</i>	—	49	2315
<i>Patersonius</i>	—	20	769	<i>stylosum</i>	—	49	2278
<i>pentaphyllus</i>	57	127	7752	<i>subbarbatum</i>	—	51	2475
<i>Pinonianus</i>	19	89	5406	<i>Hippia frutescens</i>	—	43	1855
<i>Præmorsus</i>	—	13	436	<i>Hippocrepis Balearica</i>	—	12	427
<i>pungens</i>	57	127	7752	<i>Hoheria Lyallii</i>	27	97	5935
<i>radiatus</i>	—	44	1911	<i>Hologymne glabrata</i>	—	66	3730
" <i>v. flore purpureo</i>	15	85	5098	<i>Holostigma Botta</i>	14	84	5078
<i>riparius</i>	—	50	2385	<i>Holothrix orthoceras</i>	53	123	7523
<i>Rosa Sinensis</i>	—	5	158	<i>Homalonema Wallisii</i>	37	107	6571
"	36	106	6524	<i>Homeria</i>	—	39	1612
<i>schizopetalus</i>	36	106	6524	<i>Homoianthus viscosus</i>	19	89	5401

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Homostylium cabulicum	39	109	6672	Hoya Griffithii	42	112	6877
Honkenya ficifolia ...	58	128	7836	imperialis ...	4	74	4397
Hong pee ho ...	56	126	7715	(Otostemma)lacunosa	11	81	4826
Hoodia Bainii ...	34	104	6348	„ v. pallidiflora	17	87	5272
Gordoni ...	32	102	6228	lasiantha ...	14	84	5081
Hoplophytum augustum	23	93	5668	linearis ...	39	109	6682
distichanthum ...	20	90	5447	multiflora ...	16	86	5173
Lindenii ...	37	107	6565	Pottsii ...	—	62	3425
Horkelia congesta ...	—	56	2880	purpureo-fusca ...	6	76	4520
Horminum hirsutum ..	—	11	395	Shepherdi ...	17	87	5269
Hortensia ...	—	13	438	Sussuela ...	4	74	4397
Hosta cœrulea ...	—	53	2611	velutina ...	13	83	4969
Hostana cœrulea ...	—	53	2611	Huernia ...	—	40	1661
Hoteia barbata ...	—	67	3821	„ ...	—	40	1662
Japonica ...	—	67	3821	aspera ...	44	114	7000
Houletia Brockle-				brevirostris ...	34	104	6379
hurstiana ...	—	70	4072	concinna ...	59	129	7905
Landsbergi ...	50	120	7362	macrocarpa ...	59	129	7905
picta ...	33	103	6305	oculata ...	38	108	6658
Houstonia angustifolia	—	58	3099	somalica ...	56	126	7730
cœrulea ...	—	11	370	Hulthemia berberifolia	46	116	7096
coccinea ...	—	43	1854	Hummatu ...	—	35	1440
longifolia ...	—	58	3099	Hunnemannia fumarica-			
serpyllifolia ...	—	55	2822	folia ...	—	58	3061
Houttuynia capensis ...	—	17	618	Huntleya cerina ...	22	92	5598
„	—	37	1531	Hutchinsia cepeaefolia.	25	95	5749
cordata ...	—	54	2731	corymbosa ...	25	95	5749
Hovea Celsi ...	—	45	2005	stylosa ...	—	54	2772
lanceolata ...	—	39	1624	Huttia elegans ...	—	67	3834
pannosa ...	—	58	3053	Hyacinthus Africanus.	—	14	500
Hovenia dulcis ...	—	50	2360	„	—	16	561
Howardia barbata ...	26	96	5869	albus ...	—	36	1461
Caracasensis ...	15	85	5110	amethystinus ...	—	28	1102
hians ...	45	115	7073	„	—	50	2425
ringens ...	24	94	5700	Anglicus ...	—	36	1461
trifida ...	34	104	6387	autumnalis ...	—	23	919
trilobata ...	34	104	6387	azureus ...	41	111	6822
Howea Belmoreana ...	44	114	7018	botroides ...	—	4	122
Hoya australis ...	26	96	5820	botryodes ...	—	4	122
bella ...	4	74	4402	botryoides ...	—	5	157
bicarinata ...	26	96	5820	„	—	19	734
campanulata ...	6	76	4545	brevifolius ...	—	36	1468
cinnamomifolia ...	4	74	4347	cœruleus ...	—	20	746
coriacea ...	6	76	4518	caule nudo... ..	—	34	1418
„	16	86	5173	cernuus ...	—	28	1102
coronaria ...	13	83	4969	„	—	36	1461
Cumingiana ...	15	85	5148	comosus ...	—	4	133
Dalrympliana ...	26	96	5820	„	—	24	939
fraterna ...	8	78	4684	corollis campanulatis	—	28	1102
grandiflora... ..	13	83	4969	„	—	36	1461

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Hyacinthus corymbosus	—	25	991	Hydrangea petiolaris	40	110	6788
fastigiatus...	38	108	6663	quercifolia...	—	25	975
floridanus...	—	34	1418	radiata...	—	25	975
Hispanicus	—	4	127	scandens...	40	110	6788
"	—	28	1102	Hydranthus scandens.	60	130	7951
indicus stellatus	—	20	749	Hydrastis Canadensis.	—	57	3019
" tuberosus	—	43	1817	" "	—	60	3232
major	—	43	1817	Hydrogeton fenestralis	12	82	4894
minor	—	43	1817	Hydromestus maculatus	7	77	4556
" Hispanicus	—	50	2425	Hydropeltis purpurea.	—	28	1147
moschatus	—	19	734	Hydropiper rubeum	—	43	1831
Muscari	—	19	734	Hydrosme Eichleri	45	115	7091
"	—	38	1565	leonensis	57	127	7768
nanus	35	105	6453	Hylomecon vernale	26	96	5830
non scriptus	—	36	1461	Hymenanchera dentata	—	59	3163
oblongo flore	—	28	1102	Hymenocallis Harris-			
obsoleto flore	—	22	859	iana	37	107	6562
orchioides	—	22	854	litoralis	—	53	2621
"	—	31	1269	macrostephana	35	105	6436
"	—	34	1401	schizostephana	57	127	7762
Orientalis	—	24	937	Hymenopappus pedatus	—	46	2040
paradoxus	59	129	7873	Hymenoxys Californica	—	67	3828
poetarum luteus	—	18	679	Hyoscyamus aureus	—	3	87
Pouzolzii	38	108	6663	creticus	—	3	87
pratensis	—	36	1461	niger v. annua	—	50	2394
racemosus	—	4	122	orientalis	—	50	2414
"	—	5	157	Physaloides	—	22	852
"	—	19	734	scopolia	—	28	1126
revolutus	—	34	1380	vulgaris	—	50	2394
Romanus	—	24	939	Hypericum Ægyptiacum	36	106	6481
Scopolia	—	28	1126	alpestre	—	60	3277
serotinus	—	22	859	alternifolium	—	46	2057
stellaris	—	10	341	Balearicum	—	4	137
"	—	18	663	calycinum	—	5	146
"	—	20	746	Coris	—	5	178
"	—	23	919	(see note)	37	107	6563
"	—	45	1999	"	37	107	6563
stellatus	—	10	341	"	40	110	6764
"	—	18	663	empetrifolium	40	110	6764
" Fuschsii	—	20	746	foliis lanceolatis	—	18	668
" Peruvianus	—	20	749	hyssopifolium	—	60	3277
Hydnophytum Forbesii	48	118	7218	Lasianthus	—	18	668
longiflorum	50	120	7343	monogynum	—	10	334
Hydrangea arbor-				Montis Olympi	—	44	1867
escens	—	13	437	multicaule	40	110	6764
bracteata	40	110	6788	oblongifolium	12	82	4949
cordifolia	40	110	6788	olympicum v. lati-			
cyanema	14	84	5038	folium	—	44	1867
hortensis	—	13	438	orientale	—	44	1867
Japonica v. cærulea	2	72	4253	patulum	24	94	5693

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Hypericum uralum</i> ...	—	50	2375	<i>Iberis stylosa</i> ...	—	54	2772
<i>Hypocalyptus obcordatus</i> ...	—	68	3894	<i>Tenoreana</i> ...	—	54	2783
<i>Hypocyrta discolor</i> ...	2	72	4216	<i>umbellata</i> ...	—	3	106
<i>glabra</i> ...	4	74	4346	<i>Icacina Mannii</i> ...	32	102	6260
<i>gracilis</i> ...	6	76	4531	<i>Icacorea Guianensis</i> ...	—	40	1678
<i>leucostoma</i> ...	3	73	4310	<i>Ictodes foetidus</i> ...	—	60	3224
<i>pulchra</i> ...	52	122	7468	<i>Idesia polycarpa</i> ...	41	111	6794
<i>strigillosa</i> ...	—	69	4047	<i>Ilex Chinensis</i> ...	—	46	2043
<i>Hypoestes aristata</i> ...	32	102	6224	<i>conocarpa</i> ...	49	119	7310
<i>plumosa</i> ...	32	102	6224	<i>cornuta</i> ...	14	84	5059
<i>sanguinolenta</i> ...	21	91	5511	<i>Japonica</i> ...	11	81	4846
<i>Hypolytrum diandrum</i> ...	33	103	6282	" ...	11	81	4852
<i>giganteum</i> ...	33	103	6282	<i>latifolia</i> ...	22	92	5597
<i>latifolium</i> ...	33	103	6282	<i>Maté</i> ...	—	69	3992
<i>Hypoxis Carolinensis</i> ..	—	19	710	<i>Paraguariensis</i> ...	—	69	3992
<i>elata</i> ...	24	94	5690	<i>Paraguayensis</i> ...	—	69	3992
<i>erecta</i> ...	—	19	710	<i>Perado</i> ...	—	70	4079
<i>Fabricia</i> ...	—	19	711	<i>platyphylla</i> ...	—	70	4079
<i>latifolia</i> ...	10	80	4817	<i>Skimmia</i> ...	9	79	4719
<i>linearis</i> ...	—	23	917	<i>Illoirea cunarinoides</i> ..	13	83	5022
<i>longifolia</i> ...	29	99	6035	<i>Illicium anisatum</i> ...	—	69	3965
<i>ovata</i> ...	—	25	1010	" " ...	44	114	7005
<i>serrata</i> ...	—	19	709	<i>Floridanum</i> ...	—	13	439
" ...	—	23	917	<i>religiosum</i> ...	—	69	3965
<i>Sobolifera</i> ...	—	19	711	<i>verum</i> ...	44	114	7005
<i>stellata</i> ...	—	18	662	<i>Imatophyllum Aitoni</i> ..	—	55	2856
" ...	—	30	1223	<i>miniatum</i> ...	10	80	4783
<i>stellipilis</i> ...	—	65	3696	<i>Impatiens acaulis</i> ...	—	64	3587
<i>villosa</i> ...	—	19	711	<i>amphorata</i> ...	37	107	6550
<i>Hyssopus angustifolius</i>	—	49	2299	<i>auricoma</i> ...	50	120	7381
<i>bracteatus</i> ...	—	52	2560	<i>Balfourii</i> ...	59	129	7878
<i>ocymifolius</i> ...	—	52	2560	<i>bicolor</i> ...	19	89	5366
<i>orientalis</i> ...	—	49	2299	<i>biglandulosa</i> ...	9	79	4704
<i>Iambosa Malaccensis</i> ..	4	74	4408	<i>bipartita</i> ...	23	93	5625
<i>nigra</i> ...	4	74	4408	<i>bulbosa</i> ...	—	64	3587
<i>purpurascens</i> ...	4	74	4408	<i>chrysantha</i> ...	57	127	7786
<i>Ibbetsonia genistoides</i>	—	31	1259	<i>coccinea</i> ...	—	31	1256
<i>Iberidella rotundifolia</i>	25	95	5749	<i>cornigera</i> ...	8	78	4623
<i>Iberis aurosica</i> ...	—	54	2788	<i>cuspidata</i> ...	23	93	5625
<i>cepeæfolia</i> ...	—	54	2783	" ...	58	128	7844
" ...	25	95	5749	<i>falcifer</i> ...	59	129	7923
<i>ciliata</i> ...	—	26	1030	<i>fasciculata</i> ...	8	78	4631
<i>Gibraltarica</i> ...	—	4	124	<i>flaccida</i> ...	17	87	5276
<i>jucunda</i> ...	28	98	5952	" ...	58	128	7844
<i>nana</i> ...	—	54	2788	<i>floribunda</i> ...	23	93	5625
<i>pilosa</i> ...	—	54	2783	<i>glandulifera</i> ...	55	125	7647
<i>rotundifolia</i> ...	25	95	5749	<i>glanduligera</i> ...	—	69	4020
<i>saxatilis</i> v. <i>corifolia</i>	—	40	1642	" ...	55	125	7647
				<i>grandiflora</i> ...	58	128	7826
				<i>heterophylla</i> ...	8	78	4631

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Impatiens Hookeriana</i>	9	79	4704	<i>Inga macrophylla</i>	14	84	5075
<i>Jerdoniæ</i> ...	9	79	4739	<i>Inula Caucasia</i>	—	63	3466
<i>latifolia</i> ...	17	87	5276	<i>glandulosa</i> ...	—	44	1907
” ...	23	93	5625	<i>grandiflora</i>	—	44	1907
” ...	58	128	7844	<i>Hookeri</i> ...	35	105	6411
<i>longicornu</i> ...	37	107	6550	<i>macrophylla</i>	—	63	3466
<i>lucida</i> ...	17	87	5276	<i>orientalis</i> ...	—	44	1907
<i>macrophylla</i>	8	78	4662	<i>Involucraria Wallichii</i>	42	112	6873
<i>mirabilis</i> ...	47	117	7195	<i>Involucrum</i> ...	—	46	2034
<i>Oliveri</i> ...	60	130	7960	<i>Lochroma grandiflorum</i>	18	88	5301
<i>picta</i> ...	37	107	6550	<i>Warsiewiczii</i>	18	88	5301
<i>psittacina</i> ...	57	127	7809	<i>Ione paleacea</i>	34	104	6344
<i>pulcherrima</i>	7	77	4615	<i>Ionidium Aubletii</i>	28	98	5960
” ...	17	87	5276	<i>Ionopsis paniculata</i>	21	91	5541
<i>repens</i> ...	4	74	4404	<i>Ipomoea alatipes</i>	18	88	5330
<i>Roylei</i> v. <i>pallidiflora</i>	55	125	7647	<i>angustifolia</i>	20	90	5426
<i>scapiflora</i> ...	—	64	3587	<i>armata</i> ...	3	73	4301
<i>serrata</i> ...	59	129	7923	<i>atrosanguinea</i>	—	47	2170
<i>setacea</i> ...	8	78	4631	<i>bidentata</i> ...	20	90	5426
<i>Sultani</i> ...	38	108	6643	<i>bignonioides</i>	—	53	2645
<i>Thomsoni</i> ...	57	127	7795	<i>Blumei</i> ...	20	90	5426
” ...	60	130	7960	<i>Bona Nox</i> ...	—	20	752
<i>tricornis</i> ...	—	70	4051	<i>Bonariensis</i>	—	65	3665
<i>umbrosa</i> ...	37	107	6550	<i>cathartica</i> ...	3	73	4289
<i>Walkeri</i> ...	17	87	5237	<i>coccinea</i> ...	—	7	221
<i>Imperatoria ranuncu-</i>				<i>crassipes</i> ...	—	70	4068
<i>loides</i> ...	—	20	775	<i>denticulata</i>	20	90	5426
<i>Imperialis leucantha</i> ..	—	58	3083	<i>flicaulis</i> ...	20	90	5426
<i>Incarvillea Delavayi</i> ...	52	122	7462	<i>Gerrardi</i> ...	23	93	5651
<i>Emodi</i> ...	11	81	4890	<i>Horsfalliæ</i> ...	—	61	3315
<i>Koopmannii</i> ...	37	107	6593	<i>insignis</i> ...	—	43	1790
<i>parasitica</i> ...	—	67	3843	<i>Jalapa</i> ...	—	38	1572
<i>tomentosa</i> ...	8	78	4666	” ...	3	73	4280
<i>variabilis</i> ...	55	125	7651	<i>Japonica</i> ...	20	90	5426
<i>Indigofera angulata</i> ...	—	57	3000	<i>Learii</i> ...	—	68	3928
<i>angustifolia</i> ...	—	13	465	<i>macrorhiza</i>	—	38	1572
<i>Anil</i> ...	36	106	6506	<i>muricata</i> ...	3	73	4301
<i>atropurpurea</i> ...	—	58	3065	<i>palmata</i> ...	—	19	699
<i>candicans</i> ...	—	6	198	<i>Platensis</i> ...	—	65	3685
<i>cytisoides</i> ...	—	20	742	<i>pterodes</i> ...	18	88	5330
<i>decora</i> ...	14	84	5063	<i>pudibunda</i> ...	3	73	4289
<i>micrantha</i> ...	36	106	6506	<i>pulchella</i> ...	3	73	4305
<i>psoraloides</i>	—	14	476	<i>Purga</i> ...	3	73	4280
<i>speciosa</i> ...	—	57	3000	<i>Quamoelit</i> ...	—	7	244
<i>sylvatica</i> ...	—	57	3000	<i>Robertsii</i> ...	43	113	6952
<i>uncinata</i> ...	36	106	6506	<i>rubro-cærulea</i>	—	61	3297
<i>violacea</i> ...	—	61	3348	<i>sanguinea</i> ...	—	42	1769
<i>Inga calocephala</i> ...	14	84	5075	<i>Schiedeana</i>	3	73	4280
<i>hæmatoxylon</i> ...	16	86	5181	<i>simplex</i> ...	2	72	4266
<i>Harrisii</i> ...	2	72	4238	<i>speciosa</i> ...	—	51	2446

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Ipomœa splendens</i> ...	—	53	2628	<i>Iris capensis</i> ...	—	31	1238
<i>sylvestris</i> ...	—	20	752	<i>caucasica</i> ...	46	116	7111
<i>Turpethum</i> ...	—	46	2093	<i>Chinensis</i> ...	—	11	373
<i>Tweediei</i> ...	—	69	3978	<i>chrysantha</i> ...	57	127	7784
<i>Tyrianthina</i> ...	—	69	4024	<i>ciliata</i> ...	—	25	1012
<i>versicolor</i> ...	55	125	7689	<i>Collettii</i> ...	59	129	7889
<i>Ipomopsis inconspicua</i> ...	—	56	2883	<i>compressa</i> ...	—	19	693
<i>Ipea speciosa</i> ...	24	94	5701	<i>corollis imberbibus</i> ..	—	29	1163
<i>Iresine Herbstii</i> ...	21	91	5499	<i>cretensis</i> ...	34	104	6343
<i>Iris Ægyptia</i> ...	30	100	6096	<i>cretica</i> ...	34	104	6343
<i>africana</i> ...	—	16	576	<i>crispa</i> ...	—	20	759
<i>alata</i> ...	34	104	6352	" ...	—	32	1284
<i>alba Florentina</i> ...	—	18	671	<i>cristata</i> ...	—	12	412
" ...	—	22	870	" ...	30	100	6118
<i>Alberti</i> ...	44	114	7020	<i>dalmatica</i> ...	—	18	685
<i>albopurpurea</i> ...	52	122	7511	<i>damascena</i>	—	18	685
<i>Alpina</i> ...	—	34	1393	<i>Danfordiæ</i>	46	116	7140
<i>Amasiana</i> ...	46	116	7140	<i>Delavayi</i> ...	55	125	7661
<i>Americana</i>	—	1	21	<i>desertorum</i> ...	—	28	1131
<i>angusta</i> ...	—	31	1276	" ...	—	37	1514
<i>angustifolia</i> ...	—	18	681	<i>dichotoma</i> ...	35	105	6428
" ...	—	28	1131	<i>Douglasiana</i> ...	30	100	6083
" ...	—	29	1163	<i>edulis</i> ...	—	17	613
" ...	—	37	1514	" ...	—	31	1238
<i>aphylla</i> ...	—	22	870	<i>Eulefeldi</i> ...	42	112	6902
<i>Asiatica</i> ...	—	18	685	<i>filifolia</i> ...	27	97	5928
<i>atropusca</i> ...	50	120	7379	<i>flexuosa</i> ...	—	29	1163
<i>atropurpurea v. atro-</i>				<i>flore albo</i> ...	—	18	671
<i>fusca</i> ...	50	120	7379	" <i>violaceo</i> ...	—	22	870
<i>Bakeriana</i> ...	45	115	7084	<i>Florentina</i>	—	18	671
<i>Barnumæ</i> ...	45	115	7050	<i>foliis angustis</i> ...	—	28	1131
<i>Bartoni</i> ...	42	112	6869	" ...	—	37	1514
<i>bicolor</i> ...	—	2	50	" <i>linearibus</i> ...	—	28	1123
<i>biflora Lusitanica</i>	—	28	1130	" ...	—	29	1163
" ...	—	50	2361	" <i>marginè conni-</i>			
<i>bismarckiana</i> ...	60	130	7986	<i>ventibus</i> ...	—	18	686
<i>bituminosa</i> ...	—	26	1045	<i>Fosteriana</i>	48	118	7215
<i>Bohemica</i> ...	25	95	5806	<i>fugax</i> ...	30	100	6096
<i>(Xiphion) Boissieri</i> ..	46	116	7097	<i>fulva</i> ...	—	36	1496
<i>Bornmuelleri</i> ...	46	116	7140	<i>furcata</i> ...	—	50	2361
<i>brachycuspis</i> ...	—	49	2326	<i>Garoleri</i> ...	—	37	1514
<i>bucharica</i> ...	59	129	7914	" ...	—	37	1515
<i>bulbosa</i> ...	—	1	1	<i>Gatesii</i> ...	58	128	7867
" ...	—	18	679	<i>Gemelini</i> ...	30	100	6132
" ...	—	18	686	<i>Germanica</i>	—	18	670
" ...	—	18	687	" ...	—	18	685
<i>cærulea</i> ...	—	18	670	<i>glaucescens</i> ...	42	112	6902
<i>Camerarii</i> ...	—	6	187	<i>gracilipes</i> ...	59	129	7926
<i>candidis floribus</i> ...	—	29	1163	<i>Graminea</i> ...	—	18	681
<i>capensis</i> ...	—	17	613	<i>Grant-Duffii</i> ...	54	124	7604

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Iris Guildanstaditii ...	—	37	1514	Iris maritima ...	—	28	1131
"	—	37	1515	" ...	—	37	1514
Guldenstædtii ...	—	28	1131	Martinicensis ...	—	12	416
"	—	37	1514	Mauritanica ...	27	97	5890
Halophila ...	—	22	875	Meda ...	45	115	7040
(see note)	—	28	1131	microptera ...	34	104	6352
"	—	37	1514	Milesii ...	42	112	6889
Heldreichii ...	56	126	7734	missouriensis ...	37	107	6579
hexagona ...	40	110	6787	Morærioides (note) ..	—	34	1407
Histrio ...	29	99	6033	neglecta ...	—	50	2435
Hookeriana ...	49	119	7276	nepalensis ...	59	129	7889
hortensis ...	—	18	685	nudicaulis ...	—	22	870
humilis angustifolia	—	28	1123	"	25	95	5806
"	—	34	1393	obtusifolia ...	56	126	7701
"	34	104	6343	ochroleuca ...	—	2	61
Iberica ...	26	96	5847	(see note)	—	28	1131
Illyrica ...	—	18	685	"	—	28	1131
imberbis ...	27	97	5890	"	—	37	1514
"	—	31	1238	odoratissima ...	—	18	685
juncea ...	27	97	5890	Olbiensis ...	30	100	6110
Kæmpferi ...	30	100	6132	orchioides ...	46	116	7111
Kingiana ...	43	113	6957	orientalis ...	—	28	1131
Kolpakowskiana ...	36	106	6489	"	—	37	1514
Korolkowi ...	44	114	7025	"	—	39	1604
laevigata ...	30	100	6132	Pallasii v. Chinensis	—	49	2331
latifolia ...	—	1	16	Pallida ...	—	18	685
" Germanica .	—	6	187	papilionacea ...	—	20	750
" humilior				paradoxa ...	45	115	7081
purpurea	—	18	669	pavonia ...	—	5	168
"	—	18	670	"	—	19	696
"	—	18	671	"	—	31	1247
"	—	22	870	Persica ...	—	1	1
"	—	28	1130	plicata ...	—	22	870
Leichtlini ...	58	128	7861	pomeridiana ...	35	105	6428
Libani ...	29	99	6033	Portugalica ...	—	22	870
lineata ...	44	114	7029	pratensis ...	—	2	50
longifolia ...	—	17	613	"	—	2	58
"	—	31	1238	"	—	29	1163
"	20	90	5438	prismatica ...	—	37	1504
longipetala ...	18	88	5298	prunum redolens ...	—	18	681
longispatha ...	—	52	2528	Pseud-acorus v. pal-			
Lortetii ...	48	118	7251	lido-flava ...	—	48	2239
lupina ...	59	129	7904	pumila ...	—	1	9
lurida ...	—	18	669	" v. lutea ...	—	30	1209
"	—	25	986	" v. violacea ...	—	31	1261
Lusitanica ...	—	18	679	purpurea ...	—	18	670
lutescens ...	—	55	2861	ramosa ...	—	20	771
major latifolia ...	—	18	669	ramosissima ...	—	20	771
"	—	18	685	reticulata ...	22	92	5577
"	—	22	870	Robinsoniana ...	48	118	7212

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Iris (Juno) Rosen- bachiana ...	46	116	7135	Iris tenax ...	—	61	3343
Ruthenica ...	—	28	1123	tenuifolia ...	—	37	1514
(see note)	—	37	1515	Tingitana ...	28	98	5981
„ ...	—	34	1393	„ (Xiphion)	40	110	6775
salsa ...	—	28	1131	Tolmieana ...	37	107	6579
„ ...	—	37	1514	tomiolopha ...	30	100	6118
sambucina ...	—	6	187	transtagana ...	34	104	6352
„ ...	—	18	670	trialata ...	34	104	6352
„ ...	—	18	685	tricuspidata ...	—	19	696
sanguinea ...	—	39	1604	tricuspis ...	—	16	571
Sari v. lurida ...	43	113	6960	„ ...	—	19	696
scorpioides ...	34	104	6352	„ ...	—	26	1047
sibirica ...	—	2	50	tridentata ...	—	56	2886
„ ...	—	29	1163	tripetala ...	—	19	702
„ v. sanguinea	—	39	1604	„ ...	—	56	2886
„ ...	59	129	7926	tripolitana ...	—	28	1131
sindjarensis ...	46	116	7145	„ ...	—	37	1514
Sisyrinchium ...	—	34	1407	tristis ...	—	16	577
„ ...	30	100	6096	Tuberosa ...	—	15	531
sordida ...	—	18	679	unguicularis ...	25	95	5773
spathulata ...	—	28	1131	uvaria promontorii			
„ ...	—	37	1514	Bonæ Spei ...	10	80	4816
specierum synthesis	—	25	986	vaga ...	58	128	7861
speculatrix ...	33	103	6306	variabilis ...	—	18	686
spuria ...	—	2	58	variegata ...	—	1	16
„ v. desertorum	—	37	1514	(Xiphion) Vartani ...	43	113	6942
„ v. Halophila.	—	28	1131	versicolor ...	—	1	21
„ v. stenogyna.	—	37	1515	„ ...	30	100	6132
squalens ...	—	18	670	villosa ...	—	16	571
„ ...	—	21	787	violacea ...	—	18	669
(see note)	—	22	870	virescens ...	—	55	2861
Statellæ ...	42	112	6894	Virginica ...	—	19	703
stellata ...	—	4	144	„ ...	40	110	6787
stenogyna ...	—	37	1514	viscaria ...	—	16	587
„ ...	—	37	1515	vulgaris ...	—	18	670
stenophylla ...	56	126	7734	(Xiphion) Warley- ensis ...	60	130	7956
stylosa ...	25	95	5773	xiphioides ...	—	18	687
„ v. angusti- folia ...	34	104	6343	Xiphium ...	—	18	686
Subbiflora ...	—	28	1130	„ ...	—	18	687
Susiana ...	—	3	91	„ ...	40	110	6775
Suwarowi ...	44	114	7029	Isatis sylvestris ...	—	49	2290
Swertii ...	—	22	870	Ischarum angustatum.	34	104	6355
sylvestris ...	—	18	670	Pyrami ...	18	88	5324
„ ...	—	28	1131	Isias triloba ...	32	102	6255
„ ...	—	29	1163	Ismelia Broussonetii ..	14	84	5067
„ ...	—	37	1514	versicolor ...	15	85	5095
Tauri ...	57	127	7793	Ismene calathina ...	—	53	2685
tectorum ...	30	100	6118	Macleana ...	—	65	3675
				tenuifolia ...	34	104	6397

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Isoloma erianthum</i> ...	59	129	7907	<i>Ixia cinnamomea</i> ...	—	16	566
<i>Isomeris arborea</i> ...	—	67	3842	" " " " "	—	26	1054
<i>Isopogon attenuatus</i> ...	4	74	4372	<i>columellaris</i> ...	—	17	630
<i>Baxteri</i> ...	—	63	3539	<i>columnaris</i> ...	—	17	607
<i>Loudoni</i> ...	—	62	3421	<i>concolor</i> ...	—	15	522
<i>scaber</i> ...	—	69	4037	<i>conica</i> ...	—	15	522
<i>spathulatus</i> <i>v.</i> <i>line-</i>				" " " " "	—	15	539
<i>aris</i> ...	—	62	3450	<i>corymbosa</i> ...	—	16	595
<i>spherocephalus</i> ...	3	73	4332	<i>crateroides</i> ...	—	16	594
<i>Isora-Murri</i> ...	—	46	2061	<i>Crispa</i> ...	—	17	599
<i>Isotoma axillaris</i> ...	—	53	2702	<i>crispifolia</i> ..	—	16	595
" " " " "	14	84	5073	<i>crocata</i> ...	—	6	184
<i>senecioides</i> <i>v.</i> <i>sub-</i>				" " " " "	—	17	622
<i>pinnatifida</i> ...	14	84	5073	<i>cruciata</i> ...	—	16	575
<i>Itea Cyrilla</i> ...	—	51	2456	<i>curta</i> ...	—	34	1378
<i>spinosa</i> ...	—	42	1767	<i>deusta</i> ...	—	17	622
<i>virginica</i> ...	—	50	2409	<i>erecta</i> ...	—	17	623
<i>Ivesia unguiculata</i> ...	37	107	6560	" <i>v. lutea</i> ...	—	22	846
<i>Ixia abbreviata</i> ...	—	16	549	" " " " " " " "	—	29	1173
<i>acuta</i> ...	39	109	6666	" " " " " " " "	—	17	624
<i>africana</i> ...	—	13	458	<i>Excisa</i> ...	—	16	584
<i>amaena</i> ...	—	16	549	" " " " " " " "	—	17	606
<i>americana</i> ...	—	18	655	<i>falcata</i> ...	—	16	566
<i>angusta</i> ...	—	16	573	<i>fenestrata</i> ...	—	19	704
<i>aristata</i> ...	—	15	522	<i>fistulosa</i> ...	—	15	523
" " " " "	—	15	541	<i>(see note)</i>	—	16	553
" " " " "	—	16	589	" " " " " " " "	—	16	573
<i>aulica</i> ...	—	16	570	<i>flabelliformis</i> ...	—	16	583
<i>azurea</i> ...	—	17	598	<i>flaccida</i> ...	—	15	522
<i>bicolor</i> ...	—	15	548	<i>Flexuosa</i> ...	—	4	128
<i>bulbifera</i> ...	—	15	541	" " " " " " " "	—	17	624
" " " " "	—	15	545	<i>foliis ad radicem</i>			
<i>bulbocodioides</i> ...	—	30	1225	<i>nervosis</i> ...	—	13	458
" " " " "	—	34	1392	" <i>gladiatis</i> ...	—	15	541
<i>bulbocodium</i> ...	—	8	265	" <i>gladiolatis</i> ...	—	15	539
" " " " "	—	16	575	" <i>linearibus</i> ...	—	17	624
" " " " "	—	30	1225	" <i>liniari-gladi-</i>			
" " " " " " " " "	—	36	1476	<i>atis</i> ...	—	17	623
<i>campanulata</i> ...	—	16	594	<i>fucata</i> ...	—	34	1379
" " " " "	—	30	1225	<i>fugacissima</i> ...	—	32	1292
<i>capillaris</i> ...	—	16	570	<i>Galaxia</i> ...	—	30	1208
<i>(see note)</i>	—	26	1019	<i>geminata</i> ...	—	31	1255
" <i>v. Stricta et v.</i>				<i>gibba</i> ...	—	17	622
<i>Incarnata</i>	—	17	617	<i>gracilis</i> ...	—	16	570
" <i>v. aulica</i> ...	—	25	1013	<i>grandiflora</i>	—	15	541
<i>(see note)</i>	—	26	1019	" " " " " " " "	—	20	779
<i>capitata</i> ...	—	15	539	<i>holosericea</i>	—	15	541
" " " " "	—	17	624	<i>incarnata</i> ...	—	16	570
<i>cartilaginea</i> ...	—	37	1530	<i>lancea</i> ...	—	16	570
<i>Chinensis</i> ...	—	5	171	" " " " " " " "	—	16	581

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Ixia linearis</i> ...	—	16	573	<i>Ixia secunda</i> ...	—	17	597
<i>longiflora</i> ...	—	8	256	" ...	—	17	598
" ...	—	37	1502	" ...	—	28	1105
" ...	—	37	1503	<i>serotina</i> ...	—	17	623
<i>longifolia</i> ...	—	19	695	<i>setacea</i> ...	—	31	1255
<i>maculata</i> ...	—	15	539	<i>similis</i> ...	—	16	581
" <i>v. Amethystina</i>	—	21	789	<i>spathacea</i> ...	—	36	1483
" <i>v. ochroleuca</i> ..	—	32	1285	<i>speciosa</i> ...	—	16	594
" <i>v. viridis</i> ...	—	16	549	<i>spectabilis</i> ...	—	16	549
<i>marginata</i> ...	—	17	608	<i>spicata</i> ...	—	17	606
" ...	—	37	1530	<i>squalida</i> ...	—	14	487
<i>Milleri</i> ...	—	15	539	" ...	—	16	581
<i>miniata</i> ...	—	17	609	<i>tenuiflora</i> ...	—	37	1502
<i>monadelpha</i> ...	—	17	607	<i>teretifolia</i> ...	—	15	523
" ...	—	34	1378	<i>thyrsiflora</i> ...	—	17	605
<i>monanthos</i> ...	—	15	545	<i>tricolor</i> ...	—	11	381
<i>obtusata</i> ...	—	18	672	" ...	—	36	1482
<i>ovata</i> ...	—	16	584	<i>tripetala</i> ...	—	19	702
<i>paniculata</i> ...	—	37	1503	<i>triticea</i> ...	—	16	553
<i>patens</i> ...	—	15	522	<i>tubulosa</i> ...	—	18	680
" ...	—	16	589	<i>undulata</i> ...	—	17	599
<i>pentandra</i> ...	—	15	542	<i>uniflora</i> ...	—	15	541
<i>pilosa</i> ...	—	31	1254	<i>variegata</i> ...	—	17	630
" ...	—	36	1475	<i>villosa</i> ...	—	16	583
<i>planifolia</i> ...	—	6	184	" ...	—	17	621
<i>plantaginea</i> ...	—	16	553	" ...	—	26	1052
<i>plicata</i> ...	—	17	621	<i>violacea</i> ...	—	17	598
<i>polystachia</i> ...	—	15	542	<i>Xiphidium</i> ...	14	84	5055
" ...	—	17	623	<i>Ixianthes retzioides</i> ...	51	121	7409
" ...	—	17	624	<i>Ixiolæna chrysantha</i> ...	54	124	7625
" ...	—	17	629	<i>Ixodia achilleoides</i> ...	—	37	1534
<i>pudica</i> ...	—	31	1244	<i>natans</i> ...	—	28	1147
<i>punicea</i> ...	—	16	583	<i>Ixora Americana</i> ...	—	43	1854
<i>purpurea</i> ...	—	26	1052	<i>barbata</i> ...	—	51	2505
<i>pusilla</i> ...	—	17	597	" ...	6	76	4513
<i>radians</i> ...	—	31	1255	<i>brachyloba</i> ...	5	75	4482
<i>radiata</i> ...	—	16	573	<i>Caffra</i> ...	—	64	3580
" ...	—	21	790	<i>coccinea</i> ...	—	5	169
<i>recurva</i> ...	—	30	1225	<i>Duffii</i> ...	42	112	6853
<i>reflexa</i> ...	—	15	542	<i>Griffithii</i> ...	3	73	4325
<i>retusa</i> ...	—	15	542	<i>Javanica</i> ...	7	77	4586
" ...	—	17	629	<i>jucunda</i> ...	16	86	5197
<i>rochensis</i> ...	—	17	598	<i>lanceolaria</i> ...	4	74	4399
" ...	—	31	1255	<i>laxiflora</i> ...	5	75	4482
<i>rosea</i> ...	—	16	575	<i>longiflora</i> ...	5	75	4482
" ...	—	30	1225	<i>macrothyrsa</i> ...	42	112	6853
<i>rubro-cyanea</i> ...	—	12	410	<i>odorata</i> ...	1	71	4191
<i>Scillaris v. latifolia</i> .	—	15	542	<i>rosea</i> ...	—	50	2428
" ...	—	17	621	<i>salicifolia</i> ...	6	76	4523
" ...	—	17	629	<i>ternifolia</i> ...	—	43	1854

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Jaborosa integrifolia</i> ..	—	63	3489	<i>Jasminum fruticans</i> ...	—	13	461
<i>Jacaranda ovalifolia</i> ...	—	49	2327	<i>gracillimum</i> ...	37	107	6559
<i>Jacea arborea</i> ...	—	14	494	<i>hirsutum</i> ...	—	45	1991
<i>Cretica</i> ...	—	14	494	<i>indicum</i> ...	—	5	169
" ...	—	51	2493	" ...	—	43	1785
<i>maritima</i> ...	—	52	2551	<i>lucidum</i> ...	—	43	1841
<i>purpurea</i> ...	—	52	2551	<i>luteum</i> ...	—	13	461
<i>sphærocephala</i> ...	—	52	2551	" <i>odoratum</i> ...	58	128	7851
<i>tricolor</i> ...	—	39	1595	<i>Maingayi</i> ...	58	128	7823
<i>Jacobæa Africana frut-</i>				<i>multiflorum</i> ...	—	45	1991
<i>escens</i> ...	—	9	306	<i>nudiflorum</i> ...	8	78	4649
" " " "	—	69	3967	<i>odoratissimum</i> ...	—	8	285
<i>orientalis</i> ...	—	44	1869	<i>officinale</i> ...	—	1	31
<i>Jacobæastrum cacaliæ</i>				<i>parviflorum</i> ...	34	104	6349
<i>folio</i> ...	—	44	1869	<i>primulinum</i> ...	60	130	7981
<i>Jacobæoides Aricrenato</i>				<i>pubescens</i> ...	—	45	1991
<i>folio</i> ...	—	44	1869	<i>ramo unifloro pleno.</i>	—	53	2627
<i>Jacobinia ciliata</i> ...	27	97	5888	<i>revolutum</i> ...	—	42	1731
<i>Jacquinia aurantiaca</i> ..	—	40	1639	<i>Sambac v. trifoliatum</i>	—	43	1785
<i>smaragdina</i> ...	34	104	6373	<i>simplicifolium</i> ...	—	25	980
<i>Jacua-Acanga</i> ...	—	43	1837	<i>subulatum</i> ...	39	109	6719
<i>Jalape, Le vrai</i> ...	—	38	1572	<i>sylvestre</i> ...	—	44	1889
<i>Jam Retty pemeretti</i> ..	—	46	2071	<i>tortuosum</i> ...	42	112	6865
<i>Jamacara</i> ...	—	44	1884	<i>vulgatius</i> ...	—	1	31
<i>Jamasuje</i> ...	—	28	1063	<i>zeylanicum</i> ...	—	44	1865
<i>Jamboeiro</i> ...	—	61	3356	<i>Jatropha imperialis</i> ...	—	17	604
<i>Jambosa sylvestris</i> ...	—	41	1696	<i>integerrima</i> ...	—	36	1464
<i>vulgaris</i> ...	—	61	3356	<i>Manihot</i> ...	—	58	3071
<i>Jamesia americana</i> ...	31	101	6142	<i>panduræfolia</i> ...	—	17	604
<i>Jamma Buki</i> ...	—	32	1296	<i>podagrica</i> ...	4	74	4376
<i>Janipha Manihot</i> ...	—	58	3071	<i>Jedogava Tsutsusi</i> ...	—	56	2901
<i>Jasione montana v.</i>				<i>Jeffersonia Bartonis</i> ...	—	37	1513
<i>perennis</i> ...	—	48	2198	<i>binata</i> ...	—	37	1513
<i>perennis</i> ...	—	48	2198	<i>diphylla</i> ...	—	37	1513
<i>Jasminum Africanum</i> ..	—	44	1899	<i>sempervirens</i> ...	58	128	7851
<i>Americanum</i> ...	—	7	244	<i>Jehlia fuchsoides</i> ...	9	79	4724
<i>angulare</i> ...	42	112	6865	<i>Jerdonia Indica</i> ...	26	96	5814
<i>Arabicum</i> ...	—	32	1303	<i>Joksan</i> ...	—	35	1433
<i>azoricum</i> ...	—	44	1889	<i>Joliffea Africana</i> ...	—	54	2751
<i>campanulatum</i> ...	42	112	6865	<i>Jondraba alyssoides</i> ...	—	51	2444
<i>capense</i> ...	—	53	2627	<i>Jonesia Asoca</i> ...	—	57	3018
" ...	42	112	6865	<i>pinnata</i> ...	—	57	3018
<i>catalonicum</i> ...	—	44	1889	<i>Jonidium Calceolaria</i> ..	—	51	2453
<i>didymum</i> ...	34	104	6349	<i>Ipecacuanha</i> ...	—	51	2453
<i>divaricatum</i> ...	34	104	6349	<i>Joro vulgo Utsugi</i> ...	—	67	3838
<i>flavum odoratum</i> ...	—	8	285	<i>Josepha angusta</i> ...	10	80	4811
<i>flexile</i> ...	42	112	6865	<i>Josephia sessilis</i> ...	—	38	1581
<i>floridum</i> ...	39	109	6719	<i>Jossinia orbiculata</i> ...	7	77	4558
<i>foliis lanceolatis</i> ...	—	53	2627	<i>Jovellana punctata</i> ...	19	89	5392
<i>folio integro</i> ...	—	42	1759	<i>Jovis Barba frutex</i> ...	—	44	1927

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Jovis Barba pulchre</i>				<i>Justicia venusta</i>		60	3208
<i>lucens</i> ...	—	44	1927	<i>viridis</i> ...	—	43	1847
<i>Juanulloa parasitica</i> ...	—	70	4118	<i>Kaad</i> ...	55	125	7659
<i>eximia</i> ...	15	85	5092	<i>Kadsura propinqua</i> ...	7	77	4614
<i>Juncus serratus</i> ...	24	94	5722	<i>Kaempferia Galanga</i> ...	—	22	850
<i>Jussieua grandiflora</i> ...	—	47	2122	<i>longa</i> ...	—	23	920
<i>ovalifolia</i> ...	—	52	2530	" ...	29	99	6054
<i>Justicia Adhatoda</i> ...	—	22	861	<i>Parishii</i> ...	25	95	5763
<i>Americana</i> ...	—	50	2367	<i>Roscoeana</i> ...	22	92	5600
<i>arborea</i> ...	—	38	1578	<i>rotunda</i> ...	—	23	920
<i>aristata</i> ...	32	102	6224	" ...	29	99	6054
<i>bicolor</i> ...	—	35	1423	<i>Kalanchoe</i> ...	—	35	1436
<i>bracteolata</i> ...	5	75	4441	<i>alternans</i> ...	55	125	7678
<i>calycotricha</i> ...	—	55	2816	<i>Bentii</i> ...	57	127	7765
<i>carnea</i> ...	—	62	3383	<i>coccinea</i> ...	58	128	7871
<i>coccinea</i> ...	—	12	432	<i>Dyeri</i> ...	60	130	7987
<i>cristata</i> ...	—	38	1578	<i>farinacea</i> ...	57	127	7769
<i>curviflora</i> ...	—	66	3783	<i>flammea</i> ...	54	124	7595
<i>Ecbolium</i> ...	—	43	1847	<i>grandiflora</i> ...	20	90	5460
<i>Eustachiana</i> ...	—	46	2076	" ...	50	120	7333
<i>flava</i> ...	—	70	4113	<i>Kirkii</i> ...	58	128	7871
<i>flavicomma</i> ...	—	55	2816	<i>marmorata</i> ...	50	120	7333
<i>Gangelica</i> ...	2	72	4248	<i>somaliensis</i> ...	58	128	7831
<i>geniculata</i> ...	—	51	2487	<i>thyrsiflora</i> ...	55	125	7678
<i>Honamoorensis</i> ...	20	90	5440	<i>Wightiana</i> ...	20	90	5460
<i>hypocrateriformis</i> ...	31	101	6181	<i>Kalba</i> ...	—	30	1230
<i>infundibuliformis</i> ...	—	47	2186	<i>Kalmia angustifolia</i> ...	—	10	331
<i>lanceolaria</i> ...	22	92	5566	<i>foliis lanceolato ovatis</i>	—	24	951
<i>latifolia</i> ...	20	90	5440	<i>glauca</i> ...	—	5	177
<i>linearifolia</i> ...	—	50	2367	<i>hirsuta</i> ...	—	4	138
<i>longiracemosa</i> ...	4	74	4378	<i>latifolia</i> ...	—	5	175
<i>lucida</i> ...	—	26	1014	<i>Kamenoi Luk</i> ...	—	30	1230
<i>montana</i> ...	—	69	4031	<i>Kansijram-Maravara</i> ..	—	11	387
<i>nasuta</i> ...	—	10	325	<i>Kapa-Tsjakka</i> ...	—	38	1554
<i>nervosa</i> ...	—	33	1358	<i>Kara Sendan</i> ...	41	111	6794
<i>nodosa</i> ...	—	56	2914	<i>Karatas acanthocrater</i>	42	112	6904
<i>orbiculata</i> ...	20	90	5440	<i>Kasbrako Konokko Juri</i>	—	66	3785
<i>palatifera</i> ...	28	98	5957	<i>Katou Inshi-Kua</i> ...	—	45	2000
<i>parasitica</i> ...	24	94	5747	<i>Katsjula kelenger</i> ...	—	22	850
<i>pedunculosa</i> ...	—	50	2367	<i>Katu Kapel</i> ...	52	122	7487
<i>Peruviana</i> ...	—	12	430	<i>Kaulfussia amelloides</i> .	—	47	2177
<i>pieta v. lurido-san-</i>				<i>Kawara Fisagi</i> ...	—	27	1094
<i>guinea</i> ...	—	44	1870	<i>Kedali</i> ...	—	15	529
<i>pulchella</i> ...	—	33	1358	<i>Kefersteinia graminea</i> .	14	84	5046
<i>pulcherrima</i> ...	—	38	1578	<i>Kennedia coccinea</i> ...	—	53	2664
<i>quadrangularis</i> ...	—	55	2845	<i>ovata</i> ...	—	47	2169
<i>secunda</i> ...	—	46	2060	<i>Kennedyia glabrata</i> ...	—	68	3956
<i>speciosa</i> ...	—	54	2722	<i>nigricans</i> ...	—	65	3652
<i>tetragona</i> ...	—	38	1578	<i>splendens</i> ...	7	77	4608
<i>ventricosa</i> ...	—	54	2766				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Kentan	—	31	1237	Kœmpferia secunda ...	44	114	6999
Kentia Belmoreana ...	44	114	7018	Kohleria eriantha ...	59	129	7907
exorhiza	57	127	7797	Kopsia fruticosa ...	2	72	4220
monostachya ...	38	108	6644	Korolkowia Sewerzowi	34	104	6371
Kentrophyllum arbor- escens	—	61	3302	Kreysigia multiflora...	—	68	3905
Keramanthus Kirkii...	32	102	6271	Kudda-Mulla ...	—	43	1785
Ketmia africana ...	—	9	307	Kutsjinas altera ...	—	43	1842
folio manihot ...	57	127	7752	La Muscade	—	54	2756
" " serrato ...	—	41	1702	Labichea bipunctata...	40	110	6751
" " "	—	59	3152	diversifolia ...	40	110	6751
indica	—	33	1356	lanceolata	40	110	6751
palustris	—	23	882	Laburnum	—	5	176
Kik, Kikf vel Kikku..	—	10	327	caramanicum ...	59	129	7898
Kinkan	30	100	6128	Lacæna bicolor ...	36	106	6516
Kirengeshoma palmata	60	130	7944	spectabilis	36	106	6516
Kiro	—	23	898	Lacca coccinea ...	—	31	1256
Kitaibelia vitifolia ...	—	21	821	Lacepedea insignis ...	5	75	4459
Kleinia Anteuphorbium	30	100	6099	Lachenalia angustifolia	—	19	735
fulgens	22	92	5590	bifolia	—	39	1611
Grantii	55	125	7691	contaminata ...	—	34	1401
Haworthii	29	99	6063	flava	—	26	1020
pendula	55	125	7659	fragrans	—	33	1372
pteroneura	28	98	5945	"	—	33	1373
tomentosa	29	99	6063	glaucina	—	64	3552
Klugia Notoniana ...	7	77	4620	hyacinthoides ...	—	34	1401
Knesebeckia phyllo- maniaca... ..	17	87	5254	lanceæfolia ...	—	17	643
Kniphofia aloides ...	10	80	4816	"	—	34	1380
breviflora	53	123	7570	lucida	—	33	1372
caulescens	28	98	5946	luteola	—	26	1020
comosa	37	107	6569	"	—	41	1704
foliosa	40	110	6742	"	28	98	5992
Leichtlinii... ..	39	109	6716	nervosa	—	36	1497
longicollis	54	124	7623	orchioides	—	22	854
Macowani	31	101	6167	"	—	31	1269
modesta	49	119	7293	"	—	34	1401
multiflora	58	128	7832	pendula	—	16	588
Northiæ	51	121	7412	"	—	16	590
pauciflora	48	118	7269	"	—	27	1097
Quartiniana ...	40	110	6742	punctata	—	25	993
Kooperi	30	100	6116	purpureo-cærulea ...	—	33	1373
rufa	56	126	7706	Purpureocærulea ...	—	20	745
Tuckii	55	125	7644	(see note)	—	33	1373
Uvaria	10	80	4816	pustulata	—	21	817
" v. maxima ...	37	107	6553	quadricolor ...	—	16	588
Knowltonia vesicatoria	—	20	775	"	—	27	1097
Kodda-pail	7	77	4564	"	28	98	5992
Koellesteinia graminea	34	104	6338	" v. lutea... ..	—	41	1704
ionopectera	48	118	7270	racemosa	—	37	1517
				reflexa	—	34	1380

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Lachenalia rubida</i> ...	—	25	993	<i>Landolphia Comorensis</i>	43	113	6963
<i>serotina</i> ...	—	22	859	<i>florida</i> ...	43	113	6963
<i>tigrina</i> ...	—	25	993	<i>Lankesteria Barteri</i> ...	21	91	5533
<i>tricolor</i> ...	—	3	82	<i>Lantana aculeata</i> ...	—	3	96
" ...	—	27	1097	<i>Africana</i> ...	—	44	1899
" <i>v. aurea</i> ...	28	98	5992	<i>annua</i> ...	—	26	1022
" <i>v. luteola</i> ...	—	26	1020	<i>erecta</i> ...	—	35	1449
<i>unicolor</i> ...	—	33	1372	<i>nivea</i> ...	—	45	1946
<i>unifolia</i> ...	—	20	766	" <i>v. mutabilis</i> ...	—	58	3110
<i>Lachnæa buxifolia v.</i>				<i>Selloviana</i> ...	—	57	2981
<i>glauca</i> ...	—	40	1658	" <i>v. lanceolata</i>	—	68	3941
<i>buxifolia v. virens</i>	—	40	1657	<i>trifolia</i> ...	—	26	1022
<i>eriocephala</i> ...	—	32	1295	" ...	—	35	1449
<i>glauca</i> ...	—	40	1658	<i>Lapageria rosea</i> ...	5	75	4447
<i>purpurea</i> ...	—	39	1594	<i>rosea v. albi-flora</i> ...	12	82	4892
<i>Lachryma Jobi</i> ...	—	51	2479	<i>Lapathum orientale</i> ...	54	124	7591
<i>Lactuca foliis linearibus</i>	—	47	2130	<i>Lapeyrousia corymbosa</i>	—	16	595
<i>perennis</i> ...	—	47	2130	<i>tissifolia</i> ...	—	31	1246
<i>Lælia acuminata</i> ...	12	82	4905	<i>grandiflora</i> ...	43	113	6924
<i>albida</i> ...	—	68	3957	<i>juncea</i> ...	—	17	606
<i>anceps</i> ...	—	67	3804	<i>Laplacea semiserrata</i> ..	—	70	4129
<i>autumnalis</i> ...	—	67	3817	<i>Laportea moroides</i> ...	45	115	7057
<i>cinnabarina</i> ...	3	73	4302	<i>Lardizabala biternata</i> ..	6	76	4501
<i>furfuracea</i> ...	—	67	3810	<i>Larochea falcata</i> ...	—	46	2035
<i>grandis</i> ...	22	92	5553	<i>Lasiandra Kunthiana</i> ..	4	74	4412
<i>Jonghiana</i> ...	29	99	6038	<i>macrantha</i> ...	24	94	5721
<i>longipes</i> ...	53	123	7541	<i>petiolata</i> ...	—	66	3766
<i>Lucasiana</i> ...	53	123	7541	<i>sarmentosa</i> ...	23	93	5629
<i>majalis</i> ...	23	93	5667	<i>Lasimorpha senegal-</i>			
<i>monophylla</i> ...	39	109	6683	<i>ensis</i> ...	54	124	7617
<i>peduncularis</i> ...	—	70	4099	<i>Lasiopetalum Baueri</i> ..	35	105	6445
<i>pedunculata</i> ...	—	70	4099	<i>ferrugineum</i> ...	—	42	1766
<i>præstans</i> ...	21	91	5498	<i>macrophyllum</i> ...	—	68	3908
<i>superbiens</i> ...	—	70	4090	<i>purpureum</i> ...	—	42	1755
<i>xanthina</i> ...	15	85	5144	<i>quercifolium</i> ...	—	36	1485
<i>Lagasca mollis</i> ...	—	43	1804	<i>solanaceum</i> ...	—	36	1486
<i>Lagerstroemia Indica</i> ..	—	12	405	<i>triphyllum</i> ...	—	36	1486
<i>Lagetta lintearia</i> ...	6	76	4502	<i>Lasiorrhiza rosea</i> ...	—	70	4116
<i>Lagetto</i> ...	6	76	4502	<i>Lasiosiphon anthyll-</i>			
<i>Lagopus maximus</i> ...	—	10	328	<i>oides</i> ...	49	119	7303
<i>Lagunæa Patersonia</i> ...	—	20	769	<i>Lasthenia Californica</i> ..	—	66	3730
<i>squamea</i> ...	—	20	769	<i>glabrata</i> ...	—	66	3730
<i>Lagunaria cuneiformis</i>	19	89	5413	<i>Lathræa Clandestina</i> ..	46	116	7106
<i>Lamium maximum</i> ...	—	5	172	<i>Lathyroides erecta</i> ...	—	46	2098
<i>Orvala</i> ...	—	5	172	<i>Lathyrus acutifolius</i> ..	—	69	3996
<i>Lampra volcanica</i> ...	51	121	7405	" " ...	59	129	7891
<i>Lamprococcus Lauren-</i>				<i>articulatus</i> ...	—	8	253
<i>tianus</i> ...	35	105	6435	<i>arvensis</i> ...	—	4	111
<i>Weilbachii</i> ...	35	105	6435	<i>decaphyllus</i> ...	—	59	3123
<i>Lampujum</i> ...	—	45	2000	<i>distoplatyphyllos</i> ...	—	2	60

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Lathyrus grandiflorus</i> ...	—	44	1938	<i>Layia neo-Mexicana</i> ...	42	112	6856
<i>Hispanicus</i> ...	—	8	253	<i>Le Gerofle</i> ...	—	54	2749
<i>latifolius</i> ...	52	122	7499	<i>Le Moutan</i> ...	—	29	1154
<i>macropus</i> ...	59	129	7891	<i>Le Yu-lan</i> ...	—	39	1621
<i>miniatus</i> ...	36	106	6522	<i>Leavenworthia aurea</i> ..	24	94	5730
<i>nervosus</i> ...	—	69	3987	<i>Lebeckia nuda</i> ...	—	48	2214
<i>odoratus</i> ...	—	2	60	<i>Lebretonia coccinea</i> ...	—	65	3692
<i>peduncularis</i> ...	36	106	6522	<i>Lechenaultia formosa</i> ..	—	52	2600
<i>pubescens</i> ...	—	69	3996	<i>Lecythis bracteata</i> ...	—	59	3158
„ ...	59	129	7891	<i>Ledebouria hyacinthina</i>	—	60	3226
<i>rotundifolius</i> ...	36	106	6522	<i>Ledocarpon argentum</i> .	31	101	6170
<i>sativus</i> ...	—	4	115	<i>chilense</i> ...	31	101	6170
<i>Sibthorpii</i> ...	52	122	7499	<i>cistiflorum</i> ...	31	101	6170
<i>spectabilis</i> ...	—	37	1542	<i>Meyenianum</i> ...	31	101	6170
<i>splendens</i> ...	54	124	7575	<i>pedunculare</i> ...	31	101	6170
<i>Tingitanus</i> ...	—	3	100	<i>Ledum alpinum</i> ...	—	43	1853
<i>trigonus</i> ...	—	69	3987	<i>buxifolium</i> ...	40	110	6752
<i>tuberosus</i> ...	—	4	111	<i>floribus bullatis</i> ...	—	10	331
<i>undulatus</i> ...	52	122	7499	<i>foliis serpylli</i> ...	—	14	488
<i>Latouria spectabilis</i> ...	56	126	7747	<i>glandulosum</i> ...	54	124	7610
<i>Latua venenata</i> ...	19	89	5373	<i>lauro-cerasi folio</i> ...	—	24	951
<i>Laurifolia arborea</i> ...	6	76	4502	<i>thymifolium</i> ...	40	110	6752
<i>Laurus aggregata</i> ...	—	51	2497	<i>Leea coccinea</i> ...	18	88	5299
<i>Alexandrina</i> ...	—	46	2049	<i>lucida</i> ...	18	88	5299
<i>bullata</i> ...	—	68	3931	<i>Lehmannia tomentosa</i>	48	118	7252
<i>Camphora</i> ...	—	53	2658	<i>Leianthus longifolius</i> ..	1	71	4169
<i>camphorifera</i> ...	—	53	2658	<i>nigrescens</i> ...	—	69	4043
<i>canella</i> ...	—	40	1636	<i>umbellatus</i> ...	2	72	4243
<i>Cassia</i> ...	—	40	1636	<i>Leiophyllum buxifolium</i>	40	110	6752
<i>Cinnamomum</i> ...	—	46	2028	<i>prostratum</i> ...	40	110	6752
<i>diospyroides</i> ...	—	36	1470	<i>serpyllifolium</i> ...	40	110	6752
<i>Diospyrus</i> ...	—	36	1470	<i>thymifolium</i> ...	40	110	6752
<i>geniculata</i> ...	—	36	1471	<i>Lenticula palustris</i> ...	7	77	4564
<i>melissæfolia</i> ...	—	36	1470	<i>Lentiscus vulgaris</i> ...	—	45	1967
<i>Persea</i> ...	7	77	4580	<i>Lentisque</i> ...	—	45	1967
<i>sylvestris</i> ...	—	2	38	<i>Leonotis nepetæfolia</i> ..	—	65	3700
<i>Lavandula dentata</i> ...	—	12	400	<i>Leontice Alberti</i> ...	42	112	6900
<i>maritima</i> ...	—	12	401	<i>Altaica</i> ...	—	60	3245
<i>pinnata</i> ...	—	12	401	<i>Chrysogonum</i> ...	32	102	6244
<i>Lavatera acerifolia</i> ...	58	128	7865	<i>Leontopodium</i> ...	—	45	1958
<i>althææfolia</i> ...	—	4	109	<i>Leonurus Africana</i> ...	—	14	478
<i>hispida</i> ...	—	52	2541	<i>Capitis bonæ spei</i> ...	—	14	478
<i>olbia</i> ...	—	52	2541	<i>globosus</i> ...	—	65	3700
<i>phoenicea</i> ...	58	128	7865	<i>nepetæfolia</i> ...	—	65	3700
<i>plebeia</i> ...	—	48	2269	<i>Leopardanthus scan-</i>			
<i>Thuringiaca</i> ...	—	15	517	<i>dens</i> ...	60	130	7951
<i>triloba</i> ...	—	48	2226	<i>Lepanthes Calodietyon</i>	17	87	5259
<i>trimestris</i> ...	—	4	109	<i>sanguinea</i> ...	—	70	4112
<i>Layia glandulosa</i> ...	42	112	6856	<i>Leperiza latifolia</i> ...	12	82	4952
				<i>Lepidium Dentillaria</i> ..	—	47	2139

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Lepidium leiocarpum</i> .	28	98	5952	<i>Leucadendron nanum</i> ...	46	116	7095
<i>Lepidocarpodendron</i>				<i>pinifolium</i>	46	116	7095
<i>acaulon</i>	—	19	698	<i>repens</i>	—	10	346
"	—	46	2065	<i>scolymocephalum</i> ...	—	19	698
<i>foliis angustis</i> ...	—	10	346	<i>Leucanthemum nippo-</i>			
<i>folio saligno</i> ...	—	18	674	<i>nicum</i>	55	125	7660
" " <i>lato</i> ...	—	51	2447	<i>rotundifolium</i> ...	48	118	7225
" <i>subrotundo</i> ...	—	20	770	<i>Leucheria runcinata</i> ...	—	70	4116
<i>Lepismium commune</i> ..	—	66	3763	<i>Leuchtenbergia Prin-</i>			
<i>Myosurus</i>	—	66	3755	<i>cipis</i>	4	74	4393
<i>Leptactina Mannii</i> ...	50	120	7367	<i>Leucocarpus fruticosus</i>	31	101	6164
<i>Leptanthe macrosta-</i>				<i>Leucographis Lamium</i>	9	79	4717
<i>chya</i>	44	114	7003	<i>Vogeliana</i>	9	79	4717
<i>Leptanthus ovalis</i> ...	31	101	6192	<i>Leucoium alpinum</i> ...	—	50	2423
<i>Leptodaactylon Califor-</i>				<i>angustifolium</i> ...	—	50	2423
<i>nicum</i>	11	81	4872	<i>foliis radicalibus sub-</i>			
<i>Leptogyne maritima</i> ...	32	102	6241	<i>rotundis</i>	—	48	2219
<i>Leptorhynchus suave-</i>				<i>hyemale</i>	39	109	6711
<i>olens</i>	20	90	5443	<i>melancholicum</i> ...	—	19	730
<i>Leptosiphon androsa-</i>				<i>minus</i>	—	19	729
<i>ceus</i>	—	63	3491	<i>Leucojum Æstivum</i> ...	—	30	1210
<i>densiflorus</i>	—	64	3578	<i>autumnale</i>	—	24	960
<i>luteus</i>	9	79	4735	<i>bulbosum</i>	—	2	46
<i>parviflorus v. rosaceus</i>	26	96	5863	"	—	24	960
<i>Leptospermum flaves-</i>				"	—	30	1210
<i>cens</i>	—	53	2695	"	—	45	1993
<i>grandifolium</i> ...	—	43	1810	"	—	47	2162
<i>scandens</i>	5	75	4471	<i>luteum</i>	—	5	170
<i>scoparium v. grandif-</i>				<i>maritimum minus</i> ...	8	78	4672
<i>florum</i>	—	62	3419	<i>minus</i>	—	5	166
<i>Thea</i>	—	53	2695	" <i>purpureum</i> ...	56	126	7750
<i>virgatum</i>	—	47	2127	<i>montanum</i>	—	51	2444
<i>Leptostemma fascicu-</i>				"	56	126	7750
<i>latum</i>	58	128	7853	<i>pulchellum</i>	—	30	1210
<i>hirsutum</i>	58	128	7853	<i>saxatile</i>	—	4	126
<i>Leptotes bicolor v.</i>				<i>vernum</i>	—	2	46
<i>glaucophylla</i> ...	—	66	3734	"	—	45	1993
<i>Leschenaultia arcuata</i>	2	72	4265	<i>Leucopogon apiculatus</i>	—	60	3251
<i>splendens</i>	2	72	4256	<i>glaucescens</i> ...	34	104	6366
<i>Lespedeza bicolor</i> ...	38	108	6602	<i>lanceolatus</i> ...	—	59	3162
<i>Sieboldii</i>	38	108	6602	<i>parviflorus</i>	—	60	3251
<i>Lessertia perennans</i> ...	30	100	6106	<i>polystachyus</i> ...	—	60	3251
<i>pulehra</i>	—	46	2064	<i>Richei</i>	—	60	3251
<i>Lettsonia splendens</i> ...	—	53	2628	<i>Verticillatus</i> ...	34	104	6366
<i>Leucadendron acaulon</i>	—	46	2065	<i>Leucothœ crassifolia</i>	7	77	4593
<i>cynaroides</i>	—	20	770	<i>Davisia</i>	32	102	6247
"	—	51	2447	<i>Katagherensis</i> ...	28	98	5984
<i>foliis subrotundis</i> ...	—	20	770	<i>Lobbii</i>	32	102	6247
<i>grandiflorum</i> ...	—	40	1650	<i>neriifolia</i>	7	77	4593
<i>Lepidocarpodendron</i>	—	18	674	<i>pulchra</i>	3	73	4314

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Lewisia alba</i> ...	19	89	5395	<i>Lilio-Narcissus hemero-</i>			
<i>rediviva</i> ...	19	89	5395	<i>callidis facie</i> ...	—	19	718
<i>Tweedyi</i> ...	55	125	7633	<i>Indicus</i> ...	—	7	239
<i>Leycesteria formosa</i> ...	—	65	3699	" ...	—	19	733
<i>Lhotskyia ericoides</i> ...	57	127	7753	" ...	—	35	1443
<i>hirta</i> ...	57	127	7753	" ...	—	39	1619
<i>scabra</i> ...	57	127	7753	<i>Jacobæus</i> ...	—	2	47
<i>Liatris macrostachya</i> ..	—	34	1411	<i>liliflorus</i> ...	—	7	239
<i>propinqua</i> ...	—	67	3829	<i>polyanthos</i> ...	—	28	1125
<i>scariosa</i> ...	—	41	1709	" ...	—	50	2419
<i>spicata</i> ...	—	34	1411	<i>rubeus</i> ...	—	19	733
<i>squarrulosa</i> ...	—	41	1709	<i>virginiensis</i> ...	—	7	239
<i>Libertia formosa</i> ...	—	61	3294	<i>zeylanicus</i> ...	—	24	923*
<i>paniculata</i> ...	32	102	6263	" ...	—	29	1171
<i>Licuala grandis</i> ...	39	109	6704	" ...	—	31	1253
<i>Veitchii</i> ...	45	115	7053	<i>Lilium africanum</i> ...	—	18	661
<i>Liebigia speciosa</i> ...	3	73	4315	" ...	—	35	1443
<i>Lien Kien</i> ...	—	35	1447	<i>album</i> ...	—	8	278
<i>Ligularia clivorum</i> ...	59	129	7902	<i>Alexandrinum</i> ...	—	19	728
<i>Hodgsoni</i> ...	19	89	5417	" ...	—	22	876
<i>Kæmpferi</i> v. <i>aureo-</i>				<i>Americanum</i> ...	—	9	305
<i>maculata</i> ...	18	88	5302	" ...	—	13	453
<i>Ligustrina amurensis</i> ..	53	123	7534	<i>angustifolium</i> ...	—	21	800
<i>Ligustrum coriaceum</i> ..	53	123	7519	<i>auratum</i> ...	18	88	5338
<i>foliis ad singula geni-</i>				<i>aureum</i> ...	—	1	36
<i>cula ternis</i> ...	—	20	784	<i>autumnale</i> ...	—	49	2280
<i>japonicæ forma dif-</i>				<i>avenaceum</i> ...	30	100	6126
<i>formis</i> ...	53	123	7519	<i>Brownii</i> v. <i>leucanthum</i> .	56	126	7722
<i>lucidum</i> ...	—	52	2565	<i>bulbiferum</i> ...	—	1	36
" ...	53	123	7519	" v. <i>umbellatum</i>	—	26	1018
<i>Nepalense</i> v. <i>glabrum</i>	—	56	2921	" ...	—	29	1165
<i>spicatum</i> ...	—	56	2921	<i>Byzantium</i> ...	—	1	30
<i>Lilac cærulea</i> ...	—	6	183	<i>canadense</i> ...	—	21	800
<i>Liliago Cordi</i> ...	—	23	914	" ...	—	22	858
<i>Lilio-Asphodelus Ame-</i>				" ...	—	24	936
<i>ricanus</i> ...	—	26	1034	" v. <i>parvum</i>	31	101	6146
" ...	—	27	1073	<i>candidum</i> ...	—	8	278
<i>luteus</i> ...	—	22	873	<i>carolinianum</i> ...	—	24	936
<i>Liliodendron foliis an-</i>				" ...	—	49	2280
<i>gulatis</i> ...	—	8	275	<i>Catesbæi</i> ...	—	8	259
<i>Tulipifera</i> ...	—	8	275	<i>caule folioso</i> ...	—	26	1018
<i>Lilio-Gladiolus</i> ...	—	27	1098	<i>Chalcedonicum</i> ...	—	1	30
<i>bifolius</i> ...	—	8	272	<i>claptonense</i> ...	48	118	7227
<i>Lilio-Narcissus Afri-</i>				<i>concolor</i> v. <i>Sinicum</i> .	28	98	6005
<i>canus</i> ...	—	24	923*	" ...	—	29	1165
" ...	—	29	1171	<i>convallium</i> ...	—	15	510
" ...	—	31	1253	<i>cordifolium</i> ...	8	78	4673
" ...	—	35	1443	" ...	34	104	6337
" ...	—	47	2121	<i>flavum</i> ...	—	21	798
<i>albus</i> ...	—	19	718	<i>floribus reflexis</i> ...	—	23	893

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
Lilium foliis sparsis...	—	24	936	Lilium Philippinense	32	102	6250
„ „ verticil- latis ...	—	23	893	pomponium ...	—	21	798
giganteum... ..	8	78	4673	„ ...	—	25	971
Grayi	48	118	7234	„ ...	—	31	1237
Henryi	47	117	7177	primulinum ...	48	118	7227
Hookeri	34	104	6385	purpureo-croceum ...	—	1	36
Imperiale	—	6	194	purpureum ...	—	26	1018
indicum	—	27	1075	pusillum	—	32	1316
japonici forma ...	56	126	7722	pyrenaicum ...	—	21	798
japonicum	—	38	1591	„ ...	—	25	971
„	56	126	7722	roseum	9	79	4725
Javanicum... ..	—	52	2538	rubellum	55	125	7634
(hybridum) Krameri	29	99	6058	rubrum	—	2	64
Leichtlinii... ..	23	93	5673	„	—	21	798
longiflorum	7	77	4561	sarniense	—	9	294
„	56	126	7722	silvestre	—	23	893
Lowii	48	118	7232	speciosum	—	31	1237
luteum	—	1	19	„ v. albiflorum	—	66	3785
maculatum	30	100	6126	spectabile	—	8	259
martagon	—	21	800	sulphureum ...	48	118	7257
„	—	23	893	Superbum	—	24	936
„	—	39	1634	susianum	—	24	962
„	—	49	2280	„	—	37	1537
„	30	100	6126	sutchuense... ..	56	126	7715
Metzii	33	103	6332	tenuifolium ...	—	59	3140
Michauxii	—	49	2280	„	56	126	7715
miniatum	—	21	798	Thomsonianum ...	9	79	4725
monadelphum ...	—	34	1405	tigrinum	—	31	1237
montanum... ..	—	21	798	tubiflorum... ..	33	103	6332
„	—	23	893	Wallichianum ...	7	77	4561
Neilgherrense ...	33	103	6332	„	33	103	6332
„	48	118	7227	„	48	118	7257
neilgherriicum ...	33	103	6332	zeylanicum	—	27	1073
nepalense	45	115	7043	Limatodes mishmensis	52	122	7479
„	48	118	7232	pauciflora	45	115	7086
ochroleucum	45	115	7043	punctata	45	115	7086
„	48	118	7257	rosea	18	88	5312
odorum	56	126	7722	Limnanthes Douglasii	—	64	3554
orientale	—	34	1405	Limnia	—	48	2243
Parryi	38	108	6650	Limnocharis emarginata	—	52	2525
parvum	31	101	6146	Humboldtii	—	60	3248
Pensylvanicum ...	—	22	872	Plumieri	—	52	2525
(see note)	—	30	1210	Limodorum altum ...	—	24	930
Persicum	—	6	194	„	—	60	3217
„	—	24	962	aphyllum	31	101	6199
„	—	30	1215	articulatum ...	59	129	7921
„	—	37	1537	autumnale... ..	—	38	1568
Philadelphicum ...	—	15	519	boreale	—	54	2763
„	—	29	1165	cristatum	59	129	7921
				cucullatum	—	65	3707

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Limodorum cyperifolium</i>	44	114	7007	<i>Linaria pannonica</i> ...	—	47	2183
<i>eburneum</i> ...	10	80	4761	<i>purpurea</i> ...	—	3	99
<i>ensatum</i> ...	—	42	1751	<i>quadrifolia</i> ...	—	6	205
<i>epidendroides</i> ...	22	92	5579	<i>reticulata</i> ...	29	99	6041
<i>Epipogium</i> ...	10	80	4821	<i>sagittata</i> ...	29	99	6060
<i>falcatum</i> ...	—	46	2097	<i>silensifolia</i> ...	—	47	2183
<i>funale</i> ...	3	73	4295	<i>stricta</i> ...	29	99	6041
<i>graminifolium</i> ...	49	119	7284	<i>tertia Styriaca</i> ...	—	6	205
<i>hyacinthinum</i> ...	—	36	1492	<i>triphylla</i> ...	—	9	324
<i>Incarvillei</i> ...	—	44	1924	<i>tristis</i> ...	26	96	5827
„ ...	29	99	6032	<i>tristis hispanica</i> ...	—	3	74
<i>moniliforme</i> ...	1	71	4153	<i>valentina</i> ...	—	9	324
<i>retusum</i> ...	—	70	4108	<i>Webbiana</i> ...	29	99	6060
<i>striatum</i> ...	44	114	7026	<i>Lindenbergia grandi-</i>			
<i>Tankervilliae</i> ...	—	44	1924	<i>flora</i> ...	56	126	7738
<i>tuberculosum</i> ...	49	119	7307	<i>Lindenia rivalis</i> ...	17	87	5258
<i>tuberosum</i> ...	—	4	116	<i>Lindleya</i> ...	—	70	4129
<i>utriculatum</i> ...	1	71	4151	<i>Lindolfia anchusoides</i> .	53	123	7520
<i>veratrifolium</i> ...	—	53	2615	<i>Linospadix mono-</i>			
<i>virens</i> ...	22	92	5579	<i>stachyos</i> ...	38	108	6644
<i>Limonia arborea</i> ...	—	46	2074	<i>Linum Africanum</i> ...	—	12	403
<i>parviflora</i> ...	—	50	2416	„ „ ...	—	12	431
<i>scandens</i> ...	6	76	4522	<i>arboreum</i> ...	—	7	234
<i>Limonium elatius</i> ...	—	18	656	<i>Ascyrifolium</i> ...	—	27	1087
<i>foliis lanceolatis</i> ...	—	18	656	<i>Austriacum</i> ...	—	27	1086
<i>orientale</i> ...	52	122	7506	<i>Berendieri</i> ...	—	63	3480
<i>peregrinum</i> ...	—	2	71	<i>decoloratum</i> ...	15	85	5112
<i>Rauwolfii</i> ...	—	2	71	<i>Flavum</i> ...	—	9	312
<i>Linaria æquitriloba</i> ...	—	56	2941	<i>grandiflorum</i> ...	12	82	4956
<i>Americana</i> ...	—	15	525	<i>hirsutum</i> ...	15	85	5112
<i>aparinoides</i> ...	29	99	6041	<i>Hypericifolium</i> ...	—	26	1048
<i>bellidis folio</i> ...	—	46	2056	<i>Macraei</i> ...	20	90	5474
<i>Canadensis</i> ...	—	63	3473	<i>monogynum</i> ...	—	64	3574
<i>circinnata</i> ..	29	99	6060	<i>piliferum</i> ...	15	85	5112
<i>constantinopolitana</i> .	—	47	2183	<i>Plotzii</i> ...	—	63	3480
<i>crassifolia</i> ...	24	94	5743	<i>pubescens v. Sib-</i>			
<i>dalmatica</i> ...	35	105	6424	<i>thorpiatum</i> ...	15	85	5112
<i>flore pallido</i> ...	—	47	2183	<i>quadrifolium</i> ...	—	12	431
„ <i>purpureo</i> ...	—	15	525	<i>Sibthorpiatum</i> ...	15	85	5112
<i>genistifolia v. procera</i>	—	47	2183	<i>sylvestre</i> ...	—	9	312
<i>grandiflora</i> ...	35	105	6424	„ <i>angustifolium</i>	—	27	1086
<i>heterophylla</i> ...	29	99	6041	„ <i>latifolium</i> ...	—	27	1087
„ ...	29	99	6060	<i>tetragynum</i> ...	46	116	7136
<i>Hispanica</i> ...	—	9	324	<i>Trigynum</i> ...	—	27	1100
<i>Isatidis folio</i> ...	—	47	2183	<i>venustum</i> ...	—	26	1048
<i>Lancerottæ</i> ...	29	99	6060	<i>Liparia parva</i> ...	—	69	4034
<i>maroccana</i> ...	28	98	5983	<i>sphærica</i> ...	—	31	1241
<i>odorata</i> ...	—	46	2056	<i>vestita</i> ...	—	48	2223
<i>origanifolia v. crassi-</i>				<i>villosa</i> ...	—	48	2223
<i>folia</i> ...	24	94	5733	„ ...	—	60	3216

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Liparis atropurpurea</i> ..	21	91	5529	<i>Lithospermum ros-</i>			
<i>foliosa</i>	—	54	2709	<i>marinifolium</i> ...	27	97	5942
<i>tricallosa</i>	57	127	7804	<i>Littonia modesta</i> ...	9	79	4723
<i>venosa</i>	57	127	7804	<i>Livistona Australis</i> ...	33	103	6274
<i>Walkeriae</i>	—	66	3770	<i>Llanpanke amplissimo</i>			
<i>Lippia juncea</i>	56	126	7695	<i>sonchifolio</i> ...	—	61	3309
<i>montevidensis</i> ...	—	57	2981	<i>Llavea cordifolia</i> ...	16	86	5159
"	—	68	3941	<i>Loasa acanthifolia</i> ...	—	60	3218
<i>ovata</i>	—	6	186	<i>ambrosiaefolia</i> ...	—	58	3057
<i>Liquidambar tricuspi-</i>				<i>Chuquitensis</i> ...	31	101	6143
<i>data</i>	36	106	6507	<i>contorta</i>	30	100	6134
<i>Liquiritia lepidota</i> ...	—	47	2150	<i>hispida</i>	—	58	3057
<i>Lirio rôxo</i>	—	28	1130	<i>incana</i>	—	58	3048
<i>Liriope spicata</i>	18	88	5348	<i>lateritia</i>	—	65	3632
<i>Lisianthus acutan-</i>				<i>nitida</i>	—	50	2372
<i>gulus</i>	3	73	4324	<i>palmata</i>	—	55	2865
<i>carinatus</i>	15	85	5094	<i>Pentlandii</i>	—	70	4095
<i>erectus</i>	1	71	4169	<i> picta</i>	5	75	4428
<i>glaucifolius</i>	—	65	3626	<i>Placei</i>	—	60	3218
<i>longifolius</i>	1	71	4169	<i>prostrata</i>	35	105	6442
<i>ophiorrhiza</i>	9	79	4747	<i>striata</i>	14	84	5028
<i>pulcher</i>	5	75	4424	<i>urens</i>	—	58	3057
<i>Russellianus</i>	—	65	3626	<i>vulcanica</i>	35	105	6410
<i>tetragonus</i>	3	73	4324	<i>Wallisii</i>	35	105	6410
<i>trifidus</i>	3	73	4324	<i>Lobelia aromatica</i> ...	22	92	5587
<i>umbellatus</i>	2	72	4243	<i>bicolor</i>	—	15	514
<i>Zeylanicus</i>	5	75	4423	<i>bidentata</i>	—	36	1484
<i>Lissanthe cana</i>	—	60	3285	<i>Bridgesii</i>	—	65	3671
<i>sapida</i>	—	59	3147	<i>cærulea</i>	—	53	2701
<i>verticillata</i>	34	104	6366	<i>calcarata</i>	58	128	7849
<i>Lissochilus Horsfallii</i> .	21	91	5486	<i>cardinalis</i>	—	9	320
<i>Krebsii</i>	26	96	5861	<i>Cavanillesii</i>	—	64	3600
<i>milanjianus</i>	53	123	7546	<i>coronopifolia</i>	—	17	644
<i>purpuratus</i>	59	129	7921	<i>corymbosa</i>	—	53	2693
<i>Sandersoni</i>	42	112	6858	<i>decumbens</i>	—	49	2277
<i>Litanthus pusillus</i> ...	28	98	5995	<i>erinoides</i>	—	64	3609
<i>Lithagrostis Lachryma</i>				<i>Erinus</i>	—	23	901
<i>Jobi</i>	—	51	2479	<i>excelsa</i>	22	92	5587
<i>Lithonthlapi fruti-</i>				<i>foliis oblongis</i> ...	—	17	644
<i>cosus</i>	—	40	1642	<i>gigantea</i>	—	32	1325
<i>Lithospermum arundin-</i>				<i>gracilis</i>	—	20	741
<i>aceum</i>	—	51	2479	<i>heterophylla</i>	—	66	3784
<i>canescens</i>	4	74	4389	<i>Humboldtiana</i>	23	93	5631
<i>conspicuum</i>	4	74	4389	<i>hypocrateriformis</i> ...	—	58	3075
<i>Drummondii</i>	31	101	6178	<i>ignea</i>	13	83	4960
<i>erectum</i>	4	74	4409	<i>ilicifolia</i>	—	44	1896
<i>Gastoni</i>	27	97	5926	<i>intertexta</i>	54	124	7615
<i>orientale</i>	—	15	515	<i>Kalmii</i>	—	48	2238
<i>paniculatum</i>	—	53	2680	<i>Kraussii</i>	—	57	3012
<i>petraeum</i>	27	97	5942	<i>laevigata</i>	—	7	225

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Lobelia longiflora</i> ...	—	52	2563	<i>Lonicera cærulea</i> ...	—	45	1965
<i>lutea</i> ...	—	32	1319	<i>Charlotti</i> ...	60	130	7977
<i>Milleri</i> ...	—	64	3604	<i>chinensis</i> ...	—	61	3316
<i>minima</i> ...	—	46	2077	<i>Diervilla</i> ...	—	43	1796
<i>minuta</i> ...	—	52	2590	<i>etrusca v. superba</i> ...	60	130	7977
<i>mucronata</i> ...	—	60	3207	<i>flava</i> ...	—	32	1318
<i>nicotianæfolia</i> ...	22	92	5587	<i>flexuosa</i> ...	—	61	3316
<i>pedicellaris</i> ...	—	69	4015	<i>foliis lucidis</i> ...	—	42	1744
<i>pedunculata</i> ...	—	48	2251	<i>gigantea</i> ...	60	130	7977
<i>persicifolia</i> ...	—	64	3600	<i>glabrata</i> ...	—	61	3316
<i>physaloides</i> ...	42	112	6864	<i>hetrusca</i> ...	60	130	7977
<i>polyphylla</i> ...	—	64	3550	<i>Hildebrandiana</i> ...	55	125	7677
<i>puberula</i> ...	—	61	3292	<i>Hildebrandii</i> ...	55	125	7677
<i>pyramidalis</i> ...	—	50	2387	<i>hirsuta</i> ...	—	58	3103
<i>racemosa</i> ...	—	47	2137	<i>implexa</i> ...	—	17	640
<i>rhizophyta</i> ...	—	51	2519	<i>Japonica</i> ...	—	61	3316
<i>robusta</i> ...	—	59	3138	<i>Marilandica</i> ...	—	3	80
<i>senecioides</i> ...	—	53	2702	<i>pedunculis bifloris</i> ..	57	127	7774
" ...	14	84	5073	<i>pubescens</i> ...	—	58	3103
<i>siphilitica hybrida</i> ..	—	64	3604	<i>punicea</i> ...	—	51	2469
<i>speciosa</i> ...	—	64	3604	<i>pyrenaica</i> ...	—	45	1965
<i>speculum</i> ...	—	36	1499	" ...	57	127	7774
<i>splendens v. atro-</i>	—	69	4002	<i>rupicola</i> ...	60	130	7989
<i>sanguinea</i> ...	—	69	4002	<i>sempervirens</i> ...	—	20	781
" <i>v. ignea</i> ...	13	83	4960	" <i>v. minor</i> ...	—	42	1753
<i>stimulans</i> ...	—	50	2387	<i>Standishii</i> ...	24	94	5709
<i>Surinamensis</i> ...	—	7	225	<i>syringantha</i> ...	60	130	7989
<i>Texensis</i> ...	13	83	4964	<i>tomentella</i> ...	36	106	6486
<i>thapsoidea</i> ...	1	71	4150	<i>Lopezia grandiflora</i> ...	9	79	4724
<i>trigonocaulis</i> ...	14	84	5088	<i>macrophylla</i> ...	9	79	4724
<i>Tupa</i> ...	—	32	1325	<i>racemosa</i> ...	—	8	254
" ...	—	52	2550	<i>Lophiola aurea</i> ...	—	39	1596
<i>unidentata</i> ...	—	36	1484	<i>Lophospermum Rhodo-</i>			
<i>variifolia</i> ...	—	41	1692	<i>chiton</i> ...	—	61	3367
<i>Lockhartia elegans</i> ...	—	54	2715	<i>scandens</i> ...	—	57	3037
<i>Loddigesia oxalidifolia</i>	—	24	965	" ...	—	65	3650
<i>Lodoicea Maldivica</i> ...	—	54	2734	<i>Lopimia malacophylla</i>	4	74	4365
<i>Sechellarum</i> ...	—	54	2734	<i>Loropetalum chinense</i>	60	130	7979
<i>Logania capensis</i> ...	59	129	7916	<i>Lotus Ægyptia</i> ...	—	21	797
<i>Logondium vulgare</i> ...	—	47	2187	<i>Africana frutescens</i> ..	—	20	742
<i>Lomaria coriacea</i> ...	15	85	5121	<i>angustifolia</i> ...	—	3	79
<i>eriopus</i> ...	15	85	5121	<i>Australis</i> ...	—	33	1365
<i>Lomatia ilicifolia</i> ...	—	69	4023	<i>enneaphyllos</i> ...	—	47	2179
<i>longifolia</i> ...	56	126	7698	<i>hirsutus</i> ...	—	10	336
<i>silafolia</i> ...	—	31	1272	<i>hortensis odora</i> ...	—	49	2283
<i>tinctoria</i> ...	—	70	4110	<i>Jacobæus</i> ...	—	3	79
<i>Lonas inodora</i> ...	—	49	2276	<i>microphyllus</i> ...	—	55	2808
<i>Lonchocarpus Barteri</i> .	43	113	6943	<i>montanus</i> ...	—	16	557
<i>Lonicera Alberti</i> ...	51	121	7394	<i>odoratus</i> ...	—	30	1233
<i>bubalina</i> ...	—	49	2339	<i>palustris</i> ...	50	120	7384

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Lotus peliorhynchus</i> ...	40	110	6733	<i>Luzuriaga cymosa</i> ...	—	59	3131
<i>pentaphyllos vesicaria</i>	—	3	108	<i>erecta</i> ...	16	86	5192
" ...	—	10	336	<i>radicans</i> ...	35	105	6465
<i>pinnatus</i> ...	—	56	2913	<i>Lycaste Barringtoniæ</i>			
<i>polyceratos</i> ...	—	10	336	<i>v. grandiflora</i> ...	24	94	5706
<i>pulcherrima</i> ...	—	5	151	<i>fulvescens</i> ...	1	71	4193
<i>ruber</i> ...	—	5	151	<i>gigantea</i> ...	22	92	5616
<i>sylvestris</i> ...	—	49	2283	<i>lasioglossa</i> ...	32	102	6251
<i>tetragonolobus</i> ...	—	5	151	<i>Linguella</i> ...	33	103	6303
<i>urbana</i> ...	—	49	2283	<i>Skinneri</i> ...	5	75	4445
<i>Lourya campanulata</i> ...	52	122	7482	<i>tyrianthina</i> ...	52	122	7461
<i>Lowea berberifolia</i> ...	46	116	7096	<i>Lychnidea blattariæ</i>			
<i>maxillarioides</i> ...	50	120	7351	<i>accedens</i>	—	12	411
<i>Loxococcus rupicola</i> ...	34	104	6358	" "	—	12	415
<i>Lubinia atropurpurea</i> .	12	82	4941	<i>Caroliniana</i> ...	—	33	1344
<i>Lucorum bulbosum</i> ...	—	45	1993	<i>umbellifera</i> ...	—	32	1307
<i>Luculia gratissima</i> ...	—	68	3946	<i>veronicae folio</i> ...	—	61	3333
<i>Pinciana</i> ...	1	71	4132	<i>villosa</i> ...	—	51	2504
<i>Ludovia latifolia</i> ...	—	56	2950	<i>virginiana</i> ...	—	5	163
<i>Lueddemannia Pesca-</i>				<i>Lychnis africana</i> ...	—	44	1883
<i>torei</i> ...	46	116	7123	<i>Alpina</i> ...	—	11	394
<i>Luffa foetida</i> ...	—	40	1638	<i>aspera</i> ...	—	70	4075
<i>Luisia Psyche</i> ...	22	92	5558	<i>Behen</i> ...	—	23	908
<i>teretifolia</i> ...	—	65	3648	<i>Bungeana</i> ...	—	64	3594
<i>Luma Cheken</i> ...	23	93	5644	<i>caryophyllæus</i> ...	—	28	1107
<i>Lunania</i> ...	24	94	5699	<i>Chalcedonica</i> ...	—	8	257
<i>Lunaria fruticosa</i> ...	—	58	3087	<i>Coeli-Rosa</i> ...	—	70	4075
<i>graeca</i> ...	—	58	3087	<i>coronaria</i> ...	—	1	24
<i>Lupinaster</i> ...	—	22	879	" ...	—	12	398
<i>Lupinus arboreus</i> ...	—	18	682	<i>coronata</i> ...	—	7	223
<i>cæruleus</i> ...	—	6	202	<i>flore simplicis</i> ...	—	61	3342
<i>calycibus alternis</i> ...	—	6	202	<i>Fortunei</i> ...	55	125	7649
<i>Cruckshanksii</i> ...	—	58	3056	<i>fulgens</i> ...	—	46	2104
<i>floribus cæruleis</i> ...	—	6	202	<i>grandiflora</i> ...	—	7	223
<i>incanus</i> ...	—	60	3283	<i>hirsuta</i> ...	—	8	257
<i>littoralis</i> ...	—	56	2952	<i>(Petrocoptis) Lagascae</i>	24	94	5746
<i>luteus</i> ...	—	4	140	<i>nummularia</i> ...	—	60	3269
<i>Menziesii</i> ...	13	83	5019	<i>oculata</i> ...	—	70	4075
<i>microcarpus</i> ...	—	50	2413	<i>orientalis</i> ...	—	21	807
<i>mutabilis</i> ...	—	53	2682	<i>pseudomelanthis</i>			
<i>Nootkatensis</i> ...	—	32	1311	<i>similis</i> ...	—	9	295
" <i>v. fruticosus</i>	—	47	2136	<i>Pyrenaica</i> ...	—	60	3269
<i>Perennis</i> ...	—	6	202	<i>repens</i> ...	—	6	154
<i>subcarnosus</i> ...	—	63	3467	<i>segetum</i> ...	—	9	295
<i>sylvestris</i> ...	—	4	140	" <i>rubra</i> ...	—	49	2290
<i>Texensis</i> ...	—	63	3492	<i>Vaccaria</i> ...	—	49	2290
<i>Lupulinum montanum</i>	—	16	557	<i>Lychnoides Marilandica</i>	—	32	1307
<i>Luvunga scandens</i> ...	6	76	4522	<i>Lycioplesium pubi-</i>			
<i>Luxemburgia ciliosa</i> ...	—	70	4048	<i>florum</i> ...	19	89	5373
				<i>Lycium æthiopicum</i> ...	—	29	1167

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Lycium Beloxylon</i> ...	—	43	1841	<i>Lysimachium aquatile</i> ...	—	45	2012
<i>foetidum</i> ...	—	11	361	<i>Lysionotus albidus</i> ...	2	72	4236
<i>forte</i> ...	—	43	1841	<i>longiflorus</i> ...	3	73	4328
<i>fuchsioides</i> ...	1	71	4149	<i>serrata</i> ...	37	107	6538
<i>indicum</i> ...	—	11	361	<i>ternifolia</i> ...	37	107	6538
<i>Japonicum</i> ...	—	11	361	<i>Lythrum acutangulum</i>	36	106	6499
<i>magis americanum</i> .	—	43	1841	<i>alatum</i>	43	1812
<i>portoricense</i> ...	—	47	2114	<i>Austriacum</i> ...	—	25	1003
<i>Lycopersicum dentatum</i>	—	55	2814	<i>flexuosum</i> ...	36	106	6499
<i>peruvianum</i> ...	—	55	2814	<i>fruticosum</i> ...	—	44	1906
<i>Pimpinella Sanguisobae folio</i> ...	—	55	2814	<i>Grafferi</i> ...	36	106	6499
<i>Lycopsis echioides</i> ...	4	74	4409	<i>junceum</i> ...	36	106	6499
<i>rosea</i> ...	—	63	3477	<i>Preslii</i> ...	36	106	6499
<i>Lycoris squamigera</i> ...	53	123	7547	<i>thymifolia</i> ...	36	106	6499
<i>Lyonia Jamaicensis</i> ...	2	72	4273	<i>Virgatum</i> ...	—	25	1003
<i>Lysanthe linariæfolia</i> .	—	53	2661	<i>vulneraria</i> ...	—	43	1812
<i>speciosa</i> ...	39	109	6698	<i>Maackia amurensis</i> ...	37	107	6551
<i>Lysichitum camtschaticense</i> ...	60	130	7937	<i>Macaranga Porteana</i> .	51	121	7407
<i>camtschaticum</i> ...	60	130	7937	<i>Machæranthera setigera</i> ...	37	107	6549
<i>japonicum</i> ...	60	130	7937	<i>tanacetifolia</i> ...	8	78	4624
<i>kamtschaticensis</i> ...	60	130	7937	<i>Mackaya bella</i> ...	25	95	5797
<i>Lysimachia atropurpurea</i> ...	12	82	4941	<i>Macleania angulata</i> ...	—	69	3979
<i>Azorica</i> ...	—	60	3273	<i>insignis</i> ...	56	126	7694
<i>bifolia</i> ...	—	45	2012	<i>pulchra</i> ...	20	90	5465
<i>bulbifera</i> ...	—	3	104	<i>punctata</i> ...	5	75	4426
<i>Chamaenerio similis</i> .	—	11	389	<i>speciosissima</i> ...	20	90	5453
<i>crispidens</i> ...	59	129	7919	<i>Macodes javanica</i> ...	45	115	7037
<i>Ephemerum</i> ...	—	49	2346	<i>Macpalxochiquauhiti</i> .	15	85	5135
<i>exalis</i> ...	—	45	2012	<i>Macropodium nivale</i> ...	—	67	3805
<i>folio sinuato, &c.</i> ...	5	75	4423	<i>Macroscepis obovata</i> ...	41	111	6815
<i>galericulata</i> ...	—	8	283	<i>Macrostigma tupistroides</i> ...	33	103	6280
<i>Henryi</i> ...	60	130	7961	<i>Macrotomia Benthani</i>	44	114	7003
<i>lutea</i> ...	—	45	2012	<i>Macrozamia corallipes</i> .	28	98	5943
<i>„ caule</i> ...	—	10	332	<i>Madaria elegans</i> ...	—	64	3548
<i>non papposa</i> ...	—	25	968	<i>Madaroglossa angustifolia</i> ...	42	112	6856
<i>nutans</i> ...	12	82	4941	<i>Madia elegans</i> ...	—	64	3548
<i>Otani</i> ...	—	49	2346	<i>mellosa</i> ...	—	52	2574
<i>paridiformis</i> ...	48	118	7226	<i>viscosa</i> ...	—	52	2574
<i>purpurea</i> ...	—	25	1003	<i>Madronos Hispanis insularum canariensisium</i> ...	—	38	1577
<i>Quadriflora</i> ...	—	18	660	<i>Magnolia acuminata</i> ...	—	50	2427
<i>racemis alaribus</i> ...	—	45	2012	<i>altissima</i> ...	—	45	1952
<i>rubra</i> ...	—	25	1003	<i>annonæfolia</i> ...	—	25	1008
<i>salicifolia</i> ...	—	49	2346	<i>auricularis</i> ...	—	30	1206
<i>siliquosa</i> ...	—	10	355	<i>Auriculata</i> ...	—	30	1206
<i>stricta</i> ...	—	3	104				
<i>thyrsiflora</i> ...	—	45	2012				
<i>verticillata</i> ...	—	49	2295				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Magnolia Campbellii</i>	41	111	6793	<i>Malortiea simplex</i> ...	17	87	5247
<i>conspicua</i> ...	—	39	1621	<i>Malpighia fruticosa</i> ...	—	21	813
<i>flore albo</i> ...	—	50	2427	<i>glabra</i> ...	—	21	813
<i>foliis lanceolatis</i> ...	—	45	1952	<i>lucida</i> ...	—	51	2462
<i>„ oblongis</i> ...	—	45	1952	<i>volubilis</i> ...	—	21	809
<i>Fraseri</i> ...	—	30	1206	<i>Malum Granatum</i> ...	—	43	1832
<i>fuscata</i> ...	—	25	1008	<i>Punicum</i> ...	—	43	1832
<i>glauca v. major</i> ...	—	47	2164	<i>Malus Americana</i> ...	46	116	7147
<i>grandiflora v. lanceo-</i>				<i>baccata</i> ...	30	100	6112
<i>lata</i> ...	—	45	1952	<i>hybrida</i> ...	31	101	6158
<i>Haleiana</i> ...	34	104	6370	<i>Medwietzkyana</i> ...	60	130	7975
<i>lauri folio</i> ...	—	47	2164	<i>Niedzwetzkyana</i> ...	60	130	7975
<i>macrophylla</i> ...	—	48	2189	<i>persica maxima</i> ...	53	123	7562
<i>odoratissima</i> ...	2	72	4251	<i>prunifolia</i> ...	31	101	6158
<i>parviflora</i> ...	51	121	7411	<i>punica</i> ...	—	43	1832
<i>pumila</i> ...	—	25	977	<i>sylvestris</i> ...	—	45	2009
<i>„</i> ...	2	72	4251	<i>Malva abutiloides</i> ...	—	52	2544
<i>purpurea</i> ...	—	11	390	(<i>Sphæroma</i>) <i>acerifolia</i> ...	19	89	5404
<i>stellata</i> ...	34	104	6370	<i>aceris folio</i> ...	—	48	2193
<i>versicolor</i> ...	—	25	1008	<i>Alcea</i> ...	—	49	2297
<i>Watsoni</i> ...	47	117	7157	<i>„</i> ...	—	55	2793
<i>Mahernia incisa</i> ...	—	10	353	<i>alceoides</i> ...	—	55	2793
<i>pinnata</i> ...	—	8	277	<i>amœna</i> ...	—	45	1998
<i>Mahonia fascicularis</i> ..	—	50	2396	<i>angustifolia</i> ...	—	55	2839
<i>glumacea</i> ...	—	68	3949	<i>arborea</i> ...	—	49	2305
<i>Japonica</i> ...	11	81	4846	<i>arboreo folio rotun-</i>			
<i>„</i> ...	11	81	4852	<i>dato</i> ...	17	87	5245
<i>nervosa</i> ...	—	68	3949	<i>caule erecto</i> ...	—	49	2297
<i>Majana rubra</i> ...	—	35	1446	<i>coccinea</i> ...	—	40	1673
<i>Majorana Cretica</i> ...	—	52	2605	<i>Creeana</i> ...	—	65	3698
<i>Makomako</i> ...	58	128	7868	<i>folio vario</i> ...	—	4	109
<i>Malacca-Schambu</i> ...	—	41	1696	<i>Hispanica</i> ...	—	4	109
<i>„</i> ...	—	61	3356	<i>involucrata</i> ...	8	78	4681
<i>Malachadenia clavata</i> .	3	73	4334	<i>laciniata</i> ...	—	49	2298
<i>Malachodendron ova-</i>				<i>lateritia</i> ...	—	67	3846
<i>tum</i> ...	—	68	3918	<i>miniata</i> ...	27	97	5938
<i>Malan Kua</i> ...	—	23	920	<i>montana</i> ...	—	49	2298
<i>Majorana Cretica</i> ...	—	52	2605	<i>Morenii</i> ...	—	55	2793
<i>Malankua</i> ...	29	99	6054	<i>moschata v. undulata</i>	—	49	2298
<i>Malaxis caudata</i> ...	—	62	3451	<i>Munroana</i> ...	—	63	3537
<i>ensiformis</i> ...	6	76	4517	<i>obtusiloba</i> ...	—	54	2787
<i>lilifolia</i> ...	—	45	2004	<i>prostrata</i> ...	—	51	2515
<i>Parthoni</i> ...	—	70	4103	<i>purpurata</i> ...	—	67	3814
<i>Malcolmia littorea</i> ...	8	78	4672	<i>Malvacea</i> ...	4	74	4360
<i>Malesherbia coronata</i> .	—	61	3362	<i>Malvariscus arborea</i> ...	—	49	2305
<i>dilatata</i> ...	55	125	7645	<i>arborescens</i> ...	—	49	2305
<i>humilis</i> ...	55	125	7645	<i>mollis</i> ...	—	50	2374
<i>linearifolia</i> ...	—	61	3362	<i>Mam</i> ...	53	123	7562
<i>paniculata</i> ...	—	61	3362	<i>Mamay</i> ...	53	123	7562
<i>Malope malacoides</i> ...	26	96	5852	<i>Mamme fol. oval,</i> ...	53	123	7562
<i>Malortiea gracilis</i> ...	18	88	5291				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Mammea americana ...	53	123	7562	Marianthus cæruleo-			
Mammee tree ...	53	123	7562	punctatus ...	—	68	3893
Mammei ...	53	123	7562	Drummondianus ...	21	91	5521
Mammillaria aloides ...	49	119	7279	Marica brachypus ...	34	104	6380
arizonica ...	56	126	7718	cærulea ...	22	92	5612
atrata ...	—	65	3642	Californica ...	—	25	983
clava ...	4	74	4358	Cipura ...	—	18	646
floribunda ...	—	65	3647	gracilis ...	—	66	3713
Lehmanni ...	—	65	3634	humilis v. lutea ...	—	67	3809
leucacantha ...	—	65	3634	northiana ...	—	18	654
missouriensis ...	56	126	7718	paludosa ...	—	18	646
octacantha ...	—	65	3634	plicata ...	—	18	655
prismatica ...	49	119	7279	striata ...	—	19	701
pynacantha ...	—	69	3972	tenuifolia ...	—	49	2313
retusa ...	49	119	7279	Marrubium nigrum			
tenuis ...	—	65	3646	longifolium ...	—	51	2449
tetracantha ...	—	70	4060	Marsdenia flavescens..	—	60	3289
turbinata ...	—	69	3984	Imthurnii ...	60	130	7953
vivipara ...	56	126	7718	maculata ...	3	73	4299
Mandevilla suaveolens	—	67	3797	Marshallia cæspitosa..	—	65	3704
Mandirola lanata ...	13	83	4963	Martagon bulbiferum..	—	26	1018
Manettia bicolor ...	57	127	7776	canadense ...	—	21	800
cordifolia ...	—	59	3202	" ...	—	24	936
glabra ...	—	59	3202	Imperiale ...	—	23	893
filicaulis ...	57	127	7776	pusillum ...	—	32	1316
luteo-rubra ...	57	127	7776	volubilis ...	—	39	1613
micans ...	21	91	5495	Martinezia caryotæfolia	42	112	6854
pubescens ...	57	127	7776	Martynia alternifolia..	—	26	1056
scabra ...	57	127	7776	annua ...	—	26	1056
Manga domestica ...	6	76	4510	caule petiolisque fis-			
Manghas fructu venen-				tulosus ...	—	26	1056
ato ...	—	43	1845	" ramoso ...	—	26	1056
lactescens ...	—	43	1845	foliis serratis ...	—	29	1191
Mangifera indica ...	6	76	4510	fragrans ...	3	73	4292
Mangostana Garcinia .	11	81	4847	lanceolata ...	4	74	4405
Manihot utilissima ...	—	58	3071	Louisiana ...	—	26	1056
Manil-kara ...	—	59	3157	perennis ...	—	29	1191
Manja-Kurini ...	—	47	2186	Proboscidea ...	—	26	1056
Manjapumeram ...	12	82	4900	Maru creticum ...	—	52	2605
Mautisia saltatoria ...	—	32	1320	Mascarenhasia Curnow-			
(see note)	—	35	1428	iana ...	38	108	6612
Manulea tomentosa ...	—	9	322	Masdevallia attenuata	33	103	6273
Mao du Man vel Mangas	6	76	4510	candida ...	21	91	5505
Mappa Porteana ...	51	121	7407	Carderi ...	46	116	7125
Maranta angustifolia..	—	50	2398	Chestertoni ...	44	114	6977
arundinacea ...	—	49	2307	Chimæra ...	31	101	6152
graminifolia ...	—	50	2398	civilis ...	20	90	5476
(Calathea) picta ...	55	125	7674	corniculata v. inflata	52	122	7476
sanguinea ...	8	78	4646	Davisii ...	31	101	6190
zebrina ...	—	44	1926	deorsa ...	57	127	7766

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Masdevallia elephanticeps</i> ...	58	128	7824	<i>Matricaria grandis</i> ...	59	129	7886
<i>Ephippium</i> ...	32	102	6208	<i>inciso-serrata</i> ...	—	54	2706
<i>Estradæ</i> ...	31	101	6171	<i>indica</i> ...	59	129	7874
<i>fenestrata</i> ...	1	71	4164	<i>Japonica</i> ...	—	10	327
<i>fulvescens</i> ...	58	128	7859	" ...	59	129	7874
<i>Gargantua</i> ...	58	128	7824	<i>madraspata</i> ...	59	129	7874
<i>gibberosa</i> ...	44	114	6990	<i>rotundifolia</i> ...	48	118	7225
<i>ignea</i> ...	28	98	5962	<i>Sinensis</i> ...	—	10	327
<i>inflata</i> ...	52	122	7476	" ...	—	46	2042
<i>ionocharis</i> ...	32	102	6262	" ...	59	129	7874
<i>leontoglossa</i> ...	48	118	7245	<i>zeylanica hortensis</i> ..	59	129	7874
<i>Lindeni</i> ...	28	98	5990	<i>Matthiola coronopifolia</i>	56	126	7750
<i>Macrura</i> ...	47	117	7164	<i>odoratissima</i> ...	—	41	1711
<i>Mooreana</i> ...	44	114	7015	<i>oyensis</i> ...	56	126	7703
<i>muscosa</i> ...	55	125	7664	<i>sinuata v. oyensis</i> ...	56	126	7703
<i>Peristeria</i> ...	31	101	6159	<i>tristis</i> ...	56	126	7750
<i>platyglossa</i> ...	47	117	7185	<i>Mauhlia Africana</i> ...	—	14	500
<i>platyrachis</i> ...	46	116	7129	<i>ensifolia</i> ...	—	16	554
<i>polysticta</i> ...	32	102	6258	<i>Maurandia antirrhini-</i>			
" ...	34	104	6368	<i>flora</i> ...	—	40	1643
<i>pulvinaris</i> ...	46	116	7151	<i>Maurandya semper-</i>			
<i>punctata</i> ...	47	117	7165	<i>florens</i> ...	—	13	460
<i>Schlimii</i> ...	40	110	6740	<i>Maxillaria acicularis</i> ..	4	74	4374
<i>Schröderiana</i> ...	58	128	7859	<i>acutipetala</i> ...	—	69	3966
<i>Shuttleworthii</i> ...	34	104	6372	<i>Anatomorum</i> ...	18	88	5296
<i>Tovarensis</i> ...	21	91	5505	<i>aureo-fulva</i> ...	—	65	3629
<i>triaristella</i> ...	32	102	6268	<i>Barringtoniæ</i> ...	24	94	5706
<i>triaristellata</i> ...	32	102	6268	<i>Brocklehurstiana</i> ...	—	70	4072
<i>Trochilus</i> ...	32	102	6208	<i>ciliata</i> ...	—	70	4081
<i>Veitchiana</i> ...	24	94	5739	" ...	24	94	5706
<i>Wageneriana</i> ...	12	82	4921	<i>cristata</i> ...	11	81	4836
<i>Massangea musaica</i> ...	39	109	6675	<i>cucullata</i> ...	—	68	3945
<i>Massonia angustifolia</i> .	—	19	736	<i>decolor</i> ...	—	69	3981
<i>Corymbosa</i> ...	—	25	991	<i>Deppii</i> ...	—	62	3395
(see note)	—	36	1468	<i>galeata</i> ...	—	64	3563
<i>ensifolia</i> ...	—	16	554	<i>graminea</i> ...	34	104	6338
<i>jasminiflora</i> ...	52	122	7465	<i>Harrisoniæ</i> ...	—	56	2927
<i>lanceolata</i> ...	—	19	736	<i>Henchmanni</i> ...	—	65	3614
<i>latifolia</i> ...	—	22	848	<i>Heynderyxii</i> ...	22	92	5616
<i>muricata</i> ...	—	16	559	<i>Houtteana</i> ...	53	123	7533
(<i>Astemma</i>) <i>odorata</i> .	27	97	5891	<i>jugosa</i> ...	23	93	5661
<i>pustulata</i> ...	—	17	642	<i>leontoglossa</i> ...	45	115	7085
<i>scabra</i> ...	—	17	642	<i>leptosepala</i> ...	5	75	4434
<i>violacea</i> ...	—	16	554	<i>macrobulbon</i> ...	2	72	4228
<i>Mastacanthus sinen-</i>				<i>pallidiflora</i> ...	—	55	2806
<i>sis</i> ...	41	111	6799	<i>Parkeri</i> ...	—	54	2729
<i>Matricaria asteroides</i> ..	—	52	2554	<i>picta</i> ...	—	59	3154
<i>Bellidis flore</i> ...	40	110	6781	<i>placantha</i> ...	—	59	3173
<i>Chusan</i> ...	59	129	7874	<i>porphyrostele</i> ...	36	106	6477
				<i>pumila</i> ...	—	64	3613

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Maxillaria racemosa ...	—	54	2789	Melaleuca laurina ...	53	123	7529
Sanderiana ...	53	123	7518	myrtifolia ...	—	44	1935
Skinneri ...	5	75	4445	neriifolia ...	—	26	1058
squalens ...	—	56	2955	semiteres ...	60	130	7941
stapelioides ...	—	67	3877	squarrosa ...	—	44	1935
Steelii ...	—	64	3573	Thea ...	—	53	2695
tetragona ...	—	59	3146	thymifolia ...	—	44	1868
tyrianthina ...	52	122	7461	uncinata ...	60	130	7941
venusta ...	18	88	5296	Wilsoni ...	30	100	6131
Warreana ...	2	72	4235	Melanomphale ...	—	19	728
Mayenia fasciculata ...	1	71	4183	Melanoselinum decip-			
Mazeutoxeron reflexum	—	44	1901	iens ...	23	93	5670
Meadia ...	—	1	12	Melanthaceæ ...	31	101	6153
Meconopsis aculeata ...	20	90	5456	Melanthium ciliatum ..	—	20	767
crassifolia ...	55	125	7636	eucomoides ...	—	17	641
diphylla ...	11	81	4867	hispanicum ...	—	31	1265
heterophylla ...	55	125	7636	hyacinthinum ...	—	60	3226
Nipalensis ...	22	92	5585	hybridum ...	—	27	1096
petiolata ...	11	81	4867	Japonicum ...	36	106	6510
Wallichii ...	8	78	4668	junceum ...	—	16	558
„ v. fusco-				lætum ...	—	21	803
purpurea ...	40	110	6760	„ ...	—	37	1540
Medeola asparagoides .	22	92	5584	luteum ...	36	106	6510
foliis stellatis ...	—	32	1316	Massoniaefolium ...	—	22	840
virginiana ...	—	32	1316	monopetalum ...	—	32	1291
Medica ciliaris ...	—	23	909	muscætoxicum ...	—	37	1540
cochleata ...	—	23	909	phalangoides ...	—	37	1540
Medicago Carstiensis..	—	23	909	spicatum ...	—	19	694
Medinilla amabilis ...	39	109	6681	triquetrum ...	—	16	558
bracteata ...	6	76	4533	uniflorum ...	—	20	767
Curtisii ...	39	109	6730	(see note)	—	28	1135
Javanensis ...	7	77	4569	virginicum ...	—	25	985
magnifica ...	6	76	4533	Viride ...	—	25	994
Sieboldiana ...	8	78	1650	Melasphærulea graminea	—	17	615
speciosa ...	3	73	4321	Melastoma asperum ...	14	84	5085
Megaclinium leuco-				corymbosa ...	—	23	904
rhachis ...	57	127	7811	corymbosum ...	20	90	5473
maximum ...	—	69	4028	cymosum ...	20	90	5473
minutum ...	49	119	7314	denticulatum ...	12	82	4957
platyrhachis ...	60	130	7946	eximium ...	3	73	4321
purpuratum ...	27	97	5936	grandiflora ...	29	99	6011
Megasea ciliata ...	—	62	3406	granulosa ...	—	51	2441
Melaccocissos ...	—	44	1910	heteromalla ...	—	49	2337
Melaleuca coronata ...	—	44	1868	hirta ...	—	45	1971
decussata ...	—	48	2268	Javanense ...	7	77	4569
Drummondii ...	60	130	7941	Malabathrica ...	—	15	529
Florida ...	5	75	4471	osbeckioides ...	—	48	2235
Fraseri ...	—	60	3210	pulchella ...	37	107	6575
gnidiæfolia ...	—	44	1868	rotundifolium ...	17	87	5282
hamata ...	60	130	7941	rugosa ...	6	76	4553

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Melastoma sanguinea</i> ..	—	48	2241	<i>Menyanthes ovata</i> ...	—	44	1909
<i>speciosa</i> ...	3	73	4321	<i>sarmentosa</i> ...	—	32	1328
<i>subtriplinervium</i> ...	16	86	5166	<i>Menziesia empetrifolia</i>	—	59	3176
<i>villosa</i> ...	—	53	2620	<i>empetriformis</i> ...	—	59	3176
<i>Melastomacea</i> ...	37	107	6575	<i>ferruginea</i> ...	—	38	1571
<i>Meleagris flos maximus</i>	—	22	853	<i>globularis</i> ...	—	38	1571
" "	—	30	1207	<i>Merendera Aitchisoni</i> ..	29	99	6012
" "	—	37	1538	<i>Caucasica</i> ...	—	65	3690
<i>Melia Azedarach</i> ...	—	27	1066	<i>Meriana flore rubello</i> ..	—	12	418
<i>foliis decompositis</i> ..	—	27	1066	" "	—	30	1194
<i>Melianthus Africanus</i> ..	—	9	301	<i>Merretia lucida</i> ...	4	74	4379
<i>minor</i> ...	—	9	301	<i>Mertensia Alpina</i> ...	31	101	6178
<i>Trimenianus</i> ...	37	107	6557	<i>Drummondii</i> ...	31	101	6178
<i>Melilotus cœrulea</i> ...	—	49	2283	<i>Meryta Denhami</i> ...	59	129	7927
<i>flore violaceo</i> ...	—	46	2063	<i>latifolia</i> ...	27	97	5932
<i>major odorata</i> ...	—	49	2283	<i>Mesembryanthemum</i>			
<i>psoraloides</i> ...	—	46	2063	<i>acinaciforme</i> ...	21	91	5539
<i>Trifolium orientale</i> ..	—	65	3702	<i>albidum</i> ...	—	43	1824
<i>Melissa Constantino-</i>				<i>aureum</i> ...	—	8	262
<i>politana</i> ...	—	43	1852	<i>barbatum</i> ...	—	2	70
<i>grandiflora</i> ...	—	6	208	" "	—	30	1220
<i>maxima</i> ...	—	50	2395	<i>bicolorum</i> ...	—	2	59
<i>Molucca lævis</i> ...	—	43	1852	<i>Bolusii</i> ...	38	108	6664
<i>Moluccana</i> ...	—	43	1852	<i>Brownii</i> ...	44	114	6985
<i>Mellocia Peruviana</i> ...	7	77	4617	<i>calamiforme</i> ...	57	127	7775
<i>tuberosa</i> ...	7	77	4617	<i>Cooperi</i> ...	33	103	6312
<i>Melocactus communis</i> ..	—	58	3090	<i>Densum</i> ...	—	30	1220
<i>depressus</i> ...	—	65	3691	<i>depressum</i> ...	—	44	1866
<i>trigonus</i> ...	—	44	1884	<i>dolabriforme</i> ...	—	1	32
<i>Melochia</i> ...	—	55	2810	<i>foliis rubustis</i> ...	—	43	1824
<i>Melodinus monogynus</i>	—	52	2527	<i>folio linguiformi</i> ...	—	44	1866
<i>Meninia turgida</i> ...	29	99	6043	<i>glabrum</i> ...	—	15	540
<i>Menispermum Canad-</i>				<i>inclaudens</i> ...	—	40	1663
<i>ense</i> ...	—	44	1910	<i>introrsum</i> ...	29	99	6057
<i>fenestratum</i> ...	8	78	4658	<i>lævigatum</i> ...	21	91	5539
<i>palmatum</i> ...	—	57	2970	<i>Micans</i> ...	—	13	448
<i>Mentha blanda</i> ...	—	58	3091	<i>minutum</i> ...	—	34	1376
<i>Patrini</i> ...	—	52	2560	<i>obcordellum</i> ...	—	40	1647
<i>perilloides</i> ...	—	50	2395	<i>pinnatifidum</i> ...	—	2	67
<i>pumila</i> ...	—	56	2907	<i>Pomeridianum</i> ...	—	15	540
<i>veronicæfolia</i> ...	—	56	2907	<i>radiatum</i> ...	—	2	70
<i>verticillata</i> ...	—	56	2907	" "	—	30	1220
<i>Mentzelia aspera</i> ...	—	59	3205	<i>rubrocinctum</i> ...	21	91	5539
<i>hispida</i> ...	—	59	3205	<i>spectabile</i> ...	—	11	396
<i>nuda</i> ...	20	90	5483	<i>subalatum</i> ...	21	91	5539
<i>oligosperma</i> ...	—	42	1760	<i>Sutherlandii</i> ...	33	103	6299
<i>Menyanthes Capensis</i> .	—	44	1909	<i>tenuifolium</i> ...	—	2	59
<i>exaltata</i> ...	—	26	1029	<i>testiculare</i> ...	—	38	1573
<i>foliis cordatis</i> ...	—	18	658	<i>tricolor</i> ...	—	47	2144
<i>Indica</i> ...	—	18	658	<i>truncatellum</i> ...	30	100	6077

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Mesembryanthemum</i>				<i>Micranthelia Candollei</i>	20	90	5455
<i>viridiflorum</i> ...	—	10	326	<i>Micranthella Gayana</i> .	34	104	6345
<i>Mesospinidium san-</i>				<i>Microcachrys tetragona</i>	22	92	5576
<i>guineum</i> ...	23	93	5627	<i>Microchylus Fryanus</i> .	2	72	4204
<i>vulcanicum</i> ...	28	98	6001	<i>Microglossa albescens</i> .	39	109	6672
<i>Mespilus Amelan-</i>				<i>cabulica</i>	39	109	6672
<i>chier</i>	—	50	2430	<i>Griffithii</i>	39	109	6672
<i>canadensis</i>	54	124	7619	<i>Microsperma barton-</i>			
<i>florentina</i>	51	121	7423	<i>ioides</i>	6	76	4491
<i>glabra</i>	—	47	2105	<i>Microstylis discolor</i> ...	19	89	5403
<i>grandiflora</i>	—	62	3442	<i>histionantha</i>	—	70	4103
<i>lobata</i>	—	62	3442	<i>Josephiana</i>	33	103	6325
<i>odoratissima</i>	—	49	2314	<i>metallica</i>	39	109	6668
<i>orientalis</i>	—	49	2314	<i>Scottii</i>	48	118	7268
<i>Smithii</i>	—	62	3442	<i>Microtis media</i>	—	62	3378
<i>Methonica grandiflora</i> .	16	86	5216	<i>parviflora</i>	—	62	3377
<i>virescens</i>	12	82	4938	<i>Mijami Skimmi</i>	9	79	4719
<i>Metrosidera hirsuta</i> ...	—	45	1960	<i>Milium arundinaceum</i>	—	51	2479
<i>Metrosideros anomala</i> .	—	45	1960	<i>Milla capitata</i>	27	97	5912
<i>buxifolia</i>	6	76	4515	<i>grandiflora</i>	42	112	6907
<i>calycina</i>	—	44	1868	<i>Leichtlinii</i>	32	102	6236
<i>Citrina</i>	—	8	260	<i>porrifolia</i>	28	98	5977
<i>floribunda</i>	—	44	1872	<i>uniflora</i>	—	61	3327
<i>„</i>	20	90	5480	<i>Millefolium luteum</i> ...	—	14	498
<i>florida</i>	5	75	4471	<i>tomentosum</i>	—	14	498
<i>hispida</i>	—	45	1960	<i>Milleria contrahierba</i> .	—	50	2400
<i>Macassarensis</i>	—	59	3157	<i>contrayerba</i>	—	50	2400
<i>pinifolia</i>	—	69	3989	<i>Millettia megasperma</i> .	37	107	6541
<i>salicifolia</i>	—	60	3260	<i>Miltonia anceps</i>	22	92	5572
<i>saligna</i>	—	43	1821	<i>candida v. flavescens</i>	—	66	3793
<i>scandens</i>	6	76	4515	<i>Clowesii</i>	—	70	4109
<i>speciosa</i>	—	42	1761	<i>Regnelli</i>	20	90	5436
<i>tomentosa</i>	6	76	4488	<i>spectabilis</i>	2	72	4204
<i>viridiflora</i>	—	52	2602	<i>„ v. purpureo-</i>			
<i>„</i>	—	69	3989	<i>violacea</i>	5	75	4425
<i>Metternichia Princeps</i>	9	79	4747	<i>Warscewiczii</i>	26	96	5843
<i>Principis</i>	9	79	4747	<i>Mimosa adenanthera</i> ..	9	79	4695
<i>Meyenia corymbosa</i> ...	1	71	4201	<i>campeachyana</i>	55	125	7663
<i>erecta</i>	13	83	5013	<i>cornigera</i>	51	121	7395
<i>fasciculata</i>	1	71	4183	<i>„</i>	55	125	7663
<i>Vogeliana</i>	19	89	5389	<i>decepiens</i>	—	42	1745
<i>Michauxia campanul-</i>				<i>discolor</i>	—	42	1750
<i>oides</i>	—	7	219	<i>distachya</i>	—	47	2108
<i>columnaris</i>	56	126	7742	<i>elegans</i>	—	47	2108
<i>decandra</i>	—	59	3128	<i>linearis</i>	—	47	2168
<i>laevigata</i>	—	59	3128	<i>linifolia</i>	—	47	2168
<i>Tchihatchefii</i>	56	126	7742	<i>longifolia</i>	—	43	1827
<i>Michelia l nuginosa</i> ...	31	101	6179	<i>lophantha</i>	—	47	2108
<i>velutina</i>	31	101	6179	<i>myrtifolia</i>	—	9	302
<i>Miconia pulverulenta</i> .	19	89	5411	<i>nigricans</i>	—	47	2188

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Mimosa orientalis</i> ...	—	51	2454	<i>Mokksei</i> ...	—	38	1552
<i>pennata</i> ...	—	61	3366	<i>Molago-codi</i> ...	—	59	3139
<i>plena</i> ...	9	79	4695	<i>Moldavica orientalis</i> ...	—	25	1009
<i>pubescens</i> ...	—	31	1263	<i>Molli arboris adultis</i>			
<i>punctata</i> ...	9	79	4693	<i>ramis</i> ...	—	61	3339
<i>Spegazzinii</i> ...	59	129	7899	<i>Molpadia suaveolens</i> ..	—	63	3466
<i>stricta</i> ...	—	28	1121	<i>Moluca</i> ...	—	43	1852
<i>suaveolens</i> ...	—	31	1263	<i>Molucca lævis</i> ...	—	43	1852
<i>verticillata</i> ...	—	4	110	<i>Moluccella lævis</i> ...	—	43	1852
<i>virgata</i> ...	—	51	2454	<i>lanigera</i> ...	45	115	7048
<i>Mimulus aurantiacus</i> ..	—	10	354	<i>Moly caule et foliis</i>			
<i>cardinalis</i> ...	—	64	3560	<i>triangularibus</i> ...	—	22	869
<i>cupreus</i> ...	20	90	5478	<i>Dioscoridis</i> ...	—	30	1203
<i>guttatus</i> ...	20	90	5478	<i>Homericum</i> ...	—	29	1148
<i>luteus</i> ...	—	36	1501	<i>humile</i> ...	—	30	1203
<i>v. cuprea</i> ...	20	90	5478	<i>indicum</i> ...	—	29	1148
<i>v. variegatus</i> ..	—	61	3336	<i>juncifolium</i> ...	—	42	1764
<i>v. Youngana</i> ..	—	61	3363	<i>latifolium</i> ...	—	29	1148
<i>lyratus</i> ...	20	90	5478	<i>minus</i> ...	—	25	978
<i>perfoliatus</i> ...	—	58	3067	<i>montanum</i> ...	—	14	499
<i>repens</i> ...	20	90	5423	" ...	—	25	973
<i>Ringens</i> ...	—	8	283	" ...	—	42	1764
<i>rivularis</i> ...	20	90	5478	<i>narcissinis foliis</i> ...	—	29	1149
<i>roseus</i> ...	—	61	3353	" "	—	29	1150
<i>v. Maclainianus</i>	—	68	3924	<i>parvum</i> ...	—	22	869
<i>Smithii</i> ...	20	90	5478	<i>Theophrasti</i> ...	—	29	1148
<i>variegatus</i> ...	20	90	5478	<i>Virginianum</i> ...	—	3	105
" ...	—	61	3336	<i>Molybdæna Plinii</i> ...	—	47	2139
<i>Mimusops dissecta</i> ...	—	59	3157	<i>Momordica Charantia</i> ..	—	51	2455
<i>hexandra</i> ...	—	59	3157	<i>Cochinchinensis</i> ...	15	85	5145
<i>Kauki</i> ...	—	59	3157	<i>Elaterium</i> ...	—	44	1914
<i>Mina cordata</i> ...	55	125	7689	<i>involverata</i> ...	43	113	6932
<i>lobata</i> ...	55	125	7689	<i>mixta</i> ...	15	85	5145
<i>Minkelersia biflora</i> ...	58	128	7819	<i>Monacanthus Bushnani</i>	—	67	3832
<i>Mirabilia Peruviana</i> ...	—	11	371	<i>discolor</i> ...	—	67	3832
<i>Mirabilis Jalapa</i> ...	—	11	371	<i>Monachanthus discolor</i>			
<i>multiflora</i> ...	32	102	6266	<i>v. viridiflorus</i> ...	—	64	3601
<i>viscosa</i> ...	—	13	434	<i>fimbriatus</i> ...	—	65	3708
<i>Mirbelia dilatata</i> ...	5	75	4419	<i>longifolius</i> ...	—	67	3819
<i>grandiflora</i> ...	—	54	2771	<i>roseo-albus</i> ...	—	67	3796
<i>Meisneri</i> ...	5	75	4419	<i>Monanthemum acaule</i> ..	54	124	7598
<i>reticulata</i> ...	—	30	1211	<i>Monanthes Muralis</i> ...	28	98	5988
<i>Miscanthus sinensis</i> ...	49	119	7304	<i>Monarda affinis</i> ...	—	61	3310
<i>Mitella Americana</i> ...	—	35	1456	<i>allophylla</i> ...	—	61	3310
<i>floribus spicatis</i> ...	—	38	1589	<i>altissima</i> ...	—	61	3310
<i>nudo scapo</i> ...	—	38	1589	<i>aristata</i> ...	—	63	3526
<i>pentandra</i> ...	—	56	2933	<i>citriodora</i> ...	—	63	3526
<i>Mitraria coccinea</i> ...	5	75	4462	<i>didyma</i> ...	—	15	546
<i>Modecca senensis</i> ...	57	127	7763	<i>fistulosa</i> ...	—	5	145
<i>Mogorium Sambac</i> ...	—	43	1785	" ...	—	61	3310

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Monarda floribus capitatis	—	15	546	Montbretia rosea ...	49	119	7280
media	—	61	3310	Montrichardia aculeata	58	128	7817
menthæfolia	—	57	2958	arborea	58	128	7817
„	—	61	3310	arborescens	58	128	7817
oblongata	—	61	3310	Moorea irrorata ...	48	118	7262
purpurea	—	61	3310	Moræa africana ...	—	13	458
rugosa	—	61	3310	angusta	—	31	1276
Russeliana	—	51	2513	bituminosa	—	26	1045
undulata	—	61	3310	bulbifera	25	95	5785
Monardella macrantha	32	102	6270	cærulea	—	17	605
Mondo	—	27	1063	Chinensis	—	5	171
Monella ochroleuca ...	19	89	5374	ciliata	—	25	1012
Mongolia Haleiana ...	34	104	6370	„	—	27	1061
Monizia edulis	24	94	5724	collina	—	26	1033
Monniera Brownei ...	—	52	2557	„	—	28	1103
minima repens	—	52	2557	„ v. miniata			
ramosa	—	52	2557	minor	—	39	1612
Monnina nemorosa ...	—	58	3122	crispa	—	20	759
obtusifolia	—	58	3122	„	—	32	1284
xalapensis	35	105	6415	edulis	—	17	613
Monocera grandiflora..	8	78	4680	„	—	31	1238
lanceolata	8	78	4680	„	20	90	5438
Monochætum dicranantherum ...	21	91	5506	flexuosa	—	19	695
ensiferum	15	85	5132	fugax	—	17	613
Hartwegianum	21	91	5506	„	—	31	1238
Humboldtianum	19	89	5367	„	20	90	5438
tenellum	18	88	5341	„	30	100	6096
Monodora grandiflora .	48	118	7260	Iridioides	—	19	603
Myristica	—	58	3059	(see note)	—	34	1407
„	48	118	7260	irioides	—	19	693
Monolena primulæflora	26	96	5818	iriopetala	—	28	1103
Monolophia major ...	—	67	3839	„	—	39	1612
Monolophus secundus.	44	114	6999	juncea	—	28	1103
Monophyllon	—	15	510	„	—	39	1612
Monopyle racemosa ...	32	102	6233	longiflora	—	19	712
Monothylaceum Gordoni	32	102	6228	lugens	—	31	1277
Monsonia Burmanni..	24	94	5729	melaleuca	—	31	1277
filia	—	11	385	miniata	—	26	1033
grandiflora	—	3	73	„	—	39	1612
lobata	—	11	385	northiana	—	18	654
speciosa	—	3	73	odora	—	31	1238
Monstera Adansonii... ..	14	84	5086	palmifolia	—	18	655
decursiva	49	119	7282	papilionacea	—	20	750
gigantea	60	130	7952	pavonia	—	15	532
Multijuga	49	119	7282	„	—	31	1247
trijuga	49	119	7282	plicata	—	18	655
Montbretia Pottsii ...	39	109	6722	pusilla	—	30	1231
				Ramosa	—	20	771
				Robinsoniana ...	48	118	7212

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Moræa sertata</i> ...	—	19	701	<i>Moschkowitzia</i>			
<i>Sisyrinchium</i> ...	—	34	1407	<i>Wageneriana</i>	13	83	4988
" ...	30	100	6096	" "	14	84	5047
<i>sordescens</i> ...	—	16	577	<i>Mucuna pruriens</i> ...	12	82	4945
<i>spatha uniflora</i> ...	—	19	693	<i>prurita</i> ...	12	82	4945
<i>spicata</i> ...	—	32	1283	<i>sempervirens</i> ...	60	130	7978
<i>spiralis</i> ...	—	15	520	<i>Mulenschena</i> ...	—	55	2812
<i>sulphurea</i> ...	55	125	7658	<i>Mulli Clusii</i> ...	—	61	3339
<i>Tenoreana</i> ...	30	100	6096	<i>foliis non serratis</i> ...	—	61	3339
<i>Tenuis</i> ...	—	26	1047	<i>Muntingia Calabura</i> ...	28	98	5982
<i>Thomsoni</i> ...	60	130	7976	<i>Muricia Cochinchin-</i>			
<i>tricolor</i> ...	—	16	577	<i>ensis</i> ...	15	85	5145
<i>tricuspis</i> ...	—	19	696	<i>Murtilla</i> ...	8	78	4626
" <i>v. lutea</i> ...	—	20	772	<i>Murucuja aurantia</i> ...	1	71	4140
<i>tripetala</i> ...	—	19	702	<i>Múrvá</i> ...	52	122	7487
<i>Unguiculata</i> ...	—	16	593	<i>Musa Bakeri</i> ...	54	124	7627
<i>vegeta</i> ...	—	17	613	<i>Basjoo</i> ...	47	117	7182
" ...	—	19	693	<i>coccinea</i> ...	—	38	1559
" ...	—	31	1238	<i>Ensete</i> ...	17	87	5223
" ...	20	90	5438	<i>Hillii</i> ...	51	121	7401
<i>Morenia fragrans</i> ...	21	91	5492	<i>humilis</i> ...	22	92	5613
<i>Lindeniana</i> ...	21	91	5492	<i>japonica</i> ...	47	117	7182
<i>Moricandia arvensis</i> ...	—	57	3007	<i>Mannii</i> ...	49	119	7311
<i>Ramburii</i> ...	12	82	4947	<i>oleracea</i> ...	57	127	7802
<i>sonchifolia</i> ...	32	102	6243	<i>rubra</i> ...	51	121	7451
<i>Morina betonicoides</i> ...	43	113	6966	<i>sanguinea</i> ...	28	98	5975
<i>breviflora</i> ...	40	110	6734	<i>sapientum</i> ...	57	127	7802
<i>Coulteriana</i> ...	40	110	6734	" <i>v. vittata</i>	19	89	5402
<i>erecta</i> ...	40	110	6734	<i>superba</i> ...	—	67	3849
<i>longifolia</i> ...	—	70	4092	<i>uranoscopus</i> ...	—	38	1559
<i>Wallichiana</i> ...	—	70	4092	<i>vittata</i> ...	19	89	5402
<i>Morinda jasminoides</i> ..	—	61	3351	<i>Muscari æstivale</i> ...	32	102	6269
<i>Morisea</i> ...	54	124	7598	<i>ambrosiacum</i> ...	—	38	1565
<i>acaulis</i> ...	54	124	7598	<i>azureum</i> ...	41	111	6822
<i>hypogæa</i> ...	54	124	7598	<i>flavum</i> ...	—	19	734
<i>Morisina</i> ...	54	124	7598	<i>latifolium</i> ...	58	128	7843
<i>Mormodes atro-pur-</i>				<i>lingulatum</i> ...	41	111	6822
<i>purea</i> ...	7	77	4577	<i>moschatum</i> ...	—	19	734
<i>Cartoni</i> ...	2	72	4214	" <i>v. flavum</i>	—	38	1565
<i>Colossus</i> ...	26	96	5840	<i>muscarimi</i> ...	—	19	734
<i>Greenii</i> ...	25	95	5802	<i>obsoletiore flore</i> ...	—	19	734
<i>lentiginosa</i> ...	5	75	4455	<i>orchioides</i> ...	—	22	854
<i>macranthum</i> ...	26	96	5840	<i>paradoxum</i> ...	59	129	7873
<i>Ocanæ</i> ...	36	106	6496	<i>pycnanthum</i> ...	59	129	7873
<i>pardina</i> ...	—	68	3900	<i>racemosum</i> ...	42	112	6855
" <i>v. unicolor</i> ..	—	67	3879	<i>racemosus</i> ...	—	19	734
<i>Rolfeanum</i> ...	51	121	7438	<i>Szovitsianum</i> ...	42	112	6855
<i>Morna nivea</i> ...	20	90	5443	<i>Muschi-rumi Turcis</i> ...	—	38	1565
<i>Morus papyrifera</i> ...	—	50	2358	<i>Muscipula regia</i> ...	—	41	1724
<i>sativa</i> ...	—	50	2358	<i>Mussaenda capsulifera</i>	55	125	7671

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Mussænda Luculia</i> ...	—	68	3946	<i>Myrobroma fragrans</i> ...	47	117	7167
<i>luteola</i> ...	22	92	5573	<i>Myrsine capitellata</i> ...	—	60	3222
<i>pubescens</i> ...	—	46	2099	<i>Oliveri</i> ...	34	104	6357
<i>Musschia aurea</i> ...	37	107	6556	<i>Myrsiphyllum angusti-</i>			
<i>Wollastoni</i> ...	22	92	5606	<i>folium</i> ...	22	92	5584
<i>Mustelia Eupatoria</i> ...	—	43	1849	<i>asparagoides</i> ...	22	92	5584
<i>Mutisia auriculata</i> ...	29	99	6009	<i>Myrtifolia arbor</i> ...	—	59	3141
<i>decurrens</i> ...	17	87	5273	<i>Myrto-Cistus pennæi</i> ..	—	4	137
<i>Gayana</i> ...	29	99	6009	<i>Myrtus acris</i> ...	—	59	3153
<i>heliantha</i> ...	17	87	5273	<i>arboorea aromatica</i> ...	—	30	1236
<i>ilicifolia</i> ...	29	99	6009	<i>Brasiliana</i> ...	—	14	473
<i>latifolia</i> ...	29	99	6009	<i>bullata</i> ...	10	80	4809
<i>Lechleri</i> ...	29	99	6009	<i>calycibus absque ap-</i>			
<i>speciosa</i> ...	—	54	2705	<i>pendiculis</i> ...	—	30	1236
<i>spinosa</i> ...	29	99	6009	<i>caryophyllata</i> ...	—	59	3153
<i>Myagrum</i> iii. ...	—	49	2290	<i>caryophyllus</i> ...	—	54	2749
<i>Myanthus barbatus</i> v.				<i>Cheken</i> ...	23	93	5644
<i>labello albo</i> ...	—	63	3514	<i>disticha</i> ...	—	22	867
<i>cernuus</i> ...	19	89	5399	<i>Dombeyi</i> ...	6	76	4526
<i>deltoides</i> ...	—	68	3923	<i>fragrans</i> ...	—	31	1242
<i>fimbriatus</i> ...	47	117	7158	<i>Jambos</i> ...	—	61	3356
<i>spinus</i> ...	—	67	3802	<i>Luma</i> ...	14	84	5040
<i>Mylocaryum ligus-</i>				<i>macrophylla</i> ...	4	74	4408
<i>trinum</i> ...	—	39	1625	<i>Malaccensis</i> ...	4	74	4408
<i>Myoporum debile</i> ...	—	43	1830	<i>orbiculata</i> ...	7	77	4558
<i>parvifolium</i> ...	—	41	1693	<i>Pimenta</i> v. <i>Longifolia</i>	—	30	1236
<i>Myopsia mexicana</i> ...	58	128	7849	<i>Smithii</i> ...	20	90	5480
<i>Myosotidium nobile</i> ...	15	85	5137	<i>Tomentosa</i> ...	—	7	250
<i>Myosotis Azorica</i> ...	—	70	4122	<i>trinervia</i> ...	—	60	3223
<i>dissitiflora</i> v. <i>Dyeræ</i>	54	124	7589	<i>Ugni</i> ...	8	78	4626
<i>Lusitanica</i> ...	—	28	1118				
<i>montana</i> ...	54	124	7589	<i>Nægelia amabilis</i> ...	14	84	5083
<i>nana</i> ...	26	96	5853	<i>cinnabarina</i> ...	14	84	5036
<i>obtusa</i> ...	—	49	2349	<i>multiflora</i> ...	14	84	5083
<i>Myrcia acris</i> ...	—	59	3153	<i>Nahusia coccinea</i> ...	24	94	5740
<i>amplexicaulis</i> ...	25	95	5790	<i>Nai Corana</i> ...	12	82	4945
<i>pimento</i> ...	—	30	1236	<i>Nana</i> ...	14	84	5025
<i>Myrica integrifolia</i> ...	24	94	5727	<i>Nandi-Ervatam</i> ...	—	44	1865
<i>Nagi</i> ...	24	94	5727	<i>Nandina Domestica</i> ...	—	28	1109
<i>Myriopeltis edulis</i> ...	28	98	5986	<i>Nandsjokf</i> ...	—	28	1109
<i>Myristica aromatica</i> ...	—	54	2756	<i>Nanodes Medusæ</i> ...	24	94	5723
<i>moschata</i> ...	—	54	2756	<i>Napæa hermaphrodita</i>			
<i>officinalis</i> ...	—	54	2756	<i>lævis</i> ...	—	48	2193
<i>Myrmecodia Antoinii</i> ..	53	123	7517	<i>Napoleona Hendelotii</i> .	4	74	4387
<i>Beccarii</i> ...	42	112	6883	<i>imperialis</i> ...	4	74	4387
<i>echinata</i> ...	53	123	7517	<i>Miersii</i> ...	47	117	7199
<i>vitiensis</i> ...	50	120	7343	<i>Narcisso - Leucojum</i>			
<i>Myrobalan</i> ...	27	97	5934	<i>pratense</i> ...	—	30	1210
<i>Myrobatindum spic-</i>				<i>trifolium</i> ...	—	47	2162
<i>atum</i> ...	—	35	1449				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Narcissus Africanus...	—	24	925	Narcissus juncifolius..	—	31	1262
albo-sulphureus ...	—	29	1188	" " ...	—	41	1687
albus ...	—	6	193	latifolius ...	—	4	121
" " ...	—	29	1187	" " ...	—	24	925
" " ...	—	32	1300	" " ...	—	24	940
" " ...	—	52	2588	" " ...	—	24	947
Amancaes ...	—	30	1224	luteus ...	—	24	925
amboinensis ...	—	35	1419	Macleaii ...	—	52	2588
americanus ...	—	21	826	major ...	—	2	51
angustifolius ...	—	3	78	" " ...	—	32	1301
" " ...	—	6	193	marinus ...	—	19	718
" " ...	—	24	934	Matthioli ...	—	45	1993
" " ...	—	24	945	medio luteus ...	—	6	197
" " ...	—	31	1262	" " ...	—	24	946
apodanthus ...	36	106	6473	" " ...	—	32	1298
autumnalis ...	—	9	290	" " ...	—	32	1299
bicolor ...	—	29	1187	" " purpureus ...	—	6	193
biflorus ...	—	6	197	minor ...	—	1	6
bifolius ...	—	27	1075	montanus ...	—	3	88
Bifrons ...	—	29	1186	Moschatus ...	—	24	924
" " ...	—	32	1299	" " ...	—	32	1300
Broussonetii ...	44	114	7016	Narbonensis ...	—	24	940
bulbocodium ...	—	3	88	" " ...	—	32	1298
" <i>v.</i> monophyllus	26	96	5831	nobilis ...	—	25	1011
byzantinus ...	—	26	1026	nutans ...	—	24	945
" " ...	—	32	1298	obliteratus... ..	44	114	7016
calathinus ...	—	24	934	odorus ...	—	3	78
" " ...	—	29	1186	(<i>see note</i>)	—	24	934
" " ...	—	31	1262	" " ...	—	24	934
candidissimus ...	—	32	1300	Orientalis ...	—	24	940
cernuus ...	—	24	924	(<i>see note</i>)	—	32	1298
chalcedonicus ...	—	25	1011	" " ...	—	24	946
compressus ...	—	32	1299	" " ...	—	24	948
cyclamineus ...	43	113	6950	" " (<i>see note</i>)	—	32	1298
flore exalbido ...	—	24	924	" fl. pleno..	—	25	1011
Graellsii ...	36	106	6473	" " ...	—	26	1026
illyricus ...	—	19	718	" " ...	—	32	1298
incomparabilis ...	—	4	121	" " pachybolbus ...	41	111	6825
(<i>see note</i>)	—	24	934	pallidulus ...	36	106	6473
Indicus ...	—	4	144	pallidus ...	—	6	197
" " ...	—	19	733	" " ...	—	29	1187
" serpentarius	—	27	1075	Papyraceus ...	—	24	947
" " ...	—	39	1619	" " ...	—	29	1188
Italicus ...	—	29	1188	" " parvus ...	—	1	6
japonicus ...	—	9	294	Pisanus ...	—	24	947
Jonquilla ...	—	1	15	pleno flore... ..	—	25	1011
" major ...	—	24	934	poeticus ...	—	6	193
juncifolius ...	—	2	48	polyanthos ...	—	19	733
" " ...	—	24	934	" " ...	—	24	940
" " ...	—	24	945	" " ...	—	29	1186

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Narcissus præcox ...	—	32	1298	Neillia Tanakæ ...	54	124	7593
pseudo-narcissus ...	—	29	1187	Torreyi ...	57	127	7758
„ v. John-				Nelumbium luteum ...	—	66	3753
stoni ...	44	114	7012	Speciosum ...	—	23	903
pumilus ...	—	35	1443	„ ...	—	68	3916
rupicola ...	36	106	6473	Nelumbo nucifera ...	—	23	903
Sibthorpii ...	—	32	1301	Nemastylis acuta ...	39	109	6666
sulphureus ...	—	29	1188	geminiflora ...	39	109	6666
sylvestris ...	—	24	924	Nematanthus chloro-			
Tazeta ...	—	24	946	nema ...	—	70	4080
„ ...	—	24	947	corticola ...	5	75	4460
Tazetta ...	—	24	925	Ionema ...	5	75	4460
Tazzetta ...	—	32	1298	longipes ...	—	69	4018
tenuior ...	—	11	379	Morrelliana ...	5	75	4460
tereticaulis ...	—	32	1298	Nematostigma panicul-			
tortuosus ...	—	32	1300	atum ...	32	102	6263
totus albus ...	—	21	826	Nemesia strumosa ...	49	119	7272
triandrus ...	—	2	48	Nemophila atomaria ..	—	66	3774
„ v. luteus..	—	31	1262	insignis ...	—	63	3485
„ ...	36	106	6473	phacelioides ...	—	50	2373
trilobus ...	—	24	945	Neobenthamia gracilis	48	118	7221
uniflorus ...	—	6	193	Neottia acaulis ...	—	38	1562
viridiflorus ...	—	41	1687	aphylla ...	—	55	2797
Zeylanicus... ..	—	52	2538	calcarata ...	—	62	3403
Nardostachys grandiflora ...	37	107	6564	cernua ...	—	38	1568
Jatamansi ...	37	107	6564	„ ...	17	87	5277
Nardus indica ...	37	107	6564	elata ...	—	46	2026
Narthecium Americanum ...	—	37	1505	gemmipara ...	17	87	5277
Narthex Asafœtida ...	16	86	5168	Glandulosa ...	—	22	842
Nasonia punctata ...	24	94	5718	grandiflora ...	—	54	2730
Nasturtium alpinum... ..	—	13	452	„ ...	—	57	2956
„ „ ...	—	42	1735	minor ...	—	46	2026
Anemones ...	—	33	1334	Orchioides ...	—	26	1036
montanum ...	—	42	1735	picta ...	—	38	1562
Nati-Schamba ...	4	74	4408	Speciosa ...	—	34	1374
Natten ...	—	28	1109	Neovedia affinis ...	19	89	5414
Nauclea Adina ...	—	53	2613	Nepa Capensis capitata	—	48	2225
Nauenia spectabilis ...	36	106	6516	Nepenthes ampullaria.	15	85	5109
Naumbergia guttata... ..	—	45	2012	Curtisii ...	46	116	7138
Nautilocalyx hastatus.	8	78	4675	distillatoria ...	—	53	2629
Nectandra lavigata ...	—	44	1902	„ ...	—	55	2798
tetrandra ...	—	47	2138	Indica ...	—	55	2798
Nectris aquatica ...	45	115	7090	Phyllamphora ...	—	53	2629
Nedel-Ambel... ..	—	18	658	„ ...	—	55	2798
Neer Veneky... ..	—	30	1201	Rafflesiana ...	3	73	4285
Negundo arbor mas ...	—	11	364	villosa ...	14	84	5080
Neillia malvacea ...	57	127	7758	Nepeta corymbis ...	—	47	2185
monogyna ...	57	127	7758	incana ...	41	111	6799
				japonica ...	41	111	6799
				longiflora ...	—	23	923

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Nepeta Malabarica</i>	46	2071	<i>Nicotiana fruticosa</i> ...	32	102	6207
<i>spicata</i> ...	35	105	6405	<i>glauca</i> ...	—	55	2837
<i>Willdenowiana</i> ...	—	23	923	<i>Langsdorffii</i> ...	—	48	2221
<i>Nephalaphyllum pul-</i>				" ...	—	52	2555
<i>chrum</i> ...	18	88	5332	<i>noctiflora</i> ...	—	54	2785
<i>scapigerum</i> ...	19	89	5390	<i>nyctaginiflora</i> ...	—	52	2552
<i>Nephelium Bengal-</i>				<i>quadrivalvis</i> ...	—	43	1778
<i>ense</i> ...	—	70	4096	<i>repanda</i> ...	—	51	2484
<i>Longan</i> ...	—	70	4096	<i>sylvestris</i> ...	55	125	7652
<i>Longana</i> ...	—	70	4096	<i>Tabacum v. fruti-</i>			
<i>Neptunia plena</i> ...	9	79	4695	<i>cosa</i> ...	32	102	6207
<i>polyphylla</i> ...	9	79	4695	<i>tomentosa</i> ...	48	118	7252
<i>Nerine filifolia</i> ...	37	107	6547	<i>undulata</i> ...	—	18	673
<i>pudica</i> ...	27	97	5901	<i>Nidularium acantho-</i>			
<i>pulchella</i> ...	—	50	2407	<i>crater</i> ...	42	112	6904
<i>Rosea</i> ...	—	47	2124	<i>spectabile</i> ...	29	99	6024
<i>Nerio affinis angusti-</i>				<i>Nierembergia calycina</i>	—	61	3371
<i>folia lactescens</i> ...	—	49	2309	<i>filicaulis</i> ...	—	61	3370
<i>Nerion Indicum</i> ...	—	43	1799	<i>gracilis</i> ...	—	58	3108
<i>Nerium alpinum</i> ...	—	43	1853	<i>intermedia</i> ...	—	60	3256
<i>coccineum</i> ...	—	53	2696	<i>Phænicea</i> ...	—	64	3556
<i>coronarium</i> ...	—	44	1865	<i>rivularis</i> ...	22	92	5608
<i>divaricatum</i> ...	—	44	1865	<i>Veitchii</i> ...	22	92	5599
<i>flore carneo</i> ...	—	46	2032	<i>Nigella angustifolia</i> ...	—	1	22
<i>indicum</i> ...	—	43	1799	<i>Chalepensis</i> ...	—	31	1264
<i>latifolium</i> ...	—	43	1799	<i>cretica</i> ...	—	31	1266
<i>obesum</i> ...	19	89	5418	<i>damascena</i> ...	—	1	22
<i>odorum</i> ...	—	43	1799	<i>hispanica</i> ...	—	31	1265
<i>v. Carneum.</i>	—	46	2032	<i>latifolia</i> ...	—	31	1265
<i>sarmentosum</i> ...	—	27	1064	<i>orientalis</i> ...	—	31	1264
<i>Zeylanicum</i> ...	—	43	1799	<i>Nigellastrum raris et</i>			
<i>Nertera depressa</i> ...	25	95	5799	<i>fœniculaceis foliis</i>	—	31	1266
<i>repens</i> ...	25	95	5799	<i>Niphæa albo-liniata</i> ...	3	73	4282
<i>Neubeckia stylosa</i> ...	25	95	5773	" <i>v. reticulata</i>	14	84	5043
<i>Neuberia longifolia</i> ...	33	103	6335	<i>Noccea cepeæfolia</i> ...	25	95	5749
<i>Neudorffia Peruviana</i> ..	—	19	731	<i>Nolana (Sorema) lan-</i>			
<i>Neuwiedia Griffithii</i> ...	51	121	7425	<i>ceolata</i> ...	18	88	5327
<i>Lindleyi</i> ...	50	120	7368	<i>paradoxa</i> ...	—	52	2604
<i>Neviusa alabamensis</i> ..	41	111	6806	<i>prostrata</i> ...	—	19	731
<i>alabamica</i> ...	41	111	6806	<i>Nonfeuillee</i> ...	—	28	1132
<i>Nicandra physaloides</i> .	—	51	2458	<i>Nosehla</i> ...	—	34	1407
<i>Nicolaia hemisphærica</i>	54	124	7592	<i>Nothochlæna lævis</i> ...	9	79	4699
<i>Nicotiana acuminata</i> ..	—	56	2919	<i>tenera</i> ...	—	58	3055
<i>axillaris</i> ...	—	52	2552	<i>Notholœna sinuata</i> ...	9	79	4699
<i>cclossea</i> ...	48	118	7252	<i>Nothopanax sambuci-</i>			
<i>foliis lanceolatis</i>				<i>folius</i> ...	30	100	6093
<i>acutis</i> ...	32	102	6207	<i>Nothoscordum aureum</i>	27	97	5896
" <i>radicalibus sub-</i>				<i>Notonia Grantii</i> ...	55	125	7691
<i>spathulatis</i> ...	—	18	673	<i>sempervirens</i> ...	55	125	7691
<i>fragrans</i> ...	11	81	4865	<i>trachycarpa</i> ...	55	125	7659

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Notospartium Carmi- chæliæ</i>	40	110	6741	<i>Nymphæa micrantha</i> ..	6	76	4535
<i>Notylia albida</i>	33	103	6311	<i>Nelumbo</i>	—	23	903
<i>bicolor</i>	22	92	5609	„	—	66	3753
<i>Novella nigra</i>	—	21	794	<i>nitida</i>	—	33	1359
<i>Nunnezharia (Chamæ- dorea) geonomæformis</i>	30	100	6088	<i>Odorata</i>	—	21	819
<i>tenella</i>	37	107	6584	„ <i>v. minor</i> ...	—	40	1652
<i>Nuttallia digitata</i> ...	—	53	2612	„ <i>v. minor flor- ibus roseis</i>	39	109	6708
<i>involverata</i>	8	78	4681	<i>pygmaea</i>	—	37	1525
<i>Papaver</i>	—	60	3287	<i>rubra</i>	—	31	1280
<i>Nux Moschata</i>	—	54	2756	„ <i>v. rosea</i> ...	—	33	1364
<i>Myristica seu Pala</i> .	—	54	2756	<i>Rudgeana</i>	5	75	4469
<i>Nyctaginia Torreyana</i> .	32	102	6266	<i>sphaerocarpa</i> ...	40	110	6736
<i>Nyctanthes Arbor-tristis</i>	12	82	4900	<i>stellata</i>	—	46	2058
<i>grandiflora</i>	—	43	1785	„ <i>v. zanzibariensis</i>	41	111	6843
<i>hirsuta</i>	—	45	1991	<i>tetragona</i>	—	37	1525
<i>multiflora</i>	—	45	1991	<i>tuberosa</i>	37	107	6536
<i>pubescens</i>	—	45	1991	<i>versicolor</i>	—	29	1189
<i>sambac</i>	—	43	1785	<i>Victoria</i>	3	73	4275
<i>Nyctarium amazonium</i>	—	43	1801	<i>zanzibariensis</i> ...	41	111	6843
<i>Nyctocalos Thomsoni</i> ..	23	93	5678	<i>Obai</i>	—	13	466
<i>Nymphæa advena</i>	—	18	684	<i>Obentonia castrata</i> ...	12	82	4948
<i>alba</i>	—	21	819	<i>Oberonia acaulis</i> ...	14	84	5056
„ <i>v. rubra</i>	40	110	6736	<i>iridifolia</i>	6	76	4517
<i>Amazonum</i>	10	80	4823	<i>Obletia</i>	—	9	308
<i>ampla</i>	5	75	4469	<i>Ochna arborea</i>	6	76	4519
<i>blanda</i>	10	80	4823	<i>atro-purpurea</i> ...	6	76	4519
<i>cærulea</i>	—	16	552	<i>Delagoensis</i>	6	76	4519
<i>Caspary</i>	40	110	6736	<i>Natalitia</i>	6	76	4519
<i>ceramica</i>	—	18	658	<i>serrulata</i>	6	76	4519
<i>dentata</i>	2	72	4257	<i>Ocimum canum</i>	—	51	2452
(hybrida) <i>Devoniensis</i>	8	78	4665	„ (see note)	—	51	2460
<i>diversicolor</i>	—	29	1189	<i>foetidum</i>	40	110	6792
<i>elegans</i>	7	77	4604	<i>grandiflorum</i> ...	26	96	5833
<i>flava</i>	43	113	6917	<i>Hadiense</i>	—	46	2036
<i>flavo-virens</i>	57	127	7781	<i>scutellarioides</i> ...	—	35	1446
<i>floribus flavis</i>	—	18	684	<i>stamineum</i>	—	51	2452
<i>foetida</i>	10	80	4823	<i>Ocoloxochitl</i>	—	15	532
<i>foliis cordatis</i>	—	37	1525	<i>Octadesmia monophylla</i>	39	109	6683
„ <i>amplioribus</i> ...	5	75	4469	<i>Octomeria graminifolia</i>	—	54	2764
<i>gigantea</i>	8	78	4647	<i>serratifolia</i>	—	55	2823
<i>Indica</i>	5	75	4469	<i>stellata</i>	—	64	3605
<i>kalmiana</i>	—	31	1243	<i>Octomeris macrodon</i> ...	5	75	4421
(hybrida) <i>Kewensis</i> .	44	114	6988	<i>Ocymoides repens mon- tanum</i>	—	5	154
<i>Lotus</i>	—	21	797	<i>Ocymum montanum</i> ...	—	57	2996
„	5	75	4469	<i>Od el Kseh</i>	55	125	7671
„	10	80	4823	<i>Odollam</i>	—	43	1845
<i>lutea</i>	—	31	1243	<i>Odontioda Vuylstekeæ</i>	60	130	7990
<i>mexicana</i>	57	127	7781				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Odontoglossum Alex- andreae v. Trianae .	24	94	5691	Oenothera Drummondii	—	61	3361
„ v. guttatum	24	94	5697	florum calyce mono- phylo	—	10	332
anceps	22	92	5572	foliis alternis	—	13	468
brevifolium	55	125	7687	„ radicalibus	—	10	355
Candelabrum	55	125	7687	Fraseri	—	40	1674
cirrhosum	33	103	6317	„	—	64	3545
Clowesii	—	70	4109	fruticosa	—	10	332
constrictum	24	94	5736	„ v. ambigua	—	64	3545
cordatum	11	81	4878	glauca	—	39	1606
„ (non macu- latum) see	35	105	6455	grandiflora	—	46	2068
coronarium	55	125	7687	heterophylla	14	84	5078
Edwardi	40	110	6771	incana	—	64	3545
grande	—	68	3955	Lindleyi	—	55	2832
Hallii	32	102	6237	Longiflora	—	11	365
hastilabium	2	72	4272	marginata	26	96	5828
„ v. fuscatum	12	82	4919	minima	—	62	3392
Krameri	25	95	5778	missourensis	—	39	1592
laeve	32	102	6265	(see note)	—	40	1674
maculatum	11	81	4878	odorata	—	50	2403
„	35	105	6455	pumila	—	10	355
maxillare	31	101	6144	purpurea	—	10	352
membranaceum	12	82	4923	Romanzovii	—	50	2424
miniatum	55	125	7687	rosea	—	10	347
Noezlianum	52	122	7474	serotina	—	64	3545
odoratum	36	106	6502	sinuata	—	62	3392
Oerstedii	41	111	6820	speciosa	—	59	3189
pardinum	28	98	5993	tenella	—	50	2424
praenitens	32	102	6229	tetraptera	—	13	468
pulchellum	—	70	4104	triloba	—	52	2566
retusum	53	123	7569	undulata	—	50	2403
Roezii	30	100	6085	viminea	—	55	2873
roseum	30	100	6084	Whitneyi	26	96	5867
tigrinum	27	97	5878	Oldenburgia arbuscula	60	130	7942
tripudians	29	99	6029	grandis	60	130	7942
vexillarium	29	99	6037	Olea Capensis	—	58	3089
Warszewiczii	31	101	6163	fragrans	—	38	1552
zebrinum	30	100	6138	laurifolia	—	58	3089
Odontonema lucidum .	5	75	4441	undulata	—	58	3089
Ococlades funalis	3	73	4295	Olearia dentata	28	98	5973
Oedera prolifera	—	40	1637	„ „	45	115	7065
Oenothera ambigua	—	64	3545	Gunniana	8	78	4638
anomala	—	11	388	Haastii	37	107	6592
bifrons	—	66	3764	insignis	45	115	7034
bistorta v. Veitchiana	14	84	5078	macrodonata	45	115	7065
caespitosa	—	39	1593	rotundifolia	28	98	5973
canadensis	—	64	3545	Olyra concinna	52	122	7469
corymbosa	—	45	1974	Omalanthus leschen- aultianus	—	54	2780
decumbens	—	56	2889	populifolia	—	54	2780

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Omotto ...	—	23	898	Oncidium pumilum ...	—	64	3581
Omphalodes Luciliæ... Lusitanica... nitida ...	29 — —	99 52 52	6047 2529 2529	raniferum <i>v.</i> major..	—	66	3712
Oncidium altissimum..	—	57	2990	serratum ...	23	93	5632
aurosium ...	18	88	5293	splendidum ...	27	97	5878
Barkeri ...	27	97	5878	stramineum ...	32	102	6254
bicallosum... bicornutum ... bifolium ... candidum ...	1 — — 21	71 58 36 91	4148 3109 1491 5546	superbiens... tigrinum <i>v.</i> splen- didum ...	28 27	98 97	5980 5878
Cebolleta ...	—	64	3568	tricolor ...	—	70	4130
cheirophorum ...	33	103	6278	triquetrum ...	—	62	3393
Columbæ ...	32	102	6254	Wrayæ ...	—	67	3854
concolor ...	—	66	3752	xanthodon... zebrinum ...	25 30	95 100	5756 6138
cornigerum ...	—	63	3486	Oncoecyclus Ibericus...	26	96	5847
crispum ...	—	63	3499	Oncoma pulchellum ...	43	113	6938
cryptocopis ...	26	96	5858	Oncospermum Drum- mondianum ...	21	91	5521
cucullatum <i>v.</i> nubi- genum ...	24	94	5708	Onobroma arborescens cæruleum ...	— —	61 49	3302 2293
cuneatum ...	—	64	3603	Onobrychis arvensis... floribus viciæ ma- joribus ...	— —	3 22	102 843
dasystyle ...	36	106	6494	semine clypeato ...	—	8	282
dentatum ...	43	113	6971	Ononis crispa ...	—	51	2450
diadema ...	23	93	5632	fruticosa ...	—	9	317
echinatum... euxanthinum ...	50 33	120 103	7389 6322	hispanica ...	—	51	2450
excavatum... flexuosum ...	18 —	88 48	5293 2203	natrix ...	—	10	329
Forbesii ...	—	65	3705	oligophylla ...	—	51	2450
Huntianum ...	—	67	3806	purpurea ...	—	9	317
incurvum ...	10	80	4824	rotundifolia ...	—	10	335
Janeirense... Jonesianum ...	16 44	86 114	5193 6982	Onopordum Arabicum.	—	61	3299
juncifolium ...	—	64	3568	Onosma pyramidalis... sibirica ...	44 —	114 48	6987 2248
Lindeni ...	32	102	6254	simplicissima ...	—	48	2248
longipes ...	16	86	5193	Taurica ...	—	23	889
luridum ...	—	64	3603	Onychium crumenatum Japonicum ..	— 20	69 90	4013 5482
macrantherum ...	—	67	3845	Krebsii ...	10	80	4768
macranthum ...	24	94	5743	Ophelia alata ...	24	94	5687
Marshallianum ...	24	94	5725	angustifolia ...	24	94	5687
Micropogon ...	43	113	6971	corymbosa ...	6	76	4489
monoceras ...	—	68	3890	paniculata... umbellata ...	24 19	94 89	5687 5397
ornithorhynchum ...	—	68	3912	Op hiopogon brevi- folius ...	31	101	6154
pachyphyllum ...	—	67	3807	Japonicus ...	—	27	1063
Papilio ...	—	55	2795	(<i>see note</i>) ...	—	37	1532
„ <i>v.</i> limbatum ...	—	66	3733	mollis ...	31	101	6154
phymatochilum ...	16	86	5214	pallidus ...	31	101	6154
prætextum... pubes <i>v.</i> flavescens..	38 —	108 68	6662 3926	spicatus ...	18	88	5348
pulchellum ...	—	54	2773				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Ophioxylum Serpenti- num	—	20	784	Orchidocarpa arietinum	26	96	5854
trifoliatum	—	20	784	Orehis acuminata ...	—	44	1932
Ophrys arachnites ...	—	51	2516	Amboinica	—	27	1076
arachnoides	—	51	2516	arachnites	—	51	2516
aranifera v. apiculata	24	94	5712	araniam referens ...	—	51	2516
cernua	—	38	1568	bicurvis	49	119	7289
"	17	87	5277	Burmanniana	51	121	7450
ciliata	26	96	5844	carnea	—	37	1512
insectifera	—	44	1930	ciliaris	—	40	1668
"	—	51	2516	cordata	—	59	3164
"	26	96	5844	cornuta	—	70	4091
" v. aranifera	24	94	5712	falcata	—	46	2097
lilifolia	—	45	2004	foliosa	14	84	5074
lutea	27	97	5941	gigantea	—	62	3374
scapo nudo	—	45	2004	Habenaria	—	56	2947
Speculum	26	96	5844	hyacinthoides	—	25	993
tenthredinifera ...	—	44	1930	longicornis... ..	—	45	1944
vernixia	26	96	5844	longicornu... ..	—	45	1944
villosa	—	44	1930	lutea	—	47	2172
Oplothea floridana ...	—	52	2603	" caule purpureo			
Oporanthus Fischer- ianus	51	121	7441	maculato	49	119	7289
Opulaster malvacea ...	57	127	7758	Marilandica	—	40	1668
Opuntia Brasiliensis ..	—	61	3293	militaris	—	62	3426
cochinellifera	—	54	2741	monophylla	54	124	7601
cœspitosa	45	115	7041	orientalis	—	44	1930
cylindrica	—	61	3301	palmata	—	40	1668
Davisii	38	108	6652	pectinata	51	121	7450
decumbens... ..	—	68	3914	sagittalis	51	121	7403
elatior	—	38	1557	sambucina... ..	—	52	2569
foliis ovatis	—	50	2393	serapias	—	51	2566
irrorata	—	68	3914	simia	—	62	3426
macrantha... ..	45	115	7041	simiam referens ...	—	62	3426
maxima	—	54	2741	speciosa	—	56	2926
missouriensis	45	115	7046	sulphurea	—	52	2569
monacantha	—	68	3911	t e p h r o s a n t h o s			
nigricans	—	38	1557	v. densifolius	—	62	3426
polyacantha	45	115	7046	testiculata... ..	—	40	1668
polyanthos	—	53	2691	tripetaloides	47	117	7206
Rafinesquii	45	115	7041	Orelia grandiflora ...	—	10	338
repens	—	68	3914	"	4	74	4411
Salmiana	6	76	4542	Orellana folliculis lap- paceis	—	35	1456
Tuna	—	38	1557	Oreobroma Tweedyi ...	55	125	7633
vulgaris	—	50	2393	Oreodaphne bullata ...	—	68	3931
"	45	115	7041	Californica	18	88	5320
Orbea bufonia	—	40	1676	Oreopanax Thibautii ..	34	104	6340
maculosa	—	43	1833	Oreoselinum anisoides	—	51	2489
Orchidea	—	65	3660	Oriba... ..	—	46	2079
Orchidium boreale ...	—	54	2763	Origanum Dictamnus .	—	9	298
				fistulosum	—	5	145

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Origanum Maru ...	—	52	2605	Ornithogalum Neopoli-			
Orithyia biflora ...	36	106	6518	tanum ...	—	8	269
Orleana folliculis lap-				nutans ...	—	8	269
paceis ...	—	35	1456	pallido flore ...	—	30	1200
Ornithidium album ...	—	61	3306	pallidum ...	—	30	1200
”	1	71	4141	punctatum... ..	—	23	913
Ornithochilus Eubleph-				”	—	37	1539
arum ...	50	120	7385	Revolutum ...	—	18	653
fuscus ...	53	120	7385	samium villosum ...	—	58	3077
Ornithogalum Æthiopi-				scapo bifloro ...	—	19	710
cum ...	—	29	1164	spicatum ...	—	24	935
affinis ...	—	34	1382	Squilla ...	—	23	918
Africanum ...	—	19	720	sylvaticum... ..	—	30	1200
”	—	34	1382	Thyrsoides ...	—	29	1164
alexandrinum ...	—	22	876	umbellato affine ...	—	58	3077
altissimum ...	—	27	1074	umbellatum maximum	—	19	728
Arabicum ...	—	19	728	”	—	59	3179
aureum ...	—	6	190	undulatum ...	—	27	1083
bivalve ...	—	37	1524	unifolium ...	—	24	935
cæruleum ...	—	20	749	”	—	24	953
canadense ...	—	19	720	vernum ...	—	19	710
”	—	21	804	virginianum ...	—	19	710
capense ...	—	34	1382	Ornithoglossum glau-			
capitatum ...	19	89	5388	cum ...	—	25	994
caudatum ...	—	21	805	Ornithopodium Mada-			
concinnum... ..	—	24	953	raspatanum ...	—	41	1722
conicum ...	—	63	3538	Orobanche sp. 15 ...	46	116	7106
corymbosum ...	—	59	3179	Phelypæa ...	59	129	7911
eriphorum ...	—	20	749	Orobella vicioides ...	12	82	4943
”	—	28	1140	Orobus angustifolius ..	—	18	675
exoticum ...	—	8	269	atro-purpureus ...	—	58	3117
fimbriatum ...	—	58	3077	”	12	82	4943
floribus umbellatis..	—	37	1524	canescens ...	—	58	3117
foliis cordatis ...	—	34	1382	caule ramoso ...	—	48	2261
giganteum ...	—	27	1074	Creticus ...	—	49	2345
gramineum ...	—	50	2419	digitatus ...	—	55	2796
herbaceum ...	—	19	710	ensifolius ...	—	58	3117
hirsutum ...	—	19	710	filiformis ...	—	58	3117
Juncifolium ...	—	25	972	Fischeri ...	12	82	4943
lacteum ...	—	28	1134	foliis pinnatis ...	—	18	675
latifolium ...	—	22	876	hirsutus ...	—	49	2345
luteo-virens ...	—	21	804	lathyroides ...	—	46	2098
luteum ...	—	30	1200	latifolius repens ...	—	49	2345
majus spicatum ...	—	51	2510	laxiflorus ...	—	49	2345
maritimum ...	—	23	918	niger ...	—	48	2261
maximum ...	—	22	876	orientalis ...	—	55	2796
nanum ...	—	24	935	Pannonicus ...	—	48	2261
”	—	24	953	pubescens ...	59	129	7891
”	—	36	1495	Pyrenaicus ...	—	55	2796
Narbonense ...	—	51	2510	sessilifolius ...	—	55	2796

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Orobis stipulaceus</i> ...	—	56	2937	<i>Ourisia coccinea</i> ...	18	88	5335
<i>sylvaticus</i> ...	—	15	521	<i>Ouvirandra Bernier-</i>			
" ...	—	48	2261	<i>iana</i> ...	14	84	5076
" ...	—	49	2345	<i>fenestralis</i> ...	12	82	4894
<i>Varius</i> ...	—	18	675	<i>Oxalis arenaria</i> ...	31	101	6193
<i>venetus</i> ...	—	15	521	<i>articulata</i> ...	40	110	6748
<i>Vernus</i> ...	—	15	521	<i>Barrelieri</i> ...	—	66	3748
<i>versicolor</i> ...	—	18	675	<i>bipunctata</i> ...	—	54	2781
<i>Orontium Japonicum</i> ..	—	23	898	" ...	—	68	3938
<i>Orothamnus Zeyheri</i> ...	4	74	4357	<i>bulbosa</i> ...	—	7	237
<i>Orsidice amplexicaulis</i>	57	127	7754	<i>Caprina</i> ...	—	7	237
<i>lilacinus</i> ...	57	127	7754	<i>carnosa</i> ...	—	55	2866
<i>Orthosiphon incurvus</i> .	—	67	3847	<i>dispar</i> ...	57	127	7794
<i>stamineus</i> ...	26	96	5833	<i>elegans</i> ...	6	76	4490
<i>Orthostemon Sellow-</i>				<i>enneaphylla</i> ...	32	102	6256
<i>ianus</i> ...	54	124	7620	<i>floribunda</i> ...	—	55	2830
<i>Orychophragmus</i>				" ...	—	68	3938
<i>sonchifolius</i> ...	32	102	6243	<i>grandiflora</i> ...	—	41	1683
<i>Osbeckia aspera</i> ...	14	84	5085	<i>hirta</i> ...	—	26	1031
<i>Aubletiana</i> ...	29	99	6011	<i>lasiandra</i> ...	—	68	3896
<i>campestris</i> ...	37	107	6575	<i>lasiopetala</i> ...	—	68	3932
<i>canescens</i> ...	—	66	3790	<i>lobata</i> ...	—	50	2386
<i>Chinensis</i> ...	—	69	4026	<i>Martiana</i> ...	—	68	3938
<i>glomerata</i> ...	—	55	2838	<i>pentaphylla</i> ...	—	38	1549
<i>lanceolata</i> ...	—	55	2836	<i>Pes Capræ</i> ...	—	7	237
<i>longicollis</i> ...	37	107	6575	<i>purpurea</i> ...	—	41	1683
<i>pulchella</i> ...	37	107	6575	" ...	—	41	1712
<i>rostrata</i> ...	37	107	6575	<i>racemosa</i> ...	—	55	2830
<i>ternifolia</i> ...	37	107	6575	<i>radice fibrosa</i> ...	—	26	1031
<i>Oscaria chinensis</i> ...	53	123	7559	<i>rosacea</i> ...	—	41	1698
<i>Osmanthus fragrans</i> ...	—	38	1552	<i>rosea</i> ...	—	50	2415
<i>Osmunda barbara</i> ...	28	98	5954	" ...	—	55	2830
<i>barbata</i> ...	28	98	5954	<i>rubella</i> ...	—	26	1031
<i>Osteomeles anthyllidi-</i>				<i>speciosa</i> ...	—	41	1712
<i>folia</i> ...	50	120	7354	<i>sugillata</i> ...	—	41	1712
<i>subrotunda</i> ...	50	120	7354	<i>urbica</i> ...	—	68	3938
<i>Ostrowskia magnifica</i> .	52	122	7472	<i>variabilis</i> v. <i>albiflora</i>	—	41	1683
<i>Osyris odorata</i> ...	—	46	2056	" v. <i>rubra</i> ...	—	41	1712
<i>Othonna amplexicaulis</i>	—	32	1312	<i>versicolor</i> ...	—	5	155
<i>bulbosa</i> ...	—	20	768	<i>violacea</i> ...	—	48	2215
<i>denticulata</i> ...	—	45	1979	<i>Oxera pulchella</i> ...	43	113	6938
<i>foliis cordatis</i> ...	—	44	1869	<i>Oxyanthus speciosus</i> ..	—	45	1992
<i>frutescens</i> ...	—	69	3967	" ...	8	78	4636
<i>Pectinata</i> ...	—	9	306	<i>tubiflorus</i> ...	8	78	4636
<i>Pinnata</i> ...	—	20	768	<i>Oxybaphus multiflorus</i>	32	102	6266
<i>tuberosa</i> ...	—	69	4038	<i>viscosus</i> ...	—	13	434
<i>Otochilus fusca</i> ...	—	68	3921	<i>Oxycoccus erectus</i> ...	51	121	7413
<i>Otostemma lacunosum</i>	11	81	4826	<i>erythrocarpus</i> ...	51	121	7413
" ...	17	87	5272	<i>macrocarpus</i> ...	—	52	2586
<i>Ottel-Ambel</i> ...	—	30	1201	<i>palustris</i> ...	—	52	2586

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Oxylobium arborescens	—	51	2442	Pæonia fructibus tribus	—	42	1756
cordifolium	—	37	1544	hispanico semine	—	35	1422
ellipticum	—	60	3249	humilis	—	35	1422
sericeum	30	100	6114	laciniata	—	42	1754
Oxypetalum solanoides	4	74	4367	lacteo flore	—	42	1756
Oxys Africana	—	5	155	lobata	—	48	2264
bulbosa	—	41	1712	lutea	57	127	7788
purpurea virginiana	—	48	2215	Moutan	—	29	1154
roseo flore	—	50	2415	" v. papaver-			
" " erectior	—	55	2830	acea	—	47	2175
Oxyspora nutans	6	76	4553	officinalis	—	26	1050
vagans	6	76	4553	" "	—	43	1784
Oxytropis Lamberti	—	47	2147	" "	24	94	5719
montana	—	22	843	" v. anemoni-			
pilosa	—	51	2483	flora	—	59	3175
Oyama Renga	51	121	7411	papaveracea	—	29	1154
Ozimochitl	—	43	1817	" "	—	47	2175
PACHIRA alba	6	76	4508	peregrina	—	26	1050
longifolia	6	76	4549	pubens	—	48	2264
macrocarpa	6	76	4549	radice glandulosa	—	43	1784
Pachyphytum bracte-				rubra	—	43	1784
osum	12	82	4951	Russi	—	62	3431
Pachypodium obesum	19	89	5418	suffruticosa	—	29	1154
succulentum	21	91	5543	tenuifolia	—	24	926
tomentosum	21	91	5543	tenuis	—	35	1422
tuberosum	21	91	5543	Wittmanniana	38	108	6645
Pachysandra pro-				Palafoxia Hookeriana	21	91	5549
cumbens	—	45	1964	linearis	—	47	2132
Pachystigma pteleoides	5	75	4436	Texana	21	91	5549
Pachystoma Josephi	45	115	7060	Palava flexuosa	25	95	5768
? Thomsonianum	36	106	6471	Palavia rhombifolia	—	58	3100
Padifolium maderense	49	119	7305	Palicourea discolor	44	114	7001
Pæderota nudicaulis	—	51	2500	nicotianæfolia	44	114	7001
Pæonia albiflora	—	42	1756	Palisota Barteri	18	88	5318
" "	—	42	1768	Paliurus aculeatus	—	44	1893
Anomala	—	42	1754	australis	—	44	1893
arborea	—	29	1154	folio jujubino	—	44	1893
Byzantina	—	26	1050	Spina Christi	—	44	1893
daurica	—	35	1441	Virgatus	—	52	2535
edulis	—	42	1756	Palma Americana	—	45	1969
" v. sinensis	—	42	1768	minor	—	47	2152
Emodi	24	94	5719	Palmier de l'Isle Praslin	—	54	2734
femina	—	35	1422	Palmifolia fructu cla-			
" "	—	43	1784	vato	—	45	1969
flore albo	—	42	1756	Palo de Vaca	—	66	3723
fœmina byzantina	—	26	1050	Palquin	—	5	174
foliolis oblongis	—	43	1784	Palumbina candida	21	91	5546
fructibus quinque				Panætia Lessonii	18	88	5347
glabris	—	42	1754	Panax angustifolius	30	100	6093
				dendroides	30	100	6093

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Panax excelsa</i> ...	18	88	5299	<i>Papaver atlanticum</i> ...	46	116	7107
<i>foliis ternis</i> ...	—	33	1334	<i>Caucasicum</i> ...	—	40	1675
<i>Murrayi</i> ...	41	111	6798	<i>corniculatum</i> ...	—	40	1681
<i>pusilla</i> ...	—	33	1334	<i>cornutum</i> ...	—	10	359
<i>quinquefolia</i> ...	—	33	1333	<i>croceum</i> ...	—	57	3035
<i>sambucifolius</i> ...	30	100	6093	<i>erraticum</i> ...	—	39	1633
<i>trifolia</i> ...	—	33	1334	<i>Gariopinum</i> ...	—	64	3623
<i>Panocratium</i> ...	—	23	918	<i>Hookeri</i> ...	39	109	6729
<i>Amancaes</i> ...	—	30	1224	<i>nudicaule</i> ...	—	39	1633
<i>amboinense</i> ...	—	35	1419	" <i>v. rubro-</i>			
<i>amœnum</i> ...	—	36	1467	<i>aurantiacum</i>	—	49	2344
<i>calathiforme</i> ...	—	38	1561	<i>Olympicum</i> ...	9	79	4749
" ...	—	53	2685	<i>orientale</i> ...	—	2	57
<i>calathinum</i> ...	—	38	1561	<i>paniculatum</i> ...	22	92	5585
" ...	—	53	2685	<i>pilosum</i> ...	9	79	4749
<i>Caribæum</i> ...	—	21	826	<i>rupifragum v.atlan-</i>			
<i>(see note)</i>	—	36	1467	<i>ticum</i> ...	46	116	7107
<i>croceum</i> ...	—	64	3615	<i>spinosum</i> ...	—	7	243
<i>declinatum</i> ...	—	44	1941	<i>Papaya Carica</i> ...	—	56	2898
<i>disciforme</i> ...	—	27	1082	<i>fructu oblongo</i>			
<i>distichum</i> ...	—	44	1879	<i>melonis effigie</i>	—	56	2898
<i>expansum</i> ...	—	44	1941	<i>vulgaris</i> ...	—	56	2898
<i>flavum</i> ...	—	53	2641	<i>Paphinia cristata</i> ...	11	81	4836
<i>foliis ensiformibus</i> ...	—	21	825	<i>Paphiopedilum Cham-</i>			
<i>fragrans</i> ...	—	21	826	<i>berlainianum</i> ...	54	124	7578
<i>Illyricum</i> ...	—	19	718	<i>Mastersianum</i> ...	54	124	7629
<i>latifolium</i> ...	12	82	4952	<i>Victoria-Mariæ</i> ...	54	124	7573
<i>Littorale v. b.</i> ...	—	21	825	<i>Papiria spiralis</i> ...	—	27	1088
<i>Mexicanum</i> ...	—	21	827	<i>Papyrius japonica</i> ...	—	50	2358
<i>nervifolium</i> ...	—	35	1419	<i>Paracaryum anchus-</i>			
<i>patens</i> ...	—	44	1941	<i>oides</i> ...	53	123	7520
<i>Rotatum</i> ...	—	21	827	<i>heliocarpum</i> ...	53	123	7520
" ...	—	27	1082	<i>Paranephelius uni-</i>			
<i>spatha multiflora</i> ...	—	35	1419	<i>florus</i> ...	26	96	5826
<i>speciosum</i> ...	—	35	1453	<i>Parapetalifera odorata</i>	—	62	3413
<i>stellare</i> ...	—	19	718	<i>Paratropia elliptica</i> ...	51	121	7402
<i>tiaræflorum</i> ...	—	52	2538	<i>polybotrya</i> ...	32	102	6238
<i>trichroma</i> ...	—	67	3867	<i>Tesymanniana</i> ...	32	102	6238
<i>trichromum</i> ...	24	94	5686	<i>venulosa</i> ...	51	121	7402
<i>Zeylanicum</i> ...	—	52	2538	<i>Pardanthus dichoto-</i>			
<i>Pandanus Candela-</i>				<i>mus</i> ...	35	105	6428
<i>brum</i> ...	13	83	5014	<i>Parilium Arbor-tristis</i>	12	82	4900
<i>labyrinthicus</i> ...	45	115	7063	<i>Paris foliis ternatis</i> ...	—	2	40
<i>pygmæus</i> ...	9	79	4736	" " <i>ternis</i> ...	—	24	954
<i>unguifer</i> ...	34	104	6347	" " " ...	—	26	1027
<i>Pandipavel</i> ...	—	51	2455	<i>Paritium elatum</i> ...	17	87	5245
<i>Pandura Zeylanica</i> ...	—	55	2798	<i>Wrayæ</i> ...	19	89	5406
<i>Panke sonchifolia</i> ...	—	61	3309	<i>Parnassia Caroliniana</i>	—	35	1459
<i>Panuala Zeylanensium</i>	—	49	2324	<i>nubicola</i> ...	38	108	6609
<i>Papaja-maram</i> ...	—	56	2898	<i>Parqui</i> ...	—	42	1770

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Parrotia Jacquemont- iana	52	122	7501	Passiflora (Taescnia)			
Persica	24	94	5744	insignis	29	99	6069
Partheniastrum Ameri- canum	—	49	2275	kermesina	—	63	3503
Parthenium subhir- sutum ramosum... ..	—	49	2275	ligularis	—	57	2967
foliis composito-mul- tifidis	—	49	2275	longifolia	—	45	1983
Hysterophorus	—	49	2275	lunata	—	49	2354
subhirsutum	—	49	2275	"	56	126	7751
Pasithea cœrulea	48	118	7249	(Tacsonia) manicata	30	100	6129
Passerina anthylloides	49	119	7303	Medusæa	9	79	4752
dodecandra	—	7	222	Miersii	46	116	7115
"	—	47	2138	Mooreana	—	66	3773
eriocephala	—	32	1295	nigelliflora	—	65	3635
filiformis	—	7	222	onychina	—	67	3820
grandiflora	—	9	292	penduliflora	7	77	4565
hirsuta	—	45	1949	pennipes	—	70	4062
lævigata	—	44	1902	piligera	56	126	7751
uniflora	1	71	4143	pinnatistipula +	—	70	4062
Passiflora Actinia	—	69	4009	Princeps	—	45	2001
alata	—	2	66	pruinosa	55	125	7643
amabilis	4	74	4406	pubescens	56	126	7751
ambigua	58	128	7822	punicea	60	130	7936
angustifolia	—	45	1983	quadrangularis	—	46	2041
arborea	26	96	5864	quadriglandulosa	8	78	4674
aurantia	1	71	4140	racemosa	—	45	2001
biflora	—	49	2354	rubra	56	126	7751
bilobata	56	126	7751	sanguinea	8	78	4674
Buchanani	60	130	7936	"	60	130	7936
capsularis	—	55	2868	serratifolia	—	18	651
"	56	126	7751	servitensis	60	130	7936
Ciliata	—	8	288	tinifolia	13	83	4958
cincinnata	24	94	5737	Tucumanensis	—	65	3636
cinnabarina	27	97	5911	vesicaria	—	53	2619
cœrulea	—	1	28	vespertilio	—	49	2354
edulis	—	45	1989	violacea	44	114	6997
filamentosa	—	46	2023	vitifolia	60	130	7936
foetida	—	53	2619	Patagua (Cinoden- dron)	47	117	7160
foliis bilobis	—	55	2868	Patersonia glauca	—	53	2677
" "	56	126	7751	sericea	—	26	1041
" ovatis	—	18	651	Patrinia coronata	—	49	2325
" ovato-oblongis.	—	18	651	Jatamansi	37	107	6564
glauca	26	96	5864	sibirica	—	49	2325
Hahnii	45	115	7052	Paullinia bipinnata	27	97	5879
heterophylla	—	45	1983	fluminensis	27	97	5879
holosericea... ..	—	45	2015	thalictrifolia	27	97	5879
incarnata	—	45	1989	Paulownia imperialis..	8	78	4666
"	—	65	3697	Pavetta Caffra	—	64	3580
				corymbosa	—	64	3580
				gracilis	1	71	4191
				Javanica	7	77	4586

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Pavetta macrothyrsa</i> ..	42	112	6853	<i>Pelargonium reniforme</i>	—	14	493
<i>salicifolia</i>	6	76	4523	<i>Schottii</i>	25	95	5777
<i>Pavia edulis</i>	—	47	2118	<i>ternatum</i>	—	12	413
<i>Indica</i>	15	85	5117	<i>Tetragonum</i>	—	4	136
<i>Pavonia cuneifolia</i> ...	—	13	436	<i>tomentosum</i> ...	—	15	518
<i>Mackoyana</i>	35	105	6427	<i>tricolor</i>	—	7	240
<i>multiflora</i>	34	104	6398	<i>triste v. filipenduli-</i>			
<i>Schrankii</i>	—	65	3692	<i>folium</i>	—	40	1641
<i>velutina</i>	4	74	4365	<i>Pelecyphora asellifor-</i>			
<i>Wioti</i>	34	104	6398	<i>mis v. concolor</i> ...	29	99	6061
<i>Pectidopsis angustifolia</i>	33	103	6286	<i>Peliosanthes albida</i> ...	46	116	7110
<i>Pectis angustifolia</i> ...	33	103	6286	<i>humilis</i>	—	37	1532
<i>fastigiata</i>	33	103	6286	<i>Teta</i>	—	32	1302
<i>Pedicularis Canadensis</i>	—	51	2506	<i>Pellæa</i>	9	79	4698
<i>curvipes</i>	56	126	7735	<i>calomelanos</i> ...	10	80	4769
<i>foliis angustissimis</i> .	—	14	483	<i>flexuosa</i>	10	80	4762
<i>megalantha</i>	46	116	7132	<i>Penæa imbricata</i> ...	—	55	2809
<i>mollis</i>	7	77	4599	<i>Pentagonia macro-</i>			
<i>sceptrum-marianum</i>	34	104	6382	<i>phylla</i>	17	87	5230
<i>Pedilonum secundum</i> ..	4	74	4352	<i>Wendlandi</i>	17	87	5230
<i>Pedrosia Berthelotii</i> ...	40	110	6733	<i>Pentapera sicula</i> ...	44	114	7030
<i>Peirescia aculeata</i> ...	46	116	7147	<i>Pentapetes acerifolia</i> ...	—	17	620
<i>Sacharosa</i>	46	116	7147	<i>Erythroxyton</i> ...	—	25	1000
<i>Pekea Couroupita</i> ...	—	59	3158	<i>suberifolia</i> ...	—	37	1526
<i>tuberculosa</i>	—	54	2727	<i>Pentaphyllum minus</i> ..	—	32	1327
<i>Pelargonium acetosum</i>	—	3	103	<i>peregrinum</i>	—	40	1681
<i>betulinum</i>	—	5	148	<i>siliquosum</i>	—	40	1681
<i>bicolor</i>	—	6	201	<i>Pentapterygium flavum</i>	12	82	4910
<i>Bowkeri</i>	20	90	5421	<i>rugosum</i>	16	86	5198
<i>ceratophyllum</i>	—	9	315	<i>serpens</i>	40	110	6777
<i>cordatum</i>	—	5	165	<i>Pentarrhaphia Cubensis</i>	11	81	4829
<i>cordifolium</i>	—	5	165	<i>exserta</i>	50	120	7339
<i>crassicaule</i>	—	14	477	<i>florida</i>	50	120	7339
<i>dasycaule</i>	—	46	2029	<i>Herminieri</i>	50	120	7339
<i>dasycaulon</i>	—	46	2029	<i>Lindleyana</i>	50	120	7339
<i>dioicum</i>	—	48	2234	<i>longiflora</i>	50	120	7339
<i>Drummondii</i>	50	120	7346	<i>montana</i>	50	120	7339
<i>echinatum</i>	—	9	309	<i>Swartzii</i>	50	120	7339
<i>Endlicherianum</i> ...	12	82	4946	<i>Pentas carnea</i>	—	70	4086
<i>Glutinosum</i>	—	4	143	<i>Pentstemon antirrhin-</i>			
<i>Incrassatum</i>	—	20	761	<i>oides</i>	31	101	6157
<i>lobatum v. sphondyli-</i>				<i>azureus</i>	52	122	7504
<i>folium</i>	—	45	1986	<i>baccharifolius</i> ...	8	78	4627
<i>oblongatum</i>	28	98	5996	<i>barbatus</i>	40	110	6738
<i>Pinnatum</i>	—	16	579	<i>campanulata</i>	—	44	1878
<i>Pulchellum</i>	—	15	524	<i>campanulatus</i> ...	—	68	3884
<i>quinatum</i>	—	15	547	<i>centranthifolius</i> ...	15	85	5142
<i>radicatum</i>	—	41	1718	<i>Cobæa</i>	—	63	3465
<i>rapaceum v. luteum</i>	—	44	1877	<i>cordifolius</i>	6	76	4497
				<i>cyananthus</i>	5	75	4464

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Pentstemon diffusus</i> ...	—	65	3645	<i>Periclymenum floribus</i>			
<i>Digitalis</i> ...	—	52	2587	<i>capitatis</i> ...	—	42	1753
<i>gentianoides</i> ...	—	65	3661	„ <i>rubellis</i> ...	—	20	781
<i>glabra</i> ...	—	40	1672	<i>Indicum</i> ...	—	44	1870
<i>glandulosum</i> ...	—	65	3688	<i>perfoliatum</i> ...	—	20	781
<i>glaucus</i> ...	—	56	2945	<i>pyrenaicum</i> ...	57	127	7774
<i>Gordoni</i> ...	3	73	4319	<i>rectum</i> ...	—	35	1449
<i>gracilis</i> ...	—	56	2945	„ ...	—	45	1965
<i>grandiflorum</i> ...	—	40	1672	<i>sempervirens</i> ...	—	20	781
<i>heterophyllus</i> ...	—	67	3853	<i>virginianum</i> ...	—	20	781
<i>humilis</i> ...	30	100	6122	<i>Perilla elata</i> ...	—	58	3091
<i>Jaffrayanus</i> ...	14	84	5045	<i>ocymoides</i> ...	—	50	2395
<i>labrosus</i> ...	40	110	6738	<i>Perilomia cordifolia</i> ...	3	73	4290
<i>lævigata</i> ...	—	35	1425	<i>Periphragmos de-</i>			
<i>Menziesii v. Scouleri</i>	41	111	6834	<i>pendens</i> ...	7	77	4582
<i>Mexicanus</i> ...	—	70	4070	<i>flexuosus</i> ...	4	74	4386
<i>Murrayanus</i> ...	—	63	3472	<i>foetidus</i> ...	—	50	2412
<i>ovatus</i> ...	—	56	2903	<i>uniflorus</i> ...	7	77	4582
<i>Palmeri</i> ...	29	99	6064	„ ...	9	79	4729
<i>procerus</i> ...	—	56	2954	<i>Periploca altera</i> ...	—	49	2289
<i>pubescens v. lati-</i>				<i>græca</i> ...	—	49	2289
<i>folia</i> ...	—	35	1424	<i>late-scandens</i> ...	—	31	1273
<i>Richardsonii</i> ...	—	62	3391	<i>repens angustifolia.</i>	—	49	2289
<i>rotundifolius</i> ...	45	115	7055	<i>serpens</i> ...	—	49	2289
<i>Scouleri</i> ...	41	111	6834	<i>Peristeira racemosa</i> ...	39	109	6700
<i>spectabilis</i> ...	17	87	5260	<i>Peristeria Barkeri</i> ...	2	72	4203
<i>Wrightii</i> ...	7	77	4601	<i>elata</i> ...	—	58	3116
<i>Peperomia arifolia v.</i>				<i>Humboldti v. fulva.</i>	1	71	4156
<i>argyreia</i> ...	23	93	5634	<i>pendula</i> ...	—	63	3479
<i>clusiæfolia</i> ...	—	56	2943	<i>Peristrophe lanceolaria</i>	22	92	5566
<i>marmorata</i> ...	22	92	5568	<i>Pernanus Solis Flos ex</i>			
<i>resedæflora</i> ...	38	108	6619	<i>Indiis tuberosus..</i>	53	123	7545
<i>Peplios altera species..</i>	—	48	2258	<i>Pernettya angustata</i> ..	31	101	6204
<i>Peragu</i> ...	—	43	1805	<i>angustifolia</i> ...	—	68	3889
<i>Peraphyllum ramosis-</i>				<i>furens</i> ...	12	82	4920
<i>simum</i> ...	51	121	7420	<i>parvifolia</i> ...	31	101	6204
<i>Perdicium Brasiliense.</i>	—	54	2765	<i>Pentlandii</i> ...	31	101	6204
<i>roseum</i> ...	—	70	4116	<i>purpurea</i> ...	31	101	6204
<i>semiflosculare</i> ...	—	48	2257	<i>Perpensum blitisper-</i>			
<i>viscosum</i> ...	19	89	5401	<i>mum</i> ...	—	50	2376
<i>Pereiria medica</i> ...	8	78	4658	<i>Persea camfora</i> ...	—	53	2658
<i>Pereskia aculeata</i> ...	46	116	7147	<i>gratissima</i> ...	7	77	4580
<i>Bleo</i> ...	—	63	3478	<i>Persica malus</i> ...	—	47	2176
<i>longispina</i> ...	46	116	7147	<i>Persicaria orientalis</i> ...	—	6	213
<i>Perezia spathulata</i> ...	19	89	5401	<i>Persoonia angustifolia</i>	—	20	760
<i>viscosa</i> ...	19	89	5401	<i>linearis</i> ...	—	20	760
<i>Pergularia Minor</i> ...	—	20	755	<i>Pes elephantis</i> ...	—	33	1347
<i>sanguinolenta</i> ...	—	52	2532	<i>Pesasites africanus</i> ...	—	50	2376
<i>Periclymenum aliud</i>				<i>Pescatoria cerina</i> ...	22	92	5598
<i>arborescens</i> ...	—	52	2533	<i>Dayana v. rhodacra</i>	32	102	6214

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Pescatoria lamellosa</i> ...	32	102	6240	<i>Phalænopsis Parishii</i> ..	26	96	5815
<i>Pesomeria tetragona</i> ..	5	75	4442	<i>Regnieriana</i> ...	47	117	7196
<i>Petalidium barlerioides</i>	—	70	4053	<i>rosea</i> ...	16	86	5212
<i>Petalostemum viola-</i>				<i>Schilleriana</i> ...	21	91	5527
<i>ceum</i> ...	—	41	1707	" ...	21	91	5530
<i>Petola</i> ...	—	40	1638	<i>Stuartiana</i> ...	38	108	6622
<i>Petrea volubilis</i> ...	—	17	628	<i>Sumatrana</i> ...	21	91	5527
<i>Petrophila acicularis</i> ..	—	63	3469	<i>tetraspis</i> ...	49	119	7321
<i>Petrophyes muralis</i> ...	28	98	5988	<i>zebrina</i> ...	21	91	5527
<i>Petunia acuminata</i> ...	—	56	2919	<i>Phalangium</i> ...	—	16	558
<i>nyctaginiflora</i> ...	—	52	2552	<i>æthiopicum</i> ...	—	26	1044
<i>violacea, hybrida</i> ...	—	64	3556	<i>africanum</i> ...	—	21	816
<i>Peumus Boldu</i> ...	44	114	7024	" ...	—	32	1317
<i>fragrans</i> ...	44	114	7024	<i>Allobrogicum</i> ...	—	9	318
<i>Phaca montana</i> ...	—	22	843	<i>cæruleum</i> ...	48	118	7249
<i>Phacelia campanularia</i>	40	110	6735	<i>Capense</i> ...		21	816
<i>congesta</i> ...	—	62	3452	" <i>sessile</i> ...	—	32	1317
<i>Parryi</i> ...	41	111	6842	<i>ephemerum</i> ...	—	3	105
<i>tanacetifolia</i> ...	—	65	3703	<i>esculentum</i> ...	—	38	1574
<i>Phædranassa obtusa</i> ..	19	89	5361	" ...	—	54	2774
<i>Phædranthus buccina-</i>				<i>glaucum</i> ...	—	64	3610
<i>torius</i> ...	53	123	7516	<i>Liliago</i> ...	—	23	914
<i>cinerascens</i> ...	53	123	7516	" <i>v. major</i> ...	—	39	1635
<i>exsertus</i> ...	53	123	7516	<i>magno flore</i> ...	—	9	318
<i>Lindleyanus</i> ...	53	123	7516	<i>non ramosum</i> ...	—	21	816
<i>Phæoneuron Moloneyi</i>	56	126	7729	<i>parvo flore</i> ...	—	23	914
<i>Phajus albus</i> ...	—	69	3991	" " ...	—	26	1055
<i>bicolor</i> ...	—	70	4078	<i>Quamash</i> ...	—	38	1574
" ...	44	114	7023	" ...	—	54	2774
<i>Blumei v. Bernaysii</i>	29	99	6032	<i>radice bulbosa</i> ...	—	18	663
<i>grandifolius</i> ...	—	44	1924	" " ...	—	30	1200
" ...	44	114	7023	<i>ramosum</i> ...	—	17	615
<i>maculatus</i> ...	—	68	3960	" ...	—	26	1055
<i>mishmensis</i> ...	52	122	7479	<i>spicatum</i> ...	—	16	553
<i>pauciflorus</i> ..	45	115	7086	<i>Phalaris pratensis</i> ...	—	10	357
<i>roseus</i> ...	52	122	7479	<i>Phaleria ambigua</i> ...	52	122	7471
<i>tuberculatus</i> ...	49	119	7307	<i>laurifolia</i> ...	25	95	5787
<i>tuberculosis</i> ...	49	119	7307	<i>Phalocallis plumbea</i> ..	—	65	3710
<i>Wallichii</i> ...	44	114	7023	<i>Phanera variegata</i> ...	41	111	6818
<i>Phalænopsis amabilis</i> .	3	73	4297	" " ...	49	119	7312
<i>antennifera</i> ...	47	117	7196	<i>Pharbitis albo-mar-</i>			
<i>Buissoniana</i> ...	47	117	7196	<i>ginata</i> ...	24	94	5720
<i>cornu-cervi</i> ...	22	92	5570	<i>cathartica</i> ...	3	73	4289
<i>equestris</i> ...	16	86	5212	<i>Learii</i> ...	—	68	3928
<i>Esmeralda</i> ...	47	117	7196	<i>Nil v. limbata</i> ...	24	94	5720
<i>grandiflora</i> ...	16	86	5184	<i>tyrianthina</i> ...	—	69	4024
<i>Kunstleri</i> ...	59	129	7885	<i>Pharnaceum incanum</i> .	—	44	1883
<i>Lowii</i> ...	18	88	5351	<i>pedunculis comun-</i>			
<i>Lüddemanniana</i> ...	21	91	5523	<i>ibus</i> ...	—	44	1883
<i>Mariae</i> ...	43	113	6964	<i>Phaseoloides frutescens</i>	—	46	2103

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Phaseolus ægyptius</i> ...	—	23	896	<i>Phlomis imbricata</i> ...	56	126	7699
<i>florum spica pyrami-</i>				<i>involuceri radiis</i>			
<i>data</i> ...	—	49	2284	<i>lanceolatis</i>	—	43	1843
<i>foliis pinnatis</i> ...	—	37	1542	„ <i>radiis se-</i>			
<i>indicus</i> ...	—	37	1542	<i>taceis</i>	—	38	1555
<i>lobatus</i> ...	—	70	4076	„ „ <i>subu-</i>			
<i>niger</i> ...	—	23	896	<i>latis</i>	—	44	1891
<i>peregrinus</i> ...	—	23	896	<i>laciniata</i> ...	45	115	7048
<i>perennis</i> ...	—	11	380	<i>Leonurus</i> ...	—	14	478
<i>Phayloopsis longifolia</i> ..	—	50	2433	<i>lunarifolia</i> ...	56	126	7699
<i>Phelipæa violacea</i> ...	59	129	7911	„ <i>c. Russel-</i>			
<i>Philadelphus arbores-</i>				<i>iana</i> ..	—	52	2542
<i>cens</i> ...	—	14	473	<i>Lychnitis</i> ...	—	25	999
<i>coronarius</i> ...	—	11	391	<i>macrocheila</i> ...	45	115	7048
„ ...	—	36	1478	<i>Narbonensis</i> ...	—	51	2449
<i>flore albo</i> ...	—	36	1478	<i>nepetæfolia</i> ...	—	65	3700
<i>hirsutus</i> ...	18	88	5334	<i>Russeliana</i> ...	—	52	2542
<i>inodorus</i> ...	—	36	1478	<i>Samia</i> ...	—	44	1891
<i>mexicanus</i> ...	54	124	7600	„ <i>herbacea</i> ...	—	52	2542
<i>trinervius</i> ...	18	88	5334	<i>tuberosa</i> ...	—	38	1555
<i>Philesia buxifolia</i> ...	9	79	4738	<i>urticæ foliis</i> ...	—	38	1555
<i>Philibertia grandiflora</i>	—	64	3618	<i>Phlox acuminata</i> ...	—	44	1880
<i>Phillyrea laurifolia</i> ...	41	111	6800	<i>amœna</i> ...	—	32	1308
<i>Vilmoriniana</i> ...	41	111	6800	<i>aristata</i> ...	—	32	1307
<i>Philodendron arboreum</i>	58	128	7817	<i>carnea</i> ...	—	47	2155
<i>calophyllum</i> ...	58	128	7827	<i>Carolina</i> ...	—	33	1344
<i>crassinervium</i> ...	—	64	3621	<i>decussata</i> ...	—	44	1880
<i>erubescens</i> ...	14	84	5071	<i>divaricata</i> ...	—	5	163
<i>Glaziovii</i> ...	41	111	6813	<i>Drummondii</i> ...	—	62	3441
<i>Holtonianum</i> ...	34	104	6339	<i>linearis</i> ...	—	63	3468
<i>niveo-chermesinum</i> .	58	128	7827	<i>ovata</i> ...	—	15	528
<i>nobile</i> ...	58	128	7827	<i>pilosa</i> ...	—	32	1307
<i>Prieureanum</i> ...	58	128	7827	„ ...	—	32	1308
<i>rubens</i> ...	29	99	6021	<i>Setacea</i> ...	—	12	415
<i>rubro-punctatum</i> ...	28	98	5948	<i>Stolonifera</i> ...	—	16	563
<i>Selloum</i> ...	40	110	6773	<i>Subulata</i> ...	—	12	411
<i>serpens</i> ...	34	104	6375	<i>Phœnicophorium</i>			
<i>Williamsii</i> ...	27	97	5899	<i>sechellarum</i> ..	49	119	7277
<i>Philydrum glaberri-</i>				<i>Phœnix humilis</i> ...	—	47	2152
<i>mum</i> ...	29	99	6056	<i>Phormium aloides</i> ...	—	3	82
<i>Lanuginosum</i> ...	—	20	783	„ „ ...	28	98	5992
<i>Phlogacanthus curvi-</i>				<i>bulbiferum</i> ...	—	16	590
<i>florus</i> ...	—	66	3783	<i>Hookeri</i> ...	44	114	6973
<i>Phlomis capitata lutea</i>	—	43	1843	<i>hyacinthoides</i> ...	—	22	854
<i>Cretica</i> ...	—	43	1843	<i>tenax</i> ...	—	59	3199
<i>foliis cordiformibus</i> .	—	38	1555	<i>Phrynium coloratum</i> ..	—	57	3010
„ <i>ligulatis</i> ...	—	25	999	<i>sanguineum</i> ...	8	78	4646
<i>fruticosa</i> ...	—	43	1843	<i>Phycelia obtusa</i> ...	19	89	5361
<i>gigantea</i> ...	—	44	1891	<i>Phycella ignea</i> <i>v.</i>			
<i>Herba-venti</i> ...	—	51	2449	<i>glauca</i> ...	—	53	2687

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Phychosperma patula</i> .	37	107	6581	<i>Phytolacca Decandra</i> ..	—	24	931
<i>Phygelius Capensis</i> ...	11	81	4881	<i>icosandra</i> ...	—	53	2633
<i>Phylica ericoides</i> ...	—	7	224	" ...	13	83	4967
<i>spicata</i> ...	—	53	2704	<i>Mexicana</i> ...	13	83	4967
<i>Phyllagathis rotundi-</i>				<i>spicis florum longis-</i>			
<i>folia</i> ...	17	87	5282	<i>simis</i> ...	—	53	2633
<i>Phyllamphora mirabilis</i>	—	53	2629	<i>triqueter</i> ...	—	53	2633
<i>Phyllanthus Americana</i>	—	46	2092	<i>vulgaris</i> ...	—	24	931
" " "	—	53	2692	<i>Piaranthus piliferus</i> ...	40	110	6759
<i>foliis latioribus</i> ...	—	26	1021	<i>Picea ajanensis</i> ...	40	110	6743
<i>montanus</i> ...	—	53	2652	<i>brachyphylla</i> ...	46	116	7114
<i>turbinatus</i> ...	—	44	1862	<i>glaucescens</i> ...	40	110	6753
<i>Phyllarthron Bojeri-</i>				<i>jezoensis</i> ...	40	110	6743
<i>anum</i> ...	1	71	4173	<i>Nordmanniana</i> ...	44	114	6992
<i>Phyllitis indica maxima</i>	—	58	3101	<i>religiosa</i> ...	40	110	6753
<i>Phyllocactus anguliger</i>	15	85	5100	<i>Picinna sylvestris</i> ...	—	40	1638
<i>biformis</i> ...	31	101	6156	<i>Picotia nitida</i> ...	—	52	2529
<i>Phylloma aloiflorum</i> ...	—	38	1585	<i>Piercea foliis ovato</i>			
<i>Physalis daturœfolia</i> ..	—	51	2458	<i>lanceolatis glabris</i>	—	49	2333
<i>Edulis</i> ...	—	27	1068	<i>tomentosa</i> ...	—	43	1781
<i>Peruviana</i> ...	—	27	1068	<i>Pigmentoria</i> ...	—	35	1456
<i>pubescens</i> ...	—	27	1068	<i>Pilocarpus Jaborandi</i> ..	52	122	7483
<i>viscosa</i> ...	—	53	2625	<i>pennatifolius</i> ...	48	118	7235
<i>Physianthus albens</i> ...	—	59	3201	" ...	52	122	7483
<i>angustifolius</i> ...	20	90	5481	<i>Selloanus</i> ...	48	118	7235
<i>auricomus</i> ...	—	68	3891	<i>trijugatus</i> ...	48	118	7235
<i>Megapotamicus</i> ...	20	90	5481	<i>Pilumna fragrans</i> ...	14	84	5035
<i>Physocarpus Torreyi</i> ..	57	127	7758	<i>Pimelea arenaria</i> ...	—	60	3270
<i>Physochlaina grandiflora</i>	7	77	4600	<i>graciliflora</i> ...	—	60	3288
<i>Physosiphon Loddigesii</i>	11	81	4869	<i>Hendersoni</i> ...	—	66	3721
<i>Physostegia imbricata</i>	—	62	3386	<i>hispida</i> ...	—	63	3459
<i>truncata</i> ...	—	63	3494	<i>hypericina</i> ...	—	61	3330
<i>Physostelma campanulata</i>	6	76	4545	<i>Linifolia</i> ...	—	23	891
<i>Physurus maculatus</i> ...	18	88	5305	<i>longiflora</i> ...	—	60	3281
<i>Phytelephas macrocarpa</i>	12	82	4913	<i>macrocephala</i> ...	6	76	4543
<i>Phyteuma betonici-</i>				<i>nana</i> ...	—	67	3833
<i>folium</i> ...	—	46	2066	<i>rosea</i> ...	—	35	1458
<i>Campanuloides</i> ...	—	26	1015	<i>spectabilis</i> ...	—	68	3950
<i>comosum</i> ...	36	106	6478	<i>sylvestris</i> ...	—	60	3276
<i>cordata</i> ...	—	36	1466	<i>Pinanga patula</i> ...	37	107	6581
<i>Scheuchzeri</i> ...	—	43	1797	<i>Smithii</i> ...	50	120	7345
<i>scorzonerifolia</i> ...	—	48	2271	<i>Pinckneya ionantha</i> ...	15	85	5110
<i>scorzonerifolium</i> ...	—	46	2066	<i>Pinguicula albanica</i> ...	40	110	6785
<i>spicatum</i> ...	—	49	2347	<i>Bakeriana</i> ...	38	108	6624
<i>stricta</i> ...	—	47	2145	<i>campanulata</i> ...	47	117	7203
<i>Phytolacca Americana</i>	—	43	1781	<i>caudata</i> ...	38	108	6624
<i>Bogotensis</i> ...	13	83	4967	<i>edentula</i> ...	47	117	7203
				<i>hirtiflora</i> ...	40	110	6785
				<i>lusitanica</i> ...	40	110	6785
				<i>lutea</i> ...	47	117	7203

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Pinguicula megaspilæa</i>	40	110	6785	<i>Pitcairnia echinata</i> ...	9	79	4709
<i>orchidioides</i> ...	2	72	4231	<i>exscapa</i> ...	7	77	4591
<i>vulgaris</i> ...	40	110	6785	<i>flavescens</i> ...	33	103	6318
<i>Pinus Abies</i> ...	—	54	2743	<i>furfuracea</i> ...	—	53	2657
" " ...	44	114	6992	<i>integrifolia</i> ...	—	36	1462
<i>brachyphylla</i> ...	46	116	7114	<i>intermedia</i> ...	—	53	2657
<i>bracteata</i> ...	9	79	4740	<i>Jacksoni</i> ...	6	76	4540
<i>Dammara</i> ...	19	89	5359	<i>latifolia</i> ...	—	22	856
<i>firma</i> ...	46	116	7114	" " ...	—	34	1416
<i>hirtella</i> ...	40	110	6753	" " ...	—	55	2813
<i>lanceolata</i> ...	—	54	2743	<i>lepidota</i> ...	36	106	6480
<i>Menziesii</i> ...	40	110	6743	<i>longifolia</i> ...	10	80	4775
<i>Nordmanniana</i> ...	44	114	6992	<i>macrocalyx</i> ...	9	79	4705
<i>Picea</i> ...	44	114	6992	<i>muscosa</i> ...	10	80	4770
<i>religiosa</i> ...	40	110	6753	<i>pungens</i> ...	19	89	5356
<i>Pionandra betacea</i> ...	55	125	7682	<i>ramosa</i> ...	38	108	6606
<i>Piper acuminatum</i> ...	—	44	1882	<i>Roezii</i> ...	47	117	7175
<i>arifolia</i> ...	23	93	5634	<i>spathacea</i> ...	60	130	7966
<i>aromaticum</i> ...	—	59	3139	<i>staminea</i> ...	—	50	2411
<i>Betle</i> ...	—	59	3132	<i>sulphurea</i> ...	—	34	1416
<i>clusiæfolium</i> ...	—	56	2943	<i>undulatifolia</i> ...	2	72	4241
<i>jamaicense</i> ...	—	30	1236	" " ...	3	73	4309
<i>longum</i> ...	—	44	1882	<i>zeifolia</i> ...	37	107	6535
<i>magnoliæfolium</i> ...	—	56	2943	<i>Pithecoctenium bucci-</i>			
<i>marginatum</i> ...	—	56	2943	<i>natorium</i> ...	53	123	7516
<i>nigrum</i> ...	—	59	3139	<i>Pittosporum Chinense</i>	—	34	1396
<i>Piptospatha insignis</i> ...	37	107	6598	<i>cornifolium</i> ...	—	59	3161
<i>Ridleyi</i> ...	51	121	7410	<i>crassifolium</i> ...	28	98	5978
<i>Piqueria trinervia</i> ...	—	53	2650	<i>eriocarpum</i> ...	52	122	7473
<i>Piscidia erythrina</i> ...	54	124	7582	<i>ferrugineum</i> ...	—	46	2075
<i>punicea</i> ...	50	120	7353	<i>flavum</i> ...	10	80	4799
<i>Pistacia Lentiscus</i> ...	—	45	1967	<i>Tobira</i> ...	—	34	1396
<i>Pistia aquatica</i> ...	7	77	4564	<i>viridiflorum</i> ...	—	41	1684
<i>Stratiotes</i> ...	7	77	4564	<i>Pityrophyllum erubes-</i>			
<i>Pistolochia</i> ...	—	49	2340	<i>cens</i> ...	27	97	5892
<i>altera</i> ...	—	28	1116	<i>Pivoneava glomerata</i> ..	23	93	5668
<i>cretica</i> ...	—	28	1116	<i>Pladera decussata</i> ...	—	58	3066
<i>Pisum cordatum</i> ...	—	26	1049	<i>Plagianthus divari-</i>			
<i>quadratum</i> ...	—	5	151	<i>catus</i> ...	—	60	3271
<i>vesicarium</i> ...	—	26	1049	<i>Lyallii</i> ...	27	97	5935
<i>Pitcairnia albiflos</i> ...	—	53	2642	<i>sidoides</i> ...	—	62	3396
<i>alta</i> ...	38	108	6606	<i>Plagiophyllum grandi-</i>			
<i>Andreana</i> ...	36	106	6480	<i>folium</i> ...	17	87	5228
<i>angustifolia</i> ...	—	37	1547	<i>Plagiostigma stipula-</i>			
<i>bracteata v. sul-</i>				<i>tum</i> ...	38	108	6657
<i>phurea</i> ...	—	34	1416	<i>Plagius grandiflorus</i> ...	59	129	7886
" " ...	—	55	2813	<i>Planta æthiopica</i> ...	—	16	553
<i>Bromeliæfolia</i> ...	—	21	824	<i>leguminosa æthio-</i>			
<i>coarctata</i> ...	9	79	4715	<i>pica</i> ...	—	8	274
<i>corallina</i> ...	38	108	6600	" " ...	—	47	2128

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Planta mirabilis distil-</i>				<i>Pleurothallis coccinea</i> .	—	63	3524
<i>latoria</i> ...	—	55	2798	<i>foliosa</i> ...	—	54	2746
<i>Plantago aquatica</i> ...	7	77	4564	<i>glossopogon</i> ...	43	113	6936
<i>Brasiliensis</i> ...	—	53	2616	<i>Grobii</i> ...	—	65	3682
<i>Platylobium formosum</i>	—	14	469	<i>immersa</i> ...	47	117	7189
<i>lanceolatum</i> ...	—	28	1144	<i>insignis</i> ...	43	113	6936
<i>microphyllum</i> ...	—	22	863	<i>ornata</i> ...	46	116	7094
<i>Murrayanum</i> ...	—	60	3259	<i>picta</i> ...	—	68	3897
<i>obtusangulum</i> ...	—	60	3258	<i>platyrachis</i> ...	46	116	7129
<i>parviflorum</i> ...	—	37	1520	<i>prolifera</i> ...	—	60	3261
<i>scolopendrium</i> ...	—	30	1235	<i>purpurea</i> ...	1	71	4166
<i>triangulare</i> ...	—	37	1508	<i>Reymondi</i> ...	19	89	5385
<i>Platyloma calomelanos</i>	10	80	4769	<i>saurocephalus</i> ...	—	57	3030
<i>cordata</i> ...	9	79	4698	<i>Scapha</i> ...	51	121	7431
<i>flexuosa</i> ...	10	80	4762	<i>Plinia pedunculata</i> ...	—	14	473
<i>Platystemon Californi-</i>				<i>Plocandra albens</i> ...	46	116	7101
<i>cum</i> ...	—	64	3579	<i>palustris</i> ...	46	116	7101
<i>leiocarpum</i> ...	—	66	3750	<i>Plocostemma lasian-</i>			
<i>Platystigma linearis</i> ...	—	64	3575	<i>thum</i> ...	14	84	5081
<i>Platyzamia</i> ...	31	101	6184	<i>Plumbagidium roseum</i>	19	89	5363
<i>Plazia Brasiliensis</i> ...	5	75	4438	<i>Plumbago Capensis</i> ...	—	47	2110
<i>Plectanthera ciliosa</i> ...	—	70	4048	<i>coccinea</i> ...	19	89	5363
<i>Plectocomia Assamica.</i>	15	85	5105	<i>Europæa</i> ...	—	47	2139
<i>Himalayana</i> ...	15	85	5105	<i>Larpentæ</i> ...	6	76	4487
<i>Khasiyana</i> ...	15	85	5105	<i>Plinii</i> ...	—	47	2139
<i>Plectranthus barbatus</i>	—	46	2036	<i>quorundam</i> ...	—	47	2139
<i>coleoides</i> ...	26	96	5841	<i>rhomboidea</i> ...	—	56	2917
<i>comosus</i> ...	—	49	2318	<i>Rosea</i> ...	—	7	230
<i>foetidus</i> ...	40	110	6792	<i>„ v. coccinea</i> ...	19	89	5363
<i>Forskohlæi</i> ...	—	46	2036	<i>zeylanica</i> ...	—	7	230
<i>Mahonii</i> ...	58	128	7818	<i>Plumeria arborescens.</i>	—	49	2309
<i>saccatus</i> ...	58	128	7841	<i>flore roseo</i> ...	—	8	279
<i>scutellarioides</i> ...	—	35	1446	<i>lutea</i> ...	25	95	5779
<i>„</i> ...	9	79	4754	<i>Rubra</i> ...	—	8	279
<i>ternatus</i> ...	—	51	2460	<i>Plumieria acuminata.</i>	—	68	3952
<i>Pleea tenuifolia</i> ...	—	45	1956	<i>Jamesoni</i> ...	9	79	4751
<i>Pleione humilis</i> ...	23	93	5674	<i>Pneumonanthæ Kurroo</i>	36	106	6470
<i>maculata</i> ...	9	79	4691	<i>ornata</i> ...	36	106	6514
<i>Pleroma Bentham-</i>				<i>Podalyria alba</i> ...	—	29	1177
<i>ianum</i> ...	—	69	4007	<i>Australis</i> ...	—	15	509
<i>elegans</i> ...	2	72	4262	<i>biflora</i> ...	—	20	753
<i>gayanum</i> ...	34	104	6345	<i>calyptrata</i> ...	—	38	1580
<i>Kunthianum</i> ...	4	74	4412	<i>Capensis</i> ...	—	38	1590
<i>macranthum</i> ...	24	94	5721	<i>foliis ternatis</i> ...	—	27	1099
<i>sarmentosa</i> ...	23	93	5629	<i>genistoides</i> ...	—	31	1259
<i>Pleuropetalum costari-</i>				<i>lupinoides</i> ...	—	34	1389
<i>cense</i> ...	39	109	6674	<i>perfoliata</i> ...	—	58	3121
<i>Pleurothallis Bar-</i>				<i>sericea</i> ...	—	44	1923
<i>beriana</i> ...	42	112	6886	<i>styracifolia</i> ...	—	38	1580
<i>bicarinata</i> ...	1	71	4142	<i>Tinctoria</i> ...	—	27	1099

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Podianthus arifolius</i> ...	50	120	7350	<i>Polychilos cornu-cervi</i>	22	92	5570
<i>Podocarpus macro-</i>				<i>Polygala Alopecuroides</i>	—	25	1006
<i>phylla</i>	8	78	4655	<i>amara</i>	—	50	2437
<i>neriifolia</i>	8	78	4655	<i>Amarella</i>	—	50	2437
<i>pectinata</i>	58	128	7854	<i>bracteolata</i>	—	10	345
<i>Podocytisus caraman-</i>				<i>buxi minoris folio</i> ...	—	50	2437
<i>icus</i>	59	129	7898	<i>Chamæbuxus</i>	—	9	316
<i>Podolepis gracilis</i> ...	—	56	2904	<i>cordifolia</i>	—	50	2438
<i>Podolobium sericeum</i> ..	30	100	6114	<i>frutescens</i>	—	64	3616
<i>trilobum</i>	—	36	1477	<i>fruticosa</i>	—	50	2438
<i>Podophyllum diphyll-</i>				<i>Galpini</i>	51	121	7439
<i>lum</i>	—	37	1513	<i>grandiflora</i>	—	64	3616
<i>peltatum</i>	—	43	1819	<i>Heisteria</i>	—	10	340
<i>pleianthum</i>	46	116	7098	<i>Hilairiana</i>	14	84	5057
<i>Podosperma peduncu-</i>				<i>latifolia</i>	—	50	2438
<i>lare</i>	17	87	5271	<i>mixta</i>	—	41	1714
<i>Podotrocha chrysantha</i>	54	124	7625	<i>myrtifolia v. grandi-</i>			
<i>gnaphalioides</i>	—	68	3920	<i>flora</i>	—	64	3616
<i>Pœonia albiflora v.</i>				<i>oppositifolia</i>	—	14	492
<i>rosea</i>	—	56	2888	<i>paucifolia</i>	—	55	2852
<i>sessiliflora</i>	—	53	2648	<i>Senega</i>	—	26	1051
<i>Pœppigia cyanocarpa</i> .	41	111	6849	<i>speciosa</i>	—	43	1780
<i>Pogogyne Douglasii</i> ...	27	97	5886	<i>stipulacea</i>	—	41	1715
<i>Pogonia debilis</i>	—	43	1830	<i>valentina</i>	—	6	185
<i>discolor</i>	30	100	6125	<i>vulgaris</i>	—	50	2437
<i>Gammieana</i>	39	109	6671	<i>Polygaloides procum-</i>			
<i>pulchella</i>	41	111	6851	<i>bens</i>	—	9	316
<i>tuberculata</i>	—	41	1693	<i>Polygalon Cortusi</i> ...	—	47	2179
<i>Pogostemon japonicus</i>	52	122	7463	<i>Polygonatum officinale</i>	30	100	6133
<i>plectranthoides</i>	—	60	3238	<i>punctatum</i>	14	84	5061
<i>Poiète</i>	57	127	7802	<i>racemosum</i>	—	23	899
<i>Poinciana Gilliesii</i> ...	—	69	4006	<i>roseum</i>	14	84	5049
<i>pulcherrima</i>	—	25	995	<i>spicatum</i>	—	26	1043
<i>regia</i>	—	56	2884	<i>virginianum</i>	—	26	1043
<i>Poinsettia pulcherrima</i>	—	63	3493	<i>vulgare v. macran-</i>			
<i>Poiretia diversifolia</i> ...	—	39	1624	<i>thum</i>	30	100	6133
<i>Polemonium flavum</i> ...	43	113	6965	<i>Polygonum adpressum</i>	—	59	3145
<i>foliis pinnatis</i>	—	44	1887	<i>affine</i>	36	106	6472
<i>fruticans</i>	—	13	461	"	41	111	6847
<i>pulcherrimum</i>	—	57	2979	<i>ambiguum</i>	36	106	6500
<i>reptans</i>	—	44	1887	<i>amplexicaule</i>	36	106	6500
<i>Richardsoni</i>	—	55	2800	<i>angustifolium</i>	41	111	6847
<i>Polia purpurea</i>	20	90	5425	<i>auriculatum</i>	17	87	5238
<i>Polyanthemum</i>	—	30	1210	<i>baldschuanicum</i>	53	123	7544
<i>Polyanthes floribus</i>				<i>bracheatum</i>	17	87	5238
<i>umbellatis</i>	—	14	500	<i>Brunonsis</i>	36	106	6472
<i>pygmæa</i>	—	16	554	<i>Chinense v. foliis</i>			
<i>tuberosa</i>	—	43	1817	<i>pictis</i>	17	87	5238
<i>Polycarpa Maximov-</i>				<i>compactum</i>	36	106	6476
<i>viczii</i>	41	111	6794	<i>corymbosum</i>	17	87	5238

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Polygonum Crispulum</i>	—	27	1065	<i>Ponthieva maculata</i> ...	38	108	6637
<i>cuspidatum</i> ...	36	106	6476	<i>Porana paniculata</i> ...	48	118	7240
" ...	36	106	6503	<i>Porphyrocoma lanceo-</i>			
<i>cymosum</i> ...	17	87	5238	<i>lata</i> ...	1	71	4176
<i>Donianum</i> ...	36	106	6472	<i>Porros bravos</i> ...	—	34	1385
<i>gracillimum</i> ...	41	111	6847	<i>Porrum scapo nudo</i> ...	—	28	1143
<i>macrophyllum</i> ...	41	111	6847	<i>Portlandia grandiflora</i>	—	8	286
<i>orientale</i> ...	—	6	213	<i>platantha</i> ...	6	76	4534
<i>oxyphyllum</i> ...	36	106	6500	<i>Portulaca aizoides</i> ...	—	41	1701
<i>petiolatum</i> ...	36	106	6500	<i>arachnoides</i> ...	—	33	1368
(<i>Homalocladium</i>)				<i>filamentosa</i> ...	—	33	1367
<i>platycladum</i> ...	19	89	5382	<i>Gilliesii</i> ...	—	58	3064
<i>ramosum</i> ...	—	24	955	<i>grandiflora</i> ...	—	56	2885
" ...	—	28	1112	<i>stipularis</i> ...	—	33	1367
<i>Sachalinense</i> ...	37	107	6540	<i>Portulacca Americana</i> .	46	116	7147
<i>Sieboldi</i> ...	36	106	6503	<i>Posoqueria macrantha</i>	34	104	6373
<i>speciosum</i> ...	36	106	6500	<i>macropus</i> ...	52	122	7467
<i>sphærostachyum</i> ...	41	111	6847	<i>multiflora</i> ...	52	122	7467
<i>stenophyllum</i> ...	41	111	6847	<i>Potentilla ambigua</i> ...	7	77	1613
<i>tenue</i> ...	41	111	6847	<i>atro-sanguinea</i> ...	—	53	2689
<i>vaciniifolium</i> ...	7	77	4622	" (hybrida)			
<i>Polymnia caroliniana</i> .	55	125	7680	<i>Russelliana</i>	—	63	3470
<i>Polypara conchinchin-</i>				<i>clusiana</i> ...	—	32	1327
<i>ensis</i> ...		54	2731	<i>discolor</i> ...	48	118	7258
<i>Polyphema Jaca</i> ...		55	2833	<i>fulgens</i> ...	—	53	2700
<i>Polypodium caudiforme</i>	18	88	5328	<i>glabra</i> ...	—	65	3676
<i>Polyspora axillaris</i> ...	—	69	4019	<i>gracilis</i> ...	—	57	2984
<i>Polystachya bracteosa</i>	1	71	4161	<i>grandiflora</i> ..	—	3	75
<i>grandiflora</i> ...	—	65	3707	<i>lineata</i> ...	—	53	2700
<i>pubescens</i> ...	22	92	5586	<i>nivea v. macrophylla</i>	—	57	2982
<i>Pomaderris andro-</i>				<i>Salesoviana</i> ...	48	118	7258
<i>medæfolia</i> ...	—	60	3219	<i>splendens</i> ...	—	53	2700
<i>betulina</i> ...	—	60	3212	(<i>Ivesia</i>) <i>unguiculata</i>	37	107	6560
<i>elliptica</i> ...	—	37	1510	<i>Poterium caudatum</i> ...	—	49	2341
<i>lanigera</i> ...	—	43	1823	<i>Pothos camtschaticus</i> .	60	130	7937
<i>Pombalia foliis ovato-</i>				<i>cannæfolia</i> ...	—	17	603
<i>lanceolatis</i> ...	—	51	2453	<i>crassinervia</i> ...	—	57	2987
<i>Ipecacuanha</i> ...	—	51	2453	<i>decursiva</i> ...	49	119	7282
<i>Pontederia aquatica</i> ...	36	106	6487	<i>Fœtida</i> ...	—	22	836
<i>azurea</i> ...	—	56	2932	<i>fœtidus</i> ...	—	60	3224
" ...	36	106	6487	<i>giganteus</i> ...	60	130	7952
<i>Cordata</i> ...	—	29	1156	<i>grandifolia</i> ...	—	55	2801
<i>crassipes</i> ...	—	56	2932	<i>Loureiri</i> ...	56	126	7744
<i>floribus spicatis</i> ...	—	29	1156	<i>Macrophylla</i> ...	—	55	2801
<i>foliis cordatis</i> ...	—	29	1156	<i>microphylla</i> ...	—	56	2953
" <i>hastato cordatis</i>	—	29	1156	<i>odorata</i> ...	—	17	603
<i>limosa</i> ...	31	101	6192	<i>pentaphylla</i> ...	—	34	1375
<i>paniculata</i> ...	13	83	5020	<i>sagittata</i> ...	—	38	1584
<i>tricolor</i> ...	13	83	5020	<i>terminalis</i> ...	56	126	7744
<i>tunida</i> ...	36	106	6487	<i>Pourretia coarctata</i> ...	9	79	4715

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Pourretia frigida</i> ...	33	103	6294	<i>Primula Palinuri</i> ...	—	62	3414
<i>surinamensis</i> ...	17	87	5229	<i>Parryi</i> ...	31	101	6185
<i>sympaganthera</i> ...	16	86	5220	<i>pedemontana</i> ...	25	95	5794
<i>Prenanthes Alba</i> ...	—	27	1079	<i>petiolaris v. nana</i> ...	45	115	7079
<i>flosculis plurimis</i> ...	—	27	1079	<i>poculiformis</i> ...	37	107	6582
<i>suavis</i> ...	—	27	1079	<i>Poissoni</i> ...	48	118	7216
<i>Prepusa Hookeriana</i> ...	—	68	3909	<i>prænitens</i> ...	—	52	2564
<i>Prestoea Carderi</i> ...	46	116	7108	" ...	53	123	7559
<i>Priestleya villosa</i> ...	—	60	3216	<i>prolifera</i> ...	40	110	6732
<i>Primula acaulis</i>	7	229	<i>pubescens</i> ...	—	29	1161
<i>amœna</i> ...	—	60	3252	<i>pusilla</i> ...	—	57	2973
<i>Auricula</i> ...	41	111	6837	" ...	—	57	3020
<i>capitata</i> ...	6	76	4550	" ...	45	115	7079
" ...	43	113	6916	<i>Reidii</i> ...	43	113	6961
<i>cortusoides</i> ...	—	12	399	<i>rosea</i> ...	35	105	6437
" <i>v. amœna</i>	21	91	5528	<i>rotundifolia</i> ...	—	59	3167
<i>decora</i> ...	—	44	1922	" ...	—	62	3445
<i>denticulata</i> ...	43	113	6916	<i>Rusbyi</i> ...	44	114	7032
" ...	—	68	3959	<i>sapphirina</i> ...	43	113	6961
<i>erosa</i> ...	43	113	6916	<i>semperflorens</i> ...	53	123	7559
<i>floribunda</i> ...	39	109	6712	<i>setulosa</i> ...	53	123	7559
<i>foliis ellipticis</i> ...	—	24	942	<i>sibirica</i> ...	—	59	3167
" <i>ovatis</i> ...	—	59	3167	" <i>v. integerrima</i>	—	62	3445
" " ...	—	62	3445	" <i>v. Kashmir-</i>			
" <i>subhirsutis</i> ...	—	29	1161	<i>iana</i> ...	36	106	6493
" <i>utrinque viri-</i>				<i>Sikkimensis</i> ...	7	77	4597
<i>dibus</i> ...	—	30	1219	<i>sinensis</i> ...	—	52	2564
<i>Forbesii</i> ...	48	118	7246	" ...	53	123	7559
<i>geraniifolia</i> ...	44	114	6984	<i>Stuartii</i> ...	4	74	4356
<i>hirsuta</i> ...	—	29	1161	<i>verticillata</i> ...	—	55	2842
<i>humilis</i> ...	45	115	7079	" <i>v. sinensis</i>	29	99	6042
<i>imperialis</i> ...	40	110	6732	<i>villosa</i> ...	—	1	14
" ...	48	118	7217	" <i>v. nivea</i> ...	—	29	1161
<i>incisa</i> ...	—	24	942	<i>Primulina sinensis</i> ...	46	116	7117
<i>Integrifolia</i> ...	—	24	942	<i>Tabacum</i> ...	46	116	7117
<i>Intermedia</i> ...	—	30	1219	<i>Prionium Palmita</i> ...	24	94	5722
" ...	—	59	3167	<i>Prionotes secunda</i> ...	—	60	3264
" ...	—	62	3445	<i>Prismatocarpus ni-</i>			
<i>Japonica</i> ...	27	97	5916	<i>tidus</i> ...	—	54	2733
<i>longifolia</i> ...	—	11	392	<i>Pritchardia grandis</i> ...	39	109	6704
<i>lutea</i> ...	41	111	6837	" " ...	45	115	7053
<i>mandarina</i> ...	53	123	7559	<i>Pritzelia zebrina</i> ...	58	128	7842
<i>marginata</i> ...	—	6	191	<i>Proboscidea Jussieui</i> ...	—	26	1056
<i>megaseæfolia</i> ...	59	129	7901	<i>Prochynanthes Bull-</i>			
<i>mistassinica</i> ...	—	57	2973	<i>iana</i> ...	51	121	7427
<i>mollis</i> ...	10	80	4798	<i>Proclesia acuminata</i> ...	25	95	5752
<i>mutabilis</i> ...	—	13	438	<i>Benthamiana</i> ...	25	95	5752
<i>nivalis</i> ...	—	29	1161	<i>Proclisia cordifolia</i> ...	22	92	5559
<i>obovata</i> ...	39	109	6712	<i>Prostanthera denticu-</i>			
<i>obtusifolia</i> ...	43	113	6956	<i>lata</i> ...	60	130	7934

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Prostanthera empetri- folia	—	64	3405	Prunella grandiflora ...	—	10	337
lasianthos	—	50	2434	" <i>v. latifolia</i>	—	45	2014
nivea	23	93	5658	latifolia	—	45	2014
Protamomum maxil- larioides	50	120	7351	prima	—	10	337
Protea acaulis	—	46	2065	Prunus Bungei	50	120	7335
acuifolia	46	116	7095	cerasifera	27	97	5934
acuminata	—	41	1694	divaricata	36	106	6519
anemonifolia	—	19	697	domestica	27	97	5934
cordata	—	18	649	hiemalis	—	28	1117
Cordifolia	—	18	649	humilis	44	114	6976
(<i>see note</i>)	—	18	660	" 	50	120	7335
coronata	—	41	1713	Jacquemontii	44	114	6976
cynaroides	—	20	770	Japonica	—	47	2176
formosa	—	41	1713	" 	50	120	7335
glaucophylla	—	46	2065	malabarica	—	41	1696
globosa	—	22	878	maritima	—	59	3130
grandiflora <i>v. lati-</i> folia	—	51	2447	Mirobalana	27	97	5934
lacticolor	—	54	2720	Nigra	—	28	1117
lævis	—	50	2439	Sinensis	—	47	2176
latifolia	—	41	1717	sphærocarpa	—	59	3141
lepidocarpodendron .	—	18	674	subhirtella... ..	52	122	7508
lepidocarpon	—	18	674	Psammisia longicolla..	21	91	5526
longiflora	—	54	2720	penduliflora	16	86	5204
" 	37	107	6558	sarcantha	20	90	5450
longifolia	—	50	2439	sclerophylla	20	90	5450
marginata	—	51	2447	Pseudægle sepiaria ...	36	106	6513
mellifera	—	10	346	Pseudepidendrum spec- tabile	27	97	5929
Mucronifolia	—	24	933	Pseudo Acacia hispida	—	9	311
Mundii	37	107	6558	Pseudo - Apocynum			
nana	46	116	7095	Americanum	—	22	864
ochroleuca	—	54	2720	hederaceum	—	14	485
ovalis	37	107	6558	Pseudo-capsicum lanci- folium	—	47	2173
penicillata	37	107	6558	Pseudodracontium La- courii	39	109	6673
Pulchella	—	21	796	Pseudo-Fumaria	—	49	2340
radiata	—	41	1717	Pseudo-Gelseminum			
rangiferina	—	21	796	siliquosum	—	14	485
rhodantha	49	119	7331	Pseudo-glycyrrhiza ...	—	47	2154
rosacea	46	116	7095	Pseudo-Narcissus albo flore	—	24	924
scolymocephala	—	19	698	albus	—	29	1187
Scolymus	—	19	698	aureus	—	32	1301
speciosa	—	18	674	Hispanicus	—	32	1300
" 	—	29	1183	" 	—	32	1301
Stellaris	—	23	881	major	—	32	1301
Proteinophallus Rivieri	31	101	6195	pallidus	—	24	924
Proustia pyrifolia ...	21	91	5489	Pyrenæus	—	24	924
Prouvenzalia palustris	—	43	1831	" 	—	29	1187
Prunella cærulea	—	10	337				

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Pseudo-Narcissus totus</i>				<i>Pterocarpus buxifolius</i>	8	78	4670
<i>albus</i>	—	24	924	<i>foliis aggregatis</i> ...	8	78	4670
<i>tubo hexangulari</i> ...	—	24	924	<i>glabra</i>	8	78	4670
<i>Pseudo-Salvia major</i> ...	—	43	1843	<i>Pterocephalus bellidi-</i>			
<i>Pseudo-Sycamoros</i> ...	—	27	1066	<i>folia</i>	36	106	6526
<i>Psidium Cattleianum</i> .	—	51	2501	<i>Parnassi</i>	36	106	6526
<i>cordatum</i>	—	43	1779	<i>perennis</i>	36	106	6526
<i>Psoralea aculeata</i> ...	—	47	2158	<i>Pterodiscus luridus</i> ...	25	95	5784
<i>aphylla</i>	—	42	1727	<i>speciosus</i>	—	70	4117
<i>arborea</i>	—	46	2090	<i>Pteronia pauciflora</i> ...	—	41	1697
<i>bracteata</i>	—	13	446	<i>Pterospermadendrum</i>			
<i>corylifolia</i>	—	18	665	<i>folio aceris</i>	—	17	620
<i>cytisoides</i>	—	20	742	<i>suberis folio</i>	—	37	1526
<i>foliis omnibus ter-</i>				<i>Pterospermum aceri-</i>			
<i>natis</i>	—	25	990	<i>folium</i>	—	17	620
<i>glandulosa</i>	—	25	990	<i>suberifolium</i>	—	37	1526
<i>melilotoides</i>	—	46	2063	<i>Pterostylis acuminata.</i>	—	62	3401
<i>Melilotus</i>	—	46	2063	<i>Banksii</i>	—	59	3172
<i>Psychotria capensis</i> ...	59	129	7916	<i>Baptistii</i>	34	104	6351
<i>daphnoides</i>	—	60	3228	<i>concinna</i>	—	62	3400
<i>jasminiflora</i>	35	105	6454	<i>curta</i>	—	58	3086
<i>Ptarmica incana</i>	—	32	1287	<i>macrophylla</i>	—	59	3172
<i>montana</i>	—	42	1749	<i>nutans</i>	—	58	3085
<i>Pteris argentea</i>	10	80	4765	<i>Ptychosperma appendi-</i>			
<i>argyræa</i>	16	86	5183	<i>culata</i>	47	117	7202
<i>argyrophylla</i>	10	80	4765	<i>Capitis Yorki</i>	50	120	7345
<i>calomelanos</i>	10	80	4769	<i>elegans</i>	50	120	7345
<i>cordata</i>	9	79	4698	<i>patula</i>	37	107	6581
"	10	80	4762	<i>rupicola</i>	34	104	6358
<i>Cretica</i>	16	86	5194	<i>Seaforthia</i>	50	120	7345
<i>decursiva</i>	10	80	4765	<i>Pulcolli</i>	—	10	325
<i>digitata</i>	16	86	5194	<i>Pulmonaria alpina</i> ...	31	101	6178
<i>farinosa</i>	10	80	4765	<i>davurica</i>	—	42	1743
<i>flexuosa</i>	10	80	4762	<i>mollis</i>	—	50	2422
<i>hastata</i>	10	80	4769	<i>non maculosa</i>	—	5	160
<i>heterophylla</i>	12	82	4925	<i>paniculata</i>	—	53	2680
"	16	86	5194	<i>virginica</i>	—	5	160
<i>multiaurita</i>	16	86	5194	<i>vulgaris</i>	—	50	2422
<i>nervosa</i>	16	86	5194	<i>Pulsatilla anemones</i>			
<i>pedata</i>	—	60	3247	<i>folio</i>	—	45	1994
<i>pentaphylla</i>	16	86	5194	<i>apiifolio rigido</i>	—	19	716
<i>quadriaurita</i>	16	86	5183	<i>flore clauso</i>	—	44	1863
<i>semiserrata</i>	16	86	5194	" <i>minore</i>	—	44	1863
<i>serraria</i>	16	86	5194	<i>foliis decompositis</i> ...	—	22	841
<i>stenophylla</i>	16	86	5194	" <i>trifidis</i>	—	19	716
<i>tæniosa</i>	16	86	5194	<i>polyanthos</i>	—	45	1994
<i>tricolor</i>	16	86	5183	<i>trianthos</i>	—	28	1120
<i>triphylla</i>	16	86	5194	<i>vernalis</i>	54	124	7581
<i>vittata</i>	16	86	5194	<i>Pultenæa biloba</i> ..	—	46	2091
<i>Pterisanthes polita</i> ...	53	123	7561	<i>(see note)</i>	—	46	2104

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Pultenæa cordata</i> ...	—	62	3443	<i>Pyrola 3-fruticans</i> ...	—	20	778
<i>daphnoides</i> ...	—	34	1394	<i>maculata</i> ...	—	23	897
<i>ericoides</i> ...	—	24	949	<i>Mariana</i> ...	—	23	897
<i>ilicifolia</i> ...	—	36	1477	<i>Marilandica</i> ...	—	23	897
<i>juncea</i> ...	—	29	1190	<i>petiolis apice bifloris</i> ...	—	23	897
<i>nana</i> ...	—	26	1032	<i>Umbellata</i> ...	—	20	778
<i>pedunculata</i> ...	—	55	2859	<i>Pyrrhochiton</i> ...	—	30	1200
<i>retorta</i> ...	—	37	1545	<i>Pyrus alnifolia</i> ...	57	127	7773
<i>retusa</i> ...	—	46	2081	<i>Amelanchier</i> ...	—	50	2430
<i>rosea</i> ...	43	113	6941	<i>anthyllidifolia</i> ...	50	120	7354
<i>rubiaefolia</i> ...	—	30	1211	<i>arbutifolia</i> ...	—	65	2668
<i>scabra</i> ...	—	46	2091	<i>baccata</i> ...	30	100	6112
<i>Stipularis</i> ...	—	14	475	<i>indica</i> ...	51	121	7430
<i>stricta</i> ...	—	38	1588	<i>cathayensis</i> ...	60	130	7988
<i>subumbellata</i> ...	—	60	3254	<i>chinensis</i> ...	60	130	7988
<i>tenuifolia</i> ...	—	46	2086	<i>coronaria</i> ...	—	45	2009
<i>villosa</i> ...	—	24	949	<i>cratægifolia</i> ...	51	121	7423
<i>”</i> ...	—	25	967	<i>florentina</i> ...	51	121	7423
<i>Punica Americana</i> ...	—	17	634	<i>foliis ovatis serratis</i> ...	—	50	2430
<i>Granatum</i> ...	—	43	1832	<i>Japonica</i> ...	—	18	692
<i>malus</i> ...	—	43	1832	<i>malus</i> ...	60	130	7975
<i>nana</i> ...	—	17	634	<i>(Cydonia) Maulei</i> ...	40	110	6780
<i>spinosa</i> ...	—	43	1832	<i>Neumanniana</i> ...	54	124	7619
<i>Puschkinia scilloides</i> ..	—	48	2244	<i>Niedzwetzkyana</i> ...	60	130	7975
<i>”</i> ...	35	105	6453	<i>ovalis</i> ...	54	124	7619
<i>Puya</i> <i>”</i> <i>Altensteinii</i> <i>v.</i>				<i>prunifolia</i> ...	31	101	6158
<i>gigantea</i> ...	3	73	4309	<i>sikkimensis</i> ...	51	121	7430
<i>Chilensis</i> ...	9	79	4715	<i>sinensis</i> ...	60	130	7988
<i>grandiflora</i> ...	17	87	5234	<i>spectabilis</i> ...	—	8	267
<i>spathacea</i> ...	60	130	7966	<i>thianschanica</i> ...	57	127	7755
<i>suberosa</i> ...	9	79	4715	<i>tianschanica</i> ...	57	127	7755
<i>sulphurea</i> ...	9	79	4696	<i>torminalis</i> ...	51	121	7423
<i>virescens</i> ...	13	83	4991	<i>Pythonii Sp.</i> ...	36	106	6491
<i>Warszewiczii</i> ...	17	87	5225	<i>Pythonium Wallich-</i>			
<i>Whytei</i> ...	24	94	5732	<i>ianum</i> ...	50	120	7342
<i>Pycnostachys urtici-</i>				<i>Pyxidantha barbu-</i>			
<i>folia</i> ...	19	89	5365	<i>lata</i> ...	7	77	4592
<i>Pyrethrum adauctum</i> ..	14	84	5067	<i>Quai-fa</i> ...	—	38	1552
<i>Broussonetii</i> ...	14	84	5067	<i>Quamoclidion multi-</i>			
<i>einerariaefolium</i> ...	40	110	6781	<i>florum</i> ...	32	102	6266
<i>flore bellidis</i> ...	—	13	462	<i>Quamoclit Americana</i> .	—	7	221
<i>Indicum</i> ...	—	37	1521	<i>”</i> ...	—	7	244
<i>”</i> ...	59	129	7874	<i>Mina</i> ...	55	125	7689
<i>lavandulaefolium</i> ...	59	129	7874	<i>Nationis</i> ...	20	90	5432
<i>multicaule</i> ...	43	113	6930	<i>Quassia amara</i> ...	—	14	497
<i>uliginosum</i> ...	—	54	2706	<i>Qued-qued</i> ...	12	82	4920
<i>Waldsteinii</i> ...	48	118	7225	<i>Quillaja Molinæ</i> ...	53	123	7568
<i>Pyrola alsines</i> ...	—	22	880	<i>Pœppigii</i> ...	53	123	7568
<i>floribus albis</i> ...	—	20	754	<i>Saponaria</i> ...	53	123	7568
<i>frutescens</i> ...	—	20	778				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Quillaja Smegmader- mos	53	123	7568	Ranunculus montanus	—	11	386
Quillay	53	123	7568	" "	—	28	1120
Quinquifolium lupini				" "	—	57	3022
folio	—	40	1681	" "	48	118	7266
minus	—	32	1327	nemorosus	—	22	866
Quinquina	19	89	5364	nivalis	—	57	3022
Quisqualis glabra	—	46	2033	nodiflorus	—	47	2171
Indica	—	46	2033	Olyssiponensis	7	77	4585
pubescens	—	46	2033	parisiensis	—	47	2171
Rademachia incisa	—	55	2869	parnassifolius	—	11	386
integra	—	55	2833	pedatifidus	—	48	2229
Radix cava	—	7	232	pedatus	—	48	2229
" "	—	49	2340	pimpinelloides	54	124	7603
toxicaria	—	27	1073	præcox rutæfolio	54	124	7603
vesicatoria	—	7	230	pratensis	—	6	215
Rafnia perfoliata	—	58	3121	pyrenæus	—	8	266
retusa	—	49	2334	rotundifolius	—	48	2267
Railliardia ciliolata	21	91	5517	rutaceofolio	54	124	7603
Rajania quinata	11	81	4864	rutæfolius	54	124	7603
Ramusatia vivipara	2	72	4222	siculus	—	47	2171
Ran	—	42	1751	spicatus	7	77	4585
Randia aculeata	—	43	1841	Teneriffæ	8	78	4625
Bowieana	—	62	3409	Virginienſis	—	5	162
foliis subrotundis	—	43	1841	Raphiolepis integer- rima	21	91	5510
longistyla	3	73	4322	Japonica v. integer- rima	21	91	5510
Ranunculus aconiti- folius	—	6	204	Raphis acaulis	—	35	1434
" "	—	48	2267	Raphistemma ciliatum	24	94	5704
acris	—	6	215	Rapistrum hypogæum	54	124	7598
alpinus	—	28	1120	Rapunculum alopec- uron	—	49	2347
" coriandrifolio	54	124	7603	Rapunculus alpinus	—	43	1797
amplexicaulis	—	8	266	aquaticus	—	52	2563
aquaticus	—	43	1792	corniculatus	—	49	2347
cardiophyllus	—	57	2999	foliis imis longe pe- tiolatis	—	43	1797
carpaticus	48	118	7266	" nervosis	—	45	2016
Cassubicus	—	48	2267	" radicalibus cordatis	—	49	2347
cortusæfolius	8	78	4625	fruticosus	—	58	3081
Gouanii	48	118	7266	" 	1	71	4169
gramineus	—	5	164	montanus	—	31	1258
grandifolius	8	78	4625	spicatus	—	49	2347
hortensis	—	6	215	Rapuntio affinis	—	15	511
isopyroides	54	124	7603	Rapuntium æthiopicum	—	17	644
Lusitanicus	7	77	4585	Canadense pumilum	—	48	2238
Lyallii	42	112	6888	foliis oblongis	—	32	1319
millefoliatus	—	57	3009	folio longo	—	17	644
montanus	—	5	164	galeatum	—	9	320
" 	—	6	204				
" 	—	8	266				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Rapuntium Leschen-				Rhamnus latifolius ...	—	53	2663
aultianum ...	22	92	5587	libanotica	39	109	6721
majus	—	49	2347	Paliurus	—	44	1893
spicatum	—	52	2550	tertius	—	44	1893
splendens	—	69	4002	Rhaphidophora decur-			
"	13	83	4960	siva	49	119	7282
thapsoideum ...	1	71	4150	eximia	49	119	7282
Raputia conchocarpus	12	82	4948	grandis	49	119	7282
Rathea fibrosa ...	37	107	6572	Rhaphithamnus cyano-			
Rauwolfia ligustrina...	—	50	2440	carpus	41	111	6849
ternifolia	—	50	2440	Rhapis flabelliformis..	—	33	1371
Ravenea Hildebrandtii	40	110	6776	Rhaponticum alterum			
Rea macrantha ...	34	104	6353	angustifolium ...	—	42	1752
Reana luxurians ...	35	105	6414	folio Helenii incano	—	42	1752
Reaumuria hypericoides	—	46	2057	Rhei	—	42	1752
linifolia	—	46	2057	Rhenanthera Lowii ...	20	90	5475
Redoutia heterophylla	2	72	4218	Rheum acuminatum...	11	81	4877
Reevesia thyrsoidea ...	1	71	4199	Australe	—	63	3508
Regelia ciliata ...	30	100	6100	Emodi	—	63	3508
Rehmannia Chinensis.	—	65	3653	officinale	30	100	6135
glutinosa	—	65	3653	Ribes	54	124	7591
(Trianophora) ru-				Rhexia Alisanus ...	—	25	968
pestris	47	117	7191	capitata	—	55	2838
Reidia glaucescens ...	20	90	5437	conferta	29	99	6018
Reinwardtia tetragyna	46	116	7136	dicrananthera ...	21	91	5506
Ren	—	23	903	flexuosa	—	55	2836
Renanthera coccinea...	—	57	2997	Fontainesii	—	51	2441
Imshootiana ...	56	126	7711	glomerata	—	55	2838
Lowii	20	90	5475	gracilis	—	63	3481
Papilio	56	126	7711	grandiflora	29	99	6011
Storiei	53	123	7537	lanceolata	—	55	2836
Renealmia Capensis...	—	44	1909	mollis	20	90	5455
nutans	—	44	1903	sarmentosa	23	93	5629
paniculata	32	102	6263	septemnervia ...	—	25	968
ramosa lutea ...	9	79	4715	versicolor	—	65	3678
Rengjo	13	83	4995	Virginica	—	25	968
Reseda foliis integris...	—	1	29	Rhinopetalum Boissieri	35	105	6406
" " lanceolatis	—	27	1062	Karelini	35	105	6406
odorata	—	1	29	Rhipsalis brachiata ...	—	69	4039
Restrepia antennifera.	33	103	6288	Cassytha	—	58	3080
" " "	59	129	7930	fasciculata	—	58	3079
elegans	28	98	5966	grandiflorus	—	54	2740
Lansbergii... ..	17	87	5257	Houlletii	30	100	6089
maculata	33	103	6288	mesembryanthem-			
striata	48	118	7233	oides	—	58	3078
Rha capitatum ...	—	42	1752	parasitica	—	58	3079
Rhamnus folio jujubino	—	44	1893	salicornoides ...	—	51	2461
" subro-				"	—	58	3078
tundo	—	44	1893	sarmentacea ...	15	85	5136
imeretiæ	39	109	6721	Rhizobolus Pekea ...	—	54	2727

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Rhizobolus tuberculatus	—	54	2727	Rhododendron Chamæ-			
Rhodanthe maculata..	18	88	5290	cistus	—	14	488
Manglesii	—	63	3483	Championæ	7	77	4609
" v. maculata	18	88	5290	ciliatum v. roseo-			
" v. sanguinea	17	87	5283	album	8	78	4648
sanguinea	17	87	5283	ciliicalyx	57	127	7782
"	18	88	5290	cinnabarinum v. pal-			
Rhodochiton volu-				lidum	10	80	4788
bile	—	61	3367	citrinum	10	80	4797
Rhodocistus Berthollet-				Clivianum	5	75	4478
ianus	17	87	5241	Collettianum	44	114	7019
Rhododendron albi-				dahuricum v. sem-			
florum	—	65	3670	pervirens	—	44	1888
album	—	61	3290	Dalhousiæ	9	79	4718
"	13	83	4972	" hybridum	18	88	5322
anthopogon	—	68	3947	Dauricum	—	17	636
arborescens v. album..	—	61	3290	dilatatum	55	125	7681
" (hybridum)				Edgeworthii	12	82	4936
Alta-clerense	—	62	3423	elæagnoides	8	78	4657
" Cinnamom-				(hybridum) enne-			
eum	—	67	3825	andron	—	49	2308
" v. King-				eximium	49	119	7317
ianum ..	56	126	7696	Falconeri	12	82	4924
" v. limba-				" v. eximia	49	119	7317
lum	18	88	5311	foliis ciliatis	—	14	488
argenteum	14	84	5054	" ovatis	—	43	1853
"	43	113	6948	formosum	5	75	4457
Aucklandii	14	84	5065	Fortunei	22	92	5596
Batemani	19	89	5387	fragrans	—	62	3454
Blandfordiæflorum..	12	82	4930	fulgens	18	88	5317
Blumei	41	111	6827	Gibsoni	5	75	4457
Boothii	46	116	7149	glaucum	9	79	4721
brachycarpum	59	129	7881	grande v. roseum	43	113	6948
Brookeanum	12	82	4935	Griffithianum v.			
calendulaceum v.				Aucklandii	14	84	5065
fulgidum	—	62	3439	hirsutum	—	43	1853
Californicum	11	81	4863	Hodgsoni	22	92	5552
calophyllum	13	83	5002	Hookeri	12	82	4926
camelliæflorum	12	82	4932	hybridum	—	49	2398
campanulatum	—	66	3759	"	—	62	3454
" v. Wallichii	12	82	4928	irroratum	50	120	7361
campylocarpum	13	83	4968	jasminiflorum	6	76	4524
candelabrum	13	83	4997	Javanicum	3	73	4336
Catawbiense	—	40	1671	" v. tubiflora	41	111	6850
Caucaseum	—	28	1145	Kendrickii v. lati-			
Caucasicum hybri-				folium	15	85	5129
dum	—	67	3811	Keysii	11	81	4875
" v. stra-				Kingianum	56	126	7696
minea	—	62	3422	Lapponicum	—	58	3106
				lepidotum	8	78	4657

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Rhododendron lepidotum <i>v.</i> chloranthum	10	80	4802	Rhododendron Windsorii	43	113	6948
lepidotum <i>v.</i> obovatum	35	105	6450	yunnanense	54	124	7614
linearifolium	25	95	5769	Rhodoleia Championi	6	76	4509
longifolium	43	113	6948	Rhodopsis	46	116	7096
Maddenii	10	80	4805	Rhodora Canadensis	—	14	474
Malayanum	29	99	6045	Rhodoraceæ	35	105	6460
Maximum	—	24	951	Rhodostachys andina	46	116	7148
„ hybridum	—	62	3454	Rhodotypus Kerrioides	25	95	5805
minus	—	49	2285	Rhopala corcovadensis	30	100	6095
modestum	55	125	7686	Pohlii	30	100	6095
molle	27	97	5905	Rhus radicans	—	43	1806
Moulmainense	12	82	4904	Toxicodendron <i>v.</i>			
multicolor	40	110	6769	vulgare	—	43	1806
Nilagiricum	4	74	4381	Rhynchanthera grandiflora	29	99	6011
niveum	9	79	4730	monodynama	29	99	6011
„ <i>v.</i> fulva	41	111	6827	Rhynchanthus longiflorus	42	112	6861
nudiflorum <i>v.</i> scintillans	—	65	3667	Rhynchoglossum Zeylanicum	1	71	4198
Nuttallii	15	85	5146	Rhynchosia albo-nitens	20	90	5452
obovatum	8	78	4657	Chrysocias	27	97	5913
„	35	105	6450	Rhynchotechum ellipticum	26	96	5832
Pontica <i>v.</i> albiflora	—	67	3811	Rhyncospermum jasminoides	9	79	4737
Ponticum	—	18	650	Ribes arabum	54	124	7591
punctatum	—	49	2285	bracteosum	51	121	7419
racemosum	49	119	7301	Bridgesii	54	124	7611
reticulatum	43	113	6972	cereum	—	57	3008
retusum	11	81	4859	echinatum	36	106	6492
Rhodora	—	14	474	fuchsioides	—	63	3530
rhombicum	43	113	6972	hirtellum	42	112	6892
Roylei	10	80	4788	lacustre	36	106	6492
rubiginosum	54	124	7621	Lavallei	54	124	7611
salignum	8	78	4657	malvaceum	—	61	3335
„	10	80	4802	multiflorum	—	50	2368
scabrifolium	47	117	7159	oxyacanthoides	36	106	6492
Schlippenbachii	50	120	7373	„	42	112	6892
serpyllifolium	52	122	7503	resinosum	—	38	1583
Shepherdii	15	85	5125	sanguineum	—	61	3335
Sinense	27	97	5905	saxosum	42	112	6892
Smirnovi	52	122	7495	speciosum	—	63	3530
Smithii	15	85	5120	stamineum	—	63	3530
Thomsoni	13	83	4997	subvestitum	12	82	4931
tubiflorum	29	99	6045	triacantha	—	63	3530
Veitchianum	13	83	4992	villosum	54	124	7611
venosum	12	82	4924	Richardia albo-maculata	15	85	5140
„	49	119	7317	De Waals	51	121	7436
virgatum	14	84	5060				
Wallichii	12	82	4928				
Wilsoni (hybridum)	15	85	5116				
Windsorii	13	83	5008				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Richardia Elliottiana</i> .	54	124	7577	<i>Rohria monanthos</i> ...	—	46	2094
<i>hastata</i> ...	16	86	5176	<i>Romanzoffia sitchensis</i>	30	100	6109
<i>Melanoleuca</i> ...	25	95	5765	<i>Rondeletia Backhousii</i>	33	103	6290
<i>Pentlandii</i> ...	51	121	7397	<i>longiflora</i> ...	—	69	3977
<i>Rehmanni</i> ...	51	121	7436	<i>odorata</i> ...	—	68	3953
<i>Richea glauca</i> ...	17	87	5271	<i>v. breviflora</i>	34	104	6350
<i>Ricinoides castaneæfolia</i>	—	55	2794	<i>Purdiei</i> ...	23	93	5669
<i>Ricinus albus</i> ...	—	48	2209	<i>versicolor</i> ...	7	77	4579
<i>communis</i> ...	—	48	2209	<i>Rosa acicularis v. nip-</i>			
<i>foliis peltatis serratis</i>	—	48	2209	<i>ponensis</i> ...	55	125	7646
<i>gallis Palma Christi</i>	—	48	2209	<i>alpina</i> ...	39	109	6724
<i>minor</i> ...	—	48	2209	<i>"</i> ...	55	125	7646
<i>vulgaris</i> ...	—	48	2209	<i>apennina</i> ...	57	127	7761
<i>Rima ou Fruit au Pain</i>	—	55	2869	<i>arvensis</i> ...	—	46	2054
<i>Riphostemon discolor</i> ..	30	100	6125	<i>Banksiæ</i> ...	—	45	1954
<i>Ripidium japonicum</i> ...	49	119	7304	<i>"</i> ...	47	117	7171
<i>Rirjo</i> ...	—	23	898	<i>Banksiana</i> ...	47	117	7171
<i>Ritchiea polypetala</i> ...	18	88	5344	<i>berberifolia</i> ...	46	116	7096
<i>Ritro floribus cæruleis</i>	—	24	932	<i>bracteata</i> ...	—	34	1377
<i>Riuno Fige</i> ...	—	27	1063	<i>Brownii</i> ...	—	69	4030
<i>Rivea hirsuta</i> ...	12	82	4940	<i>Brunonii</i> ...	—	69	4030
<i>River's Bijou Lemon</i> ..	41	111	6807	<i>Brunonis</i> ...	—	69	4030
<i>Rivina humilis</i> ...	—	43	1781	<i>carelica</i> ...	55	125	7646
<i>"</i> ...	—	49	2333	<i>centifolia, muscosa ;</i>			
<i>"</i> <i>lævis</i> ...	—	49	2333	<i>cristata</i> ...	—	63	3475
<i>Rivinia</i> ...	—	43	1781	<i>Cherokeeensis</i> ...	—	55	2847
<i>Rizoa ovatifolia</i> ...	—	66	3772	<i>Chinensis</i> ...	—	2	42
<i>Robai</i> ...	—	13	466	<i>ciliatopetala</i> ...	48	118	7241
<i>Robinia Altagana</i> ...	—	44	1886	<i>cretica</i> ...	57	127	7761
<i>arenaria</i> ...	—	44	1886	<i>diffusa</i> ...	46	116	7119
<i>Caragana v. arenaria</i>	—	44	1886	<i>diversifolia</i> ...	—	42	1762
<i>foliolis quaternis</i> ...	—	26	1016	<i>Ecae</i> ...	55	125	7666
<i>glutinosa</i> ...	—	16	560	<i>Eglanteria</i> ...	—	27	1077
<i>Halodendron</i> ...	—	26	1016	<i>Fedtschenkoana</i> ...	57	127	7770
<i>Hispida</i> ...	—	9	311	<i>flava</i> ...	—	26	1059
<i>neo-mexicana</i> ...	56	126	7726	<i>florida</i> ...	46	116	7119
<i>racemis axillaribus</i> ..	—	9	311	<i>gallica v. versicolor</i>	—	43	1794
<i>Rochea falcata</i> ...	—	46	2035	<i>gigantea</i> ...	60	130	7972
<i>Rocu</i> ...	—	35	1456	<i>glutinosæ</i> ...	57	127	7761
<i>Rodgersia pinnata</i> ...	59	129	7892	<i>Gmelini</i> ...	55	125	7646
<i>podophylla</i> ...	39	109	6691	<i>graveolens</i> ...	—	27	1077
<i>Rodriguezia Barkeri</i> ...	—	63	3497	<i>"</i> ...	57	127	7761
<i>lanceolata</i> ...	—	63	3524	<i>Grevillei</i> ...	46	116	7119
<i>planifolia</i> ...	—	63	3504	<i>hispida</i> ...	—	38	1570
<i>secunda</i> ...	—	63	3524	<i>incarnata</i> ...	45	115	7035
<i>Roella ciliata</i> ...	—	11	378	<i>inermis</i> ...	39	109	6724
<i>Rœzlia bulbifera</i> ...	47	117	7170	<i>"</i> ...	47	117	7171
<i>Rohria ciliaris</i> ...	—	46	2095	<i>intermedia</i> ..	46	116	7119
<i>grandiflora</i> ...	—	43	1844	<i>Kamtchatica</i> ...	—	59	3149
<i>ilicifolia</i> ...	—	43	1844	<i>lævigata</i> ...	—	55	2847

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Rosa</i> <i>Luciæ</i> ...	51	121	7421	<i>Roscoea</i> <i>gracilis</i> ...	44	114	6991
<i>lutea</i> ...	—	11	363	<i>lutea</i> ...	44	114	6991
„ <i>v. bicolor</i> ...	—	27	1077	<i>purpurea</i> ...	8	78	4630
<i>macrocarpa</i> ...	60	130	7972	<i>Rosenbergia</i> <i>penduli-</i>			
<i>Maximovicziana</i> ...	51	121	7421	<i>flora</i> ...	25	95	5757
<i>microphylla</i> ...	—	63	3490	<i>Rothmannia</i> <i>capensis</i> .	—	18	690
„ ...	37	107	6548	<i>Roulinia</i> <i>acrotricha</i> ...	14	84	5030
<i>moschata</i> ...	51	121	7421	<i>Roupellia</i> <i>grata</i> ...	5	75	4466
<i>multiflora</i> ...	—	26	1059	<i>Roxburghia</i> <i>gloriosa</i> ...	—	36	1500
„ ...	46	116	7119	<i>gloriosoides</i> ...	—	36	1500
<i>muscosa</i> ...	—	2	69	<i>viridiflora</i> ...	—	36	1500
„ ...	—	63	3475	<i>Roydsia</i> <i>suaveolens</i> ...	42	112	6881
<i>nipponensis</i> ...	55	125	7646	<i>Rubeola</i> <i>americana</i> ...	—	38	1558
<i>nivea</i> ...	—	55	2847	<i>Rubia</i> <i>minor</i> <i>Hispanica</i>	—	53	2670
<i>Nutkana</i> ...	42	112	6857	<i>parva</i> ...	—	11	370
<i>parvifolia</i> ...	57	127	7761	<i>Rubus</i> <i>arcticus</i> ...	—	4	132
<i>pimpinellifolia</i> ...	—	38	1570	<i>asper</i> ...	43	113	6970
„ ...	55	125	7666	<i>biflorus</i> ...	8	78	4678
<i>pisocarpa</i> ...	42	112	6857	<i>Commersonii</i> ...	43	113	6970
<i>platyacantha</i> ...	55	125	7666	<i>coptophyllus</i> ...	57	127	7801
<i>polyantha</i> ...	46	116	7119	<i>deliciosus</i> ...	29	99	6062
<i>pomifera</i> ...	48	118	7241	<i>humilis</i> ...	—	4	132
<i>Provincialis</i> ...	—	12	407	<i>javanicus</i> ...	43	113	6970
<i>punicea</i> ...	—	27	1077	<i>lasiostylus</i> ...	51	121	7426
<i>pyrenaica</i> ...	39	109	6724	<i>nutans</i> ...	13	83	5023
<i>repens</i> ...	—	46	2054	<i>Nutkanus</i> ...	—	62	3453
<i>resinosa</i> ...	48	118	7241	<i>occidentalis</i> ...	36	106	6479
<i>Roxburghiana</i> ...	46	116	7119	<i>Odoratus</i> ...	—	9	323
<i>rubro et albo-</i>				<i>palmatus</i> ...	57	127	7801
<i>variegata</i> ...	—	43	1794	<i>paniculatus</i> ...	43	113	6970
<i>Semperflorens</i> ...	—	8	284	<i>pedunculatus</i> ...	8	78	4678
„ <i>v. minima</i> ...	—	42	1762	<i>phœnicolasius</i> ...	36	106	6479
<i>Seraphini</i> ...	57	127	7761	<i>pinnatus</i> ...	43	113	6970
<i>sericea</i> ...	16	86	5200	<i>pungens</i> ...	43	113	6970
<i>simplex</i> ...	46	116	7119	<i>reflexus</i> ...	56	126	7716
<i>simplicifolia</i> ...	46	116	7096	<i>rosæflorus</i> ...	43	113	6970
<i>sinica</i> ...	—	55	2847	<i>rosæfolius</i> ...	43	113	6970
<i>speciosa</i> ...	—	59	3150	„ <i>v. coronarius</i> ...	—	43	1783
<i>sylvestris</i> ...	—	27	1077	<i>sikkimensis</i> ...	43	113	6970
„ ...	48	118	7241	<i>sinensis</i> ...	—	43	1783
<i>ternata</i> ...	—	55	2847	„ ...	43	113	6970
<i>tetrapetala</i> ...	16	86	5200	<i>sorbifolius</i> ...	43	113	6970
<i>Thoryi</i> ...	46	116	7119	<i>trifolius</i> ...	—	4	132
<i>trifoliata</i> ...	—	55	2847	<i>Ruckia</i> <i>Ellemti</i> ...	46	116	7148
<i>versicolor</i> ...	—	43	1794	<i>Rudbeckia</i> <i>amplexi-</i>			
<i>villosa</i> ...	48	118	7241	<i>caulis</i> ...	—	66	3716
<i>Wallichii</i> ...	16	86	5200	<i>amplexifolia</i> ...	—	66	3716
<i>Wichuræ</i> ...	46	116	7119	<i>angustifolia</i> ...	—	46	2051
<i>Wichurana</i> ...	51	121	7421	<i>Chrysomela</i> ...	—	45	1996
<i>Xanthina</i> ...	55	125	7666	<i>columnaris</i> ...	—	39	1601

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Rudbeckia fulgida</i> ...	—	45	1996	<i>Ruscus Hypophyllum.</i>	—	46	2049
<i>odorata</i> ...	—	49	2310	<i>latifolius</i> ...	—	44	1898
<i>oppositifolia</i> ...	—	61	3372	" ...	—	57	3029
<i>perfoliata</i> ...	—	66	3716	<i>reticulatus</i> ...	23	93	5638
<i>pinnata</i> ...	—	49	2310	<i>Russelia multiflora</i> ...	—	37	1528
<i>purpurea</i> ...	—	1	2	<i>Ruta angustifolia</i> ...	—	49	2311
<i>Rudgea macrophylla</i> ...	23	93	5653	<i>chalepensis</i> ...	—	49	2311
<i>Ruellia</i> ...	4	74	4363	<i>linifolia</i> ...	—	48	2254
<i>acutangula</i> ...	34	104	6382	<i>macrophylla</i> ...	—	45	2018
<i>anisophylla</i> ...	—	62	3404	<i>montana</i> ...	—	48	2254
<i>argentea</i> ...	—	63	3517	<i>muraria major</i> ...	12	82	4925
<i>barleriorides</i> ...	—	70	4053	<i>pratensis</i> ...	—	43	1818
<i>bracteata</i> ...	—	70	4053	<i>sylvestris</i> ...	—	48	2254
<i>callosa</i> ...	53	123	7538	<i>Ruyschiana verticillata</i>	—	27	1084
<i>ciliatiflora</i> ...	—	66	3718	<i>Rytidophyllum auricu-</i>			
<i>colorata</i> ...	43	113	6922	<i>latum</i> ...	—	64	3562
<i>coromandeliana</i> ...	2	72	4248	<i>floribundum</i> ...	4	74	4380
<i>cristata</i> ...	—	38	1578	<i>Sabal Adansonii</i> ...	—	35	1434
<i>Cusia</i> ...	43	113	6947	<i>minor</i> ...	—	35	1434
<i>elegans</i> ...	—	62	3389	<i>Sabbatia calycosa</i> ...	—	39	1600
<i>formosa</i> ...	—	34	1400	<i>campestris</i> ...	13	83	5015
<i>glomerata</i> ...	10	80	4767	<i>Saccanthus guttatus</i> ...	—	70	4108
<i>grandis</i> ...	4	74	4366	<i>Saccharum japonicum.</i>	49	119	7304
<i>indigofera</i> ...	43	113	6947	<i>polydactylon</i> ...	49	119	7304
<i>indigotica</i> ...	43	113	6947	<i>sagittatum</i> ...	50	120	7352
<i>infundibuliformis</i> ...	—	47	2186	<i>Saccolabium ampulla-</i>			
<i>intrusa</i> ...	2	72	4248	<i>ceum</i> ...	22	92	5595
<i>lilacina</i> ...	1	71	4147	<i>bellinum</i> ...	46	116	7142
<i>macrantha</i> ...	59	129	7872	<i>bigibbum</i> ...	25	95	5767
<i>macrocarpa</i> ...	—	63	3517	<i>denticulatum</i> ...	10	80	4772
<i>macrophylla</i> ...	5	75	4448	<i>giganteum</i> ...	23	93	5635
<i>obliqua</i> ...	2	72	4248	<i>guttatum</i> ...	—	70	4108
<i>Portellæ</i> ...	36	106	6498	<i>Harrisonianum</i> ...	20	90	5433
<i>Purdieana</i> ...	3	73	4298	<i>Hendersonianum</i> ...	32	102	6222
<i>quaterna</i> ...	5	75	4449	<i>Huttoni</i> ...	23	93	5681
<i>Sabiniana</i> ...	—	63	3517	<i>miniatum</i> ...	18	88	5326
<i>secunda</i> ...	2	72	4248	<i>Mooreanum</i> ...	51	121	7428
<i>speciosa</i> ...	59	129	7872	<i>Sagittaria bulbosa</i> ...	—	39	1632
<i>varians</i> ...	—	33	1358	<i>chilensis</i> ...	40	110	6755
<i>Rugendasia majalis</i> ...	51	121	7405	<i>foliis lanceolato-</i>			
<i>Ruizia fragrans</i> ...	44	114	7024	<i>ovatis</i> ...	—	43	1792
<i>Rulingia corylifolia</i> ...	—	59	3182	" <i>maximis sim-</i>			
<i>pannosa</i> ...	—	48	2191	<i>plicibus</i> ...	—	43	1792
<i>Rumex hymenosep-</i>				<i>lancifolia</i> ...	—	43	1792
<i>alus</i> ...	51	121	7433	<i>montevidensis</i> ...	40	110	6755
<i>Ruminia hyemalis</i> ..	39	109	6711	<i>rigida</i> ...	—	39	1632
<i>nicæensis</i> ...	39	109	6711	<i>sagittifolia</i> ...	—	39	1631
<i>Rupalleya volubilis</i> ...	30	100	6123	<i>Sinensis</i> ...	—	39	1631
<i>Ruscus androgynus</i> ...	—	44	1898	<i>Saguastris</i> sp....	47	117	7202
" " ...	—	57	3029				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Saintpaulia ionantha</i> ..	51	121	7408	<i>Salvia hypoleuca</i> ...	33	103	6300
<i>Salicaria glabra</i> ...	—	25	1003	<i>incarnata</i> ...	35	105	6448
<i>Salmea scandens</i> ...	—	46	2062	<i>Indica</i> ...	—	11	395
<i>Salmia latifolia</i> ...	—	56	2950	<i>interrupta</i> ...	26	96	5860
<i>Laucheata</i> ...	55	125	7683	<i>involutata</i> ...	—	55	2872
<i>spicata</i> ...	—	29	1180	<i>lævigata</i> ...	—	55	2872
<i>Salpiglossis atro-pur-</i>				<i>Leonuroides</i> ...	—	11	376
<i>purea</i> ...	—	55	2811	<i>leucantha</i> ...	3	73	4318
<i>integrifolia</i> ...	—	58	3113	<i>macrophylla</i> ...	36	106	6517
" ...	—	64	3556	<i>macrostachya</i> ...	50	120	7372
<i>linearis</i> ...	—	60	3256	<i>major</i> ...	—	28	1114
<i> picta</i> ...	—	61	3365	<i>mexicana</i> ...	—	42	1728
<i>straminea v. picta</i> ...	—	61	3365	" ...	40	110	6772
<i>Salpixmap coccinea</i> ..	1	71	4158	<i>microcaulis</i> ...	35	105	6448
" ...	4	74	4378	<i>microphylla</i> ...	41	111	6812
<i>Salvia acuminatis-</i>				<i>minor</i> ...	40	110	6790
<i>sima</i> ...	—	42	1728	<i>nigricans</i> ...	40	110	6772
<i>Africana</i> ...	—	6	182	<i>nutans</i> ...	—	50	2436
<i>amœna</i> ...	—	32	1294	<i>paniculata</i> ...	40	110	6790
<i>angustifolia</i> ...	—	42	1728	<i>patens</i> ...	—	67	3808
<i>asperata</i> ...	11	81	4884	<i>pinifolia</i> ...	16	86	5209
<i>Aurea</i> ...	—	6	182	<i>porphyrata</i> ...	12	82	4939
<i>azurea</i> ...	—	42	1728	<i>pseudo-coccinea</i> ...	—	55	2864
<i>bicolor</i> ...	—	43	1774	<i>punicea</i> ...	35	105	6448
<i>bifida</i> ...	—	25	988	<i>pyrifolia</i> ...	—	11	376
<i>Boliviana</i> ...	28	98	5947	<i>rubescens</i> ...	28	98	5947
" ...	39	109	6714	<i>scabiosæfolia</i> ...	16	86	5209
<i>bracteata</i> ...	—	49	2320	<i>scabrosa</i> ...	16	86	5209
<i>cacaliæfolia</i> ...	17	87	5274	<i>scapiformis</i> ...	44	114	6980
<i>candelabrum</i> ...	13	83	5017	<i>Schimperi</i> ...	33	103	6300
<i>carduacea</i> ...	11	81	4874	<i>strictiflora</i> ...	—	59	3135
<i>caule nudo</i> ...	—	50	2436	<i>taraxacifolia</i> ...	28	98	5991
<i>Chamædrioides</i> ...	—	21	808	<i>taurica</i> ...	—	35	1429
<i>Chamædrys</i> ...	—	21	808	<i>Tauricæ</i> ...	16	86	5209
<i>Chamæelæagnea</i> ...	40	110	6790	<i>violacea</i> ...	—	32	1294
<i>Columbariæ</i> ...	37	107	6595	<i>vulnerariæfolia</i> ...	16	86	5209
<i>confertiflora</i> ...	—	68	3899	<i>Sambucus aquatica</i> ...	—	13	438
<i>dichroa</i> ...	28	98	6004	<i>Samstravadi</i> ...	—	67	3831
<i>discolor</i> ...	40	110	6772	<i>Samudra-Stjogam</i> ...	—	51	2446
<i>elegans</i> ...	35	105	6448	<i>Samyda rosea</i> ...	—	16	550
<i>fatua</i> ...	—	43	1843	<i>serrulata</i> ...	—	16	550
<i>Formosa</i> ...	—	11	376	<i>Sanamunda tertia</i> ...	—	45	1949
<i>Forskælei</i> ...	—	25	988	<i>Sanchezia nobilis</i> ...	22	92	5594
<i>Forskohlei</i> ...	—	25	988	<i>Sandalum album</i> ...	—	60	3235
<i>fruticosa</i> ...	—	25	999	<i>Sandersonia aurant-</i>			
" ...	—	43	1843	<i>iaca</i> ...	9	79	4716
<i>Greggii</i> ...	41	111	6812	<i>Sanguinaria Canad-</i>			
<i>Hablitziana</i> ...	—	35	1429	<i>ensis</i> ...	—	5	162
<i>Habliziana</i> ...	16	86	5209	<i>flore simplici</i> ...	—	5	162
<i>hians</i> ...	36	106	6517	<i>Sanicula alpina</i> ...	—	7	236

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Sanicula alpina</i> ...	—	24	942	<i>Sarmienta repens</i> ...	39	109	6720
" " " " ...	—	29	1161	<i>Sarothamnus purgans</i>	54	124	7618
<i>montana</i> ...	—	12	424	<i>Sarracena Canadensis</i> .	—	22	849
" " " " ...	—	25	987	<i>foliis longioribus</i> ...	—	20	780
<i>virginiensis</i> ...	—	40	1664	<i>Sarracenia adunca</i> ...	—	41	1710
<i>Sansevieria Angol-</i>				<i>Flava</i> ...	—	20	780
<i>ensis</i> ...	15	85	5093	<i>minor</i> ...	—	41	1710
<i>cylindrica</i> ...	15	85	5093	<i>purpurea</i> ...	—	22	849
<i>fruticosa</i> ...	3	73	4279	<i>rubra</i> ...	—	63	3515
<i>grandis</i> ...	59	129	7877	<i>variolaris</i> ...	—	41	1710
<i>Guineensis</i> ...	—	29	1180	<i>Sasanqua</i> ...	—	46	2080
<i>Javanica</i> ...	10	80	4787	<i>Saturnia</i> ...	—	30	1203
<i>Kirkii</i> ...	50	120	7357	<i>Satyrium albiflorum</i> .	38	108	6625
<i>lanuginosa</i> ...	52	122	7487	<i>aureum</i> ...	49	119	7289
<i>longiflora</i> ...	—	53	2634	<i>carneum</i> ...	—	37	1512
<i>Roxburghiana</i> ...	52	122	7487	<i>ciliatum</i> ...	38	108	6625
<i>Sessiliflora</i> ...	—	19	739	<i>coriifolium</i> ...	—	47	2172
<i>(see note)</i>	—	35	1431	" " " " ...	49	119	7289
<i>zeylanica</i> ...	52	122	7487	<i>cornutum</i> ...	—	70	4091
<i>Santalum album</i> ...	—	60	3235	<i>cucullatum</i> ..	—	47	2172
<i>Santolina africana</i> ...	—	49	2276	" " " " ...	49	119	7289
<i>erecta</i> ...	—	42	1734	<i>diphyllum</i> ...	—	59	3164
<i>Saponaria glutinosa</i> ...	—	55	2855	<i>elatum</i> ...	—	46	2026
<i>Ocymoides</i> ...	—	5	154	<i>epipogium</i> ...	10	80	4821
<i>radice lignosa</i> ...	—	35	1448	<i>erectum</i> ...	—	56	2947
<i>Vaccaria</i> ...	—	49	2290	" " " " ...	49	119	7289
<i>Sapotte Negro</i> ...	—	69	3988	<i>foliis liratis</i> ...	—	24	930
<i>Sar Kuchoo</i> ...	50	120	7364	<i>grandiflorum</i> ...	—	70	4073
<i>Saraca arborescens</i> ...	—	57	3018	<i>e Guinea</i> ...	—	24	961
<i>Indica</i> ...	—	57	3018	" " " " ...	—	45	1995
<i>Sarcanthus erinaceus</i> ..	23	93	5630	<i>membranaceum</i> ...	46	116	7104
<i>filiformis</i> ...	8	78	4639	<i>nepalense</i> ...	38	108	6625
<i>Parishii</i> ...	16	86	5217	<i>orchioides</i> ...	—	26	1036
<i>Stowellianus</i> ...	23	93	5630	<i>pallidum</i> ...	38	108	6625
<i>teretifolius</i> ..	—	64	3571	<i>parasiticum</i> ...	—	58	3076
<i>Sarcoaulon Burmanni</i>	24	94	5729	" " " " ...	—	63	3536
<i>Sarcochilus amplexi-</i>				<i>Perrottetianum</i> ...	38	108	6625
<i>caulis</i> ...	57	127	7754	<i>Princeps</i> ...	46	116	7104
<i>hainanensis</i> ...	52	122	7489	<i>quntum</i> ...	—	46	2026
<i>Hartmanni</i> ...	44	114	7010	<i>sagittale</i> ...	51	121	7403
<i>lilacinus</i> ...	57	127	7754	<i>secundum</i> ...	44	114	7021
<i>luniferus</i> ...	45	115	7044	<i>sphærocarpum</i> ...	49	119	7295
<i>rubricentrum</i> ...	44	114	7010	<i>sphærocephalum</i> ...	49	119	7295
<i>Sarcophyllum car-</i>				<i>Wightianum</i> ...	38	108	6625
<i>nosum</i> ...	—	51	2502	<i>Saurauja spectabilis</i> .	—	69	3982
<i>Sarcopodium macran-</i>				<i>Sauromatium gutta-</i>			
<i>thum</i> ...	47	117	7208	<i>tum</i> ...	5	75	4465
<i>psittacoglossum</i> ...	19	89	5408	<i>Sauromatum brevipes</i>	60	130	7940
<i>Sarcostemma Brunon-</i>				<i>Saururus alius</i> ...	—	44	1882
<i>ianum</i> ...	28	98	6002	<i>foliis septinerviis</i> ...	—	59	3132

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Saviniona acerifolia</i> ...	58	128	7865	<i>Saxifraga sarmentosa</i> .	—	3	92
<i>Saxifraga Almeriensis</i> .	38	108	6640	<i>setigera</i> ...	7	77	4621
<i>aquatica</i> ...	—	48	2207	<i>Stracheyi</i> ...	28	98	5967
<i>aretioides</i> ...	26	96	5849	<i>Virginensis</i> ...	—	40	1664
<i>aspera</i> ...	7	77	4621	<i>Wallaceana</i> ...	38	108	6640
<i>Boryi</i> ...	39	109	6702	<i>Sazuri</i> ...	—	38	1591
<i>calyciflora</i> ...	49	119	7315	<i>Scabiosa atropurpurea</i>	—	7	247
<i>Camposii</i> ...	38	108	6640	<i>carduifolia</i> ...	—	47	2109
<i>ceratophylla</i> ...	—	40	1651	<i>Caucasea</i> ...	—	23	886
<i>ciliata</i> ...	12	82	4915	<i>Indica</i> ...	—	7	247
" ...	28	98	5967	<i>peregrina</i> ...	—	7	247
<i>Clusii</i> ...	—	57	2959	<i>pterocephala</i> ...	36	106	6526
<i>cochlearis</i> ...	39	109	6688	<i>Scabrita scabra</i> ...	12	82	4900
<i>cortusifolia</i> ...	39	109	6680	<i>Scævola attenuata</i> ...	1	71	4196
<i>cotyledon</i> ...	39	109	6702	<i>Kœnigii</i> ...	—	54	2732
<i>crassifolia</i> ...	—	6	196	<i>Lobelia</i> ...	—	54	2732
<i>cuscutiformis</i> ...	—	53	2631	<i>Scalia Jaceoides</i> ...	—	24	956
<i>diversifolia</i> ...	38	108	6603	<i>Scaphosepalum pulvi-</i>			
<i>ferruginea</i> ...	—	57	2959	<i>nare</i> ...	46	116	7151
<i>flagellaris</i> ...	7	77	4621	<i>Scaphyglottis violacea</i>	—	70	4071
<i>florulenta</i> ...	30	100	6102	<i>Sceptranthus Drum-</i>			
<i>foliis cordato-oval-</i>				<i>mondi</i> ...	—	66	3727
<i>ibus</i> ...	—	40	1664	<i>Scheelea kewensis</i> ...	53	123	7552
<i>Fortunei</i> ...	19	89	5377	<i>Scheeria lanata</i> ...	13	83	4963
<i>geranioides</i> ...	45	115	7056	<i>Mexicana</i> ...	9	79	4743
<i>irrigua</i> ...	—	48	2207	<i>Schelhammera undu-</i>			
<i>Kotschyi</i> ...	29	99	6065	<i>lata</i> ...	—	54	2712
<i>latepetiolata</i> ...	45	115	7056	<i>Schena</i> ...	16	86	5187
<i>leucanthemifolia</i> ...	—	57	2959	<i>Schinus Areira</i> ...	—	61	3339
<i>ligulata</i> ...	—	62	3406	<i>Bonplandianus</i> ...	51	121	7406
<i>lingulata</i> ...	27	97	5889	<i>dependens</i> ...	51	121	7406
" <i>v. cochlearis</i>	39	109	6688	<i>Huygan</i> ...	51	121	7406
<i>(Aizoonia) longifolia</i>	27	97	5889	<i>Molle</i> ...	—	61	3339
<i>lysimachoides</i> ...	38	108	6603	<i>Schisandra coccinea</i> ...	—	34	1413
<i>marginata</i> ...	39	109	6702	<i>Schismatoglottis cris-</i>			
<i>Maweana</i> ...	34	104	6384	<i>pata</i> ...	37	107	6576
<i>media</i> ...	49	119	7315	<i>Schizanthus Grahamii</i>	—	58	3044
<i>montana</i> ...	—	48	2202	<i>Hookeri</i> ...	—	58	3070
<i>Moorcroftiana</i> ...	38	108	6603	<i>pinnatus</i> ...	—	50	2404
<i>mutata</i> ...	—	10	351	<i>porrigens</i> ...	—	51	2521
<i>nubicola</i> ...	38	108	6609	<i>retusus</i> ...	—	58	3045
<i>parnassifolia</i> ...	38	108	6603	<i>Schizocodon soldanel-</i>			
<i>peltata</i> ...	30	100	6074	<i>loides</i> ...	49	119	7316
<i>petræa</i> ...	—	48	2207	<i>Schizopetalon Walkeri</i>	—	50	2379
" ...	—	57	3026	<i>Schizostemma longi-</i>			
<i>pilosa</i> ...	—	40	1664	<i>folium</i> ...	4	74	4367
<i>Ponæ</i> ...	—	57	3026	<i>Schizostylis coccinea</i> ..	20	90	5422
<i>purpurascens</i> ...	14	84	5066	<i>Schlonga-Cuspi</i> ...	—	37	1542
<i>rotundifolia</i> ...	—	12	424	<i>Schœnia oppositifolia</i> .	7	77	4560
<i>rupestris</i> ...	—	57	3026	<i>Schœnoprasum</i> ...	—	28	1141

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Schœnus nemorum ...	33	103	6282	Scilla rufa ...	—	23	918
Schomburgkia Lyonsi.	16	86	5172	serotina ...	—	22	859
marginata v. petalis				" ...	—	29	1185
sepalisque immar-				(see note)	—	37	1532
ginatis ...	—	66	3729	sibirica ...	—	26	1025
Thomsoniana ...	58	128	7815	unifolia ...	—	24	935
tibicinis v. grandi-				villosa ...	—	60	3211
flora ...	5	75	4476	vulgaris ...	—	23	918
Schonleinia benigna...	38	108	6637	Scindapsus decursivus	49	119	7282
Schotia tamarindifolia	—	29	1153	giganteus ...	60	130	7952
Sciadophyllum ellipti-				Sciodacalyx Warsze-			
cum ...	51	121	7402	wiczii ...	11	81	4843
Scilla amœna ...	—	10	341	Sciodaphyllum suba-			
" " ...	—	50	2408	vene ...	32	102	6238
" " v. Sibirica	—	26	1025	Scipanthus elegans..	14	84	5028
amœnula ...	—	50	2408	Sciuris simplicifolia...	12	82	4948
autumnalis ...	—	23	919	Sclarea indica ...	—	11	395
azurea ...	—	50	2408	orientalis ...	—	25	988
Berthelotii...	18	88	5308	Scleroxylon mite ...	—	43	1858
bifolia ...	—	20	746	Scoliopus Bigelovii ...	53	123	7566
brevifolia ...	—	36	1468	Scolopendria India			
campanulata ...	—	4	127	orientalis ...	—	58	3101
" ...	—	28	1102	Scolopendrium Krebsii	10	80	4768
cernua ...	—	36	1461	Scolymocephalus Afri-			
" ...	—	50	2408	canus ...	—	46	2065
Cooperi ...	22	92	5580	angustifolia ...	—	51	2447
corymbosa... (note)	—	36	1468	foliis oblongis ...	—	51	2447
esculenta ...	—	38	1574	Scolymus aculeatus ...	—	55	2862
" v. fl. albo .	—	54	2774	Scopola carniolica ...	—	28	1126
fastigiata ...	38	108	6663	Scorodoprasum ...	—	34	1385
festalis ...	—	36	1461	" ...	—	38	1560
Hispanica ...	—	23	918	campestre ...	—	42	1764
hyacinthoides ...	—	28	1102	montanum... ..	—	42	1764
" ...	—	28	1140	Scortia, arbor Ameri-			
Italica ...	—	18	663	cana ...	—	59	3166
(see note)	—	32	1306	Scorzonera angustifolia	—	49	2294
Jacquini ...	—	28	1102	caule ramoso tereti .	—	49	2294
japonica ...	44	114	6986	mollis ...	—	57	3027
Lusitanica...	—	45	1999	purpurea v. grandiflora			
maritima ...	—	23	918	flora ...	—	49	2294
natalensis ...	19	89	5379	sylvestris ...	—	49	2294
non scripta ...	—	36	1461	Tingitana ...	—	4	142
nutans ...	—	36	1461	undulata ...	30	100	6127
patula ...	—	28	1102	Scrophularia chry-			
Peruviana ...	—	20	749	santha ...	38	108	6629
præcox ...	—	26	1025	congesta ...	38	108	6629
pumila ...	—	57	3023	minima ...	38	108	6629
radice solida ...	—	23	919	Scutellaria altissima...	—	52	2548
Romana ...	—	24	939	aurata v. sulphurea	21	91	5525
(see note)	—	39	1635	aurea ...	21	91	5525

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Scutellaria cordifolia</i> ..	3	73	4290	<i>Sedum sempervivoides</i>	—	51	2474
<i>Costaricana</i> ...	20	90	5439	<i>Sieboldii</i> ...	19	89	5358
<i>Felisberti</i> ...	35	105	6464	<i>spurium</i> ...	—	50	2370
<i>formosana</i> ...	52	122	7458	<i>Stahlii</i> ...	59	129	7908
<i>grandiflora</i> ...	—	17	635	<i>ternatum</i> ...	—	45	1977
" ...	5	75	4420	<i>Selago Gillii</i> ...	—	57	3028
<i>Hadwenii</i> ...	8	78	4629	<i>ovata</i> ...	—	6	186
<i>Hartwegi</i> ...	38	108	6615	<i>tomentosa</i> ...	—	9	322
<i>incarnata</i> ...	2	72	4268	<i>Selenia aurea</i> ...	38	108	6607
" ...	2	72	4271	<i>Selenipedium carici-</i>			
" <i>v. Trianai</i> ..	16	86	5185	<i>num</i> ...	20	90	5466
<i>macrantha</i> ...	5	75	4420	<i>Klotzschianum</i> ...	47	117	7178
<i>orientalis</i> ...	—	47	2120	<i>longifolium</i> ...	28	98	5970
<i>purpurascens</i> ...	35	105	6464	<i>Roezli</i> ...	32	102	6217
<i>splendens</i> ...	3	73	4290	<i>Sargentianum</i> ...	51	121	7446
<i>Trianai</i> ...	16	86	5185	<i>Schlimii</i> ...	22	92	5614
<i>Ventenatii</i> ..	2	72	4271	<i>Selinum decipiens</i> ...	23	93	5670
" ...	16	86	5185	<i>Galbanum</i> ...	—	51	2489
<i>villosa</i> ...	10	80	4789	<i>Selliguea plantaginea</i> ..	18	88	5328
<i>Scyphanthus elegans</i> ..	14	84	5028	<i>Semeiandra grandiflora</i>	9	79	4727
<i>Scytalia Longan</i> ...	—	70	4096	<i>Sempervivum arach-</i>			
<i>Scytanthus Gordoni</i> ...	32	102	6228	<i>noideum</i> ...	—	2	68
<i>Seaforthia elegans</i> ...	13	83	4961	<i>aureum</i> ...	—	70	4087
" " ...	50	120	7345	<i>calyciforme</i> ...	—	70	4087
<i>jaculatoria</i> ...	47	117	7202	<i>ciliatum</i> ...	—	45	1978
<i>patula</i> ...	37	107	6581	<i>globiferum</i> ...	—	15	507
<i>Sebestena scabra</i> ...	—	21	794	" ...	—	47	2115
<i>Securidaca dumetorium</i>	—	8	258	<i>glutinosum</i> ...	—	45	1963
<i>Sedoides africana</i> ...	—	42	1765	<i>majus</i> ...	—	35	1457
<i>Sedum alpinum</i> ...	—	5	170	<i>Moggridgei</i> ...	38	108	6610
" " ...	—	20	743	<i>monanthes</i> ...	—	3	93
" " ...	—	22	868	<i>Paivæ</i> ...	22	92	5593
<i>Anacampseros</i> ...	—	4	118	<i>petalis fimbriatis</i> ...	—	35	1457
<i>annuum</i> ...	—	45	1977	<i>rosulis hirsutis</i> ...	—	47	2115
<i>azureum</i> ...	—	48	2224	<i>Smithii</i> ...	—	45	1980
<i>cæruleum</i> ...	—	48	2224	<i>soboliferum</i> ...	—	35	1457
<i>Corsicum</i> ...	29	99	6027	<i>stellatum</i> ...	—	43	1809
<i>dasyphyllum v. glan-</i>				<i>Tectorum v.atlan-</i>			
<i>duliferum</i> ...	29	99	6027	<i>ticum</i> ...	29	99	6055
<i>denticulatum</i> ...	—	43	1807	<i>Tortuosum</i> ...	—	9	296
<i>glanduliferum</i> ...	29	99	6027	<i>urbicum</i> ...	59	129	7893
<i>glandulosum</i> ...	27	97	5924	<i>villosum</i> ...	—	43	1809
<i>majus</i> ...	—	15	507	<i>Senecio ampullaceus</i> ...	—	63	3487
" ...	—	35	1457	(Kleinia) <i>Anteu-</i>			
<i>montanum</i> ...	—	2	68	<i>phorbium</i> ...	30	100	6099
<i>oppositifolium</i> ...	—	43	1807	<i>auriculatissimus</i> ...	56	126	7731
<i>Populifolium</i> ...	—	6	211	<i>calamifolius</i> ...	—	69	4011
<i>pulchellum</i> ...	32	102	6223	(Kleinia) <i>chordifolia</i>	32	102	6216
<i>rosulis ciliatis</i> ...	—	15	507	<i>clivorum</i> ...	59	129	7902
<i>saxatile</i> ...	—	45	1977	<i>concolor</i> ...	36	106	6488

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Senecio concolor</i> ...	39	109	6713	<i>Serratula quinquefolia</i>	—	44	1871
<i>Doronicum v. hos-</i>				<i>scariosa</i>	—	41	1709
<i>mariensis</i> ...	30	100	6101	<i>simplex</i>	—	51	2482
<i>elegans</i>	—	7	238	<i>spicata</i>	—	34	1411
(<i>Kleinia</i>) <i>Galpini</i> ...	48	118	7239	<i>Sesamoides parvum</i> ...	—	45	1949
<i>Gunnisii</i>	55	125	7659	<i>Sesamum alterum</i> ...	—	41	1688
(<i>Kleinia</i>) <i>Haworthii</i>	29	99	6063	<i>arundinaceum</i> ...	—	51	2479
<i>Henryi</i>	59	129	7912	<i>foliis inferioribus</i> ...	—	41	1688
<i>Heritieri v. cyan-</i>				<i>indicum</i>	—	41	1688
<i>ophthalmus</i> ...	—	67	3827	<i>Sesbania exasperata</i> ...	50	120	7384
<i>Hualtata</i>	51	121	7422	<i>macrocarpa</i> ...	50	120	7384
<i>Kæmpferi</i>	18	88	5302	<i>punicea</i>	50	120	7353
<i>latifolius</i>	50	120	7378	<i>Seseli dichotomum</i> ...	—	46	2073
<i>laxifolius</i>	50	120	7378	<i>divaricatum</i> ...	—	42	1742
<i>longipes</i>	55	125	7691	<i>gummiferum</i> ...	—	48	2259
<i>macroglossus</i> ...	31	101	6149	<i>lucidum</i>	—	42	1742
<i>magnificus</i>	57	127	7803	<i>Sesuvium Portulacas-</i>			
<i>pendulus</i>	55	125	7659	<i>trum v. revolutum</i>	—	41	1701
<i>præcox</i>	10	80	4803	<i>revolutifolium</i> ...	—	41	1701
<i>pseudo-china</i> ...	36	106	6488	<i>revolutum</i>	—	41	1701
(<i>Kleinia</i>) <i>pteroneura</i>	28	98	5945	<i>sessile</i>	—	41	1701
<i>pulcher</i>	28	98	5959	<i>Sherardia Teucrifolio</i>	—	25	976
<i>pyramidatus</i> ...	19	89	5396	<i>Shortia galacifolia</i> ...	45	115	7082
<i>sagittifolius</i> ...	49	119	7322	<i>Sibi</i>	—	12	405
<i>Smithii</i>	53	123	7531	<i>Sibthorpia peregrina</i>	—	7	218
<i>speciosus</i>	36	106	6488	<i>Sicana spherica</i> ...	46	116	7109
<i>subscandens</i> ...	34	104	6363	<i>Sieku vulgo Ken</i> ...	—	50	2360
<i>tanguticus</i>	59	129	7912	<i>Sida aurita</i>	—	51	2495
<i>verbaseifolius</i> ...	53	123	7531	(<i>Abutilon</i>) <i>Bedford-</i>			
<i>Senico pulcher</i> ...	28	98	5959	<i>iana</i>	—	68	3892
<i>Senna alata</i>	35	105	6425	<i>cristata</i>	—	10	330
<i>ligustri folio</i> ...	—	43	1829	"	—	37	1541
<i>spuria</i>	—	25	995	<i>foliis palmatis</i> ...	—	48	2193
<i>Sép'halicá</i>	12	82	4900	<i>globiflora</i>	—	55	2821
<i>Septas globiflora</i> ...	—	36	1472	<i>grandifolia</i>	—	54	2759
<i>repens</i>	—	52	2557	<i>graveolens</i>	1	71	4134
<i>Serapias caravata</i> ...	15	85	5141	<i>hastata</i>	—	37	1541
<i>cordigera</i>	26	96	5868	<i>hermaphrodita</i> ...	—	48	2193
<i>epidendroides</i> ...	22	92	5579	<i>hirta</i>	1	71	4134
<i>Lingua</i>	26	96	5868	<i>inaequalis</i>	—	62	3436
<i>ovalis</i>	26	96	5868	(<i>Abutilon</i>) <i>integer-</i>			
<i>oxyglottis</i>	26	96	5868	<i>rima</i>	4	74	4360
<i>papilionaceo - lingua</i>				<i>laevis</i>	—	48	2193
(<i>hybrid</i>)... ..	32	102	6255	<i>Leopoldi</i>	24	94	5717
<i>speciosa</i>	—	34	1374	<i>malacophylla</i> ...	4	74	4365
<i>triloba</i>	32	102	6255	<i>mollis</i>	—	54	2759
<i>Serpentaria triphylla</i> ..	—	24	950	<i>Napæa</i>	—	48	2193
<i>Serratula blanda</i> ...	—	51	2482	(<i>Abutilon</i>) <i>pæoniæ-</i>			
<i>cyanoides</i>	—	51	2482	<i>flora</i>	1	71	4170
<i>pulchella</i>	—	52	2589	<i>periptera</i>	—	40	1644

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Sida picta</i>	—	67	3840	<i>Silphium terebinth-</i>			
<i>pulchella</i>	—	54	2753	<i>aceum</i>	—	63	3525
<i>ramosa</i>	—	54	2753	<i>ternifolium</i>	—	61	3355
<i>rosea</i>	—	59	3150	<i>tomentosumpumilum</i>	55	125	7680
<i>sessiliflora</i>	—	55	2857	" <i>reticu-</i>			
<i>tomentosa</i>	1	71	4134	<i>latum</i>	55	125	7680
(<i>Abutilon</i>) <i>venosa</i> .	5	75	4463	<i>trifoliatum</i>	—	61	3355
" <i>vitifolia</i> .	2	72	4227	<i>Sinapistrum gigan-</i>			
<i>vitifolia</i>	49	119	7328	<i>teum</i>	—	59	3137
<i>Sideroxylon mite</i> ...	—	43	1858	<i>indicum</i>	—	40	1681
<i>Sievekingia Reichen-</i>				<i>Sinningia velutina</i> ...	2	72	4212
<i>bachiana</i>	54	124	7576	<i>violacea</i>	12	82	4954
<i>Sieversia elata</i> ...	37	107	6568	<i>Youngiana</i>	12	82	4954
<i>paradoxa</i>	38	108	6660	<i>Siogei Fige</i>	—	27	1063
<i>Peckii</i>	—	55	2863	<i>Sipanea carnea</i>	—	70	4086
<i>triflora</i>	—	55	2858	<i>Siphocampylus betulæ-</i>			
<i>Sigillum Indicum</i> ...	—	28	1112	<i>folius</i>	—	69	3973
<i>Silene Armeria</i>	—	55	2855	<i>canus</i>	6	76	4505
<i>bipartita</i>	—	18	677	<i>coccineus</i>	1	71	4178
<i>Bolanderi</i>	29	99	6051	<i>fulgens</i>	23	93	5631
<i>chinensis</i>	55	125	7649	<i>glandulosa</i>	3	73	4331
<i>chloræfolia</i>	—	21	807	<i>Humboldtianus</i> ...	23	93	5631
<i>Elizabethæ</i>	19	89	5400	<i>lantaniifolius</i> ...	—	70	4105
<i>Fimbriata</i>	—	23	908	<i>longepedunculatus</i> .	—	69	4015
<i>fissipetala</i>	55	125	7649	<i>manettiaeflorus</i> ...	4	74	4403
<i>floribus in capitulum</i>				<i>microstoma</i>	3	73	4286
<i>congestis</i>	—	11	394	<i>nitidus</i>	4	74	4403
<i>foliis quaternis</i> ...	—	28	1107	<i>Siphonanthus hastata</i>	—	62	3398
<i>Fortunei</i>	55	125	7649	<i>Sirii folium</i>	—	59	3132
<i>Hookeri</i>	29	99	6051	<i>Sisymbrium acaule</i> ...	54	124	7598
<i>lacera</i>	—	48	2255	<i>monanthos</i>	54	124	7598
<i>ornata</i>	—	11	382	<i>Sisyrinchium æthiop-</i>			
<i>pendula</i>	—	4	114	<i>icum</i>	—	15	541
<i>regia</i>	—	41	1724	<i>Africanum</i>	—	15	539
<i>Saxatilis</i>	—	18	689	" 	—	18	680
<i>sinensis</i>	55	125	7649	" 	—	37	1503
<i>supina</i>	—	45	1997	<i>Americanum</i>	—	18	655
<i>Vespertina</i>	—	18	677	<i>angustifolium</i> ...	—	13	464
<i>virginica</i>	—	41	1724	<i>Bermudianum</i> ...	—	3	94
" 	—	61	3342	<i>cæruleum</i>	—	13	464
<i>Silenopsis Lagascae</i> ...	24	94	5746	<i>chilense</i>	—	54	2786
<i>Siliqua sylvestris</i> ...	—	28	1138	<i>collinum</i>	—	26	1033
<i>Siliquastrum</i>	—	28	1138	" 	—	39	1612
<i>Silphium albiflorum</i> ...	43	113	6918	<i>elegans</i>	—	28	1103
<i>asteriscus</i>	55	125	7680	" 	—	39	1612
<i>laciniatum</i>	37	107	6534	<i>filitolum</i>	41	111	6829
<i>perfoliatum</i>	—	61	3354	<i>Gaudichaudii</i>	41	111	6829
<i>pumilum</i>	55	125	7680	<i>Gramineum</i>	—	13	464
<i>solidaginoides</i> ...	—	61	3372	<i>grandiflorum</i> ...	—	63	3509
<i>spicatum</i>	37	107	6534	" 	33	103	6295

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Sisyrinchium iridi-</i>				<i>Sobralia sessilis</i> ...	7	77	4570
<i>oides</i> ...	—	3	94	" ...	50	120	7376
<i>latifolium</i> ...	—	18	655	<i>xantholeuca</i> ...	50	120	7332
<i>laxum</i> ...	—	49	2312	<i>Soccus arboreus</i> ...	—	55	2833
<i>maculatum</i> ...	—	59	3197	<i>granosus</i> ...	—	55	2869
<i>majus</i> ...	—	34	1407	<i>lanosus</i> ...	—	55	2869
<i>micanthum</i> ...	—	47	2116	<i>Sodio</i> ...	—	33	1371
<i>minus</i> ...	—	34	1407	<i>Sogaii</i> ...	—	27	1063
<i>palmifolium</i> ...	—	18	655	<i>Solandra grandiflora</i> .	—	44	1874
<i>paniculatum</i> ...	32	102	6263	<i>lævis</i> ...	4	74	4345
<i>pedunculatum</i> ...	—	57	2965	<i>oppositifolia</i> ...	30	100	6080
<i>ramosum</i> ...	—	29	1166	<i>viridiflora</i> ...	—	45	1948
<i>speciosum</i> ...	—	64	3544	<i>Solano congener</i> ...	—	14	470
<i>spicatum</i> ...	—	19	701	<i>Solanoides Americana</i>	—	43	1781
<i>striatum</i> ...	—	19	701	" "	—	49	2333
<i>tenuifolium</i> ...	—	47	2117	<i>Solanum</i> ...	52	122	7473
" ...	—	49	2313	<i>acanthodes</i> ...	33	103	6283
<i>viperatum</i> ...	—	18	688	<i>acetosæfolium</i> ...	42	122	6866
<i>Sitodium cauliflorum</i> .	—	55	2833	<i>amazonium</i> ...	—	43	1801
<i>Sjiko</i> ...	—	38	1587	<i>amethystinum</i> ...	45	115	7062
<i>Sjire</i> ...	34	104	6337	<i>angulatum</i> ...	—	54	2739
<i>Sjuro Tsiku</i> ...	—	33	1371	<i>anthropophagorum</i> .	20	90	5424
<i>Skimmia Japonica</i> ...	9	79	4719	<i>Balbisii</i> ...	—	52	2568
<i>Slackea insignis</i> ...	40	110	6731	" <i>v. bipinnata</i>	—	68	3954
<i>Smeathmannia lævi-</i>				" <i>v. purpurea</i>	—	55	2828
<i>gata</i> ...	1	71	4194	<i>Barbadense</i> ...	—	43	1781
<i>pubescens</i> ...	4	74	4364	<i>betaceum</i> ...	55	125	7682
<i>Smegmadermos emar-</i>				<i>brancæfolium</i> ...	—	52	2568
<i>ginatus</i> ...	53	123	7568	" ...	—	55	2828
<i>Smegmaria Saponaria</i>	53	123	7568	<i>campanulatum</i> ...	—	65	3672
<i>Smilacina Borealis</i> ...	—	29	1155	<i>canaranum</i> ...	42	112	6866
" ...	—	34	1403	<i>cernuum</i> ...	52	122	7491
<i>(see note)</i>	—	34	1403	<i>coriaceum</i> ...	—	54	2708
<i>oleracea</i> ...	33	103	6313	<i>crassifolium</i> ...	55	125	7682
<i>umbellata</i> ...	—	29	1155	<i>crispum</i> ...	—	67	3795
<i>Smilax aspera</i> ...	—	20	752	<i>dealbatum</i> ...	—	53	2697
<i>glauca</i> ...	—	43	1846	<i>decurrens</i> ...	—	52	2568
<i>herbacea</i> ...	—	44	1920	" ...	—	55	2828
<i>lævis</i> ...	—	44	1920	<i>fragrans</i> ...	—	65	3684
<i>macrophylla</i> ...	45	115	7054	<i>giganteum</i> ...	—	44	1921
<i>officinalis</i> ...	45	115	7054	<i>glaucophyllum</i> ...	60	130	7945
<i>ornata</i> ...	45	115	7054	<i>glaucum</i> ...	60	130	7945
<i>Smithia purpurea</i> ...	3	73	4283	<i>inflatum</i> ...	—	52	2568
<i>Sobralia Caravata</i> ...	15	85	5141	" ...	—	55	2828
<i>chlorantha</i> ...	8	78	4682	<i>Jamesii</i> ...	40	110	6766
<i>citrina</i> ...	—	66	3742	<i>jubatum</i> ...	52	122	7491
<i>fragrans</i> ...	11	81	4882	<i>laciniatum</i> ...	—	10	349
<i>Galeottiana</i> ...	50	120	7376	<i>lætum</i> ...	45	115	7062
<i>leucoxantha</i> ...	45	115	7058	<i>lanceolatum</i> ...	—	47	2173
<i>macrantha</i> ...	5	75	4446	<i>Laurentii</i> ...	—	54	2768

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Solanum macranthum</i>	1	71	4138	<i>Solidago ulmifolia</i> ...	41	111	6805
<i>Maglia</i> ...	40	110	6756	<i>Sollya heterophylla</i> ...	—	63	3523
<i>magnum</i> ...	—	24	931	<i>Somo vulgo Skimi</i> ...	—	69	3965
<i>mammosum</i> ...	35	105	6461	<i>Somoko Zusetu</i> ...	55	125	7660
<i>marginatum</i> ...	—	44	1928	<i>Sonchus fruticosus</i> ...	38	108	6642
<i>Mexicanum</i> ...	—	11	371	<i>gummifer</i> ...	16	86	5219
<i>montanum</i> ...	—	54	2768	<i>Jacquini</i> ...	38	108	6642
<i>niveum</i> ...	—	44	1921	<i>macranthus</i> ...	38	108	6642
<i>obliquum</i> ...	55	125	7682	<i>Nov-Anglicanus</i> ...	—	27	1079
<i>paleatum</i> ...	52	122	7491	<i>radicatus</i> ...	16	86	5211
<i>pendulum</i> ...	45	115	7062	<i>tingitanus</i> ...	—	4	142
<i>pensile</i> ...	45	115	7062	<i>volubilis</i> ...	48	118	7244
<i>Peruvianum</i> ...	—	55	2814	<i>Soncorus</i> ...	—	22	850
<i>platanifolium</i> ...	—	53	2618	<i>Sonerila Bensoni</i> ...	29	99	6049
<i>platyphyllum</i> ...	35	105	6461	<i>elegans</i> ...	13	83	4978
<i>pomo spinoso</i> ...	—	35	1440	<i>grandiflora</i> ...	19	89	5354
<i>pyracanthum</i> ...	—	52	2547	<i>margaritacea</i> ...	15	85	5104
<i>Quitense</i> ...	—	54	2739	<i>solanoides</i> ...	13	83	4978
<i>Quittoense</i> ...	—	54	2739	<i>speciosa</i> ...	14	84	5026
<i>racemosum</i> ...	—	24	931	<i>stricta</i> ...	4	74	4394
<i>runcinatum</i> ...	16	86	5222	<i>Soo Tsiku</i> ...	—	33	1371
<i>saponaceum</i> ...	—	53	2697	<i>Sophora alba</i> ...	—	29	1177
<i>scandens</i> ...	45	115	7062	<i>Australis</i> ...	—	15	509
<i>Seaforthianum</i> ...	—	45	1982	<i>biflora</i> ...	—	20	753
<i>sempervirens</i> ...	45	115	7062	<i>capensis</i> ...	—	38	1590
<i>sisymbriifolium</i> ...	—	52	2568	<i>fabacea</i> ...	—	64	3611
" ...	—	55	2828	<i>foliis ternatis</i> ...	—	34	1389
<i>somniferum</i> ...	—	28	1126	<i>genistoides</i> ...	—	31	1259
<i>Torreyi</i> ...	35	105	6461	<i>juncea</i> ...	—	29	1190
<i>trilobatum</i> ...	42	112	6866	<i>lupinoides</i> ...	—	34	1389
<i>triphyllon brasilia-</i> <i>num</i> ...	—	14	470	<i>microphylla</i> ...	—	35	1442
" <i>Canadense</i>	—	26	1027	<i>Moorcroftiana</i> ...	59	129	7883
<i>triphyllum</i> ...	—	2	40	<i>occidentalis</i> ...	—	62	3390
" ...	—	24	954	<i>oroboides</i> ...	—	38	1590
" <i>Canadense</i>	—	14	470	<i>perfoliata</i> ...	—	58	3121
<i>tuberosum</i> ...	40	110	6756	<i>sericea</i> ...	—	44	1923
" <i>minus</i> ...	—	54	2768	<i>sylvatica</i> ...	—	53	2617
<i>Tweedianum</i> ...	—	62	3385	<i>tetraptera</i> ...	—	5	167
<i>venustum</i> ...	26	96	5823	" ...	—	35	1442
<i>viscosum</i> ...	—	52	2568	<i>tinctoria</i> ...	—	27	1099
" ...	—	55	2828	<i>tomentosa</i> ...	—	62	3390
<i>Wendlandii</i> ...	43	113	6914	<i>viciifolia</i> ...	59	129	7883
<i>Xanti</i> ...	58	128	7821	<i>Sophorocapnos pallida</i>	41	111	6826
<i>Soldanella alpina</i> ...	—	2	49	<i>Sophronia cernua</i> ...	—	65	3677
" " ...	—	47	2163	<i>Sophronitis cernua</i> ...	—	65	3677
<i>Clusii</i> " ...	—	47	2163	<i>grandiflora</i> ...	—	65	3709
<i>Solidago Drummondii</i>	41	111	6805	<i>violacea</i> ...	42	112	6880
<i>foliis cordatis</i> ...	—	44	1869	<i>Sorbus alnifolia</i> ...	57	127	7773
<i>lanceolata</i> ...	—	52	2546	<i>Amelanchier</i> ...	—	50	2430
				<i>florentina</i> ...	51	121	7423

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Sorbus tianschanica</i> ...	57	127	7755	<i>Sphaerostema propin-</i>			
<i>Sorema lanceolata</i> ...	18	88	5327	quum ...	7	77	4614
South-Sea Rose ...	—	43	1799	<i>Sphedamnocarpus pru-</i>			
<i>Sowerbæa juncea</i> ...	—	28	1104	riens ...	59	129	7894
<i>Sparaxis Grandiflora</i> ..	—	20	779	<i>Sphenogyne crithmi-</i>			
<i>pulcherrima</i> ...	22	92	5555	<i>folia</i> ...	—	58	3042
<i>tricolor</i> ...	—	36	1482	<i>Spielmannia Africana</i> .	—	44	1899
<i>Sparmannia Africana</i> .	—	15	516	<i>Jasminum</i> ...	—	44	1899
<i>Spartium Ætense</i> ...	—	53	2674	<i>Spigelia anthelmia</i> ...	—	50	2359
<i>africanum</i> ...	—	10	340	<i>Marilandica</i> ...	—	3	80
" ...	—	41	1715	<i>splendens</i> ...	17	87	5268
<i>arborescens</i> ...	—	3	85	<i>Spilanthes crocata</i> ...	—	39	1627
<i>complicatum</i> ...	—	34	1387	<i>Spiræa Africana</i> ...	—	49	2332
<i>junceum</i> ...	—	3	85	<i>Aruncus</i> ...	—	67	3821
<i>minimum</i> ...	—	48	2260	<i>barbata</i> ...	—	67	3821
<i>Monospermum</i> ...	—	18	683	<i>bella</i> ...	—	50	2426
<i>purgans</i> ...	54	124	7618	<i>bracteata</i> ...	51	121	7429
<i>radiatum</i> ...	—	48	2260	<i>callosa</i> ...	16	86	5164
<i>secundum</i> ...	—	18	683	<i>capensis</i> ...	—	33	1357
<i>sophoroides</i> ...	—	68	3894	<i>Douglasii</i> ...	15	85	5151
<i>spinosum</i> ...	—	52	2576	<i>Fortunei</i> ...	16	86	5164
<i>tertium</i> ...	—	18	683	<i>grandiflora</i> ...	10	80	4795
<i>trispermum</i> ...	—	53	2674	<i>Japonica</i> ...	—	67	3821
<i>virgatum</i> ...	—	48	2265	<i>media</i> ...	51	121	7429
<i>Spartocytisus purgans</i> .	54	124	7618	<i>Millefolium</i> ...	57	127	7810
<i>Spathascaphe Arenberg-</i>				<i>monogyna</i> ...	57	127	7758
<i>iana</i> ...	41	111	6838	<i>nipponica</i> ...	51	121	7429
<i>Spathodea campanulata</i>	15	85	5091	<i>Nobleana</i> ...	16	86	5169
<i>lævis</i> ...	6	76	4537	<i>opulifolia</i> ...	57	127	7758
<i>pentandra</i> ...	—	65	3681	<i>palmata</i> ...	24	94	5726
<i>tulipifera</i> ...	15	85	5091	<i>pauciflora</i> ...	57	127	7758
<i>Spathoglottis Augus-</i>				<i>rotundifolia</i> ...	51	121	7429
<i>torum</i> ...	44	114	7013	<i>trifoliata</i> ...	—	14	489
<i>gracilis</i> ...	50	120	7366	<i>Spiranthes cernua</i> ...	17	87	5277
<i>Hardingiana</i> ...	60	130	7964	<i>euphlebia</i> ...	39	109	6690
<i>ixioides</i> ...	45	115	7060	<i>gemmaipara</i> ...	17	87	5277
<i>Kimballiana</i> ...	51	121	7443	<i>grandiflora</i> ...	—	54	2730
<i>Petri</i> ...	34	104	6354	<i>Spironema myricoides</i> .	26	96	5838
<i>Vieillardii</i> ...	44	114	7013	<i>Sporledera triloba</i> ...	44	114	6974
<i>Spermacece strigosa</i> ...	—	38	1558	<i>Spraguea umbellata</i> ...	15	85	5143
<i>Sphacele Lindleyi</i> ...	—	57	2993	<i>Sprekelia Cybister</i> ...	—	67	3872
<i>Sphæralcea acerifolia</i> ..	19	89	5404	<i>Sprengelia incarnata</i> ..	—	41	1719
<i>miniata</i> ...	27	97	5938	<i>Squilla</i> ...	—	23	918
<i>Sphærocodon caffrum</i> ..	59	129	7925	<i>Stachys Africana</i> ...	—	14	478
<i>natalense</i> ...	59	129	7925	<i>arenaria</i> ...	—	45	1959
<i>obtusifolium</i> ...	59	129	7925	<i>Coccinea</i> ...	—	18	666
<i>Sphærolobium grandi-</i>				<i>Maweana</i> ...	34	104	6389
<i>florum</i> ...	49	119	7308	<i>prælongo angustoque</i>			
<i>vimineum</i> ...	—	25	969	<i>folio</i> ...	—	25	999
<i>Sphæroma miniatum</i> ...	27	97	5938	<i>rubra</i> ...	—	45	1959

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Stachys Salviæ</i> ...	—	57	2993	<i>Stapelia Radiata</i> ...	—	17	619
<i>verticillis sexfloris</i> ..	—	18	666	<i>reclinata</i> ...	—	34	1397
<i>Stachytarpheta aristata</i>	2	72	4211	<i>reticulata</i> ...	—	40	1662
<i>bicolor</i> ...	21	91	5538	<i>revoluta</i> ...	—	19	724
<i>Jamaicensis</i> ...	—	44	1860	<i>sororia</i> ...	28	98	5963
<i>Mutabilis</i> ...	—	25	976	<i>stricta</i> ...	—	46	2037
<i>urticifolia</i> ...	—	43	1848	<i>tuberosa</i> ...	—	49	2343
<i>Stachyurus præcox</i> ...	38	108	6631	<i>variegata</i> ...	—	1	26
<i>Stadtmanmia Australis</i>	5	75	4470	" ...	—	29	1169
<i>Stangeria paradoxa</i> ...	15	85	5121	<i>verrucosa</i> ...	—	20	786
<i>Stanhopea Bucephalus</i>	17	87	5278	<i>vetula</i> ...	—	30	1234
<i>eburnea</i> ...	—	61	3359	<i>Staphylea colchica</i> ...	50	120	7383
<i>ecornuta</i> ...	11	81	4885	<i>Starkea pinnata</i> ...	33	103	6302
<i>Haseloviana</i> ...	52	122	7452	<i>Statice ægyptiaca</i> ...	—	50	2363
<i>insignis</i> ...	—	56	2948	<i>arborea</i> ...	—	66	3776
<i>oculata</i> ...	18	88	5300	<i>Armeria major</i> ...	—	70	4128
<i>Rodigasiana</i> ...	56	126	7702	<i>Besseriana</i> ...	37	107	6537
<i>tigrina</i> ...	1	71	4197	<i>Bonduelli</i> ...	16	86	5158
<i>Wardii</i> ...	18	88	5289	<i>Bourgiaei</i> ...	15	85	5153
<i>Stanhopeastrum ecor-</i>				<i>brassicæfolia</i> ...	16	86	5162
<i>nutum</i> ...	11	81	4885	<i>cæspitosa</i> ...	54	124	7596
<i>Stapelia Asterias</i> ...	—	15	536	<i>cephalotes</i> ...	—	70	4128
<i>barbata</i> ...	—	50	2401	" ...	49	119	7313
<i>Bufonia</i> ...	—	40	1676	<i>conspicua</i> ...	—	39	1629
<i>Bufonis</i> ...	—	40	1676	<i>dianthifolia</i> ...	52	122	7506
<i>cactiformis</i> ...	—	70	4127	<i>juniperifolia</i> ...	54	124	7596
<i>Campanulata</i> ...	—	30	1227	<i>lusitanica</i> ...	49	119	7313
" ...	—	40	1661	<i>macrophylla</i> ...	—	70	4125
<i>Corderoyi</i> ...	30	100	6082	<i>Olivieri</i> ...	52	122	7506
<i>deflexa</i> ...	—	44	1890	<i>puberula</i> ...	—	65	3701
<i>Divaricata</i> ...	—	25	1007	<i>Pseudo-Armeria</i> ...	—	70	4128
<i>elegans</i> ...	—	29	1184	" ...	49	119	7313
<i>Europæa</i> ...	14	84	5087	<i>rytidophylla</i> ...	—	70	4055
<i>geminata</i> ...	—	32	1326	<i>scapo ramoso</i> ...	—	18	656
<i>Gemmiflora</i> ...	—	43	1839	<i>sinuata</i> ...	—	2	71
<i>gigantea</i> ...	45	115	7068	<i>spathulata</i> ...	—	39	1617
<i>Gordoni</i> ...	32	102	6228	<i>speciosa</i> ...	—	18	656
<i>grandiflora</i> ...	—	16	585	<i>Suworowi</i> ...	43	113	6959
<i>Gussoniana</i> ...	14	84	5087	<i>tatarica</i> ...	37	107	6537
<i>Hystrix</i> ...	25	95	5751	<i>trigona</i> ...	37	107	6537
<i>lentiginosa</i> ...	—	15	506	<i>venusta</i> ...	52	122	7506
<i>maculosa</i> ...	—	43	1833	<i>Stauranthera grandi-</i>			
<i>nobilis</i> ...	57	127	7771	<i>folia</i> ...	19	89	5409
<i>olivacea</i> ...	32	102	6212	<i>Stauroglottis equestris</i>	16	86	5212
<i>Pedunculata</i> ...	—	21	793	<i>Stelis atropurpurea</i> ...	—	69	3975
<i>Picta</i> ...	—	29	1169	<i>Brückmülleri</i> ...	36	106	6521
<i>pilifera</i> ...	40	110	6759	<i>calodictyon</i> ...	17	87	5259
<i>Plantii</i> ...	24	94	5692	<i>tubata</i> ...	11	81	4869
<i>pulla</i> ...	—	40	1648	<i>Stemodia grandiflora</i> ..	56	126	7738
<i>pulvinata</i> ...	—	31	1240	<i>Stemona Curtisii</i> ...	48	118	7254

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Stemonacanthus</i>				<i>Stevensonia grandifolia</i> ...	49	119	7277
<i>macrophyllus</i> ...	5	75	4448	<i>Stevia breviaristata</i> ...	—	66	3792
<i>Pearcei</i> ...	23	93	5648	<i>Eupatoria</i> ...	—	43	1849
<i>Stenactis multiradiatus</i>	36	106	6530	<i>hyssopifolia</i> ...	—	44	1861
<i>speciosa</i> ...	—	64	3606	<i>linearis</i> ...	—	47	2132
<i>Stengelia Calvoana</i> ...	24	94	5698	<i>pedata</i> ...	—	46	2040
<i>Stenocarpus Cunninghami</i> ...	2	72	4263	<i>trachelioides</i> ...	—	67	3856
<i>Stenochilus glaber</i> ...	—	45	1942	<i>Stiffia chrysantha</i> ...	5	75	4438
<i>viscosus</i> ...	—	56	2930	<i>Stigmaphyllon littorale</i>	38	108	6623
<i>Stenogaster concinna</i> ..	17	87	5253	<i>Stigmaphyllum hetero-</i>			
<i>Stenoglottis fimbriata</i> .	26	96	5872	<i>phyllum</i> ...	—	69	4014
" " "	47	117	7186	<i>Stimpsonia crispidens</i> .	59	129	7919
<i>longifolia</i> ...	47	117	7186	<i>Stobæa pinnata</i> ...	—	43	1788
<i>Stenomesson croceum</i> .	—	64	3615	<i>sphærocephala</i> ...	24	94	5715
<i>curvidentatum</i> ...	—	53	2640	<i>Stœbe montana</i> ...	—	14	494
<i>flavum</i> ...	—	53	2641	<i>spinosa</i> ...	—	51	2493
<i>latifolium</i> ...	—	67	3803	<i>Stœchas citrina ger-</i>			
<i>luteoviride</i> ...	36	106	6508	<i>manica</i> ...	—	47	2159
<i>Stenorrhynchos calcar-</i>				" " <i>latifolia</i>	—	47	2159
<i>atum</i> ...	—	62	3403	<i>dentata</i> ...	—	12	400
<i>Stenospermadium</i>				<i>Stokesia cyanea</i> ...	13	83	4966
<i>Wallisii</i> ...	33	103	6334	<i>Stramonium</i> ...	—	35	1440
<i>Stephanandra Tanakæ</i>	54	124	7593	<i>Stramonium folio hyos-</i>			
<i>Stephania cleomoides</i> .	25	95	5788	<i>cyami</i> ...	—	35	1440
<i>Stephanophysum</i>				<i>peregrinum</i> ...	—	35	1440
<i>Baikiei</i> ...	15	85	5111	<i>scandens</i> ...	—	44	1874
<i>Stephanostachys Tepe-</i>				<i>Stratiotes alismoides</i> ..	—	30	1201
<i>jilote</i> ...	29	99	6030	<i>nymphæoides</i> ...	—	60	3248
<i>Stephanotis floribunda</i>	—	70	4058	<i>Stravadium insigne</i> ...	50	120	7337
<i>Sterculia acuminata</i> ...	24	94	5699	<i>Streleskia montana</i> ...	38	108	6613
<i>austro-caledonica</i> ...	50	120	7382	<i>Strelitzia augusta</i> ...	1	71	4167
(<i>Brachychiton</i>) <i>dis-</i>				<i>Nicolai</i> ...	45	115	7038
<i>color</i> ...	38	108	6608	<i>Reginæ</i> ...	—	4	119
<i>grandiflora</i> ...	24	94	5699	<i>Streptanthus hyacinth-</i>			
<i>nitida</i> ...	24	94	5699	<i>oides</i> ...	—	63	3516
<i>verticillata</i> ...	24	94	5699	<i>obtusifolius</i> ...	—	61	3317
<i>Stereoxylon revolutum</i>	43	113	6949	<i>Streptocarpus caul-</i>			
<i>rubrum</i> ...	—	56	2890	<i>escens</i> ...	41	111	6814
" " "	37	107	6599	<i>Dunnii</i> ...	42	112	6903
<i>Steriphoma paradoxum</i>	25	95	5788	<i>Galpini</i> ...	48	118	7230
<i>Sternbergia Americana</i>	56	126	7693	<i>Gardeni</i> ...	11	81	4862
<i>Clusiana</i> ...	52	122	7459	<i>Kirkii</i> ...	40	110	6782
<i>Fischeriana</i> ...	51	121	7441	<i>Mahoni</i> ...	58	128	7857
<i>grandiflora</i> ...	52	122	7459	<i>parviflora</i> ...	38	108	6636
<i>latifolia</i> ...	52	122	7459	" " "	45	115	7036
<i>macrantha</i> ...	52	122	7459	<i>polyanthus</i> ...	11	81	4850
<i>stipitata</i> ...	52	122	7459	<i>Rexii</i> ...	—	57	3005
<i>Steudnera colocasiæfolia</i>	30	100	6076	<i>Saundersii</i> ...	17	87	5251
" " "	40	110	6762	<i>Wendlandii</i> ...	51	121	7447

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Streptopus lanuginosus	—	36	1490	Stylidium setigerum...	—	68	3883
roseus	—	36	1489	spathulatum ...	28	98	5953
Strobilanthes callosus.	53	123	7538	tenuifolium ...	—	48	2249
Championi	43	113	6947	Styloglossum nervosum	30	100	6104
coloratus	43	113	6922	Stylophorum diphyllum	11	81	4867
Dyerianus	54	124	7574	Japonicum	26	96	5830
flaccidifolius ...	43	113	6947	Ohioense	11	81	4867
flaccidus	43	113	6947	petiolatum... ..	11	81	4867
gossypinus	57	127	7790	Stypandra cærulea ...	48	118	7249
Grahamianus ...	53	123	7538	propinqua	—	62	3417
lactatus	4	74	4366	Styphelia cornifolia ...	—	61	3324
Sabiniana	—	63	3517	Gnidium	—	60	3251
sessilis	—	68	3902	lanceolata	—	59	3162
Strobilorrhachis				ovalifolia	—	59	3171
Blanchetiana	47	117	7179	parviflora	—	60	3251
Strophanthus Capensis	24	94	5713	Richei	—	60	3251
Petersianus	50	120	7390	triflora	—	32	1297
sarmentosus ...	50	120	7390	verticillata	34	104	6366
Stropholirion Califor-				Styrax americana	—	23	921
nicum	30	100	6123	glabrum	—	23	921
Strumaria crispa ...	—	33	1363	Japonicum... ..	28	98	5950
(see note)	—	34	1383	læve	—	23	921
gemmata	—	39	1620	lævigatum... ..	—	23	921
spiralis	—	34	1383	Obassia	45	115	7039
Struthiola Erecta ...	—	7	222	octandrum	—	23	921
" "	—	47	2138	serrulata	28	98	5950
(see note)	—	47	2138	serrulatum	28	98	5950
longiflora	—	30	1212	Suffrutex ericæ forma	—	41	1715
pubescens	—	30	1212	Sugerokia japonica ...	44	114	6986
rubra	—	30	1212	Swainsonia coronilli-			
tetragona	—	47	2138	folia	—	41	1725
virgata	—	30	1212	Grevana	4	74	4416
Stuartia grandiflora ...	45	115	7045	occidentalis	21	91	5490
pentagyna	—	68	3918	Swertia angustifolia...	24	94	5687
Pseudo-camellia ...	45	115	7045	corymbosa	6	76	4489
Stylidium adnatum ...	—	52	2598	paniculata... ..	24	94	5687
assimile	6	76	4529	Syalita	13	83	5016
bellidifolium ...	28	98	5953	Malabaris	—	13	449
ciliatum	—	68	3883	Symphoria racemosa ..	—	48	2211
crassifolium	55	125	7679	Symphoricarpus glau-			
fasciculatum	—	67	3816	cescens	13	83	4975
graminifolium ...	—	44	1918	microphyllus	13	83	4975
hirsutum	—	59	3194	montanus	13	83	4975
laricifolium	—	48	2249	Symphutum orientale .	—	44	1912
leptobotrys	55	125	7679	petræum	—	35	1448
mucronifolium ...	6	76	4538	Symphyandra Hof-			
recurvum	—	68	3913	manni	49	119	7298
saxifragoides ...	6	76	4529	Wanneri	54	124	7594
scandens	—	59	3136	Symphytum Asperri-			
serrulatum	—	44	1918	mum	—	24	929

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Symphytum Asperri-</i>				<i>Tabernaemontana coro-</i>			
<i>mum</i>	35	105	6466	<i>naria</i>	—	44	1865
<i>Caucasicum</i>	—	59	3188	<i>grandiflora</i>	17	87	5226
<i>Constantinopolit-</i>				<i>longiflora</i>	5	75	4484
<i>anum</i>	—	43	1787	<i>Tacca artocarpifolia</i>	30	100	6124
”	—	44	1912	<i>cristata</i>	7	77	1589
<i>foliis cordatis</i>	—	43	1787	<i>integrifolia</i>	—	36	1488
<i>minus</i>	—	1	7	<i>oceanica</i>	49	119	7299
<i>orientale</i>	—	24	929	<i>phallifera</i>	—	55	2812
”	—	43	1787	<i>pinnatifida</i>	49	119	7299
”	—	44	1912	<i>Rafflesiana</i>	7	77	1589
<i>peregrinum</i>	35	105	6466	<i>Tachiadenus carinatus</i>	15	85	5094
<i>petraeum</i>	—	47	2131	<i>Tacsonia Buchanani</i>	60	130	7936
<i>Tauricum</i>	—	43	1787	<i>eriantha</i>	25	95	5750
<i>Symplocarpus campts-</i>				<i>insignis</i>	29	99	6069
<i>chaticus</i>	60	130	7937	<i>manicata</i>	30	100	6129
<i>foetidus</i>	—	60	3224	<i>mollissima</i>	1	71	4187
<i>kamtschaticus</i>	60	130	7937	<i>pinnatistipula</i>	—	70	4062
<i>Synadenium arbores-</i>				<i>pubescens</i>	8	78	4674
<i>cens</i>	47	117	7184	<i>quadridentata</i>	8	78	4674
<i>Grantii</i>	23	93	5633	<i>quadriglandulosa</i>	8	78	4674
<i>Synandropadix vermi-</i>				<i>quitensis</i>	26	96	5876
<i>toxicus</i>	48	118	7242	<i>sanguinea</i>	8	78	4674
<i>Synantherias sylvatica</i>	47	117	7190	<i>Van-Volkemii</i>	22	92	5571
<i>Synechanthus fibrosus</i>	37	107	6572	<i>Tagetes corymbosa</i>	—	67	3830
<i>Synthyris reniformis</i> ..	42	112	6860	<i>Lucida</i>	—	20	740
<i>Syphocampylos canus</i> ..	6	76	4505	<i>Patula</i>	—	5	150
<i>orbignianus</i>	9	79	4713	<i>tenuifolia</i>	—	46	2045
<i>Syringa alba</i>	—	11	391	<i>Tagonia cretica</i>	—	7	241
<i>amurensis</i>	53	123	7534	<i>Tainia penangiana</i>	53	123	7563
<i>babylonica</i>	—	14	486	<i>Talauma Candollei</i>	2	72	4251
<i>cærulea</i>	—	6	183	” ” <i>Galeott-</i>			
<i>chinensis</i>	57	127	7806	<i>iana</i>	38	108	6614
<i>japonica</i>	53	123	7534	<i>Hodgsoni</i>	51	121	7392
<i>Josikæa</i>	—	60	3278	<i>stellata</i>	34	104	6370
<i>ligustrina</i>	53	123	7534	<i>Talbotia elegans</i>	25	95	5803
<i>oblata</i>	57	127	7806	<i>Taligalea campestris</i>	51	121	7445
<i>pekinensis</i>	53	123	7534	<i>Talinum Arnotii</i>	32	102	6220
<i>Persica</i>	—	14	486	<i>patens</i>	—	37	1543
<i>pubescens</i>	45	115	7064	<i>polyandrum</i>	11	81	4833
<i>rotundifolia</i>	53	123	7534	<i>reflexum</i>	—	37	1543
<i>suspensa</i>	13	83	4995	<i>Talu-Noli</i>	20	90	5426
<i>villosa</i>	45	115	7064	<i>Tamara</i>	—	23	903
<i>volubilis virginiana</i> ..	58	128	7851	<i>Tamarindus Indica</i>	7	77	4563
<i>vulgaris</i>	—	6	183	<i>occidentalis</i>	7	77	4563
<i>Syringodea pulchella</i> ..	29	99	6072	<i>officinalis</i>	7	77	4563
<i>Sysyrinchium Spicatum</i>	—	19	701	<i>Tamus elephantipes</i>	—	33	1347
<i>Tabernaemontana Bar-</i>				<i>Tanacetum Africanum</i>	—	5	150
<i>teri</i>	26	96	5859	” ”	—	43	1855
				<i>flabelliforme</i>	—	6	212

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Tanacetum frutescens</i> .	—	43	1855	<i>Tetraphyle pyramidalis</i>	55	125	7665
<i>grandiflorum</i> ...	59	129	7886	<i>quadrangula</i> ...	55	125	7665
<i>indicum</i> ...	59	129	7874	<i>Tetrazygia elæag-</i>			
<i>Waldsteinii</i> ...	48	118	7225	<i>noides</i> ...	4	71	4383
<i>Tanakæa radicans</i> ...	60	130	7943	<i>Teucrium betonicæ-</i>			
<i>Tandale-Cotti</i> ...	—	52	2561	<i>folium</i> ...	—	28	1114
<i>Tanghinia venenifera</i> .	—	57	2968	<i>betonicum</i> ...	—	28	1114
<i>Tapeinotes Carolinæ</i> ..	23	93	5623	<i>canescens</i> ...	—	28	1114
<i>Tapina splendens</i> ...	16	86	5195	<i>foliis cordatis</i> ...	—	45	2013
<i>Tapogomea tomentosa</i> .	39	109	6696	<i>„ pinnatifidis</i> ...	—	31	1279
<i>Taratti</i> ...	—	23	903	<i>fruticans</i> ...	—	7	245
<i>Tarenaya</i> ...	—	40	1640	<i>hyrcanicum</i> ...	—	45	2013
<i>Taschia longifolia</i> ...	1	71	4169	<i>latifolium</i> ...	—	7	245
<i>Taxodium Sinense</i> ...	22	92	5603	<i>Maderense</i> ...	—	28	1114
<i>Tchihatchewia isatidea</i>	54	124	7608	<i>orientale</i> ...	—	31	1279
<i>Tecoma fulva</i> ...	12	82	4896	<i>Thalia coccinea</i> ...	19	89	5363
<i>Guarume</i> ...	30	100	6111	<i>dealbata</i> ...	—	41	1690
<i>Jasminoides</i> ...	—	69	4004	<i>Thalictrum alpinum</i> ...	—	48	2237
<i>mirabilis</i> ...	30	100	6111	<i>anemonoides</i> ...	—	22	866
<i>nyikensis</i> ...	60	130	7970	<i>aquilegifolium</i> ...	—	43	1818
<i>shirensis</i> ...	60	130	7970	<i>„ v. formosum</i>	—	46	2025
<i>Stans</i> ...	—	59	3191	<i>atropurpureum</i> ...	—	46	2025
<i>valdiviana</i> ...	30	100	6111	<i>Delavayi</i> ...	46	116	7152
<i>Whytei</i> ...	60	130	7970	<i>flore incarnato</i> ...	—	46	2025
<i>Tecomaria shirensis</i> ...	60	130	7970	<i>foliis triplicato-pin-</i>			
<i>Teganium procumbens</i>	—	19	731	<i>natis</i> ...	—	43	1818
<i>Teito</i> ...	—	32	1296	<i>majus</i> ...	—	43	1818
<i>Telekia speciosa</i> ...	—	63	3466	<i>minimum</i> ...	—	48	2237
<i>Telephium repens</i> ...	—	4	118	<i>petaloideum</i> ...	—	46	2025
<i>tertium</i> ...	—	4	118	<i>Thamnocalamus Fal-</i>			
<i>Telfairia occidentalis</i> ..	33	103	6272	<i>coneri</i> ...	60	130	7947
<i>pedata</i> ...	—	54	2751	<i>Thapsia decipiens</i> ...	23	93	5670
<i>Templetonia glauca</i> ...	—	46	2088	<i>garganica</i> ...	33	103	6293
<i>retusa</i> ...	—	49	2334	<i>Thea Bohea</i> ...	—	25	998
<i>Tenorea heterophylla</i> .	38	108	6657	<i>Cantoniensis</i> ...	—	25	998
<i>Terminalia angustifolia</i>	3	73	4279	<i>chinensis</i> ...	—	2	42
<i>Catappa</i> ...	—	57	3004	<i>„</i> ...	—	25	998
<i>Terminalis</i> ...	—	46	2053	<i>„</i> ...	—	59	3148
<i>alba</i> ...	10	80	4787	<i>Sinensis</i> ...	—	25	998
<i>Tessio</i> ...	—	57	2963	<i>viridis</i> ...	—	59	3148
<i>Teta Bengalensibus</i> ...	—	32	1302	<i>Thee frutex</i> ...	—	25	998
<i>viridiflora</i> ...	—	32	1302	<i>Sinensium</i> ...	—	25	998
<i>Tetracera sarmentosa</i> .	—	58	3058	<i>Theophrasta Americana</i>	2	72	4239
<i>Tetragonia cornuta</i> ...	—	50	2362	<i>Henrici</i> ...	2	72	4239
<i>expansa</i> ...	—	50	2362	<i>Jussiei</i> ...	2	72	4239
<i>halimifolia</i> ...	—	50	2362	<i>longifolia</i> ...	12	82	4922
<i>japonica</i> ...	—	50	2362	<i>macrophylla</i> ...	26	96	5829
<i>Tetranema Mexicanum</i>	—	70	4070	<i>smaragdina</i> ...	34	104	6373
<i>Tetranthera Califor-</i>				<i>Theresia tulipifolia</i> ...	28	98	5969
<i>nica</i> ...	18	88	5320	<i>Thermia rhombifolia</i> ..	—	64	3611

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Thermopsis barbata</i> ...	11	81	4868	<i>Thunbergia coccinea</i> ...	15	85	5124
<i>fabacea</i>	—	64	3611	<i>fragrans</i>	—	44	1881
<i>rhubifolia</i>	—	64	3611	<i>grandiflora</i> ..	—	50	2366
<i>Theropogon pallidus</i> ..	31	101	6154	<i>Harrisii</i>	13	83	4998
<i>Thevetia</i>	—	19	737	<i>Kirkii</i>	39	109	6677
<i>Thibaudia acuminata</i> .	13	83	5010	<i>laurifolia</i>	13	83	4985
" " "	25	95	5752	<i>Natalensis</i> ..	14	84	5082
<i>cordifolia</i>	22	92	5559	<i>pendula</i>	15	85	5124
<i>coronaria</i>	22	92	5575	<i>primulina</i>	60	130	7969
<i>elliptica</i>	20	90	5453	<i>Vogeliana</i>	19	89	5389
<i>flava</i>	12	82	4910	<i>Thunia Bensoniæ</i> ...	24	94	5694
<i>Hookeri</i>	25	95	5752	<i>Thuris limpidi folium</i> .	—	20	780
<i>Jessicæ</i>	21	91	5547	<i>Thymbra capensis</i> ...	—	10	340
<i>macrantha</i>	7	77	4566	<i>Caroliniana</i>	—	25	997
<i>myrtifolia</i>	40	110	6777	<i>Thymelæa æthiopica</i> ..	—	21	812
<i>penduliflora</i>	16	86	5204	<i>Africana</i>	—	44	1902
<i>Pichinchensis</i> v.				<i>Cretica</i>	—	44	1917
<i>glabra</i>	3	73	4344	<i>foliis oppositis</i> ...	—	30	1212
<i>pulcherrima</i>	3	73	4303	" <i>planis</i>	—	44	1902
<i>sarcantha</i>	20	90	5450	<i>pontica</i>	—	31	1282
<i>Thilco</i>	—	3	97	<i>saxatilis</i>	—	12	428
<i>Thladiantha dubia</i> ...	20	90	5469	<i>tomentosa</i>	—	45	1949
<i>Thlaspi biscutatatum</i> ...	—	51	2444	<i>Thymus alpinus</i>	—	47	2153
<i>cepeæfolium</i>	25	95	5749	<i>carolinianus</i>	—	25	997
<i>corymbosum</i>	25	95	5749	<i>grandiflorus</i>	—	25	997
<i>fruticosum</i>	—	40	1642	<i>montanus</i>	—	47	2153
<i>luteum</i>	—	5	159	<i>nummularius</i>	—	53	2666
<i>minimum</i>	—	54	2772	<i>orientalis</i>	—	53	2666
<i>quintum</i>	—	40	1642	<i>Thyrsacanthus bracteo-</i>			
<i>rotundifolium</i>	25	95	5749	<i>latus</i>	5	75	4441
<i>saxatile</i>	—	12	419	<i>Indicus</i>	14	84	5062
" " "	—	40	1642	<i>Lemairianus</i>	4	74	4378
<i>Thlaspidium hirsutum</i>	—	51	2444	<i>rutilans</i>	11	81	4851
<i>Hispanicum</i>	—	4	124	<i>Schomburgkianus</i> ...	11	81	4852
<i>Thomasia macrocarpa</i> .	—	70	4111	<i>strictus</i>	4	74	4378
<i>stipulacea</i>	—	70	4111	<i>Thysanotus junceus</i> ...	—	49	2351
<i>Thomsonia napalensis</i>	50	120	7342	<i>Tiarella cordifolia</i> ...	—	38	1589
<i>Thora-poru</i>	35	105	6440	<i>Tigridia</i>	—	15	532
<i>Thrinax excelsa</i>	45	115	7088	<i>Herberti</i>	—	52	2599
<i>Thrixspermum amplexi-</i>				<i>lutea</i>	33	103	6295
<i>caule</i>	57	127	7754	<i>Pringlei</i>	45	115	7089
<i>Hartmanni</i>	44	114	7010	<i>violacea</i>	50	120	7356
<i>lilacinum</i>	57	127	7754	<i>Tijetti-pu</i>	59	129	7874
<i>luniferum</i>	45	115	7044	<i>Tilia petiolaris</i>	40	110	6737
<i>Throphrasta imperialis</i>	41	111	6823	<i>Tillandsia (Vriesea)</i>			
<i>Thunbergia affinis</i> ...	44	114	6975	<i>amethystina</i>	46	116	7121
<i>alata</i>	—	52	2591	<i>bulbosa</i> v. <i>picta</i> ...	3	73	4288
" v. <i>albiflora</i> ...	—	63	3512	<i>chrysostachys</i>	42	112	6906
<i>Capensis</i>	—	25	1004	<i>circinnata</i>	40	110	6757
<i>chrysops</i>	—	70	4119	<i>erubescens</i>	27	97	5892

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Tillandsia fenestralis</i> ..	42	112	6898	<i>Torenia hirsuta</i> ...	16	86	5167
(<i>Vriesea</i>) <i>inflata</i> ...	42	112	6882	<i>longiflora</i> ...	41	111	6797
(<i>Pityrophyllum</i>)				<i>rubens</i> ...	41	111	6797
<i>ionantha</i> ...	27	97	5892	<i>scabra</i> ...	—	58	3104
<i>Jonghei</i> ...	43	113	6945	<i>vagans</i> ...	2	72	4249
<i>Lindeni</i> ...	26	96	5850	<i>Torreya Myristica</i> ...	10	80	4780
<i>Lindeniana</i> ...	26	96	5850	<i>Tournefortia heliotrop-</i>			
<i>Malzinei</i> ...	36	106	6495	<i>ioides</i> ...	—	58	3096
<i>microxiphion</i> ...	49	119	7320	<i>Tourettia lappacea</i> ...	—	66	3749
<i>musaica</i> ...	39	109	6675	<i>Tovaria oleracea</i> ...	33	103	6313
<i>psittacina</i> ...	—	55	2841	<i>Tovomita oblongifolia</i>	18	88	5325
" ...	15	85	5108	<i>Toxicophlæa spect-</i>			
<i>pulchella</i> ...	17	87	5229	<i>abilis</i> ...	34	104	6359
<i>recurvifolia</i> ...	17	87	5246	<i>Trachelium alpiko-</i>			
<i>sanguinea</i> ...	40	110	6765	<i>pyramidoeides</i> ...	—	32	1290
<i>setacea</i> ...	—	60	3275	<i>Americanum</i> ...	—	9	320
<i>splendens</i> ...	4	74	4382	<i>foliis Echii</i> ...	—	32	1290
<i>streptophylla</i> ...	40	110	6757	<i>pumilum</i> ...	—	24	957
<i>stricta</i> ...	—	37	1529	<i>sonchi folio</i> ...	—	52	2563
<i>tortilis</i> ...	40	110	6757	<i>spicatum</i> ...	—	32	1290
<i>usneoides</i> ...	33	103	6309	<i>thyrsoides</i> ...	—	32	1290
<i>xiphioides</i> ...	22	92	5562	<i>Trachycarpus khasy-</i>			
<i>Zahnii</i> ...	29	99	6059	<i>anus</i> ...	46	116	7128
<i>Timæosia rupestris</i> ...	39	109	6699	<i>Trachymene cærulea</i> .	—	55	2875
<i>Tinneæ æthiopica</i> ...	23	93	5637	<i>cyanea</i> ...	—	55	2875
" " <i>v. dentata</i>	40	110	6744	<i>lanceolata</i> ...	—	61	3334
<i>Tinus foliis ovatis</i> ...	—	49	2281	<i>Trachytella aspera</i> ...	—	58	3058
<i>Tithonia ovata</i> ...	—	68	3901	<i>Tradescantia bifida</i> ...	—	33	1340
<i>Tithymalus arboreus</i> ..	—	32	1321	<i>caricifolia</i> ...	—	64	3546
<i>epithymi fructu</i> ...	—	48	2258	<i>crassifolia</i> ...	—	39	1598
<i>flore exiguo</i> ...	—	36	1494	<i>crassula</i> ...	—	56	2935
<i>Tittmannia scabra</i> ...	—	58	3104	<i>cristata</i> ...	—	35	1435
<i>Tobera</i> ...	—	34	1396	" ...	—	39	1597
<i>Tobira</i> ...	—	34	1396	<i>discolor</i> ...	—	30	1192
<i>Todea Africana</i> ...	28	98	5954	" <i>v. variegata</i>	14	84	5079
<i>barbara</i> ...	28	98	5954	<i>erecta</i> ...	—	33	1340
<i>rivularis</i> ...	28	98	5954	<i>formosa</i> ...	20	90	5471
<i>Tofieldia pubens</i> ...	—	67	3859	<i>fuscata</i> ...	—	49	2330
<i>Too vulgo Fudsi</i> ...	53	123	7522	<i>martensiana</i> ...	11	81	4849
<i>Torenia Asiatica</i> ...	2	72	4249	<i>nodiflora</i> ...	20	90	5471
" " ...	41	111	6797	<i>pilosa</i> ...	—	61	3291
<i>Bailloni</i> ...	39	109	6700	<i>spathacea</i> ...	—	30	1192
<i>concolor</i> ...	41	111	6797	" ...	14	84	5079
<i>cordifolia</i> ...	—	66	3715	<i>subaspera</i> ...	—	39	1597
" ...	16	86	5167	<i>undulata</i> ...	—	33	1340
<i>edentula</i> ...	2	72	4229	<i>variegata</i> ...	14	84	5079
<i>flava</i> ...	39	109	6700	<i>Virginica</i> ...	—	3	105
<i>Fordii</i> ...	41	111	6797	" ...	—	61	3291
<i>Fournieri</i> ...	40	110	6747	" <i>fl. albo</i> ...	—	63	3501
<i>hians</i> ...	2	72	4249	<i>Warszewicziana</i> ...	16	86	5188

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Tragopogon Dale-</i>				<i>Trichopodium corda-</i>			
<i>champii</i>	—	39	1623	<i>tum</i>	50	120	7350
<i>gramineo folio</i>	—	14	479	<i>intermedium</i>	50	120	7350
<i>verticillatum</i>	—	39	1623	<i>zeylanicum</i>	50	120	7350
<i>Tragopogonoides per-</i>				<i>Trichopus travancor-</i>			
<i>ennis</i>	—	39	1623	<i>icus</i>	50	120	7350
<i>Tragopyrum lanceo-</i>				<i>zeylanicus</i>	50	120	7350
<i>latum</i>	51	121	7435	<i>Trichosporum albidum</i>	2	72	4236
<i>Treculia Africana</i>	28	98	5986	<i>grandiflorum</i>	—	67	3843
<i>Trevesia palmata</i>	44	114	7008	<i>pulchrum</i>	2	72	4264
<i>Trevirania grandiflora</i>				<i>Triclisperma grandi-</i>			
<i>heterophylla</i>	11	81	4871	<i>flora</i>	—	55	2852
<i>Trevoria Chloris</i>	57	127	7805	<i>Tricondylus myricæ-</i>			
<i>Triadenia ægyptiaca</i> ..	36	106	6481	<i>folius</i>	56	126	7698
<i>microphylla</i>	36	106	6481	<i>silaifolius</i>	—	31	1272
<i>thymifolia</i>	36	106	6481	<i>tinctorius</i>	—	70	4110
<i>Triartea monogyna</i>	47	117	7202	<i>Tricophyllum</i>	—	24	960
<i>Tribrachia purpurea</i> ..	1	71	4166	<i>Tricosanthes anguina</i> .	—	19	722
<i>Tricantha minor</i>	20	90	5428	<i>bracteata</i>	42	112	6873
<i>Triceraia tinifolia</i>	5	75	4459	<i>corniculata</i>	—	53	2703
<i>Triceros Xalapensis</i> ...	5	75	4459	<i>foliis palmatis</i>	—	53	2703
<i>Trichinium macro-</i>				<i>laciniosa</i>	42	112	6873
<i>cephalum</i>	20	90	5448	<i>palmata</i>	42	112	6873
<i>Manglesii</i>	20	90	5448	<i>tricuspis</i>	42	112	6873
<i>Trichocaulon piliferum</i>	40	110	6759	<i>tuberosa</i>	—	53	2703
<i>Trichocentrum albo-</i>				<i>Tricuspidaria depend-</i>			
<i>purpureum</i>	24	94	5688	<i>ens</i>	47	117	7160
<i>fuscum</i>	—	69	3969	<i>Patagua</i>	47	117	7160
<i>tigrinum</i>	50	120	7380	<i>Tricuspis dependens</i> ..	47	117	7160
<i>Trichocladus grandi-</i>				<i>Tricyrtis hirta</i>	19	89	5355
<i>florus</i>	51	121	7418	<i>macropoda</i>	37	107	6544
<i>Trichodesma Kotschy-</i>				<i>pilosa</i>	12	82	4955
<i>anum</i>	10	80	4820	<i>Tridentia gemmiflora</i> .	—	43	1839
<i>Zeylanicum</i>	10	80	4820	<i>stygia</i>	—	43	1839
<i>Trichonema caulescens</i>	—	34	1392	<i>Trifoliastrum pratense</i>	—	65	3702
<i>cruciatum</i>	—	16	575	<i>Trifolium æthiopicum</i> .	—	14	476
<i>pudicum</i>	—	31	1244	<i>Africanum</i>	—	13	446
<i>roseum</i>	—	30	1225	<i>album</i>	—	10	328
<i>speciosum</i>	—	36	1476	<i>Alpestre</i>	—	54	2779
<i>Trichopilia albida</i>	14	84	5035	<i>canescens</i>	—	29	1168
<i>coccinea</i>	11	81	4857	<i>caule erecto</i>	—	16	557
<i>hymenantha</i>	28	98	5949	<i>cœruleum</i>	—	49	2283
<i>marginata</i>	11	81	4857	<i>fruticans</i>	—	13	446
<i>sanguinea</i>	49	119	7281	”	—	13	461
<i>sanguinolenta</i>	49	119	7281	<i>halicacabum</i>	—	3	108
<i>suavis</i>	8	78	4654	<i>hepaticum</i>	—	1	10
<i>tortilis</i>	—	66	3739	<i>hybridum</i>	—	65	3702
<i>Turialvæ</i>	21	91	5550	<i>incarnatum</i>	—	10	328
<i>Trichopodium angusti-</i>				<i>leguminibus poly-</i>			
<i>folium</i>	50	120	7350	<i>spermis</i>	—	22	879

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Trifolium Lupinaster.</i>	—	22	879	<i>Tritoma Uvaria</i> ...	10	80	4816
<i>Melilotus cœrulea...</i>	—	49	2283	<i>Tritomanthe Uvaria...</i>	10	80	4816
<i>Michelianum</i> ...	—	65	3702	<i>Tritonia aurea</i> ...	3	73	4335
<i>montanum</i> ...	—	16	557	<i>Capensis</i> ...	—	17	618
<i>odoratum</i> ...	—	49	2283	„ ...	—	37	1531
<i>Olympicum</i> ...	—	54	2790	<i>Crispa</i> ...	—	18	678
<i>orientale canescens.</i>	—	29	1168	<i>deusta</i> ...	—	17	622
<i>psoralioides</i> ...	—	46	2063	<i>Fenestrata</i> ...	—	19	704
<i>purpureum</i> ...	—	27	1092	<i>longiflora</i> ...	—	37	1502
<i>reflexum</i> ...	—	63	3471	<i>Miniata</i> ...	—	17	609
<i>Spadiceum</i> ...	—	16	557	<i>Pottsii</i> ...	39	109	6722
<i>spica rotunda</i> ...	—	10	328	<i>Rochensis</i> ...	—	37	1503
<i>spicis ovatis</i> ...	—	27	1092	<i>rosea</i> ...	—	37	1531
<i>spinosum</i> ...	—	7	241	„ ...	49	119	7280
<i>Trifurcia cœrulea</i> ...	—	67	3862	<i>squalida</i> ...	—	16	581
<i>Triglochin bulbosum.</i>	—	35	1445	<i>tenuiflora</i> ...	—	37	1502
<i>Trigonidium mono-</i>				<i>viridis</i> ...	—	31	1275
<i>phyllum...</i>	39	109	6683	<i>Triumfetta annua</i> ...	—	49	2296
<i>Trillium cernuum</i> ...	—	24	954	<i>foliis oblongo-ovatis</i>	—	49	2296
<i>discolor</i> ...	—	58	3097	<i>indica</i> ...	—	49	2296
<i>erectum</i> ...	—	14	470	<i>Trixis auriculata</i> ...	—	54	2765
„ ...	—	26	1027	<i>Trochetia Blackburniana</i>	47	117	7209
„ <i>v. viridiflorum</i>	—	60	3250	<i>contracta</i> ...	47	117	7192
<i>Erythrocarpum</i> ...	—	22	855	<i>Trochocarpa laurina...</i>	—	61	3324
„ ...	—	57	3002	<i>Trochodendron arali-</i>			
<i>foetidum</i> ...	—	26	1027	<i>oides</i> ...	50	120	7375
<i>grandiflorum</i> ...	—	22	855	<i>Trochostigma poly-</i>			
<i>nivale</i> ...	35	105	6449	<i>gamum</i> ...	52	122	7497
<i>pictum</i> ...	—	57	3002	<i>repandum</i> ...	52	122	7497
<i>rhomboideum</i> ...	—	26	1027	<i>Trollius Americanus...</i>	—	45	1988
„ ...	—	60	3250	<i>Asiaticus</i> ...	—	7	235
<i>sessile</i> ...	—	2	40	<i>laxus</i> ...	—	45	1988
<i>Trilopus dentata</i> ...	39	109	6684	<i>Tromsdorffia elongata.</i>	40	110	6791
<i>nigra</i> ...	39	109	6684	<i>speciosa</i> ...	3	73	4315
<i>rotundifolia</i> ...	39	109	6684	<i>Tropæolum azureum...</i>	—	69	3985
<i>virginiana</i> ...	39	109	6684	<i>brachyceras</i> ...	—	67	3851
<i>Trionum</i> ...	—	6	209	<i>crenatiflorum</i> ...	2	72	4245
<i>Triovanna-areli</i> ...	—	43	1799	<i>Lobbianum</i> ...	—	70	4097
<i>Triphalia rubicunda...</i>	58	128	7868	<i>majus</i> ...	—	1	23
<i>Tripladenia Cunning-</i>				„ <i>v. atro-san-</i>			
<i>hamia</i> ...	—	68	3905	<i>guineum</i> ...	—	62	3375
<i>Tripolium Dioscoridis.</i>	—	47	2139	<i>minus</i> ...	—	3	98
<i>Tristania laurina</i> ...	53	123	7529	<i>Moritzianum</i> ...	—	67	3844
<i>Triteleia grandiflora</i> ...	42	112	6907	<i>pentaphyllum</i> ...	—	59	3190
<i>porrifolia</i> ...	28	98	5977	<i>peregrinum</i> ...	—	33	1351
<i>Trithrinax aculeata</i> ...	49	119	7302	„ ...	4	74	4385
<i>Tritoma flammea</i> ...	10	80	4819	<i>polyphyllum</i> ...	—	69	4042
<i>media</i> ...	—	20	744	<i>Smithii</i> ...	4	74	4385
<i>pumila</i> ...	—	20	764	<i>speciosum</i> ...	3	73	4323
<i>Uvaria</i> ...	—	20	758	<i>tenellum</i> ...	—	67	3851

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Tropæolum tricolorum</i>	—	59	3169	<i>Tulipa Hoeltzeri</i>	40	110	6754
<i>tuberosum</i>	—	66	3714	<i>Iliensis</i>	36	106	6518
<i>umbellatum</i>	3	73	4337	<i>Javana</i>	—	24	923*
<i>Troximon cuspidatum</i>	—	63	3462	"	—	29	1171
<i>glaucum</i>	—	40	1667	"	—	31	1253
"	—	63	3462	<i>Kaufmanniana</i>	42	112	6887
<i>marginatum</i>	—	63	3462	<i>Kesselringii</i>	40	110	6754
<i>Tryphia orthoceras</i>	53	123	7523	<i>Kolpakowskyana</i>	39	109	6710
<i>Tsiau Tsung</i>	—	40	1649	<i>lutea</i>	—	30	1202
<i>Tsietta mandaru</i>	—	25	995	<i>minor</i>	—	30	1202
<i>Tsjaca-marum</i>	—	55	2833	<i>Orphanidea</i>	33	103	6310
<i>Tsjeria-pu-pal-valli</i>	—	44	1919	<i>Ostrowskiana</i>	42	112	6895
<i>Tsjetti-pu</i>	—	10	327	<i>patens</i>	—	68	3887
"	—	46	2042	<i>persica</i>	—	34	1390
<i>Tsjude-maram</i>	—	44	1870	<i>præstans</i>	59	129	7920
<i>Tsou Hoy Tong</i>	—	36	1473	<i>primulina</i>	40	110	6786
<i>Tsowa or Tswa</i>	18	88	5302	<i>pulchella</i>	33	103	6304
<i>Tsubaki</i>	—	2	42	<i>pumilio</i>	—	22	839
<i>Tsurogone tsutsusi</i>	43	113	6972	<i>rubro-alba</i>	—	34	1390
<i>Tsutsusi</i>	—	36	1480	<i>saxatilis</i>	34	104	6374
<i>Tuberaria nostras</i>	11	81	4873	<i>Schrenki</i>	35	105	6439
<i>Tuga diandre</i>	33	103	6282	<i>Sintenesii</i>	47	117	7193
<i>Tulbaghia</i>	—	14	500	<i>stellata</i>	—	54	2762
<i>Alliacea</i>	—	21	806	<i>Suaveolens</i>	—	22	839
<i>capensis</i>	—	21	806	" <i>v. latifolia</i>	—	50	2388
<i>Ludwigiana</i>	—	64	3547	<i>Sylvestris</i>	—	30	1202
<i>violacea</i>	—	64	3555	"	33	103	6310
<i>Tulipa Alberti</i>	40	110	6761	<i>transtagana</i>	—	30	1202
<i>alpina</i>	33	103	6304	<i>tricolor</i>	—	68	3887
<i>apenninea</i>	—	30	1202	<i>triphylla</i>	35	105	6459
<i>Batalini</i>	60	130	7991	<i>turcarum</i>	—	28	1135
<i>biflora</i>	36	106	6518	<i>Turcica</i>	—	30	1202
<i>Billietiana</i>	48	118	7253	<i>undulatifolia</i>	33	103	6308
<i>boloniensis</i>	—	30	1202	<i>variegata</i>	—	34	1390
<i>Borszczowi</i>	38	108	6635	<i>violacea</i>	51	121	7440
<i>Breyniana</i>	—	19	717	<i>Tulipifera virginiana</i>	—	8	275
<i>(see note)</i>	—	28	1135	"	—	47	2164
<i>Celsiana</i>	33	103	6310	<i>Tuna elatior</i>	—	38	1557
<i>Clusiana</i>	—	34	1390	<i>major</i>	—	38	1557
<i>Didieri</i>	38	108	6639	<i>mitior</i>	—	54	2741
"	48	118	7253	<i>Tupa crassicaulis</i>	6	76	4505
<i>dubia pumilio</i>	—	22	839	<i>Tupidanthus calyp-</i>			
<i>Eichleri</i>	31	101	6191	<i>tratus</i>	12	82	4908
<i>Fransoniana</i>	38	108	6639	<i>Tupistra Clarkei</i>	60	130	7957
<i>Gesneriana</i>	—	28	1135	<i>grandis</i>	58	128	7829
"	35	105	6439	<i>macrostigma</i>	33	103	6280
"	38	108	6639	<i>nutans</i>	—	58	3054
" <i>(see note)</i>	—	30	1202	<i>squalida</i>	—	40	1655
<i>Greigi</i>	31	101	6177	"	33	103	6280
<i>Hageri</i>	32	102	6242	<i>Turnera angustifolia</i>	—	8	281

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Turnera frutescens</i> ...	—	8	281	<i>Urtica involucrata</i> ...	—	51	2481
<i>trioniflora</i> ...	—	47	2106	<i>moroides</i> ...	45	115	7057
<i>ulmifolia</i> ...	1	71	4137	<i>reticulata</i> ...	—	52	2567
<i>Turpethum repens</i> ...	—	46	2093	<i>Urucu</i> ...	—	35	1456
<i>Turræa obtusifolia</i> ...	32	102	6267	<i>Usteria</i> ...	—	13	460
<i>Turritis arvensis</i> ...	—	57	3007	<i>hyacinthiflora</i> ...	—	36	1461
<i>Tusai</i> ...	—	6	194	<i>secunda</i> ...	—	36	1461
<i>persicum</i> ...	—	30	1215	<i>Utricularia vegetabilis</i>			
<i>Tussilago alpina</i> ...	—	3	84	<i>Zeylanensium</i> ...	—	55	2798
<i>fragrans</i> ...	—	34	1388	<i>Utricularia alpina</i> ...	27	97	5923
<i>integrifolia</i> ...	—	48	2257	<i>antirrhinoides</i> ...	39	109	6689
<i>Japonica</i> ...	18	88	5302	<i>bifida</i> ...	39	109	6689
<i>Tydaea amabilis</i> ...	13	83	4999	<i>biflora</i> ...	39	109	6689
<i>Tylophora caffra</i> ...	59	129	7925	<i>brevicaulis</i> ...	39	109	6689
<i>Typhonium brevipes</i> ...	60	130	7940	<i>diantha</i> ...	39	109	6689
<i>Brownii</i> ...	31	101	6180	<i>Endresii</i> ...	38	108	6656
<i>pedatum</i> ...	60	130	7940	<i>grandiflora</i> ...	27	97	5923
<i>Tweedia versicolor</i> ...	—	65	3630	<i>janthina</i> ...	52	122	7466
				<i>montana</i> ...	27	97	5923
<i>Uba-juri</i> ...	34	104	6337	<i>uniflora</i> ...	27	97	5923
<i>Ubiun polypoides</i> ...	—	36	1500	<i>Wallichiana</i> ...	39	109	6689
<i>Udani malayensibus</i> ...	—	46	2033	<i>Uvaria Kirkii</i> ...	28	98	6006
<i>Ulinja</i> ...	—	26	1049	<i>triloba</i> ...	26	96	5854
<i>Ulloa parasitica</i> ...	—	70	4118	<i>Uvularia Chinensis</i> ...	—	23	916
<i>Ullucus tuberosus</i> ...	7	77	4617	<i>grandiflora</i> ...	—	28	1112
<i>Ulmaria major</i> ...	—	14	489	<i>hirta</i> ...	12	82	4955
<i>virginiana</i> ...	—	14	489	" ...	19	89	5355
<i>Ulmifolia arbor afri-</i>				<i>lanuginosa</i> ...	—	36	1490
<i>cana</i> ...	—	12	423	<i>Leschenaultiana</i> ...	43	113	6935
<i>Umbilicus malaco-</i>				<i>perfoliata</i> ...	—	24	955
<i>phyllus</i> ...	—	70	4098	" ...	—	28	1112
<i>Unifolium</i> ...	—	15	510	<i>rosea</i> ...	—	36	1489
<i>Unjala</i> ...	51	121	7402	<i>sessilifolia</i> ...	—	34	1402
<i>Ura-juri</i> ...	34	104	6337				
<i>Uraria comosa</i> ...	50	120	7377	<i>Vaccaria</i> ...	—	49	2290
<i>crinita</i> ...	50	120	7377	<i>Vaccinium albiflorum</i> ...	—	62	3428
<i>macrostachya</i> ...	50	120	7377	<i>amanum</i> ...	—	62	3433
<i>pieta</i> ...	50	120	7377	<i>angustifolium</i> ...	—	62	3447
<i>Urceolaria chilensis</i> ...	39	109	6720	<i>arboreum</i> ...	—	39	1607
<i>pendula</i> ...	20	90	5464	<i>Arctostaphylos</i> ...		25	974
<i>Urceolina aurea</i> ...	20	90	5464	" ...	49	119	7305
<i>pendula</i> ...	20	90	5464	<i>brachycerum</i> ...	—	24	928
<i>Urena lobata</i> ...	—	58	3043	<i>buxifolium</i> ...	—	24	928
<i>præmorsa</i> ...	—	13	436	<i>cæspitosum</i> ...	—	62	3429
<i>sinica</i> ...	—	58	3043	<i>Canadense</i> ...	—	62	3446
<i>Uroskinnera specta-</i>				<i>corymbosum</i> ...	—	62	3433
<i>bilis</i> ...	13	83	5009	" ...	—	63	3522
<i>Urospermum Dale-</i>				<i>crassifolium</i> ...	—	29	1152
<i>champii</i> ...	—	39	1623	<i>diffusum</i> ...	—	39	1607
<i>Ursinia crithmifolia</i> ...	—	58	3042	<i>dimorphum</i> ...	—	62	3433

	Vol. of Third Series	Vol. of Entire Work.	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
<i>Vaccinium dumosum</i> ...	—	28	1106	<i>Vanda cœrulescens</i> ...	26	96	5834
<i>erythrinum</i> ...	8	78	4688	„ <i>v. Boxallii</i>	33	103	6328
<i>erythrocarpum</i> ...	51	121	7413	<i>Cathcarti</i> ...	26	96	5845
<i>formosum</i> ...	—	62	3433	<i>Clarkei</i> ...	45	115	7077
<i>fuscatum</i> ...	—	62	3433	<i>cristata</i> ...	3	73	4304
<i>Imrayi</i> ...	17	87	5279	„ ...	60	130	7968
<i>macrocarpon</i> ...	—	52	2586	<i>Denisoniana</i> ...	25	95	5811
<i>Mortinia</i> ...	42	112	6872	<i>densiflora</i> ...	23	93	5635
<i>Myrsinites</i> ...	—	38	1550	<i>gigantea</i> ...	16	86	5189
<i>myrtilloides</i> ...	—	62	3447	<i>insignis</i> ...	25	95	5759
<i>nitidum v. decum-</i>				<i>Kimballiana</i> ...	46	116	7112
<i>bens</i> ...	—	38	1550	<i>limbata</i> ...	31	101	6173
<i>ovatum</i> ...	9	79	4732	<i>Lindleyana</i> ...	16	86	5189
<i>oxycoccus</i> ...	—	52	2586	<i>Lowii</i> ...	20	90	5475
<i>padifolium</i> ...	49	119	7305	<i>parviflora</i> ...	15	85	5138
<i>Pennsylvanicum</i> ...	—	62	3434	<i>peduncularis</i> ...	46	116	7099
<i>prunifolium</i> ...	9	79	4732	<i>pumila</i> ...	60	130	7968
<i>reflexum</i> ...	25	95	5781	<i>Roxburghii</i>	—	48	2245
<i>resinosum</i> ...	—	32	1288	„ <i>v. unicolor</i>	—	62	3416
<i>Rollisoni</i> ...	7	77	4612	<i>Sanderiana</i> ...	44	114	6983
<i>rugosum</i> ...	16	86	5198	<i>Storiei</i> ...	53	123	7537
<i>serpens</i> ...	40	110	6777	<i>suavis</i> ...	16	86	5174
<i>tenellum</i> ...	—	62	3434	<i>teres</i> ...	—	70	4114
<i>virgatum</i> ...	—	62	3433	<i>teretifolia</i> ...	—	64	3571
„ ...	—	63	3522	<i>trichorhiza</i> ...	—	65	3648
<i>Vahea comorensis</i> ...	43	113	6963	<i>tricolor</i> ...	5	75	4432
<i>Valantia Taurica</i> ...	—	53	2670	<i>Vanglo</i> ...	—	41	1688
<i>Valeriana alpina</i> ...	—	43	1825	<i>Vangueria velutina</i> ...	—	57	3014
<i>foliis omnibus in-</i>				<i>Vanilla flore viridi et</i>			
<i>tegris</i> ...	—	43	1825	<i>albo</i> ...	47	117	7167
„ <i>ovato-lanceo-</i>				<i>planifolia</i> ...	47	117	7167
<i>latis</i> ...	—	43	1825	<i>viridiflora</i> ...	47	117	7167
<i>Jatamansi</i> ...	37	107	6564	<i>Vauanthes chloræflora</i>	34	104	6401
<i>lutea humilis</i> ...	—	49	2325	<i>Veitchia japonica</i> ...	40	110	6743
<i>montana v. rotundi-</i>				<i>Velaga xylocarpa</i> ...	—	17	620
<i>folia</i> ...	—	43	1825	<i>Velleia trinervis</i> ...	—	28	1137
<i>rupestris</i> ...	—	19	714	<i>Vellosia candida</i> ...	21	91	5514
<i>ruthenica</i> ...	—	49	2325	<i>Vellozia elegans</i> ...	25	95	5803
<i>Sibirica</i> ...	—	19	714	<i>equisetoides</i> ...	60	130	7962
„ ...	—	49	2325	<i>trichophylla</i> ...	60	130	7962
<i>sylvestris</i> ...	—	43	1825	<i>Veltheimia glauca</i> ...	—	27	1091
<i>Valerianella Africana</i> ...	—	14	483	<i>glauca v. floribus</i>			
<i>Valerianelloides</i> ...	—	44	1860	<i>rubescenti-pur-</i>			
<i>Æthiopica</i> ...	—	45	2016	<i>pureis</i> ...	—	62	3456
<i>flore monopetalo</i> ...	—	14	483	<i>pumila</i> ...	—	20	764
<i>Vallosa miniata</i> ...	10	80	4783	<i>repens</i> ...	—	20	744
<i>Valoradia plumbagin-</i>				<i>speciosa</i> ...	10	80	4816
<i>oides</i> ...	6	76	4487	<i>Uvaria</i> ...	—	20	758
<i>Vanda Amesiana</i> ...	46	116	7139	„ ...	10	80	4816
<i>Bensoni</i> ...	22	92	5611	<i>viridifolia</i> ...	—	14	501

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work.	Tab.
Ventenatia major ...	—	44	1918	Verbena triphylla ...	—	11	367
Veratrum album ...	—	27	1096	Tweedieana ...	—	63	3541
flore atrorubente ...	—	24	963	venosa ...	—	59	3127
luteum ...	—	27	1062	veronicifolia ...	—	61	3333
nigrum ...	—	24	963	Verbesina alata ...	—	41	1716
racemo simplicissimo ...	—	20	747	foliis oblongo-ovatis ...	—	41	1716
„ „	—	27	1062	sativa ...	—	26	1017
scapo fistuloso ...	—	20	747	Verea crenata ...	—	35	1436
viride ...	—	27	1096	Vermifuga ...	—	50	2400
Verbascum angustis ...				Vernonia acutifolia ...	—	58	3062
salviæ foliis ...	—	25	999	(Stengelia) Calvoana ...	24	94	5698
Arcturus ...	—	45	1962	cylindrica ...	48	118	7255
bipinnatifidum ...	—	43	1777	flexuosa ...	—	51	2477
Brassicæ folio ...	—	45	1962	pinifolia ...	19	89	5412
Cupreum ...	—	30	1226	podocoma ...	48	118	7255
flore cæruleo ...	—	23	885	Veronica alpina v.			
humile ...	—	45	1962	Wormskioldii ...	—	57	2975
latis salviæ foliis ...	—	43	1843	amœna ...	57	127	7759
longifolium ...	56	126	7707	amplexicanlis ...	50	120	7370
Matthioli ...	—	43	1843	angustifolia ...	28	98	5965
montanum ...	56	126	7707	anomala ...	50	120	7360
Myconi ...	—	7	236	atrotanifolio ...	—	40	1679
Ovalifolium ...	—	26	1037	Balfouriana ...	53	123	7556
pannosum ...	56	126	7707	carnosula ...	37	107	6587
Phoeniceum ...	—	23	885	Colensoi ...	49	119	7296
pinnatifidum ...	—	43	1777	cupressoides ...	50	120	7348
sylvestre ...	—	25	999	decussata ...	—	7	242
„ ...	—	43	1843	Derwentia ...	—	40	1660
„ ...	—	45	1962	„ ...	—	63	3461
Tauricum ...	—	67	3799	Dieffenbachii ...	55	125	7656
tomentosum ...	56	126	7707	diosmæfolia ...	6	76	4512
Verbena Americana ...	—	25	976	„ v. trisepala ...	53	123	7539
Aubletia ...	—	9	308	erecta ...	—	25	1002
„ ...	—	48	2200	Fairfieldii ...	49	119	7323
bracteosa ...	—	48	2200	foliis multifidis ...	—	40	1679
„ ...	—	56	2910	formosa ...	6	76	4512
chamædrifolia ...	—	61	3333	Gentianoides ...	—	25	1002
fluminnensis ...	32	102	6221	glauca ...	57	127	7759
folio subrotundo ...	—	44	1860	græca ...	57	127	7759
incisa ...	—	65	3628	Hectori ...	51	121	7415
Jamaicensis ...	—	44	1860	Hulkeana ...	20	90	5484
juncea ...	56	126	7695	labiata ...	—	40	1660
Lamberti ...	—	48	2200	„ ...	—	63	3461
Melindres ...	—	61	3333	lævis ...	37	107	6587
mutabilis ...	—	25	976	Lavaudiana ...	47	117	7210
Orubica ...	—	25	976	loganioides ...	51	121	7404
pseudogervao ...	32	102	6221	longifolia v. subses-			
rigens ...	—	45	1976	silis ...	35	105	6407
stricta ...	—	45	1976	Lyallii ...	35	105	6456
teucroides ...	—	65	3694	lycopodioides ...	50	120	7338

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Veronica multifida</i> ...	—	40	1679	<i>Vieusseuxia tripetal-</i>			
<i>orchidea</i> ...	—	48	2210	<i>oides</i> ...	—	19	702
<i>orientalis</i> ...	—	25	1002	<i>Villanova bipinnatifida</i>	—	49	2275
<i>parviflora</i> v. <i>angusti-</i>				<i>chrysanthemoides</i> ...	35	105	6422
<i>folia</i> ...	28	98	5965	<i>Villarsia capitata</i> ...	35	105	6420
<i>perfoliata</i> ...	—	44	1936	<i>geminata</i> ...	—	32	1328
<i>pinguifolia</i> ...	31	101	6147	<i>involuta</i> ...	35	105	6420
<i>prostata</i> v. <i>satureiae-</i>				<i>ovata</i> ...	—	44	1909
<i>folia</i> ...	—	65	3683	<i>Viminaria denudata</i> ..	—	29	1190
<i>speciosa</i> ...	—	70	4057	<i>Vinaigrette</i> ...	32	102	6256
<i>stenophylla</i> ...	28	98	5965	<i>Vinca foliis oblongo-</i>			
<i>Traversii</i> ...	34	104	6390	<i>ovatis</i> ...	—	7	248
<i>Verticordia nitens</i> ...	17	87	5286	<i>herbacea</i> ...	—	45	2002
<i>Vesalia floribunda</i> ...	3	73	4316	<i>rosea</i> ...	—	7	248
<i>hirta</i> ...	3	73	4316	<i>Vincetoxicum flore</i>			
<i>Vesicaria arctica</i> ...	—	56	2882	<i>nigro</i> ...	—	50	2390
<i>gracilis</i> ...	—	63	3533	<i>indianum</i> ...	—	29	1182
<i>grandiflora</i> ...	—	63	3464	<i>Vintenatia humifusa</i> ..	—	35	1439
<i>nigra</i> ...	—	26	1049	<i>Vintera Granadensis</i> ..	10	80	4800
<i>repens</i> ...	—	26	1049	<i>Viola alba</i> ...	—	15	535
<i>Vestia lycioides</i> ...	—	50	2412	<i>alpina</i> ...	—	46	2089
<i>Viburnum dilatatum</i> ..	32	102	6215	<i>altaica</i> ...	—	43	1776
<i>nudum</i> ...	—	49	2281	<i>arborescens</i> ...	—	39	1595
<i>rugosum</i> ...	—	46	2082	<i>biflora</i> ...	—	46	2089
<i>Sandankwa</i> ...	31	101	6172	<i>cærulea</i> ...	—	39	1595
<i>Tinus</i> ...	—	2	38	<i>calceolaria</i> ...	—	51	2453
<i>„</i> ...	—	46	2082	<i>caule debili</i> ...	—	46	2089
<i>tomentosum</i> ...	—	13	438	<i>„ elongato</i> ...	—	21	791
<i>Vicia argentea</i> ...	—	56	2946	<i>„ lato</i> ...	—	39	1595
<i>Denessiana</i> ...	43	113	6967	<i>cornuta</i> ...	—	21	791
<i>Durneriana</i> ...	43	113	6967	<i>cucullata</i> ...	—	43	1795
<i>foliis ellipticis</i> ...	—	48	2206	<i>dentaria prima</i> ...	—	48	2202
<i>galegifolia</i> ...	—	21	792	<i>elatior</i> ...	—	39	1595
<i>Gerardi</i> ...	—	47	2141	<i>erecta</i> ...	—	39	1595
<i>narbonensis</i> ...	48	118	7220	<i>flore luteo</i> ...	—	46	2089
<i>onobrychioides</i> ...	—	48	2206	<i>foliis cordato-lan-</i>			
<i>serratifolia</i> ...	48	118	7220	<i>ceolatis</i> ...	—	21	791
<i>tenuifolia</i> ...	—	47	2141	<i>„ palmatis</i>	15	535
<i>variegata</i> ...	—	56	2946	<i>grandiflora</i> ...	—	51	2453
<i>Victoria Cruziana</i> ...	3	73	4275	<i>hispida</i> ...	—	36	1498
<i>regia</i> ...	3	73	4275	<i>Hybanthus</i> ...	28	98	5960
<i>Regina</i> ...	3	73	4275	<i>inodora</i> ...	—	3	89
<i>Victorialis longa</i> ...	—	30	1222	<i>Ipecacuanha</i> ...	—	51	2453
<i>rotunda</i> ...	—	19	719	<i>Itoubou</i> ...	—	51	2453
<i>Vieusseuxia aristata</i> .	—	19	696	<i>lauriflora</i> ...	28	98	5960
<i>fugax</i> ...	—	31	1238	<i>Mariana</i> ...	—	12	404
<i>„</i> ...	20	90	5438	<i>martia</i> ...	—	39	1595
<i>glaucopis</i> ...	—	19	696	<i>matronalis</i> ...	—	19	730
<i>pavonia</i> ...	—	31	1247	<i>montana</i> ...	—	39	1595
<i>spiralis</i> ...	—	19	696	<i>„</i> ...	—	46	2089

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Viola palmata</i> ...	—	15	535	<i>Volkameria angulata</i> ..	46	116	7141
<i>pedata</i> ...	—	3	89	<i>capitata</i> ...	4	74	4355
<i>pedunculata</i> ...	13	83	5004	<i>tomentosa</i> ...	—	37	1518
<i>pyrenaica</i> ...	—	21	791	<i>Volkmannia Japonica</i>	—	43	1834
<i>Rothomagensis</i> ...	—	36	1498	<i>Vriesea amethystina</i> .	46	116	7121
<i>sylvestris</i> ...	—	39	1595	<i>brachystachys</i> ...	29	99	6014
<i>tricolor</i> ...	—	3	89	<i>carinata</i> ...	42	112	6882
<i>virginiana</i> ...	—	15	535	<i>chrysostachys</i> ...	42	112	6906
<i>Vireya alba</i> ...	13	83	4972	<i>fenestralis</i> ...	42	112	6898
<i>Javanica</i> ...	3	73	4336	<i>glaucophylla</i> ...	4	74	4415
" ...	41	111	6850	<i>incurvata</i> ...	42	112	6882
<i>retusa</i> ...	11	81	4859	<i>inflata</i> ...	42	112	6882
<i>Virga aurea</i> ...	—	42	1734	<i>Jonghei</i> ...	43	113	6945
<i>Virgilia Capensis</i> ...	—	38	1590	<i>Malzinei</i> ...	36	106	6495
<i>helioides</i> ...	—	39	1602	<i>musaica</i> ...	39	109	6675
<i>intrusa</i> ...	—	53	2617	<i>psittacina</i> ...	42	112	6882
<i>lutea</i> ...	57	127	7767	" <i>v. rubro-</i>			
<i>Viscago hirsuta</i> ...	—	4	114	<i>bracteata</i>	15	85	5108
<i>Viscaria aspera</i> ...	—	70	4075	<i>speciosa</i> ...	4	74	4382
<i>oculata</i> ...	—	70	4075	<i>streptophylla</i> ...	40	110	6757
<i>Viscum album</i> ...	58	128	7828	<i>xyphostachys</i> ...	17	87	5287
<i>baccis purpureis</i> ...	58	128	7828	<i>Vulneraria argentea</i> ...	—	44	1927
<i>cruciatum</i> ...	58	128	7828				
<i>delphinii flore minus</i>	—	60	3229	<i>Waagenboom</i> ...	—	51	2447
<i>orientale</i> ...	58	128	7828	<i>Wachendorfia brevifolia</i>	—	29	1166
<i>radice bulbosa</i> ...	—	20	777	<i>hirsuta</i> ...	—	17	614
" " <i>minus</i>	—	58	3076	<i>paniculata</i> ...	—	17	614
" " " "	—	63	3536	" " " "	—	17	616
<i>Vitex chinensis</i> ...	—	11	364	" " " "	—	53	2610
<i>Lindeni</i> ...	32	102	6230	<i>Thyrsiflora</i> ...	—	27	1060
<i>Negundo</i> ...	—	11	364	<i>Wadapu</i> ...	—	55	2815
<i>trifolia</i> ...	—	11	364	<i>Wageneria scabrida</i> ...	50	120	7347
" " " "	—	47	2187	<i>Wagneria Middendorf-</i>			
<i>Viticella</i> ...	—	20	754	<i>iana</i> ...	59	129	7876
<i>Vitis Bainesii</i> ...	20	90	5472	<i>Wahlenbergia albo-</i>			
<i>Canadensis</i> ...	—	43	1806	<i>marginata</i> ...	38	108	6613
<i>Gongylodes</i> ...	41	111	6803	<i>bilocularis</i> ...	47	117	7174
<i>heterophylla</i>				<i>Chamissoniana</i> ...	47	117	7174
<i>v. humulifolia</i>	23	93	5682	<i>dalmatica</i> ...	36	106	6482
<i>Idæa</i> ...	—	25	974	<i>Kitaibelii</i> ...	31	101	6188
" " " "	—	45	1966	<i>rotundifolia</i> ...	12	82	4942
" " " "	—	50	2430	" " " "	13	83	5018
<i>incisa</i> ...	—	50	2429	<i>saxicola</i> ...	38	108	6613
<i>macropus</i> ...	20	90	5479	<i>striata</i> ...	47	117	7174
<i>odoratissima</i> ...	—	50	2429	<i>tenuifolia</i> ...	36	106	6482
<i>planicaulis</i> ...	24	94	5685	<i>tuberosa</i> ...	31	101	6155
<i>polita</i> ...	53	123	7561	<i>undulata</i> ...	47	117	7174
<i>pterophora</i> ...	41	111	6803	<i>Wailesia paludosa</i> ...	52	122	7464
<i>riparia, mas.</i> ...	—	50	2429	<i> picta</i> ...	60	130	7951
<i>Volkameria alternifolia</i>	18	88	5294	<i>rosea</i> ...	60	130	7951

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Waitzia corymbosa</i> ...	20	90	5443	<i>Westringia cinerea</i> ...	—	61	3307
<i>Steetziana</i> ...	18	88	5342	<i>Dampieri</i> ...	—	61	3308
<i>tenella</i> ...	18	88	5342	<i>eremicola</i> ...	—	62	3438
<i>Waldemaria Argentea</i>	43	113	6948	<i>longifolia</i> ...	—	62	3438
<i>Waldsteinia geoides</i> ...	—	52	2595	<i>Whitfieldia lateritia</i> .	1	71	4155
<i>Walkeria</i> ...	—	19	731	<i>Whitlavia grandi-</i>			
<i>Wallichia densiflora</i> ...	7	77	4584	<i>flora</i> ...	10	80	4813
<i>nana</i> ...	41	111	6836	<i>Wickstroemia fruticosa</i>	—	70	4129
<i>oblongiflora</i> ...	7	77	4584	<i>Wigandia Caracasana</i>	7	77	4575
<i>Walteriana Carolini-</i>				<i>Willughbeia cordata</i> .	43	113	6963
<i>ensis</i> ...	—	39	1625	<i>Wintera aromatica</i> ...	10	80	4800
<i>Wang-yang-ve</i> or <i>Yel-</i>				<i>Winterana aromatica</i> .	10	80	4800
<i>low Rose</i> ...	8	78	4679	<i>Wisank indianum</i> ...	—	29	1182
<i>Wanhom</i> ...	—	22	850	<i>Wistaria chinensis</i> v.			
<i>Wanzey</i> ...	—	21	794	<i>multijuga</i> ...	53	123	7522
<i>Warneria Canadensis</i> .	—	57	3019	<i>Consequana</i> ...	53	123	7522
<i>Warrea discolor</i> ...	11	81	4830	<i>floribunda</i> ...	53	123	7522
<i>quadrata</i> ...	10	80	4766	<i>megasperma</i> ...	37	107	6541
<i>Warscewizella velata</i> ..	22	92	5582	<i>multijuga</i> ...	53	123	7522
<i>Watsonia aletroides</i> ...	—	15	533	<i>speciosa</i> ...	—	46	2103
<i>brevifolia</i> ...	—	17	601	<i>Witheringia montana</i> .	—	54	2768
<i>densiflora</i> ...	34	104	6400	<i>pendula</i> ...	45	115	7062
<i>erubescens</i> ...	—	17	631	<i>Witsenia corymbosa</i> .	—	23	895
<i>humilis</i> ...	—	13	441	<i>Wolkensteinia Theo-</i>			
" ...	—	17	631	<i>phrasta</i> ...	23	93	5642
" ...	—	30	1195	<i>Woodfordia floribunda</i>	—	44	1906
" (see note)	—	27	1073	<i>Wormia Burbidgei</i> ...	36	106	6531
<i>iridifolia</i> v. <i>fulgens</i> .	—	17	600	<i>Wrightia coccinea</i> ...	—	53	2696
<i>laccata</i> ...	—	17	631	<i>Wulfenia Carinthiaca</i>	—	51	2500
<i>Marginata</i> ...	—	17	608	<i>Notoniana</i>	7	77	4620
" v. <i>minor</i>	—	37	1530	<i>reniformis</i> ...	42	112	6860
<i>Meriana</i> ...	—	12	418	<i>Wurmbea bullata</i> ...	—	34	1418
" ...	—	30	1194	<i>campanulata</i> ...	—	19	694
<i>plantaginea</i> ...	—	16	553	" ...	—	32	1291
<i>Rosea</i> ...	—	27	1072	<i>Capensis</i> ...	—	32	1291
<i>roseo-alba</i> ...	—	15	537	<i>purpurea</i> ...	—	19	694
" ...	—	30	1193	<i>Wyethia mollis</i> ...	57	127	7772
<i>strictiflora</i> ...	—	34	1406	<i>Xanthisma Drum-</i>			
<i>Webbia pinifolia</i> ...	19	89	5412	<i>mondii</i> ...	33	103	6275
<i>Wedelia aurea</i> ...	—	62	3384	<i>teyanum</i> ...	33	103	6275
<i>Weigela amabilis</i> ...	12	82	4893	<i>Xanthoceras sorbifolia</i>	43	113	6923
<i>Middendorffiana</i> ...	59	129	7876	<i>Xanthochymus duleis</i> .	—	58	3088
<i>rosea</i> ...	4	74	4396	<i>Xanthorhiza apiifolia</i> .	—	42	1736
<i>Weldenia candida</i> ...	51	121	7405	<i>simplicissima</i> ...	—	42	1736
<i>Schultesii</i> ...	51	121	7405	<i>Xanthorrhæa Brunonis</i>	43	113	6933
<i>Weli-ila</i> ...	50	120	7364	<i>Drummondii</i> ...	43	113	6933
<i>Wellingtonia gigantea</i>	10	80	4777	<i>Hastile</i> ...	9	79	4722
<i>Welwitschia mirabilis</i>	19	89	5368	<i>minor</i> ...	33	103	6297
<i>Wennewelle</i> , or <i>Wenne-</i>				<i>pecoris</i> ...	43	113	6933
<i>welle-gette</i> ...	8	78	4658				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
<i>Xanthorrhæa Preissii</i> .	43	113	6933	<i>Xyris Operculata</i> ...	—	29	1158
<i>quadrangulata</i> ...	30	100	6075	<i>Yuccotli</i> ...	—	49	2309
<i>resinosa</i> ...	9	79	4722	<i>Yucca acrotricha</i> ...	14	84	5030
<i>Xanthosia rotundi-</i>				<i>aloifolia</i> ...	—	41	1700
<i>folia</i> ...	—	64	3582	"	55	125	7662
<i>Xanthosoma sagitti-</i>				<i>angustifolia</i> ...	—	48	2236
<i>folium</i> ...	13	83	4989	"	55	125	7650
<i>Xanthoxylon nitidum</i>	—	52	2558	<i>arborescens</i> ...	—	41	1700
<i>Xeranthemum Africa-</i>				<i>baccata</i> ...	47	117	7197
<i>num</i> ...	—	20	776	<i>canadana</i> ...	—	31	1260
"	—	50	2365	<i>canaliculata</i> ...	16	86	5201
<i>canescens</i> ...	—	12	420	<i>constricta</i> ...	55	125	7650
<i>fasciculatum</i> ...	—	20	763	<i>elata</i> ...	55	125	7650
<i>flore rubicundo</i> ...	—	20	763	<i>filamentosa</i> ...	—	23	900
<i>frigidum</i> ...	36	106	6515	<i>filifera</i> ...	47	117	7197
<i>fulgidum</i> ...	—	12	414	<i>foliis filamentosis</i> ...	—	23	900
<i>herbaceum</i> ...	—	43	1773	" <i>marginè inte-</i>			
<i>incanum</i> ...	—	12	420	<i>gerrimis</i> ...	—	31	1260
<i>proliferum</i> ...	—	50	2365	<i>glauca</i> ...	—	53	2662
<i>sesamoides</i> ...	—	12	425	<i>gloriosa</i> ...	—	31	1260
"	—	20	763	"	—	41	1700
<i>squamosum</i> ...	—	20	763	<i>graminifolia</i> ...	55	125	7662
<i>variegatum</i> ...	—	20	776	<i>indica</i> ...	—	31	1260
<i>Xerophyllum seti-</i>				<i>lutescens</i> ...	47	117	7172
<i>folium</i> ...	—	20	748	<i>orchioides v. major</i> .	33	103	6316
<i>Xiphidium albidum</i> ...	14	84	5055	<i>parviflora</i> ...	56	126	7723
<i>album</i> ...	14	84	5055	<i>peruana</i> ...	—	31	1260
<i>cæruleum</i> ...	14	84	5055	<i>rupicola</i> ...	47	117	7172
<i>floribundum</i> ...	14	84	5055	<i>stricta</i> ...	—	48	2222
<i>giganteum</i> ...	14	84	5055	<i>tortifolia</i> ...	47	117	7172
<i>Xiphion filifolium</i> ...	27	97	5928	<i>virginiana</i> ...	—	23	900
<i>Histrio</i> ...	29	99	6033	<i>Whipplei</i> ...	55	125	7662
<i>junceum</i> ...	27	97	5890				
<i>Kolpakowskianum</i> ..	36	106	6489	<i>Zalacca Assamica</i> ...	15	85	5105
<i>planifolium</i> ...	34	104	6352	<i>Zamia amplifolia</i> ...	46	116	7103
<i>Sisyrinchium</i> ...	30	100	6096	<i>Caffra</i> ...	12	82	4903
<i>tingitanum</i> ...	28	98	5981	<i>Cycadis</i> ...	12	82	4903
"	40	110	6775	<i>furfuracea</i> ...	—	45	1969
<i>Xiphium angustifolium</i>	—	18	686	<i>horrida</i> ...	19	89	5371
<i>latifolium</i> ...	—	18	687	<i>integrifolia</i> ...	—	43	1851
<i>Persicum</i> ...	—	1	1	<i>Maelen</i> ...	31	101	6184
<i>vulgare</i> ...	—	18	686	<i>media</i> ...	—	43	1838
<i>Xylobium leonto-</i>				<i>obliqua</i> ...	53	123	7542
<i>glossum</i> ...	45	115	7085	<i>pumila</i> ...	—	43	1851
<i>squalens</i> ...	—	56	2955	" <i>mas.</i> ...	—	45	2006
<i>Xylophylla latifolia</i> ...	—	26	1021	<i>pygmæa</i> ...	—	42	1741
<i>montana</i> ...	—	53	2652	<i>Skinneri</i> ...	17	87	5242
<i>Xylopiia undulata</i> ...	48	118	7260	<i>Wallisii</i> ...	46	116	7103
<i>Xylosteon pyrenaicum</i>	57	127	7774	<i>Zamioculcas Boivinii</i> ..	29	99	6026
<i>Xyris anceps</i> ...	—	29	1158				

	Vol. of Third Series	Vol. of Entire Work	Tab.		Vol. of Third Series	Vol. of Entire Work	Tab.
Zamioculcas Loddigesii	28	98	5985	Zinnia multiflora ...	—	5	149
Zanonia sarcophylla ...	29	99	6017	tenuiflora ...	—	16	555
Zantedeschia Rehmanni	51	121	7436	violacea ...	—	15	527
Zanthorhiza apiifolia..	—	42	1736	Ziziphora odoratissima	—	23	906
Zanthoxylum nitidum.	—	52	2558	Pouschkini ...	—	27	1093
Zapania bracteosa ...	—	56	2910	serpyllacea ...	—	23	906
mutabilis ...	—	25	976	Zizypha candida ...	—	27	1066
Zauschneria Californica				Zizyphus Paliurus ...	—	44	1893
v. latifolia ...	6	76	4493	Zosterostylis arachnites	19	89	5381
Zedoaria rotunda ...	—	23	920	Walkeræ ...	19	89	5381
Zephyranthes candida	—	53	2607	Zeylanica ...	19	89	5381
carinata ...	—	52	2594	Zugophyllum fulvum..	—	47	2184
citrina ...	38	108	6605	insuave ...	—	11	372
Drummondi ...	—	66	3727	sessilifolium ...	—	47	2184
pusilla ...	56	126	7693	Zumbul Indi ...	—	24	937
rosea ...	—	52	2537	Zwingera ...	—	19	731
striata ...	—	52	2593	Zygocolax veitchii ...	60	130	7980
Verecunda ...	—	52	2583	Zygoglossum umbel- latum ...	2	72	4237
Zerumbet ...	—	45	2000	Zygomenes Abyssinica	57	127	7785
speciosum ...	—	44	1903	Zygopetalon Mackaii ..	—	54	2748
Zichya glabrata ...	—	68	3956	maxillare ...	—	65	3686
Zieria arborescens ...	5	75	4451	Murrayanum ...	—	65	3674
lanceolata ...	—	34	1395	rostratum ...	—	55	2819
macrophylla ...	5	75	4451	Zygopetalum Africa- num ...	—	67	3812
Smithii ...	—	34	1395	cochleare ...	—	64	3585
Zigadenus glaberrimus	—	40	1680	crinitum ...	—	62	3402
Zingiber Casumunar..	—	35	1426	gramineum ...	14	84	5046
latifolium ...	—	45	2000	Mackaii ...	—	62	3402
Parishii ...	29	99	6019	Murrayanum ...	—	65	3674
spectabile ...	60	130	7967	Veitchii ...	60	130	7980
spurium ...	—	45	2000	velatum ...	22	92	5582
zerumbet ...	—	45	2000	Zy-jui-lan ...	—	49	2331
Zinnia elegans ...	—	15	527				
hybrida ...	—	47	2123				